



 **Benefitbee**®



Catalogue  
Of Beekeeping Equipments  
2018.03

**Shenzhen Benefitbee Bee Industry Co.,Ltd**  
**Yangjiang Benefitbee Beekeeping Equipment Co.,Ltd**

A professional manufacturer of beekeeping tools

 **Benefitbee**®

**YOU DEMAND THE BEST AND WE DELIVER**



Website: [www.benefitbee.com](http://www.benefitbee.com) Tel: +86 755 89697771  
Fax: +86 755 89697772 Mail: [info@benefitbee.com](mailto:info@benefitbee.com)  
Add: FL 5, Building 6, Liantang Industrial Zone, 48 Kangzheng Road, Danzhotou,  
Nanwan Town, Longgang District, Shenzhen, China 518100.  
No.2, Zone B, Hongfeng industrial park, Hongfeng town, Yangdong  
district. Yangjiang City. Guangdong province, China (Factory address).

# Company profile 公司简介

SHENZHEN BENEFITBEE BEE INDUSTRY COMPANY LTD(FORMERLY FENG QING WAN ZHONG BEE INDUSTRY) is a subsidiary of QuanYi Holdings. Established in 2009, we're standing corporate member of China Beekeeping Equipment Committee, Council Member Of Guangdong Apiculture Association, Council Unit Of Shenzhen Chaoshan Commerce Chamber, the Chief Executive Unit Of Shenzhen Entrepreneur Chamber Of Committee. We are a professional manufacturer of full range beekeeping tools integrating Design, Development, Production, Export. We regularly develop and produce all kinds of new type of beekeeping equipment for domestic and foreign counterparts.

Our hardware factory—YANGJIANG BENEFITBEE BEE INDUSTRY COMPANY LTD is located in "World Knife city"—Yangjiang, Guangdong, furnished with most advanced manufacturing technology and strong supporting industry advantages in China. We possess complete tooling and manufacturing equipments for hardware, plastic, fabrics, woodware. Our annual production capability includes more than 2 million beekeeping knives, 500,000 pieces of metal queen excluders, 200,000 pieces of bee smokers, 1 million pairs of beekeeping gloves, and there are more than 200 varieties of hardware tools independently produced.

Our plastic factory—SHENZHEN QUANYI PLASTIC COMPANY LTD, is located at the junction of Dongguan and Shenzhen. With the advantages of top injection molding and mold industry supporting and raw materials, it can produce more than 2 million plastic foundations, more than 500,000 pieces of plastic queen excluders, more than 300,000 plastic frames, and more than 100 types of plastic beekeeping tools. We are regularly engaged in designing, researching, development, molding and production of various plastic product.

Since the very beginning of establishment, we strive to exploit our expertise and innovation in beekeeping industry, convenient transportation networks, continuous improvement in products range/quality/price/Service. With the motto of "Love the bees, Benefit the world" and the quality policy of "Awesome workmanship and excellence", the business philosophy of "Keep a promise to everybody", we successfully build up strategic partnerships with some world-renowned beekeeping suppliers and our products are sold across more than 100 countries.

Our corporate success stems from high quality products, prime service, customers' trust. We sincerely hope to cooperate with more customers in the apiculture for mutual benefits and contribute more to fast development of beekeeping in the world.

深圳市益蜂业有限公司（原名蜂情万种蜂业）为全益控股旗下子公司，成立于2009年，是中国养蜂学会理事单位，中国蜂机具专业委员会常委单位，广东省养蜂学会常务理事单位，深圳潮汕商会常务理事单位，深圳网贸会执行区长单位。是一家集设计、开发、生产与出口销售各种养蜂装备的一站式专业制造商，常年为国内外同行开发生产各式新型养蜂机具。

旗下五金工厂——阳江市益蜂蜂机具有限公司，坐落于有“世界刀城”之称的工业重地——广东省阳江市，拥有中国最发达的工业制造技术与产业配套优势，目前拥有一整套完善的五金、模具开发与生产设备，年产各种养蜂刀具200多万把，金属隔板50多万片，喷烟器20多万个，手套100万双，自主生产的各种五金工具品种达200多种。

旗下塑料工厂——深圳市全益塑业有限公司，位于东莞与深圳交接处，拥有顶尖的注塑、模具产业配套与原材料优势，年产塑料巢础200多万片，塑料隔板50多万片，塑料巢框30多万个，拥有塑料蜂机具模具100余种，常年承接各种塑料制品的设计、研发、开模与生产。

公司自创立以来，充分发扬自主创新的精神，凭借多年来的蜂机具出口与制造经验、珠三角得天独厚的交通便利，秉承“关爱蜜蜂、造福人类”的企业使命，“巧夺天工，精益求精”的质量方针，“一言九鼎、无微不至”的经营理念，不断提升在品种、质量、价格以及服务上的优势，赢得世界众多知名企业的认可并且建立了战略合作伙伴关系，产品远销全球100多个养蜂强国及地区。

企业的成功来源于高品质的产品、优质的服务以及客户的信赖。我们真诚期望与世界蜂业界朋友们建立友好长久的合作关系，为中国乃至世界养蜂业的快速发展而携手并进！



# Catalog

Bee smokers .....	01-04
Hive tools .....	05-06
Uncapping knives .....	07-08
Uncapping forks .....	09
Frame hardware .....	10-12
Hive hardware .....	13-14
Plastic queen excluder .....	15
Metal queen excluder .....	16
Queen excluder .....	17
Langstroth beehive .....	18
Nuc box .....	19
Polystyrene hive .....	20
Honey extractors .....	21-22
Honey filter .....	23
Other hardware .....	24
Plastic combs and frames .....	25-26
Honey gates .....	27
Honey tank .....	28-29
Honey pail .....	30
Bee brushes .....	31-32
Beekeeping gloves .....	33-34
Bee hats .....	35
Bee Jackets .....	36
Bee suits .....	37-39
Queen rearing .....	40-43
Bee feeders .....	44-45
Bee Pollen Tools .....	46-47
Bee medicine .....	48
Bees product fine processing facilities .....	49
Beeswax foundation roller .....	50
Wax press .....	51
Beeswax .....	52
Soap making & skin care .....	53

# 01 Bee smokers

OEM/ODM available >>




Model: PN02-Q

Patented products



# 01 Bee smokers

OEM/ODM available >>



Model: PN02(M)




PNH02(L)

Φ:10cm  
h:32cm



# 01 Bee smokers

OEM/ODM available >>




Model: PN02(M)



# 01 Bee smokers

OEM/ODM available >>



# 02 Hive tools


OEM/ODM available >>



**Model: Q17** Multi Function Hive Tools

China Patent: ZL201520103196.7    ZL201530043392.5

High-quality stainless steel, sturdier wood, exquisite workmanship, powerful beekeeping hive tool, that incorporates up to a half dozen applications in one tool: Hive scraper, frame cleaner, nail puller, queen excluder straightener and cleaner, pry bar, detachable hammer, etc. It will last a lifetime! A must have for all beekeepers.



# 02 Hive tools

OEM/ODM available >>



**Model: G04**  
Multi-function claw hammer

 MQ23	 MQ24	 Q02	 Q23
 Q01	 Q03	 Q04W	 Q04P
 Q05	 Q05QQ	 Q06	 Q07
 Q08	 Q09	 Q10	 Q11
 Q11-2	 Q12	 Q13	 Q14
 Q15	 Q16	 Q19	 Q21

# 03 Uncapping knives



OEM/ODM available >>



## CE Model: D07

#304 Stainless Steel CE certificate  
Designed for easy uncapping to extract honey faster.  
No more messy chunks of wax in all over the place.

Temperature: 150-190°C  
Voltage: 110-220V Power: 300W



## CE Model: D07E

#304 Stainless Steel  
Electric heated uncapping uncaps honeycomb  
in a few simple swipes.

Temperature: 150-190°C  
Voltage: 12V Power: 300W



## CE Model: D07T

#304 Stainless Steel  
Electric uncapping knife with thermo regulator CE certificate Slides  
right along the outer edges of the frame and makes a nice cut.  
ON-OFF switch attached to control temperature, eliminate over-heating.

Voltage: 110&220V Optional Power: 300W



# 03 Uncapping knives



OEM/ODM available >>

<p>MD12 L:270mm</p>	<p>MD13 L:303mm</p>		
<p>D01 L:265mm</p>	<p>D03CH-P L:395mm</p>		
<p>D02 L:345/395mm</p>	<p>D02CHJ-F L:420mm</p>	<p>D03 L:345/395mm</p>	<p>D03DH-4 L:325mm</p>
<p>D03DH-5 L:345mm</p>	<p>D04 L:420mm</p>	<p>D05P L:395mm</p>	<p>D05W L:415mm</p>
<p>D06 L:335mm</p>	<p>D08 L:400mm</p>	<p>D09 L:402mm</p>	<p>D10 L:400mm ● Patented products</p>
<p>MD11 L:470mm ● Patented products</p>	<p>D11 L:260mm</p>	<p>D011-2 L:340mm</p>	<p>D12 L:180mm Bee frame cleaning knife</p>

# 04 Uncapping forks

OEM/ODM available >>



**Model: C09**

The most durable, rubber handle uncapping scratcher. High quality stainless steel fork tines will hold up to years of uncapping. Useful for getting into corners of the honeycomb frame which the knife may not reach.



**Model: C10**

Uncapping rake



**Model: C11**

19 needles uncapping fork



C01 18 needles

C01 18 needles

C02 21 needles

C03

C04



C05

C06 20 needles

C07

C08 21 needles

# 05 Frame hardware

OEM/ODM available >>



**J14-3**  
Bee frame eyelet  
(copper-plating)



Sizes can be customized ●

**J14**  
Bee frame eyelet  
(copper)



## Frame wires

Galvanized, 201 stainless steel and 304 stainless steel materials are available. Automatic numerical control spooling for different weights. 0.3-0.6 wire diameter.



**Model: J04-4**  
● Patented products

Made of plastic and stainless steel. This tool is used to embed crosswires into the wax foundation.




**Model: QT16-2**  
Frame puncher



**Model: QT16-3**  
Frame puncher

# 05 Frame hardware

OEM/ODM available >>



**Model: J04-7C**  
Wire embedder (variable voltage)



**Model: J04-6**  
electric wire embedder



**Model: J04-9**  
Spur wire embedder  
(American style / plastic handle)



**Model: J04-2M**  
Spur embedder



**Model: J04-8**  
Spur embedder



**Model: J13-2** ● Patented products  
Wire crimper



J04-1 Wire embedder    J04-2P Wire embedder    J04-2W Wire embedder    J04-5 Wire embedder    J04-3 Wire embedder    J49 beeswax foundation cutter



J13-3 Wire crimper    J13 Wire crimper    J13-1 Round-steel Crimper    J16 Frame shovel    J32 Wire cutter    J34 Needle

# 05 Frame hardware

OEM/ODM available >>



**Model: J17-9**

Durable spring, stainless steel handle, a more precise capture of framework. Works with wood or plastic frames and all different depths. Perfect tool for getting out tight, glued up frames.



J17-1 Frame grips    J17-2 Frame grips    J17-3 Frame grips    J17-4 Frame grips    J17-5 Frame grips



J17-6 Frame grips    J17-7 Frame grips    J17-8 Frame grips    J17-10 Frame grips    J17-11 Frame grips    J17-12 Frame grips



# 06 Hive hardware


OEM/ODM available >>



Model: J20-3  
Frame support



J18E Frame fixator (European style)    J18-1 Frame fixator    J18-2 Frame fixator    J33 Frame fixator (European style)    QT27 Plastic frame spacer



QT38-1 9 Frame Spacing Tool    QT38-3 8 Frame Spacing Tool    QT38-2 7 Frame Spacing Tool    QT38-4 9 Frame Spacing Tool    QT47 Frame spacer



J20-2 Frame holder    J39 Beehive fixator    J39-2 Curved wire    J01-2 Beehive shovel    J35 Beehive connector    J46 Metal corner bee escape



QT39 Queen Number Set    QT39-2 Hive number mark    J40 mite smoker    J29 Beewax scraper    J44 Wire pliers    QT45 Hand labeler

# 06 Hive hardware


OEM/ODM available >>



J03 Entrance robbing guarder    J11 Adjustable entrance    J11-2 Hive entrance (dual functions)    J11-3 Hive entrance (dual functions)    J12 Beehive entrance    J25 Beehive connector



J26 Beehive entrance    J28 Beehive entrance    QT012-1 8 ways bee escape    QT49-2 Beehive entrance (plastic)    QT33 Beehive entrance (plastic)    QT65 Diamond-shape bee entrance



QT13 Septa for chinese bee    QT25 Beehive entrance    QT26 Beehive bee escape    QT32 Beehive bee escape    QT42-1 Entrance robbing guarder (for chinese bees)    QT42-2 Entrance robbing guarder (for chinese bees)



J02-1 Beehive strap    J02-2 Beehive strap with hook    J02-4 Metal beehive tie down strap    J02-3 Metal hive emlock    J02-3 Metal and nylon hive tie-down strap    QT52 Plastic beehive fixator



J07-1 Beehive handle    J07-2 Beehive handle    J07-4 Beehive handle    J06-2 Beehive connector    J06A Beehive connector

# 07 Plastic queen excluder



The material or colors can be customized as per customer's request



## Model: BP1

### Available specifications:

410X510mm 420X510mm 435X435mm 460X460mm  
 470X410mm 470X470mm 478X478mm 485X400mm  
 500X425mm 500X430mm 500X500mm 500X450mm  
 505X360mm 506X353mm 506X406mm 510X425mm 510X360mm

Serves as a selective barrier inside the hive, limiting where the queen and drones can travel.

- \*Allows bees to pass through more readily.
- \*Precise spacing and no rough edges to harm your bees.
- \*Excellent plastic quality.
- \*Easy to clean and corrosion proof.
- \*Many sizes available



# 08 Metal queen excluder



The material or sizes can be customized as per customer's request



## Model: BJ1

Galvanizing, Chromium plating, stainless steel materials are available. Precision wire spacing ensures your queen stays in the brood chamber. Product is highly durable and very easy to use. Able to supply all excluder sizes up to 550\*600mm.



## Model: BJ34-1

Queen excluder shovel




Model: J15B-2  
Queen excluder shovel



Model: J15A  
Queen excluder shovel

# 09 Queen excluder



**Model: BL1-2** Aluminium queen excluder  
 Made of durable, high-quality Aluminium.  
 This unit is very sturdy and with smooth surface and edges which make bees pass through comfortably.  
 ● Sizes can be customized



# 10 Langstroth beehive



Available material: China Fir, European Pine, China Pine and New Zealand Pine.  
 Available size: 8 frame and 10 frame



**Model: XX04**  
 Langstroth beehive



**Model: XX05**  
 Australian beehive



**XX10**  
 Full-depth box



**XX09**  
 Super box



**XX12**  
 Outer cover



**XX13**  
 Inner cover



**XX11**  
 Bottom board



**X01-CM**  
 Entrance



**XK01-A**  
 Full-depth frame



**XK01-B**  
 Super frame



**J21**  
 Beehive connector

# 11 Nuc box



**Model: XX17**  
Nuc bee box



**Model: XX04-5**  
Wooden Nuc box

# 12 Polystyrene hive



**Model: XX18**  
Multifunctional plastic beehive

- The hive top cover is lined with foam board, which performs heat insulation, smooth ventilation, and forms ventilation slide without opening the beehive.
- Inner cover which is queen excluder with comb pressing groove and propolis collector.
- Foam insulation layer is placed in middle of shallow super body, with push-pull ventilation transparent windows in front and back. Equipped with adjustable connector and full plastic frame.
- Queen excluder with comb pressing groove, easy for moving the beehive
- Foam insulation layer is placed in middle of deep hive body, with push-pull ventilation transparent windows in front and back. (equipped with Temperature and humidity display as to observe the temperature and humidity in the hive)
- Beehive bottom equipped with:
  - a. Push-pull pollen trap and pollen receiving plate at the bottom;
  - b. Bottom push-pull feeder capacity 5KG;
  - c. Two small feeders of capacity 1KG in pollen trap inside groove, can feed water and pollen at the same time;
  - d. Queen barrier is placed in the middle of pollen trap inside groove, apply for both single and double queen group, and does not affect pollen collecting and feeding.
  - e. Ants prevention and mite treatment at the four corners of the hive;
  - f. Hanging holes on sides of the bottom for fast packing.

# 13 Honey extractors

OEM/ODM available >>



**Model: Y04D-1**

Made of 201 stainless steel, with stand and plastic honey gate included. Fits 4 deep frames, motorized extractor can cut your extracting time in half. Variable speed control, just turn clockwise to increase the motor's speed.



**Model: Y02-F**  
2 frames manual honey extractor



**Model: Y03-F**  
3 frames manual honey extractor



**Model: Y04-F**  
4 frames manual honey extractor



**Model: Y02-T**  
2 frames manual honey extractor (transparent)



**Model: Y03-T**  
3 frames manual honey extractor (transparent)



**Model: Y02S**  
Plastic honey extractor



# 13 Honey extractors

OEM/ODM available >>



**Y02-G**  
2 frames manual honey extractor (seamless/flat cover)



**Y02-H**  
2 frames manual honey extractor (seamless/corrugated cover)



**Y02-A**  
2 Frames manual Honey extractor



**Y02D**  
2 Frames electric Honey extractor



**Y03**  
3 Frames manual Honey extractor



**Y03D**  
3 Frames electric Honey extractor



**Y04**  
4 Frames manual Honey extractor



**Y04D**  
4 Frames electric Honey extractor



**Y06**  
6 Frames manual Honey extractor



**Y06D**  
6 Frames electric Honey extractor



**Y08**  
8 Frames manual Honey extractor



**Y08D**  
8 Frames electric Honey extractor



**Y12D**  
12 Frames electric Honey extractor



**Y24D**  
24 Frames electric Honey extractor

# 14 Honey filter

OEM/ODM available >>



**Model: J08-1** (deep:45mm)

304 STAINLESS STEEL is durable, highly resistant to rust and oxidation. Designed with two separate screens: the upper sieve removes large debris, while the lower sieve strains out fine particles. Adjustable brackets to fit dia 21-40cm bucket size, strain honey faster and easier. Easy to clean with warm soapy water and dry immediately.



**Model: J08-7**



**J08-3** (deep:65mm)



**J08-4**



mesh:40/60/80

**QT006-2**



mesh:60

thin

**QT007** 500X350mm customizable



mesh:20

thick

**QT007-2** 440X290mm customizable



**J09**



**J09-2**




**J09-4**

# 15 Other hardware

OEM/ODM available >>



**Model: J41-1**  
Uncapping tray



**Model: J41-8**  
Honey collecting barrel



**Model: J41-2**  
Uncapping tray



**Model: QT60**  
Honey dispenser Jar



**Model: QT58**  
Plastic honey spoon



250g/500g

**QT30**  
Honey cassette



**XKP11**  
Plastic frame (for comb honey)



**J19**  
Honey comb fork




**J22-1**  
Honey scraper



**J22-2**  
Honey scraper



**J31**  
Honey heating pot



**QT30-1B**  
Honey cassette



**J38**  
Honey splash bar



**QT10**  
Honey dipper



**QT010-2**  
honey dipper(plastic)



**RHB-92**  
Manual honey refractometer



**QT41-2**  
refractometer

# 16 Plastic combs and frames

OEM/ODM available >>















## Model: XC410195Y

Selected raw materials Well-chosen raw beeswax, high temperature sterilization, bees accept fast, high output.

Pure color and texture Bright color, pure, and no smell Beeswax content is high, intensive warm production.

Smooth honeycomb Exquisite equipment, professional technicians, equal cell size, appropriate hardness, and even thickness.



 size:425x210mm 425X125mm	 size:425x210mm	 size:425x140mm	 size:400X146mm
XCP01	XCP02	XCP03	XCP04
 size:425X125mm	 size:393X225X25mm	 size:393X160X25mm	 size:483X232mm 483X177mm 483X159mm
XCP06	XKP02	XKP03	XKP04
 size:485X235mm	 size:485X235mm	 size:485X235mm	 size:485X235X28mm
XKP07	XKP08	XKP09	XKP10

# 16 Plastic combs and frames

OEM/ODM available >>



## Model: XC01

Patented products

Removable Plastic Frame

# 17 Honey gates

OEM/ODM available >>



PP OD44mm

K01-PP



ABS OD44mm

K01G



ABS OD44mm

K01O



ABS OD44mm

K01R



ABS OD44mm

K01W



ABS OD44mm

K01Y



Nylon OD44mm

K02Y



ABS OD44mm

K01B



Nylon OD48mm

K03O



PP OD48mm

K03-PP



Nylon OD48mm

K03W



Stainless steel OD44mm

K04-2



Stainless steel OD44mm

K04-4



Plastic OD48mm

K03-Q

# 18 Honey tank

Customizable specifications

Model: HD50 (50kg)

Decrystalization honey tank



Model: ME18

25kg melting wax bucket





# 18 Honey tank

Customizable specifications



**Model: HB025**

Durable spring, stainless steel handle, a more precise capture of framework. Works with wood or plastic frames and all different depths. Perfect tool for getting out tight, glued up frames.

- HB025-A 25KG-30X30CM
- HB050-A 50KG-35X40CM
- HB075-A 75KG-40X45CM
- HB100-A 100KG-45X50CM
- HB150-A 150KG-50X58CM
- HB200-A 200KG-60X55CM



**Model: HB025-B**

Made of 201 Stainless steel Hot insulation lid and honey gate included Bucket also can be used for bringing simple syrup to beehives to refill feeders. Different capacities available: 25kgs-75kgs

- HB025-B 25KG-30X30CM
- HB050-B 50KG-35X40CM
- HB075-B 75KG-40X45CM
- HB100-B 100KG-45X50CM



**Model: TW70-A**

Thermo regulated decrystallization honey tank (201 steel flat lid)



**Model: HC50-201**

Honey tank with double-layer filter

# 19 Honey pail

Customizable specifications



**HA18L-A**

30.5X38.5CM



**HA18L-C**

30.5X38.5CM



**HA20L-B**

30.5X38.5CM



**QT55**

Plastic opener of honey pail



**QT64**

plastic pail support



**J43**

honey pail support



**J43-1**

honey pail support



# 20 Bee brushes



**Model: ME15-12V**

Electric bee taking-off machine



**Model: S02-14**  
Dual row horsehair bee brush with nail puller



**Model: S05**  
One rows (Plastic hair)



**Model: S05-2**  
One rows (Plastic hair)



**Model: S03-2B**  
Two rows (Plastic hair)



**Model: S03-2C**  
Two rows (Horse hair)



**Model: S03-3C**  
Three rows (Bristles)



**Model: S02-12**  
Four rows (Horse hair)

# 20 Bee brushes



S01-1  
Single row (Bristles)



S01-2  
Double rows (Bristles)



S01-3  
Three rows (Bristles)



S01-5  
Double rows (Bristles)



S02-1  
Single row (Horse hair)



S02-2  
Double rows (Horse hair)



S02-3  
Three rows (Horse hair)



S02-4  
Single row (Horse hair)



S02-5  
Double rows (Horse hair)



S02-6  
Double rows (Horse hair)



S02-7  
Double rows (Horse hair)



S02-8  
Double rows (Horse hair)



S02-9  
Three rows (Horse hair)



S02-10  
single row (Horse hair)



S02-11  
Single row (Horse hair)



S02-12  
four rows (Horse hair)



S03-1  
Single row (Plastic hair)



S03-2  
Double rows (Plastic hair)



S03-3  
Three rows (Plastic hair)



S03-4  
Double rows (Plastic hair)



S03-3B  
Three rows (Plastic hair)

# 21 Beekeeping gloves

Material,color,size,style can be customized



**Model: FS07**

## Beekeeping glove

Premium leather gloves with superior fit. Extra long gauntlets that will extend over your elbows giving superior protection. Not ventilated. Available sizes 6-15.



**Model: FS04WY**

## Beekeeping ventilated glove

Strong but smooth leather giving you great "feel" during your beehive work. Elbow length gauntlet with elastic cuff. Ventilated design is ideal for out harvesting in hot weather. Total length: Approx. 48-53cm



# 21 Beekeeping gloves



Material:sheepskin,high breathable mesh, polyester,cotton,canvas.  
length:480-520mm



FS05WW



FS05WY



FS04WW



FS06WW



FS06YY



FS01YB



FS01YF



FS01WF



FS02WB



FS01WB



FS03Y



FS03W

# 22 Bee hats

Material,color,size,style can be customized



Model:FM11-2



Model:FM11-3



FM09



FM10



FM11



FM01



FM02



FM03



FM04W



FM05Y



FM05W



FM05A



FM06



FM07

# 23 Bee Jacket

Material,color,size,style can be customized



Model:FY15



Model:FY11A



Model:FY14Y



Model:FY18



FY06A



FY06W



FY07AW



FY07S



FY07C



FY07W



FY07B



FY07P

# 24 Bee suits



Material,color,size,style can be customized



Model:FY01Y



Model:FY17



Model:FY01D



FY01A



FY01W



FY02A



FY02W



FY03B



FY04Y




FY04W



FY05W

# 24 Bee suits



Material,color,size,style can be customized



Model:FY13B



Model:FY12B



Model:FY10B



Model:FY03-3  
Breathable bee suit for protecting from wasp (white and thickened)



Model:FY03-2  
Camouflage leather bee suit for protecting from wasp (thickened)

# 24 Bee suits



Material,color,size,style can be customized



Model:FY16



Model:FY11BW



Model:FY11CG



Model:FY11BG

# 25 Queen rearing




Model: QT48  
Queen rearing box



Model: QT22-2  
Queen cell

1. Insert the comb box into a frame and 110 brown cell starter cups are fitted into the back of it.  
(With this kit you will be able to raise your own queens and do it without grafting or ever touching a larvae.)
2. Confine the queen in the front of cage and she immediately lays eggs in the 110 available cells.  
She can be released in the next day. On the 4th day each newly hatched larvae is ready for transfer.
3. Remove each cell starter cup and insert it into a cell cup holder.
4. Slid this unit onto a cell bar holder which is attached to a cell bar.
5. To finish the cells you now put the cell bar into a cell building colony.



# 26 Queen rearing



L01 L02 L02-2 L03 L03-2




L04DB L04-2B L04-2W L04-7



L19 L04-4 L12 L05-1 L05-2



L06 L06-3 L06-4 L07



L08 L09 L10 L11


# 26 Queen rearing



Model: QT005  
Queen marking pen



Model: QT63  
Clip queen cup



L15 L15-2 L16 L17 L18



L18-2 QT009 Sprayer QT009-2 Sprayer QT011 Royal jelly pen QT011-2 Royal jelly pen



QT011-3 Royal jelly pen QT011-4 Royal jelly pen QT18 Queen cell strip QT19 Double rows Queen cell strip QT59 Queen cell cup



QT22-3 Queen cell cup QT24 Queen cell cup QT22-4 Base mount cell cups QT22-5 Base mount cell cups QT22-6 Push-in cell cups

# 26 Queen rearing

OEM/ODM available >>



**Model: QT50**

## Grafting support

Grafting support can ascend and descend to adjust people's sitting position so as to relieve the user's injuries of cervical vertebra and lumbar vertebra; it is flexible, portable, compact, which does not occupy too much space.



Z01  
Aluminium handle  
grafting tool



Z02  
Stainless steel grafting tool



Z02-2  
Stainless steel grafting tool



Z03  
Plastic grafting tool



Z04  
Grafting tool



QT21  
Bee catcher



QT31  
Birth control tweezer



QT37  
LED Lighted Magnifier



QT44  
Queen rearing bar



QT23  
Stainless steel tweezers

# 27 Bee feeders



## Model: W12

size: 390X370X70mm



## Model: W13

size: 260X55mm





# 27 Bee feeders



•W01-2 (4KG)

•W01 (6KG)

•W01-B (6KG)



W08 (0.6KG)

W02 (0.75KG)

W03 (1.5KG)

W09 (1.6KG)

W04 (3KG)



W05 (1KG)

W06 (400ml)

W07

W17

W18



W16

W10 (large)

W11 (small)

W01-MN (0.5kg)

W15

# 28 Bee Pollen Tools



- Can be hooked on hive
- Pollen trap can be pulled and pushed



**Model: T01-2**  
Pollen trap



- High quality plastic material



T01  
Pollen trap

T02  
Pollen trap

T04  
Pollen trap

T05  
Pollen trap

QT001  
Propolis collector



410X125mm

400X100mm

410X110mm

QT20  
Pollen collector (large)

QT20-2  
Pollen collector (medium)

QT20-3  
Pollen collector (multi-function)

QT20-4  
Pollen collector (large)

QT53  
Bees exit of pollen trap

# 28 Bee Pollen Tools

Benefitbee®



**Model: J47**  
Pollen grip •

Grip and release pollen by a simple press



**Model: PL02 Pollen**

# 29 Bee medicine

Benefitbee®



BM07



BM22



BM22-1



BM22-2



BM22-3



BM22-4



BM25-1



BM25-2



BM26



BM27



BM28



BM29

# 30 Bees product fine processing facilities



**ME01**  
Queen bee fertilization instrument



**ME02**  
Mini centrifugation machine



**ME03**  
0.5 ton vacuum concentrator



**ME03-B**  
1 ton vacuum concentrator



**ME04**  
2 ton original reflux concentrator



**ME05**  
Dual function electric temperature stirring and crystalizing machine



**ME06**  
Vacuum stirring, filtering and defoaming storage tank



**ME07**  
Nest honey and wax filtering and filling machine



**ME08**  
Electric bee taking-off machine



**ME09**  
Propolis extracting machine



**ME10**  
Centrifugal filter (manual and electric)



**ME11**  
Centrifugal filter (manual and electric)



**ME12**  
Royal jelly filter



**ME13**  
CNC bottle washing machine



**ME14**  
Self-heating decrystallizing honey tank


# 31 Beeswax foundation roller



OEM/ODM available >>



**Model: CCJ01**  
Fully automatic foundation machine(110v/220v)



**Model: CCJ04**  
Foundation Embosser The size of the machine or cell size can be customized.



**CCJ02-1** 86X195mm



**CCJ02-2** 86X250mm



**CCJ02-3** 86X310mm



**CCJ02-4** 86X450mm




**CCJ02-5** 86X500mm



**CCJ03-1** 86X310mm



**CCJ03-2** 86X350mm



**CCJ03-3** 86X500mm



**CCJ03-4** 170X350mm



**CCJ03-5** 170X500mm



**YGJ01** 75x300mm



**YGJ02** 75x350mm



**CCJ02-1D(Electric)** 75x350mm

● Cell size or roller size can be customized

# 32 Wax press

OEM/ODM available >>



**ZT04** (Stainless Steel)



**ZT03-B** (Iron)



**ZS03** (Stainless Steel)



**ZT01-B** (Iron)

**ZS01** (Stainless Steel)

**ZT01** (Iron)

**ZS02** (Stainless Steel)

**ZT02** (Iron)

**ZT01-2** (Iron)


**ZT01-B2** (Iron)

**ZT02-2** (Iron)

**ZS01-2** (Stainless Steel)

**ZS02-2** (Stainless Steel)

# 33 Beeswax



hydrocarbon	16%–18%
melting point	62°–67°
acid value	16%–23%
saponification value	75%–110%
impurity	<0.1%
packing	20kg/bag

**Model: BWX01 Beeswax**



hydrocarbon	16%–18%
melting point	62°–67°
acid value	16%–23%
saponification value	75%–110%
impurity	<0.1%
packing	20kg/bag

**Model: BWX02 Beeswax in granule**

# 34 Soap making & skin care



**Model: QT43** Natural Honey Soap

Moisturizing soap for all skin types.

- Customizable shapes

## Our office



# Our factory



# Our factory

