



## PRODUCT CATALOGUE

**Shenzhen Benefitbee Bee Industry Co.,Ltd.**





Add:48 Kangzheng RoadDanzhutou,Longgang DistrictShenzhenChina 518114






Tel:+86 755 89697771 Fax:+8675589697772







[www.benefitbee.com](http://www.benefitbee.com)















# PRODUCT CATALOGUE

Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
<b>Beehives</b>						
H01	Langstroth Beehive		<p>Including: 1* galvanized micro lid, 1* inner cover(with an oval shaped hole ) 1*super box (505 * 413 * 168) 1* deep box (505 * 413 * 245), 1 bottom 1entrance reducer . Material: spliced wood, New Zealand pine, few knots Bottom and inner cover are made of plywood and european pine box Thickness is 20mm, straight joint . Packing: Flat packed with ribboned leatheroid.</p> <p>It can be customized with European pine, China fir wood, 1-piece wood(with or without knots), assembled, painted, wax dipped and painted,</p>	100	CTN:60*50*19cm 1PCS/CTN NW:13.95kg GW:14kg	
H02	Australia beehive		<p>Including: 1* galvanized micro lid ( no ventilation hole ) , 1*super box (505 * 405 * 145) 1* deep box (505 * 405 * 245), 1 *bottom 1*entrance reducer . Material: spliced wood, New Zealand pine, few knots Bottom and inner cover are made of plywood and european pine box Thickness is 20mm, straight joint . Packing: Flat packed with ribboned leatheroid.</p> <p>It can be customized with European pine, China fir wood, 1-piece wood(with or without knots), assembled, painted, wax dipped and painted,</p>	100	CTN:60*50*31cm 2PCS/CTN NW:25kg GW:26kg	
 H02-2	Australia Beehive (spray paint)		<p>Size: 10Frames, other Frames can be customized Configuration:with 1 large iron cover, 1 super box (505 * 405 * 145), 1 deep box (505 * 405 * 245), 1 bottom. Material: splicing board, New Zealand pine</p>		CTN:60*50*31cm 2PCS/CTN NW:25kg GW:26kg	

Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
H03	Italy hive (2 Layers 10 frames )		Packaging: Bulk, can be customized assembly, painting, wax cooking, single board	200	CTN:55*55*32cm 2PCS/CTN NW:22kg GW:23kg	
H04	Langstroth queen rearing boxe ( 5 frames )		Size: 5Frames, other Frames can be customized Configuration:with 1 large iron cover, 1 deep box, 1 bottom. Material: splicing board, New Zealand pine, can be customized Pinus sylvestris pine, fir knotted splicing board (with scars), Packaging: Bulk, can be customized assembly, painting, wax cooking, single board	100	CTN:56*28*29cm 2PCS/CTN NW:18kg GW:20kg	
 H04-2	5er Zander Ableger		Size: 5Frames, other Frames can be customized Configuration:with 1 large iron cover, 1 deep box, 1 feeder (wax boiling) Material: splicing board, New Zealand pine	100	CTN:53*26.5*30cm 1PCS/CTN NW:8kg GW:9kg	
H05	Flow hive		Size: 10Frames Configuration: With 1 large cover, 1 inner cover (marked with oval holes), 1 super box (505 * 413 * 245), 1 deep box (505 * 413 * 245), 1 bottom. Material: splicing board, fir knotted splicing board (with scars), Packaging: wax cooking, painting,Bulk, can be customized assembly	20	CTN:66*43*22cm 1PCS/CTN NW:13kg GW:14.3kg	

Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
H06	Nuc bee box		Material: Calcium plastic Size: any specifications can be customized	100	CTN: 110*100*13CM 25pcs/CTN NW: 15kg GW: 16kg	
 H06-2	Nuc bee box (Ventilated hole)		with air vent Material: Calcium plastic Size: any specifications can be customized	100	CTN: 110*100*13.5CM M 25PCS/CTN NW: 15kg GW: 16kg	
 H06-5	Nuc Mesh Transport Bag		Size: 1*0.6m	100	CTN: 66*44*27cm 100PCS/CTN NW: 10.2kg GW: 9kg	
H07	Plastic beehive		Material: PS Size: LWH: 52X45X69cm, Hive inner size : 468X370X270mm, plate thickness: 33mm, Hive outer size: 520X445mmX270mm, Front/ back & Top have 80X35mm hand mouth, 160X104mm clearstory in the middle, Left/right have 80X35mm hand mouth, Queen excluder: LWH 510X407X10mm.	30	CTN: 60*48*73cm 1PCS/CTN NW: 16kg GW: 17.5kg	


Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
H08	Plastic beehive		Material: PP, hive without frame, hive ring size:490x370x260cm hive ring slot:10cm suitable length:490 & 483 frames plastic bottom size:540x440x55cm , large plastic lid size:550x470x80cm, \$3 extra with thermometer , large lid size 30mm;Insulation filling layer, heat insulation	30	CTN: 60*50*44cm 1PCS/CTN NW:13kg GW:14kg	
H09	Insulation beehive		Material: Insulation board, Standard configuration: 1pcs 245mm box with bottom plate, 2pcs 168mm super boxes, 1pcs lid, 1pcs metal excluder, and 1pcs metal nest door	100	CTN: 60*49*38cm 1PCS/CTN NW:12.5kg GW:13kg	
H10	Queen bee mating box ( 60 g density )		Size:24x15x17cm,material:EPS foam density 60g	24	CTN:61*50*53cm 24PCS/CTN NW:8kg GW:8.45kg	
 H10-2	BB Nuc box/Queen mating box ( 120 g density )		Size:24x15x17cm,material:EPS Standard: 4 frames, 1 plastic feeder, 1 floating net, 1 PVC transparent observation film, plastic hive door + breathable bottom board, foam density 120g Patent No.:2021 3 0233864. 9	100	CTN:61*50*53cm 24PCS/CTN NW:13kg GW:14kg	

Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
 H10-3	BB Plastic nuc box/Queen mating box (HDPE)		Size:25x15x17cm,material:HDPE Standard: 4 frames, 1 plastic feeder, 1 floating net, 1 PVC transparent observation film, plastic hive door + breathable bottom board, the beehive body can be added, Box ring color optional: blue, green, red. <b>Patent No.:202130289413. 7</b>	108	CTN:53*49*55cm 18PCS/CTN NW:17kg GW:17.55kg	
 H10-3B	BB Plastic queen bee mating super box		Size:12x15x17cm,material:HDPE Standard: 6 frames, plastic hive door , Box ring color optional: blue, green, red. <b>Patent No.:202130289413. 7</b>	108	CTN:52.5*48*36cm 18PCS/CTN NW:8.5kg GW:9kg	
 H10-4	BB Nuc box/Queen mating box ( 120 g density )		Size:24x15x17cm,material:EPS Standard: 3 frames, 1 plastic feeder, 1 floating net, 1 PVC transparent observation film, plastic hive door + round plastic ventilators(5.5CM), foam density 120g <b>Patent No.:2021 23305122.6</b>	100	CTN:61*50*53cm 24PCS/CTN NW:7.5kg GW:8.5kg	
 H10-5	Queen mating box ( 120 g density )		Size:27x21.5x17cm,material:EPS Product weight :380g Standard: 4 frames, 1 floating net, 1 PVC transparent observation film, plastic hive door + round plastic ventilators(5.5CM), foam density 120g	100	CTN:87.5*29*45.5cm 10PCS/CTN NW:3.8kg GW:4.2kg	

Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
 <b>H10-7</b>	BB Queen mating box (120 g density)		Size:53x28.5x40.8cm,material:EPS , Weight :3Kg Foam density:120g	100	CTN:53.85*29.3*26 cm 1PCS/CTN NW:3.2kg GW:3.8kg	
<b>H11</b>	UK National beehive		Material: American red cedar, quotation standard: 1 base, 1 bottom box ( 245 * 460 * 460MM ) , 1 super box ring ( 145 * 460 * 460MM ) , 1 auxiliary cover, 1 metal cover.	300	CTN:55*55*55cm 2PCS/CTN NW:34kg GW:35kg	
<b>H12</b>	UK WBC beehive		Material:Red cedar	300	NW:6.96kg GW:8.6kg	
<b>H13</b>	Japan style beehive		Material:China pine	200	2PCS/CTN	











Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
 H14	Kenyan Hive	 	Material:China pine	200	CTN:119*59*39cm 1PCS/CTN NW:25kg GW:30kg	
H17	Observation hive	 	Material: pine + acrylic,Size: 14.5*6.3*23cm	240	CTN:78*59*28cm 24PCS/CTN NW:17.5kg GW:20.3kg	







## Multifunction queen mating hive



























Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
H18	BB Plus Queen Mating Nuc(Deep + Super box)		Standard including Lid, Feeder, Super box, Deep box, Accessories: 16pcs plastic frame, 2pcs syrup excluder, 4pcs plastic entrance panel( red and yellow each 2pcs) , 2pcs round entrance sheet 2pcs square entrance sheet, 1pc bottom board, 1pc queen excluder 2pc PVC foam clapboard , Material:EPS Size:328*148*363mm <b>Appearance Patent No. :201930438030.4</b> <b>Utility Model Patent No. :201921324972.0</b>	300	CTN:68*46*50cm 12PCS/CTN NW:8.5kg GW:10.5kg	
H18-2	BB Plus Queen Mating Nuc (only Deep box)		Standard including Lid, Feeder, Deep box, Accessories: 8pcs plastic frame, 2pcs syrup excluder, 2pcs plastic entrance panel( red and yellow each 1pc) , 1pcs round entrance sheet, 1pcs square entrance sheet, 1pc bottom board, 1pc PVC foam clapboard , Material:EPS Size:328*148*230mm <b>Appearance Patent No.:201930438030.4</b> <b>Utility Model Patent No.:201921324972.0</b>	300	CTN:67*46*39cm 12PCS/CTN NW:5.76kg GW:6.55kg	
H18-3	BB Plus Queen Mating Deep Nuc(only Super box)		Standard including: Super box, Accessories: 8pcs plastic frame, 2pcs syrup excluder, 2pcs plastic entrance panel( red and yellow each 1pc) , 1pcs round entrance sheet, 1pcs square entrance sheet 1pc bottom board, 1pc PVC foam clapboard , Material:EPS Size:328*148*143mm <b>Appearance Patent No.:201930438030.4</b> <b>Utility Model Patent No.:201921324972.0</b>	300	CTN:53*44*47cm 10PCS/CTN NW:8kg GW:8.5kg	
H19	BB Bee cage (bee cage feeder not included)		size:360*235*145mm ; weight:900g; Material:PP <b>Appearance Patent No.: 202030137781.5</b> <b>Utility Model Patent No.:202020512338. 6</b>	100	CTN:53*44*47cm 10PCS/CTN NW:7.8kg GW:8.7kg	







Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
<div style="display: flex; justify-content: space-between; align-items: center;">  <div style="text-align: center;"> <h2 style="margin: 0;">Hot Sale Multifunction Plastic Beehive(Three Layers)</h2>   <ul style="list-style-type: none"> <li>● Hive top cover</li> <li>● Inner cover type feeder 4 lt</li> <li>● 2 thermo super</li> <li>● 1 bee escape</li> <li>● 6 frame limiter</li> <li>● 1 queen excluder</li> <li>● 1 division board</li> <li>● Sliding entrance reducer</li> <li>● 6 round Bbee entrances</li> <li>● Ergonomic IPM bottom board</li> </ul> </div>  </div>						
 <b>H20</b>	Plastic beehive (3 layers)	 	Material: HDPE, standard Langstroth10 frames, 3 layers, size: 940*595*450, box inner size: 490x370x260cm, suitable for length 490 and 483 frames, insulating filling layer, heat insulation	100	CTN:62*52*44cm 1PCS/CTN NW:22kg GW:23.75kg	
 <b>H20-2</b>	Plastic beehive (2 layers)	 	Material:HD PE, standard Langstroth10 frames, 2 layers, size: 675*595*450, box inner size: 490x370x260cm, suitable for length 490 and 483 frames, insulating filling layer, heat insulation	100	CTN:53*37*18cm 1PCS/CTN NW:17kg GW:18kg	









Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
 <b>H20-3</b>	Plastic beehive ( 1 layers )	 	Material: HDPE, standard Langstroth10 frames, 2 layers, size: 410*595*450, box inner size: 490x370x260cm, suitable for length 490 and 483 frames, insulating filling layer, heat insulation	100	CTN:60*51*35cm 1PCS/CTN NW:17kg GW:18.65kg	
 <b>H20-4</b>	Plastic beehive box	 	Material: HDPE, standard Langstroth10 frames, box inner size: 490x370x260cm, suitable for length 490 and 483 frames, insulating filling layer, heat insulation	100	CTN:52*42*25cm 5PCS/CTN NW:21.5kg GW:22kg	

Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
						
 <b>H21</b>	<b>BB Plastic beehive</b> ( 1 layers )		Material:HDPE, standard Langstroth10 frames, 1 layers, size: 455*440*576, suitable for length 490 and 483 frames, insulating filling layer, heat insulation <b>Appearance Patent No.:202030732914.3</b> <b>Utility Model Patent No.:202023103390.5</b>	100	CTN:60*53*32cm 1PCS/CTN NW:12kg GW:12.3kg	









Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
 H21-2	BB Plastic beehive (2 layers)	 	Material: HDPE, standard Langstroth10 frames, 2 layers, size: 700*440*576suitable for length 490 and 483 frames, insulating filling layer, heat insulation Appearance Patent No.:202030732914.3 Utlity Model Patent No.:202023103390.5	100	CTN:59*52*38.5cm 1PCS/CTN NW:16.5kg GW:18kg	
 H21-3	BB Plastic beehive (3 layers)	 	Material: HDPE, standard Langstroth10 frames, 2 layers, size: 945*440*576suitable for length 490 and 483 frames, insulating filling layer, heat insulation Appearance Patent No.:202030732914.3 Utlity Model Patent No.:202023103390.5	100	CTN:59*52*46.5cm 1PCS/CTN NW:22.2kg GW:23.5kg	
 H21-8	BB Plastic beehive box	 	Material: HDPE, standard Langstroth10 frames, box inner size: 490x370x260cm, suitable for length 490 and 483 frames, insulating filling layer, heat insulation Appearance Patent No.:202030732914.3 Utlity Model Patent No.:202023103390.5	100		









Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
 H22	Langstroth Beehive Kit (1 deep box+1 super box)	 	Langstroth Beehive 10 Frames Standar : 1 large iron cover, 1 inner cover (marked with oval holes), 1 super box (505 * 413 * 168), 1 deep box (505 * 413 * 245), 1 bottom board. Material: Chinese Fir with knot splicing board, the beehive is boiled twice with stone wax, the first step is boiled for about 3.5 mins, after cooling, the second step is dipped in wax for 5-10 seconds. 10pcs wax sprayed black foundations (425x210) / 10pcs wax sprayed yellow foundations (425x141) / 10pcs first-class pine big frames (Pinus sylvestris without scab 483x232) / 10pcs first-class pine small frames(Pinus sylvestris without scab 483x159) / one excluder (510x410) / one package of stainless steel	200	CTN:60*50*27cm 1PCS/CTN NW:20kg GW:20.45kg	
 H22-2	Langstroth Beehive Kit (2 deep box+1 super box)	 	Langstroth Beehive 10 Frames Standar : 1 large iron cover, 1 inner cover (marked with oval holes), 1 super box (505 * 413 * 168), 2 deep box (505 * 413 * 245), 1 bottom board. Material: Chinese Fir with knot splicing board, the beehive is boiled twice with stone wax, the first step is boiled for about 3.5 mins,20pcs wax sprayed black foundations (425x210) / 10pcs wax sprayed yellow foundations (425x141) / 10pcs first-class pine big frames (Pinus sylvestris without scab 483x232) / 20pcs first-class pine small frames(Pinus sylvestris without scab 483x159) / one excluder (510x410) /	200	CTN:60*50*32cm 1PCS/CTN NW:25.4kg GW:26.9kg	
 H22-3	Langstroth Beehive Kit (2 deep box+2 super box)	 	Langstroth Beehive Kit (2 deep box+2 super box) 1 large iron cover, 2 inner cover (marked with oval holes), 2 super box (505 * 413 * 168), 2 deep box (505 * 413 * 245), 1 bottom board. Material: Chinese Fir with knot splicing board, the beehive is boiled twice with stone wax, the first step is boiled for about 3.5 mins, after cooling, the second step is dipped in wax for 5-10 seconds. 20pcs wax sprayed black foundations (425x210) / 20pcs wax sprayed yellow foundations (425x141) / 20pcs first-class pine big frames (Pinus sylvestris without scab 483x232) / 20pcs first-class pine small	200	CTN:60*50*41cm 1PCS/CTN NW:29.4g GW:32.45kg	









Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
 H22-4	Langstroth Beehive Kit (1 deep box+4 super box)		Langstroth Beehive Kit (1 deep box+4 super box) 1 inner cover (marked with oval holes), 4super box (505 * 413 * 168), 1deep box (505 * 413 * 245), 1 bottom board. Material: Chinese Fir with knot splicing board, the beehive is boiled twice with stone wax, the first step is boiled for about 3.5 mins, after cooling, the second step is dipped in wax for 5-10 seconds.	200	CTN:60*56*28cm 1PCS/CTN NW:18kg GW:19kg	
 H24	10er_Dadant Beehive		New Zealand pine without knot, three layers, deep box 509*429*293*22, super box 509*429*149*22 , bottom 509*426*70, cover 509*426*35	100	CTN:52*47*32cm 1PCS/CTN NW:18kg GW:19kg	
 H25	10er_Zander Beehive		New Zealand pine without knot, three layers, deep box 509*429*293*22, bottom 509*426*70, cover 509*426*35	100	CTN:52*47*28cm 1PCS/CTN NW:22.5kg GW:23.5kg	







Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
 H26	Kenya Set Beehive		Size: 10Frames, other Frames can be customized Configuration: With 1 large iron cover, 1 inner cover (marked with oval holes), 1 super box (505 * 413 * 168), 1 deep box (505 * 413 * 245), 1 bottom. Material: fir knotted splicing board (with scars), Packaging: Bulk, can be customized assembly, painting, wax cooking, single board	100	CTN:60*45*48cm 1PCS/CTN NW:17kg GW:17.5kg	
 H27-168	BB Langstroth 2/3		Material: EPS, standard Langstroth10 frames, box inner size: 485x360x168cm, suitable for length 483 frames	50	CTN:45*55*20cm 2PCS/CTN NW:6kg GW:7kg	
 H27-245	BB Langstroth 1/1		Material: EPS, standard Langstroth10 frames, box inner size: 485x360x245cm, suitable for length 483 frames	50	CTN:45*55*20cm 2PCS/CTN NW:7kg GW:8kg	
 H27-295	BB Langstroth 4/3 (Jumbo,Dandant,)		Material: EPS, box inner size: 485x360x295cm, suitable for length 483 frames	50	CTN:45*55*20cm 2PCS/CTN NW:8kg GW:9kg	

















Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
 H27L	BB EPS beehive - Langstroth 1 layers ( EPS base )	 	Standard Langstroth10 frames, 1 layers, size: 587*440*460mm, suitable for suitable for length 483*232mm frames, Configuration:with 1 Multifunction Beehive outer cover,1 3.5L Top feeder , 1 deep box (542*440*245), 1 Plastic queen excluder,1 Bottom board Material: EPS&plastic, Beehive board thick: 40mm Foam density:150g	50	CTN:45*35*30cm 1PCS/CTN NW:8.8kg GW:9.6kg	
 H27L-P	BB EPS beehive - Langstroth 1 layers ( plastic base )		Standard Langstroth10 frames, 1 layers, size: 575.5*440*460mm, suitable for 483*232mm frames, Configuration:with 1 Multifunction Beehive outer cover,1 3.5L Top feeder , 1 deep box (542*440*245),1 Plastic queen excluder,1 Multifunction Bottom board Material: EPS&plastic, Beehive board thick: 40mm Foam density:150g Packaging: Bulk	50	CTN:45*35*30cm 1PCS/CTN NW:10.6kg GW:11.5kg	
 H27L-2	BB EPS beehive - Langstroth 2 layers ( plastic base )	 	Standard Langstroth10 frames, 2 layers, size: 575.5*440*635mm, suitable for 483*232 frames(deep box),483*159mm frames(super box) Configuration:with 1 Multifunction Beehive outer cover,1 3.5L Top feeder , 1 super box (542*440*168), 1 deep box (542*440*245), 1 Plastic queen excluder,1 Bottom board Material: EPS&plastic, Beehive board thick: 40mm Foam density:150g Packaging: Bulk	50	CTN:45*45*30cm 1PCS/CTN NW:11.5kg GW:12.3kg	








Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
 H27L-2L	BB EPS beehive - Dadant 1 layers ( EPS base ) )	 	Standard Langstroth 10 frames, 2 layers, size: 575.5*440*635mm, suitable for 483*232 frames(deep box),483*159mm frames(super box), Configuration:with 1 Multifunction Beehive outer cover,1 3.5L Top feeder , 1 super box (542*440*168), 1 deep box (542*440*245),1 Plastic queen excluder,1 Multifunction Bottom board Material: EPS&plastic, Beehive board thick: 40mm Foam density:150g Packaging: Bulk	50	CTN:45*45*30cm 1PCS/CTN NW:11.5kg GW:12.3kg	
 H27D	BB EPS beehive - Dadant 1 layers ( EPS base )	 	1 layers, size: 587*440*513mm, suitable for 480*285 frames, Configuration:with 1 Multifunction Beehive outer cover,1 3.5L Top feeder , 1 deep box (542*440*295), 1 Plastic queen excluder,1 Bottom board Material: EPS&plastic, Beehive board thick: 40mm Foam density:150g Packaging: Bulk	50	CTN:45*40*30cm 1PCS/CTN NW:9.3kg GW:10.2kg	
 H27D-P	BB EPS beehive - Dadant 1 layers ( plastic base )		1 layers, size: 575.5*440*513mm, suitable for suitable for 480*285 frames Configuration:with 1 Multifunction Beehive outer cover,1 3.5L Top feeder , 1 deep box (542*440*295), 1 Plastic queen excluder,1 Multifunction Bottom board Material: EPS&plastic, Beehive board thick: 40mm Foam density:150g Packaging: Bulk	50	CTN:45*40*30cm 1PCS/CTN NW:11.2kg GW:12kg	










Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
 H27D-2	BB EPS beehive - Dadant 2 layers ( EPS base )	 	2 layers, size: 575.5*440*688mm, suitable for 480*285 frames(deep box),483*159mm frames(super box) Configuration:with 1 Multifunction Beehive outer cover,1 3.5L Top feeder , 1 super box (542*440*168), 1 deep box (542*440*295), 1 Plastic queen excluder,1 Bottom board Material: EPS&plastic, Beehive board thick: 40mm Foam density:150g	50	CTN:60*45*40cm 1PCS/CTN NW:13g GW:14kg	
 H27D-2P	BB EPS beehive - Dadant 2 layers ( plastic base )	 	2 layers, size: 575.5*440*688mm, suitable for 480*285 frames(deep box),483*159mm frames(super box) Configuration:with 1 Multifunction Beehive outer cover,1 3.5L Top feeder , 1 super box (542*440*168), 1 deep box (542*440*295), 1 Plastic queen excluder,1 Multifunction Bottom board Material: EPS&plastic, Beehive board thick: 40mm Foam density:150g Packaging: Bulk	50	CTN:60*45*40cm 1PCS/CTN NW:14.5g GW:13.5kg	
<b>Beehive parts</b>						
HP01	Beehive outer cover with iron sheet	 	Material:New Zealand pine (Langstroth\Australia\8frames\10frames can be chosen) ,Ventilated hole could be customized.	100	CTN:54*44*54cm 10PCS/CTN NW:19.5kg GW:30kg	

Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
HP02	Beehive inner cover		Material:New Zealand pine (8frames\10frames can be chosen)	100	CTN:65*55*55cm 20PCS/CTN NW:21kg GW:22kg	
 HP02-3	<b>BB</b> Multifunction Beehive inner cover		Material: ABS. Product size: 355X 13 X 505mm(8 boxes) 405X 13 X 505mm(10 boxes) Optional size in free term <b>Patent No.:202030275110.53</b>	100	CTN: 53*42*30cm 20PCS/CTN NW:13.5kg GW:15.5kg	
 HP02-4	Wood frame galvanized sheet beehive inner cover		Material: Unscarred pine + galvanized sheet (0.1mm thickness) Weld 4 galvanized runners Wooden frame width 2cm, thickness 2.5cm	60	CTN:53*43*18cm 6PCS/CTN GW:12.5kg	
HP03	Bive body		Material:New Zealand pine (Langstroth\Australia\8frames\10frames \deep box\super box can be chosen)	100	CTN:52*26*38cm 20PCS/CTN NW:24kg GW:24.5kg	


Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
HP04	Bottom board(Langstroth )		Material:New Zealand pine (8frames\10frames can be chosen)	100	CTN:55*41*50cm 10PCS/CTN NW:20kg GW:21kg	
HP05	Bottom board(Australia style)		Material:New Zealand pine (8frames\10frames can be chosen)	100	CTN:55*36*39cm 5PCS/CTN NW:12kg GW:12.4kg	
 HP05-2	Bottom board(Australia style)		Material:New Zealand pine (8frames\10frames can be chosen)	50	CTN:58*36*42cm 2PCS/CTN NW:17kg GW:18kg	
 HP05-3	Bottom board(Australia style)		Material:New Zealand pine (8frames\10frames can be chosen) Surface treatment: spray paint	50	CTN:55*36*39cm 5PCS/CTN NW:12kg GW:12.4kg	




Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
HP06	Beehive plastic stand(10frames)	 	Material:PP Assembled size: 575*420*34mm	50	CTN:63*37*44cm 5PCS/CTN NW:15.5kg GW:16.5kg	
HP06-2	Beehive plastic stand(8frames)	 	Material:PP Assembled size: 575*370*34mm	50	CTN:63*37*44cm 5PCS/CTN NW:14kg GW:15.6kg	
HP06-3	Iron hoder of hive corner	 	material:iron with spray paint,60X50X62CM Size customizable;	100	CTN: 45*38*35cm 10PCS/CTN NW:12kg GW:13.5kg	
HP06-4	Anti-ant beehive stand	 	material: stainless steel 201,customizable;	100	5PCS/CTN	





Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
HP07	Bottom board(plastic)		With powder removal function, feeding function, Material:polypropylene resin weight: 2.8kg, Size: 570x400x100mm	30	CTN:59*42*52cm 5PCS/CTN NW:14kg GW:15kg	
 HP07-2	Bottom board(plastic)		With powder removal function, feeding function , Material:polypropylene resin weight: 2.8kg, Size: 570x400x100mm	30	CTN:59*42*52cm 5PCS/CTN NW:14kg GW:15kg	
 HP08-3	Bottom board PS tray(47*32.5cm)		Material: PS,weight: 325g,size: 47*32.5*16.6cm	200	CTN:48*34*25cm 50PCS/CTN NW:17kg GW:20.5kg	
 HP08-4	Bottom board PS tray((47*35.5cm))		Material: PS,weight:397g,size : 47*35.5*16.6cm	200	CTN:48*37*25cm 50PCS/CTN NW:20kg GW:22.2kg	





Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
 <b>HP08-5</b>	Bottom board PS tra y (47*41cm)	 	Material: PS,weight:397g,size : 47*41*10.8cm	200	CTN:48*42*19cm 50PCS/CTN NW:24kg GW:25.5kg	
<b>HP09</b>	EZY Pallet	 	Product size: 1230*1135*130mm, Iron tube size: 30*50*1.5mm, foot Iron tube size: 100*100*1.5mm (left and right) /100*50*1.5mm (middle) yellow paint Add solder joints and add 4 steel pipes	100	124x114x130cm 1PCS/CTN	
<b>HP09-2</b>	Hive Pallet	 	Product size: 1120*820*130mm, Iron tube size: 30*50*1.5mm, foot steel tube size: 100*100*1.5mm (left and right) /100*50*1.5mm (middle)	100	112x83x130cm 1PCS/CTN	
<b>HP09-3</b>	Honey Pallet	 	Product size: 1020*820*130mm, Iron plate: 1020*820*1.2mm, Iron pipe size: 30*50*1.5mm, foot Iron pipe size: 80*80*1.5mm Yellow paint	100	102x83x130cm 1PCS/CTN	












Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
 HP16	Hive cart with universal wheels (10 frames)	 	Material 201 stainless steel thickness 1.8 Product size: 510x406mm Caster: 4 inch rubber, Bearing capacity is 300 kg, size can be customized.	100	CTN:55*44*18cm 1PCS/CTN NW:6kg GW:7kg	
 HP16-2	Hive cart with universal wheels (8 frames)	 	Material 201 stainless steel thickness 1.8 Product size: 510x352mm Caster: 4 inch rubber, Bearing capacity is 300 kg, size can be customized.	100	CTN:55*39*18cm 1PCS/CTN NW:6kg GW:7kg	
 HP17	BB Beehive outer cover	 	Material: HDPE, standard Langstroth10 frames,	100		
 HP18	BB Bottom board	 	Material: HDPE standard Langstroth10 frames,Pollen tray ( 8L) Appearance Patent No.:202030732914.3 Utility Model Patent No.:202023103390.5	100		










Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
HP19	BB Plastic slide beehive entrance		Material: HDPE Size:365*40mm	200		
HP20	BB Pollen tray (8L)		Material: PP Size:463x370x63mm Capacity: 8L	100		
<b>Hive accessories</b>						
HA01	Beehive entrance		Material:Iron,Size:480*35mm/450*35mm/400*35mm /380*35mm/375*35mm/350*35mm/300*35mm/250* 35mm/220*35mm/180*35mm/160*35mm GW:25.65kg	500	CTN:40*33*7cm 500PCS/CTN NW:25kg GW:26kg	





Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
HA02	Beehive entrance		Material:Iron,Size:480*35mm/450*35mm/400*35mm /380*35mm/375*35mm/350*35mm/300*35mm/250* 35mm/220*35mm/180*35mm/160*35mm GW:25.65kg	400	CTN:40*22*8cm 400PCS/CTN NW:22kg GW:23kg	
HA03	Adjustable entrance		250*35mm CTN:43*28*8cm 540PCS/CTN GW:22.65kg	300	CTN:28*19*19cm 300PCS/CTN NW:14kg GW:15kg	
HA04	Beehive entrance (Iron plating)		Material:Iron plating,Thickness:0.4mm Size: 390*65mmsuitable for 10 frames hive, 335*65mm for 8 frames.Default 390mm length	100	CTN:42*35*16cm 100PCS/CTN NW:13.5kg GW:14kg	
HA04-B	Beehive entrance (SUS201)		Material:SUS201,Thickness:0.4mm Material: Stainless Steel Length 390mm, width 65mm	300	CTN:53*46*28cm 300PCS/CTN NW:31.5kg GW:33kg	

Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
NEW HA04-3	Beehive entrance (Iron plating)		Surface treatment: Galvanized product size: Length x width 165*27mm 200*27mm 250*27mm 300*27mm 350*27mm 275*27mm 375*27mm Material: Iron, thickness: 0.7mm 200PCS/CTN NW:8.6kg GW:10kg	400	CTN:46*26*43cm 200PCS/CTN NW:17kg GW:18.1kg	
NEW HA04-4	Beehive entrance		Material; Iron length: 30cm	200	CTN:44*20*35cm 200PCS/CTN NW:8.6kg GW:10kg	
NEW HA05	Plastic beehive entrance(red)		Material:pp,Size: 432mm*50mm,Weight:84g Size: 31.5x4cm for Austranlian and American langstroth 8 frame hive ,37 x4cm for Austranlian and American langstroth 10 frame hive, 43x5cm for Dadant 10 frame hive	600	CTN:72*31*50cm 300PCS/CTN NW:15.5kg GW:16.5kg	
NEW HA06	Plastic slide beehive entrance		material:PP,weight: 42g, Size: 31.5x4cm for Austranlian and American langstroth 8 frame hive 37 x4cm for Austranlian and American langstroth 10 frame hive 45x4cm for Dadant 10 frame hive	200	200PCS/CTN NW:3.5kg GW:4kg	





Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
 HA07	Dual function beehive entrance		Material:PP,Size:189*30cm	300	CTN:53*46*28cm 300PCS/CTN NW:15.3kg GW:16.1kg	
HA08	Multi function hive entrance		Weight: 52g Material: Plastic	200	CTN:34*16*14cm 200PCS/CTN NW:12kg GW:12.4kg	
HA09	Beehive entrance(12.5CM)		Diameter:125mm,Thickness:0.45mm,Material:Galvanized iron	200	CTN:34*15*15cm 200PCS/CTN NW:12kg GW:12.55kg	
HA09B	Beehive entrance(12.5CM)		Diameter:125mm,Thickness:0.45mm ,Material: stainless steel 201	1000	CTN:46*24*15cm 1000PCS/CTN NW:14kg GW:14.3kg	





Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
HA09-2	Stainless steel rotating nest door (6.8CM)		Diameter:68mm Thickness:0.8mm Material:stainless steel 201	1000	CTN:53*46*28cm 1000PCS/CTN NW:19kg GW:19.6kg	
HA09-3	Plastic beehive entrance (5CM)		Diameter:50mm	2500	CTN:46*46*56cm 2500PCS/CTN NW:17kg GW:17.45kg	
HA09-4	Plastic beehive rotate entrance(6.8CM)		Material:Plastic Color: yellow, blue, green, purple, red, white Size: 6.8mm	2500	CTN:46*46*58cm 2500PCS/CTN NW:15.6kg GW:17.45kg	
HA09-5	Plastic beehive rotate entrance(6.8CM)		Material:PPMaterial:PP, Diameter:68mm , Color: Red. White. Green. Yellow. blue	10000	CTN:52*45*27cm 10000PCS/CTN NW:22kg GW:22.8kg	





Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
 HA09-6	Plastic beehive entrance (5CM)	 	Material:PP ,weight: 3g Diameter:50mm Color: Red. White. Green. Yellow. blue	1000	CTN:62*29*34cm 1000PCS/CTN NW:21.5kg GW:22.1kg	
HA09-7	Plastic beehive entrance (12.5CM)	 	Material:PP weight: 18g Color: Red. White. Green. Yellow. Blue	2000	CTN:73*52*30cm 2000PCS/CTN NW:21kg GW:22kg	
HA09-8	Plastic beehive entrance(5.5CM)	 	Diameter:50mm Color:White. Green. Yellow. Blue. Black	2000	CTN:73*52*30cm 2000PCS/CTN NW:21kg GW:22kg	
HA09-9	round plastic ventilators(5.5CM)	 	Diameter:50mm Color:White. Green. Yellow. Blue. Black	1120	CTN:55*55*43cm 1120PCS/CTN NW:30.24kg GW:31.3kg	





Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
HA13	Foam beehive plastic bottom plate		Material:PP	500	CTN:39*16*16cm 500PCS/CTN NW:24kg GW:25.1kg	
HA14	Frame fixator (10 FRAME)		Size:370*31mm,Thickness:0.3mm,Material:Galvanized iron,Weight:35g	1000	CTN:39*23*20 1000PCS/CTN NW:38kg GW:38.5kg	
HA14-2	European style frame fixator (9FRAME)		Size:370*33mm,Material:Galvanized iron,Weight:30g	1000	CTN:39*23*20 1000PCS/CTN NW:39kg GW:39.5kg	
HA14-3	European style frame fixator (10 FRAME)		375X21 (Galvanized iron)	1000	CTN:47*23*20 1000PCS/CTN NW:30kg GW:30.5kg	

















Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
HA14-4	European style frame fixator (10 FRAME)		450X21 (Galvanized iron)	1000	CTN:40*25*25(375) CTN:47*25*25(450) 1000PCS/CTN NW:29kg GW:29.5kg	
HA15	Beehive edgings		Size:375*12mm/450*12mm,Material:Galvanized iron,Weight:29g	1000	1000PCS/CTN NW:32kg GW:32.5kg	
HA16	Frame fixing sheet		Size:45x2cm,Material: SUS201wire,weight: 32g	1000	1000PCS/CTN NW:30kg GW:30.5kg	
HA16-2	Frame fixing sheet		Size:37.5x2cm Material: SUS201wire,weight: 26g	100	CTN:33*20*16cm 50PCS/CTN NW:13.5kg GW:13.9kg	





Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
HA17	Spring Fastener (line diameter 3mm, 20pcs/ Bag)		Material:SUS201, line diameter: 3mm . 20pcs/ Bag With 60 self-tapping screws	100	CTN:34*22*22cm 50PCS/CTN NW:17kg NW:17.4kg	
HA17-2	Spring Fastener (line diameter 3mm, 20pcs/ Bag)		Material: SUS201 , specification: 17.8x6cm,line diameter: 3mm, weight: 14g,With 60 self-tapping screws	100	CTN:34*22*22cm 50PCS/CTN NW:19kg NW:19.5kg	
HA17-3	Spring Fastener (line diameter 4mm, 20pcs/ Bag)		Material: Galvanized iron, specification: 17.8x6cm,line diameter: 4mm, weight: 20g,With 60 self-tapping screws	450	CTN:61*50*52cm 150PCS/CTN NW:4kg NW:4.5kg	
HA19	Anti-glare film		Size: 500*270 500*430                      Aluminum coating plus air bubbles. Use: High temperature weather can refract the strong light reflection heat source to achieve the cooling effect on the beehive. When the weather is cold, it is due to the bubble interlayer in the middle of the double-layer aluminum film, which can achieve the effect of heat preservation on the beehive.	600	CTN:32*19*17cm 600PCS/CTN NW:14.6kg GW:15.6kg	






Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
HA20	Beehive angle clamp		Size:7 *3mm,Weight: 26g,material: galvanized iron	600	CTN:32*1917cm 600PCS/CTN NW:14.6kg GW:15.6kg	
HA21	Beehive connector improved type		Length:65mm Material:Galvanized iron Weight:88g	1000	CTN:34*27*20cm 200PCS/CTN NW:15kg GW:15.5kg	
HA21-2	Beehive connector		Length:65mm ,Material:Galvanized iron,Weight:88g	150	CTN:40*33*18cm 150PCS/CTN NW:15kg GW:15.2kg	
HA22	Beehive handle		Size:110mm*90mm dia:5.6mm Material:Galvanized iron Handle Weight:95g	150	CTN:40*3318cm 150PCS/CTN NW:14.6kg GW15.2kg	

Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
HA22-2	Beehive handle		Size:110mm*90mm Material:Galvanized iron Handle dia:7mm Weight:95g	200	CTN:41*33*21cm 200PCS/CTN NW:23.6kg GW22.4kg	
HA22-3	Beehive handle		Size:120mm*90mm Material:Galvanized iron & surface white zinc plating treatment	100	CTN:31*12*18cm 100PCS/CTN NW:18.9kg GW:19.8kg	
HA23	Entrance robbing guarder (8 holes)		Length:410mm Material:Galvanized iron	140	CTN:44*32*21cm 70PCS/CTN NW:21kg GW:21.3kg	
HA23-2	Entrance robbing guarder (7holes)		Length:350mm Material:Galvanized iron	450	CTN:34*16*15cm 450PCS/CTN NW:18kg GW:18.1kg	






Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
HA24	Metal corner bee escape		Material:Iron	450	CTN:34*1615cm 450PCS/CTN NW:18kg GW:18.15kg	
HA25	8 ways bee escape (Diameter: 25.8cm )		Material:ABS,Weight:86g ,Diameter: 25.8cm	200	CTN:82*28*27cm 100PCS/CTN NW:9.5kg GW:10.65kg	
 HA25-2	16 ways bee escape (Diameter: 25cm)		Material:ABS,Weight:95g,(Diameter: 25cm)	200	CTN:61*26*14cm 100PCS/CTN NW:3.7kg GW:4.15kg	
 HA26	Bee escape		Material:ABS,Weight:95g	2000	CTN:54*26*28cm 200PCS/CTN NW:12kg GW:12.5kg	






Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
 <b>HA26-2</b>	Bee escape (SUS201)	 	Material: SUS201,diameter:12cm	140	CTN:49*30*46cm 140PCS/CTN NW:9kg GW:9.75kg	
<b>HA27</b>	Bee escape (Large)	 	Material:ABS:size:38x12.2cm	140	CTN:4930*45cm 140PCS/CTN NW:8.7kg GW:9.8kg	
<b>HA28</b>	Bee escape		Material:ABS	2500	CTN:46*46*56cm 2500PCS/CTN NW:23kg GW:25kg	
<b>HA29</b>	Bee escape	 	Material:PP	1600	CTN:53*46*28cm 1600PCS/CTN NW:7.5kg GW:8.3kg	





Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
HA30	Subuliform Plastic honey gate		Material:PP	3000	CTN:46*30*23cm 3000PCS/CTN NW:5kg GW:5.8kg	
HA31	Plastic conical entrance		Material:PP	720	CTN:58*51*26cm 720PCS/CTN NW:14kg GW:14.6kg	
HA32	Beehive Number mark		Material:ABS	600	CTN:40*25*35cm 600PCS/CTN NW:13kg GW:13.55kg	
HA32-2	Beehive Number mark (Gray)		Material: PP, Color: red, yellow, blue, green, black, white, gray	500	CTN:60*28*57cm 500PCS/CTN NW:15kg GW:15.35kg	





Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
HA32-3	Beehive Number mark		Material: PP Color: yellow, blue, green, purple, red	80bag	CTN:46*30*23cm 80Bag/CTN NW:11kg GW:11.4kg	
 HA32-4	Beehive Number mark		Material: ABS Weight: about 90g size: about 3.5 cm Hole diameter: about 4mm,Product packaging is 1-100 numbers/package The default is only yellow color, if need other colors, each color MOQ is 100 bags;	1000	CTN:53*46*28cm 500 SETS/CTN NW:9kg GW:9.7kg	
HA33	Plastic beehive fixator(snap fastener)		Material:ABS, 2pcs/set	120	CTN:70*30*24cm 40PCS/CTN NW:13.12kg GW:13.7kg	
HA34	Frame support (SUS201)		Material:SUS201 Hanging beehive contact surface width 25.5mm,fit for beehive thickness 20-25mm	120	CTN:33*31*45cm 40PCS/CTN NW:14kg GW:14.45kg	

















Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
HA34-2	Frame support (2pcs/set,SUS20)		Length: 215mm Width: 135mm Weight: 350g Material: (SUS201) Hanging beehive contact surface width 25.5mm,fit for beehive thickness 20-25mm	120	CTN:69*30*23cm 40PCS/CTN NW:12kg GW:13kg	
HA34-3	Frame support		Material:SUS201 Opening width: 22mm, please note if other sizes are needed	300	100PCS/CTN	
HA44	stainless steel net (SUS304)		size can be customized; can be permeable plate,etc.	200	CTN:61*61*10.5cm 5PCS/CTN NW:9kg GW:10kg	
 HA45	Galvanized hive cover (Thickness: 0.5mm)		Product internal longitude: 32x32x5cm 52.5x42.5x6cm 57x57x6cm Material: galvanized iron, size can be customized	150	CTN:47*42.5*39.5c m 150PCS/CTN NW:15kg GW:17kg	









Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
 HA46	antproof stand (SUS201)		Product size: L82*W82*H67mm, product weight: 100g, material: SUS201 stainless steel	150	CTN:45*42*38cm 150PCS/CTN NW:15kg GW:17kg	
 HA47	Beekeeping tool Hive Carrier		Material: galvanized iron , Weight : 2.4kg Constructed of heavy duty steel tubing Helps you move hives and supers with ease Easy to assemble and disassemble for storage Designed for easy operation	10	CTN:55*43*35cm 5PCS/CTN NW:12kg GW:13kg	
<b>Frames</b>						
F01	Unassembled Langstroth frame		New Zealand pine without knot, 4 holes are punched in side bar. Size: 483*232/159/136*36mm, other size could be customized	1000	CTN:50*32*40cm 100PCS/CTN NW:18kg GW:18.2kg	





Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
F02	Assembled Langstroth frame	 	<p>New Zealand pine without knot, Side bar without holes.  Size: 483*232/159/136*36mm, other size could be customized</p>	1000	CTN:58*50*26cm 20PCS/CTN NW:4kg GW:5kg	
F02-2	Assembled wood frame with plastic foundation sheet	 	<p>New Zealand pine without knot, Side bar without holes.fixed with black plastic foundation.  Size: 483*232/159/136*36mm, other size could be customized</p>	1000	CTN:58*50*26cm 20PCS/CTN NW:4.2kg GW:5.1kg	

Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
F03	Wired Langstroth frame		New Zealand pine without knot, SUS 201, copper-plating eyelet. Size: 483*232/159/136*36mm, other size could be customized	1000	CTN:58*50*26cm 20PCS/CTN NW:4kg GW:5.1kg	
F04	Assembled frame with wax sheet, made of pine without knots		New Zealand pine without knot, SUS 201, 30% beeswax foundation sheet, copper-plating eyelet. Size: 483*232/159/136*36mm, other size could be customized	2000	CTN:58*50*26cm 20PCS/CTN NW:4kg GW:5.1kg	
 F06	BB Plastic frame with comb foundation (483*232mm)		Material:ABS,Size:483*232mm Side bar width 35mm The default is black Appearance patent No.:201830101118.2	200	CTN:53*50*26cm 20PCS/CTN NW:8.5kg GW:9.05kg	






Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
 F06-2	BB Plastic frame with comb foundation (483*175mm)	 	Material:ABS,Size:483*175mm Side bar width 35mm The default is white Appearance patent No.:201830101118.2	200	CTN:53*49*25cm 20PCS/CTN NW:8kg GW:8.5kg	
 F06-3	BB Plastic frame with comb foundation (483*159mm)	 	Material:ABS,Size:483*159mm Side bar width 35mm The default is white Appearance patent No.:201830101118.2	200	CTN:53*51*20cm 20PCS/CTN NW:7kg GW:7.15kg	
F07	Plastic frame with comb foundation (483*232mm)	 	Material:PS,Size:483*232mm	200	CTN:65*51*50cm 50PCS/CTN NW:22.5kg GW:23kg	
F07-2	Plastic frame with comb foundation (483*175mm)	 	Material:PS,Size:483*175mm	200	CTN:65*51*39cm 50PCS/CTN NW:17.5kg GW:18.2kg	













Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
F07-3	Plastic frame with comb foundation (483*159mm)		Material:PS,Size:483*159mm	200	CTN:61*51*38cm 50PCS/CTN NW:17.5kg GW:19kg	
F07-4	Plastic frame with comb foundation (483*125mm)		Material:PS,Size:483*125mm	200	CTN:61*51*38cm 50PCS/CTN NW:12.5kg GW:19kg	
F09	Detachable plastic frame		Material:ABS,Size:485*235*28mm (without foundation)	200	CTN:49*48*24.5cm 20PCS/CTN NW:4.28kg GW:6kg	
F10	250g Comb honey frame		Material:ABS Size:483*240*448mm	200	CTN:50*50*57cm 40PCS/CTN NW:13.5kg GW:14kg	









Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
F10B	Comb honey box 250g	 	Material:PS,Volume:250g Internal Dimensions:9.5*6.5*3.5cm Exterior Demensions:10.4*7.2*4.2cm	600	CTN:54.5*45.5*25c m 150PCS/CTN NW:12kg GW:12.75kg	
F11	500g Comb honey frame	 	Material:ABS Size:483*228*448mm	200	CTN:50*50*57cm 40PCS/CTN NW:12kg GW:14kg	
F11B	Comb honey box 500g	 	Material:PS,Volume:500g Internal Dimensions:13.2*9*3cm Exterior Demensions:14.1*9.9*4.4cm	500	CTN:59*52*26 100PCS/CTN NW:12kg GW:13kg	
F12	Heart-shaped Comb honey frame	 	Material:pp	180	CTN:52*45*27cm 36PCS/CTN NW:4.5kg GW:5.1kg	

Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
F12B	Fully transparent Heart-shaped Comb honey frame		Material:ps	720	144PCS/CTN NW:16kg GW:16.5kg	
F13	Plastic frame spacer		Material:PP	1000	1000PCS/CTN NW:32kg GW:32.5kg	
F14	Frame ranging tool (9 frames)		Material:ABS, Suitable for use in Langstroth 10 frames beehive, ranging 9 frames	260	CTN:47*44*66cm 260PCS/CTN NW:15.6kg GW:17.3kg	
F14-2	Frame ranging tool (7 frames)		Material:ABS, Suitable for use in Langstroth 8 frames beehive, ranging 7 frames	220	CTN:63*39*35cm 220PCS/CTN NW:13.2kg GW:13.85kg	















Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
F14-3	Frame ranging tool (8 frames)		Material:ABS, Suitable for use in Langstroth 10 frame beehive, ranging 8 frames	260	CTN:44*42*64cm 260PCS/CTN NW:15.6kg GW:18.6kg	
F14-4	9 frames metal spacing tool		Material:SUS201,size:14.7x6cm	200	CTN:39*11*15cm 100PCS/CTN NW:16kg GW:16.8kg	
F15	Frame spacer		Material:PP, Weight:5.5g	4000	CTN:70*53*60cm 4000PCS/CTN NW:19kg GW:19.4KG	
 F18	Queen bee rearing frame		Material: New Zealand pine without knot/Size:customized Default 483*232mm size, pine material, Without foundation, included 24 queen, cagesnot include cell cup.	190	CTN:54*51*24cm 19PCS/CTN NW:9kg GW:9.3KG	





Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
 F20	Plastic frame for mating nuc box	 	Size: 25*2.5*16cm,Material: ABS,Weight: 80g	300	100PCS/CTN NW:8kg GW:8.5KG	
 F21	Honey comb (Size:10.5*10.5*4.7cm)	 	Size:10.5*10.5*4.7cm,Material:stainless steel,Weight:208g	300	CTN:60*49*42cm 60PCS/CTN NW:13.5kg GW:14.4kg	
 F22	Honey comb (Size:9.2*9.2*4.7cm)	 	Size:9.2*9.2*4.7cm,Material:stainless steel,Weight:182g	176	CTN:57*43*42cm 88PCS/CTN NW:17kg GW:17.75kg	
 F23	BB plastic combination frame	 	Material: ABS, Size: 483 * 232mm,	500	CTN:50*30*40cm 100PCS/CTN NW:20kg GW:21kg	

Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
 F24	BB Ventilated interflow beehive frame (Deep frame)		Material: ABS,Size:483x232x33mm Appearance patent No:201922470182.X	3000	CTN:53*50*25cm 20PCS/CTN NW:20kg GW:21kg	
 F24-2	BB Ventilated interflow beehive frame (Super frame)		Material: ABS,Size:483x159x33mm Appearance patent No.:201922470182.X	3000	CTN:53*50*25cm 20PCS/CTN NW:20kg GW:21kg	
 F25	BB Comb honey frame (two layers 250g) Without honey comb Cassettes		Size:483*159*42mm Material: ABS Weight: 235g Remark: Each one fits with 8 nesting honey boxes, Without honey comb Cassettes. Utility model patent No.:02030368092. 5 Appearance patent No.:202030783832. 1	200	CTN:50*50*57cm 40PCS/CTN NW:9kg GW:10	
 F25-2	BB Comb honey frame (three layers 250g) Without honey comb Cassettes		Size: 483X227X42mm Material: ABS Weight: 260g Remark: Each one fits with 12 nesting honey boxes, Without honey comb Cassettes. Utility model patent No.:202030368092. 5 Appearance patent No.:202030783832. 1	200	CTN:54.5*45.5*25cm 20PCS/CTN NW:5.2kg GW:6kg	

Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
 F25-3	BB Honey comb Cassettes 250g		Size: 106.5*68*36 mm Material: PS Utility model patent No:202030368092. 5 Appearance patent No:202030783832. 1	750	CTN:54.5*45.5*25cm 150PCS/CTN NW:12kg GW:12.75kg	
F26	Comb honey frame fixer	 	size :8.5x2cm Material :201 stainless steel weight :28g thickness: 1.0mm	1000	CTN:40*30*20cm 1000PCS/CTN NW:29kg GW:28kg	
 F27	pollen collector	 	Size: 105*95*15 mm Material: PP weight :58g	2000	CTN:45*30*25cm 400PCS/CTN NW:23.5kg GW:24kg	
 F28	pollen pressing machine	 	Material: Painted Iron Size: 20x16cm weight :2.8kg	100	CTN:40*22*20cm 1PCS/CTN NW:3kg GW:3.5kg	












Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
 F28-2	pollen pressing machine	 	Size: 105*95*15 mm Material: ABS	200	CTN:40*38*30cm 100PCS/CTN NW:16kg GW:17kg	
<b>Comb foundation</b>						
CF01	Beewax foundation	 	Pure beeswax content: 30%~100%, room diameter:4.75~5.4mm(customized)	450	CTN:44*44*52.5cm 30PCS/PKG 10PKG/CTN 32KG/CTN	
CF03	Plastic comb foundation (njection molding)	 	Weight:140g,Material:PS, Size:Size:425*280mm/425*212mm/425*212mm/425*161mm/425*157mm/425*141mm/425*125mm/425*121mm/425*115mm ,Technology:Injection molding,any colour	500	CTN:44*31*43cm 100PCS/CTN NW:23kg GW:23.6kg	






Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
 CF06	Plastic comb foundation (njection molding)		Weight:96g,Material:ABS,Size: 425*212mm/425*141 mm,Color: yellow	500	CTN:44*22*38cm 100PCS/CTN NW:10kg GW:11kg	
 CF07	BB wax coating machine		Product size: 470*590*420mm Material: Stainless steel Rated voltage: AC110V AC220V Roller diameter:75mm Power:25W+300W 50/60HZ 300 rounds/minute Capacity: 9L Appearance Patent No.:202230075247.5 Utliity Model Patent No.:202220388560.9	1	CTN:50*62*45cm 1PCS/CTN NW:45kg GW:48kg	
<b>Economy wire tools</b>						
WT01	Economy wire embedder		Length:145mm,Weight:31g,Material:Wooden&Galv anized iron	1000	CTN:58*48*30cm 1000pcs/carton NW:35kg GW:35.25kg	










Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
WT01-2	Wire embedder		Length:230mm,Weight:62g,Material:Wooden,Galvanized iron &Red copper	250	CTN:33*28*24cm 250PCS/CTN NW:19kg GW:13.15kg	
WT01-3	Wire embedder		Length:230mm Weight:62g,Material:Plastic&Galvanized iron &Red copper	500	CTN:54*24*26cm 500PCS/CTN NW:24kg GW:24.3kg	
WT01-4	wire embedder ( Spur )		Material:Wooden&Copper	300	CTN:34*26*30cm 300PCS/CTN NW:17kg GW:17.35kg	
WT01-5	wire embedder(Electric )		Rated power:30W,Material:Copper,plugs(Customized)	100	CTN:44*31*31.5cm 100PCS/CTN NW:9.3kg GW:10kg	







Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
WT01-6	BB wire embedder(Electric )		Rated power:30W,Material:Copper,plugs(Customized) Patent No.:201520074151. 1	100	CTN:55*32*31cm 100PCS/CTN NW:12kg GW:12.9kg	
WT01-7	Wire embedder		Length:230mm,Weight:62g,Material:Wooden,Galvanized iron	500	CTN:50*50*40cm 500PCS/CTN NW:35.5kg GW:38.1kg	
WT01-8	CE Wire embedder(Electric )		INPUT:AC2205060Hz DC12-24 OUTPUT:DC24V Step 1Turn on the power, put the frame(the wire has ir the frame) on the product. Notice:The contact point of the machine and frame should be the end of the wire and the other end of the wire. The dot means contact point Step2Put the comb foundation on the wire Step3Put the up-pressing board on the comb foundation,press it and step on the pedal.the light	10	CTN:51*28*19cm 1PCS/CTN NW:3.05kg GW:3.7kg	
WT01-13	 CE Wire embedder		size: 66*25*75cm NPUT:AC2205060Hz DC12-24 OUTPUT:DC24V	1	CTN:70*30*80cm 1PCS/CTN NW:15.8kg GW:17.5kg	













Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
WT01-9	Wire embedder(Electric ) 	 	Input DC 110-220V output 9V power 40W plugs(Customized)	19	CTN:49*30*31cm 19PCS/CTN NW:25kg GW:25.35kg	
WT01-10	Wire embedder	 	Material:Wooden&SUS201	300	CTN:37*36*16.5cm 150PCS/CTN NW:14.25kg GW:15.35kg	
 WT01-11	Wire embedder (US)	 	Material:PP &Gavanized Iron	150	CTN:46*30*23cm 150PCS/CTN NW:14kg GW:14.8kg	
 WT01-12	Clip Wire embedder(Electric )	 	Voltage:12V Power:40W	120	CTN:61*56*24cm 60PCS/CTN NW:14kg GW:14.85kg	

Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
WT02	Wire crimper		Material: Plastic &Zinc plated	200	CTN:46*36*22cm 200PCS/CTN NW:12.8kg GW:13.1kg	
WT02-2	Wire crimper ( Stainless steel gears )		Material: Plastic &Zinc plated	300	CTN:57*30*25cm 300PCS/CTN NW:15kg GW:16.8kg	
WT02-3B	BB Wire crimper(Stainless)		Material:SUS304&Iron wheel Patent No:20150523780.8	160	CTN:30*30*21cm 80PCS/CTN NW:15kg GW:15.85kg	
 WT02-4	Wire crimper(Stainless)		Material:SUS304&Iron wheel	100	CTN:47*34*15 100PCS/CTN NW:17kg GW:18.15kg	





Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
 WT02-6	Wire crimper(Stainless)	 	Material: USU201+ iron galvanized (gear), product weight: 163g, product size: L148*W60*H28mm	100	CTN:28*28*29 100PCS/CTN NW:16.3kg GW:18.15kg	
WT03	Wire cutter	 	Material:Iron	200	CTN:44*39*34cm 200PCS/CTN NW:17kg GW:17.4kg	
WT03-2	Wire spool holder	 	Material:iron	500	CTN:44*25*58cm 50PCS/CTN NW:15kg GW:15.75kg	
WT03-3	Wire spool holder	 	Material:galvanized sheet,Suitable for 1kg shaft	400	CTN:58*58*32cm 40PCS/CTN NW:11kg GW:13.05kg	

Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
WT04	Wire pliers		Material:High-carbon steel	200	CTN:32*26*14cm 100PCS/CTN NW:6kg GW:7.5kg	
WT05	Awl		Material:SUS201	480	CTN:45*30*28cm 480PCS/CTN NW:13kg GW:14kg	
 WT05-2	Awl		Material:SUS201	400	CTN:40*25*30 400PCS/CTN NW:7.2kg GW:8kg	
 WT05-3	Awl		Material:SUS304	1000	500PCS/CTN	





Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
WT06	Hole punch	 	Material:Wooden&SUS201	34	CTN:45*41*35cm 34PCS/CTN NW:18kg GW:18.15kg	
 WT06-2	Hole punch	 	Material:IRON	40	CTN:52*35*44cm 20PCS/CTN NW:15kg GW:15.35kg	
WT07	Frame threading rack	 	Material:IRON	28	CTN:66*56*66cm 14PCS/CTN NW:41kg GW:42kg	
WT07-2	frame wire threader	 	Material: Iron spray paint , can be adjusted for all kinds of nest frame	56	CTN:66*56*66cm 14PCS/CTN NW:41kg GW:42kg	





Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
WT08	Beeswax septum knife		Disc diameter : 66mm,thickness : 19mm,length : 120mm,weight : 74g	300	CTN:55*36*38cm 300PCS/CTN NW:22.5kg GW:23.5kg	
WT10-1	Galvanized wire 0.25kg/roll		Material:Galvanized iron Wire diameter:Customized Wire diameter: 0.4mm or 0.55mm	200	CTN:36*30*10cm 20PCS/CTN NW:5kg GW:6kg	
WT10-2	Galvanized wire 0.5kg/roll		Material:Galvanized iron Wire diameter:Customized Wire diameter: 0.4mm or 0.55mm	200	CTN:36*31*20cm 40PCS/CTN NW:22 kg GW:22.5kg	
WT10-3	Galvanized wire 1kg/roll		Material:Galvanized iron Wire diameter:Customized Wire diameter: 0.4mm or 0.55mm	200	CTN:45839*13cm 20PCS/CTN NW:20kg GW:22.2kg	











Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
WT11-1	201Stainless wire 0.25kg/roll		Material:SUS201,Wire diameter:Customized Wire diameter: 0.4mm or 0.55mm	200	CTN:35*29*21cm 40PCS/CTN NW: 11kg GW:12.5kg	
WT11-2	201Stainless wire 0.5kg/roll		Material:SUS201,Wire diameter:Customized Wire diameter: 0.4mm or 0.55mm	200	CTN:35*29*20cm 40PCS/CTN NW: 20kg GW:22.5kg	
WT11-3	201Stainless wire 1kg/roll		Material:SUS201,Wire diameter:Customized Wire diameter: 0.4mm or 0.55mm	200	CTN:44*37*14cm 20PCS/CTN NW:21 kg GW:21.8kg	
WT12-1	304Stainless wire 0.25kg/roll		Material:SUS304,Wire diameter:Customized Wire diameter: 0.4mm or 0.55mm	200	CTN:35*30*21cm 40PCS/CTN NW: 10kg GW:12.25kg	





Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
WT12-2	304Stainless steel wire 0.5kg/roll		Material:SUS304,Wire diameter:Customized Wire diameter: 0.4mm or 0.55mm	200	CTN:35*30*20cm 20PCS/CTN NW: 21kg GW:22kg	
WT12-3	304Stainless steel wire 1kg/roll		Material:SUS304,Wire diameter:Customized Wire diameter: 0.4mm or 0.55mm	200	CTN:44*37*14cm 20PCS/CTN NW:20 kg GW:21.9kg	
WT13	Pure copper eyelets (1KG/BAG)		Material:pure copper Size:4.5*4.5*2.5mm or 6.5*5*3mm (Other sizes can be customized)	25	CTN:63*45*20cm 25KG/CTN NW:50kg GW:50.5kg	
WT14	Iron eyelets (copper plated, 1KG/BAG)		Material:Iron Size:4.5*4.5*2.5mm or 6.5*5*3mm (Other sizes can be customized)	25	CTN:42*42*15cm 25Bag/CTN NW:25kg GW:25.15kg	











Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
WT15	304 stainless steel eyelets (1KG/BAG)		Material: 304 stainless steel Size:4.5*4.5*2.5mm or 6.5*5*3mm (Other sizes can be customized)	25	CTN:47*39*13cm 25Bag/CTN NW:25kg GW25.3kg	
 WT16	Foundation clip nail (1000PCS/bag)		Material:Iron width:0.55cm, length:2.55cm, opening:0.25cm; 1000pcs/bag,0.9kg/bag	100	CTN:46*24*15cm 10Bag/CTN NW:10kg GW10.5kg	
<b>Queen excluders</b>						
EC01-1	US style queen excluder (no edges rimmed)		Material: galvanized iron, wire diameter: 1.9mm, clearance: 4.2mm, size: can be customized	300	CTN:53*45*11cm 30PCS/CTN NW:28kg GW:30kg	










Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
EC01-2	US style queen excluder (2 edges rimmed)		Material: galvanized iron, wire diameter: 1.9mm, clearance: 4.2mm, size: can be customized	300	CTN:50*41*11cm 20PCS/CTN NW:17.5kg GW:19kg	
EC01-3	US style queen excluder (4 edges rimmed)		Material: galvanized iron, wire diameter: 1.9mm, clearance: 4.2mm, size: can be customized	300	CTN:53*45*12cm 20PCS/CTN NW:21kg GW:22kg	
EC01-4	US style queen excluder (4 edges wooden)		Material: galvanized iron, wire diameter: 1.9mm, clearance: 4.2mm, size: can be customized	300	CTN:43*36*54cm 25PCS/CTN NW:24kg GW: 27kg	
EC01-5	US style queen excluder (4 wide edges rimmed)		Material: galvanized iron, wire diameter: 1.9mm, clearance: 4.2mm, size: can be customized	300	CTN:53*44*11cm 20PCS/CTN NW:28kg GW: 28.5kg	










Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
 EC01-6	US style queen excluder(threaded, with 2 wide rims and 2 narrow rims)	 	Material: galvanized iron, wire diameter: 2.0mm, clearance: 4.15mm, Long rim: 35mm Short rim: 25mm size: can be customized	300	CTN:53*42*8cm 15PCS/CTN NW:21g GW: 21.5kg	
 EC02	<b>SUS304</b> US style queen excluder (no edges rimmed)	 	Material: SUS304, wire diameter: 1.9mm, clearance: 4.2mm, size: can be customized	300	CTN:53*43*12cm 20PCS/CTN NW:20kg GW: 21kg	
EC02-2	<b>SUS304</b> US style queen excluder (2 edges rimmed)	 	Material: SUS304, wire diameter: 1.9mm, clearance: 4.2mm, size: can be customized	300	CTN:53*43*12cm 20PCS/CTN NW:20kg GW: 21kg	
EC02-3	<b>SUS304</b> US style queen excluder (4 edges rimmed)	 	Material: SUS304, wire diameter: 1.9mm, clearance: 4.2mm, size: can be customized	300	CTN:53*46*12cm 20PCS/CTN NW:23kg GW: 23.5kg	

Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
EC02-4	SUS304 US style queen excluder (4 edges rimmed)		Material: SUS304, wire diameter: 1.9mm, clearance: 4.2mm, size: can be customized	300	CTN:54*37*27cm 20PCS/CTN NW:16kg GW: 17kg	
EC02-5	SUS304 US style queen excluder (4 edges rimmed)		Material: SUS304, wire diameter: 1.9mm, clearance: 4.2mm, size: can be customized	300	CTN:53*44*11cm 20PCS/CTN NW:28kg GW: 28.5kg	
EC02B	SUS201 US style queen excluder (no edges rimmed)		Material: SUS201, wire diameter: 1.9mm, clearance: 4.2mm, size: can be customized	300	CTN:53*43*12cm 20PCS/CTN NW:20kg GW: 21kg	
EC02B-2	SUS201 US style queen excluder (2 edges rimmed)		Material: SUS201, wire diameter: 1.9mm, clearance: 4.2mm, size: can be customized	300	CTN:53*43*12cm 20PCS/CTN NW:20kg GW: 21kg	


Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
EC02B-3	SUS201 US style queen excluder (4 edges rimmed)		Material: SUS201, wire diameter: 1.9mm, clearance: 4.2mm, size: can be customized	300	CTN:53*46*12cm 20PCS/CTN NW:22kg GW: 23.5kg	
EC02B-4	SUS201 US style queen excluder (4 edges rimmed)		Material: SUS201, wire diameter: 1.9mm, clearance: 4.2mm, size: can be customized	300	CTN:54*37*27cm 20PCS/CTN NW:16kg GW: 17kg	
EC02B-5	SUS201 US style queen excluder (4 edges rimmed)		Material: SUS201, wire diameter: 1.9mm, clearance: 4.2mm, size: can be customized	300	CTN:53*44*11cm 20PCS/CTN NW:28kg GW: 28.5kg	
EC03	Aluminium queen excluder		Material: aluminum, clearance: 4.2MM, size: can be customized	240	CTN:54*47*11 80PCS/CTN NW:10kg GW: 10.5kg	










Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
EC05	Plastic queen excluder		Material: PP, clearance: 4.2MM, Size:510*360mm/510*420mm/500*425mm/510*425 mm/485*400mm/500*450mm/506*360mm/500*430 mm	500	CTN:54*46*31cm 100PCS/CTN NW:23kg GW:23.5kg	
EC06	Plastic queen excluder(Arc)		Material: PP,clearance: 4.2MM,Size:510*410mm/460*460mm/435*435mm/5 06*406mm/506*353mm/500*500mm/470*410mm	500	CTN:53*53*27cm 100PCS/CTN NW:30kg GW:30.95kg	
EC07	Bamboo planar queen excluder		Material: bamboo Size:510*410mm size can be customized	200	CTN:52*33.5*43cm 25PCS/CTN NW:11.25kg GW:12.2kg	
EC07-3	Korean bamboo queen excluder		Material: bamboo Sizes 496x438 size can be customized	300	CTN:68*50.5*45cm 50PCS/CTN NW:23.5kg GW:24.5kg	





Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
EC08	Plastic queen vertical excluder	 	Material:ABS Size: 490*260mm	100	CTN:53*50*29cm 40PCS/CTN NW:12kg GW:12.55kg	
EC08-2	Plastic planar queen excluder	 	Material:ABS Size: 510*410mm	100	CTN: 54*46*68cm 50pcs/carton NW:28kg GW:28.5kg	
EC09-1	Propolis collector	 	Material:PP P size: 500*400mm	50	CTN:51*42*30cm 50PCS/CTN NW:16kg GW:16.15kg	
 EC09-2	Propolis collector (New Zealand style)	 	Material:PP P size: 500*400mm	100	CTN:53*43*34cm 50PCS/CTN NW:18.45kg GW:22.9kg	





Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
 EC09-3	Propolis collector	 	Material:PVC Aperture 1.5*1.5mm, Single weight: 45g size: Can be customized to any size	500	CTN:45*45*58cm 1000PCS/CTN NW:45kg GW:46kg	
 EC10	European style queen excluder(no edges rimmed)	 	Material: SUS304, wire diameter: 1.9mm, clearance: 4.2mm, size: can be customized	300	CTN:36*52*10cm 30PCS/CTN NW:23.5kg GW:24.1kg	
 EC12	Painting metal queen excluder	 	Material: galvanized iron, wire diameter: 1.9mm, clearance: 4.2mm, Color and size: can be customized	300	CTN:53*43*12cm 20PCS/CTN NW:21kg GW:22kg	
<b>Bee feeders</b>						



















Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
FD01	Division feeder (6L)		Material:PP,Size:483*80*230mm,Volume:6L,Weight :850g,langstroth	300	CTN:58*54*44cm 30 PCS/CTN NW:21kg GW:22.1kg	
 FD01W	Division feeder (6L)		Material:PP,Size:483*80*230mm,Volume:6L,Weight :850g,langstroth	300	CTN:51*41*64cm 25PCS/CTN NW:21.5kg GW:23.5kg	
FD02	Division feeder (6L)		Material:PP,Size:483*80*230mm,Volume:6L,Weight :850g,langstroth	300	CTN:58*52*44 30 PCS/CTN NW:24.5kg GW:26.5kg	
FD02-2	Division feeder (4L)		Material:PP,Size:483*55*220mm,Volume:4L,Weight :620g,langstroth	300	CTN:50*34*55cm 30 PCS/CTN NW:18.5kg GW:19.8kg	








Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
 FD02-3	Division feeder (0.5L)	 	Material:PP,Size:233*120*25mm ,Volume:0.5L,Weight:132g	300	CTN:50*34*33cm 50 PCS/CTN NW:5.5kg GW:5.5kg	
FD03	Division feeder (0.75L)	 	Material:PP,Volume:0.75kg Product size: total length 490mm width 40mm height 35mm	750	CTN:88*51*41cm 750PCS/CTN NW:33kg GW:34.5kg	
FD03-2	Division feeder (1.5L)	 	Material:PP,Volume:1.5L Product size: total length 490mm width 63mm height 55mm	250	CTN:69*51*36cm 250 PCS/CTN NW:17.5kg GW:19.3kg	
FD03-3	Division feeder (3L)	 	Material:PP,Volume:3L Product size: total length 490mm width 77mm height 108mm	160	CTN:64*52*42cm 160PCS/CTN NW:25kg GW:25.35kg	












Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
FD03-4	Division feeder (1L)		Material:PP,Volume:1L Product size: total length 490mm width 50mm height 70mm	170	CTN:53*46*28cm 170 PCS/CTN NW:10.5kg GW:11.4kg	
FD03-5	Division feeder (0.6L)		Material:PP,Volume:0.6L Product size: total length 490mm width 35mm height 30mm	300	CTN:72*51*40cm 300PCS/CTN NW:27.5kg GW:28.5kg	
FD03-6	Division feeder (1.6L)		Material:PP,Volume:1.6L Product size: total length 490mm width 56mm height 54mm	250	CTN:72*52*37cm 250PCS/CTN NW:26kg GW:26.35kg	
FD04	Entrance feeder (0.5L)		Material:PP	200	CTN:45*45*45cm 200 PCS/CTN NW:12kg GW:12.7kg	

Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
FD05	Bottle feeder		Material:PP	800	CTN:45*45*55cm 800 PCS/CTN NW:13kg GW:14kg	
FD06	Division feeder (wooden 4L)		Material:Wooden,Size:483*35*240mm,Volume:4L	240	CTN:52*45*27cm 12PCS/CTN NW:6kg GW:6.9kg	
FD07	Top feeder(ABS cover 6L)		Material:ABS,Volume:6LSize : 390x330x75mm	100	CTN:68*42*39cm 10PCS/CTN NW:11kg GW:11.95kg	
FD07B	Top feeder(PS cover 6L)		Material:PS+ABS,Volume:6L Size : 390x330x75mm	100	CTN:71*43*42cm 10PCS/CTN NW:12kg GW:12.75kg	









Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
FD08	Top feeder(1.3L)	 	Material:PP ,Size:260X55mm,Weight:254g,Water capacity: 1.3L	200	CTN:57*57*42cm 50PCS/CTN NW:15kg GW:15.9kg	
 FD08-3	Top feeder(1L)	 	Material:PP+PS,Size:210X55mm Weight:163g,Water capacity: 1L	200	CTN:87*44*36cm 40PCS/CTN NW:13kg GW:13.2kg	
 FD08-4	Top feeder(1.7L)	 	Material:PP+PS ,Size:217X85mm,Weight:281g,Water capacity: 1.7L	270	CTN:87*45*36cm 54PCS/CTN NW:16kg GW:16.35kg	
FD09	Pollen feeder	 	Material:PP Size:490X445*23mm,Weight:500g	200	CTN:50*50*45cm 40PCS/CTN NW:20kg GW:20.4kg	







Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
FD10	Bottle feeder		Handle length:10cm,Weight:18.5g	700	CTN:45*45*55cm 700PCS/CTN NW:14kg GW: 15kg	
 FD11	Entrance feeder (1.5L)		Material:PP+ABS,Volume:1.5L	100	CTN:67*42*40cm 50PCS/CTN NW:15kg GW:15.2kg	
FD12	Boardman feeder		Material: PP&Aluminum	240	CTN:46*41*51cm 240PCS/CTN NW:17kg GW:17.3kg	
 FD13	BB Australian Top feeder (10Frames 3.5L)		Material: ABS,size: 505*405mm, Water capacity: 3.5L Weight: 1004g Appearance Patent No.:201930629685.X Utility Model Patent No.:201921966873.2	500	CTN:68*43*43cm 20PCS/CTN NW:22kg GW:22.4kg	









Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
FD13B	BB Australian Top feeder (8Frames 2.5L)		Material : ABS,size:506*353mm Water capacity: 2.5L Weight: 1000g Appearance Patent No.:201930629685.X Utlity Model Patent No.:201921966873.2	200	CTN:67*38*44cm 20PCS/CTN NW:20kg GW:21kg	
 FD13-2	BB American Top feeder (4.5L)		Material: ABS,size: 505*405mm, Water capacity: 4.5L Weight: 1150g Appearance Patent No.:201930629684.5 Utlity Model Patent No.:201921966873.2	500	CTN:61*43*51cm 10PCS/CTN NW:12kg GW:13.05kg	
 FD14	Top feeder		Weight: 340g	2000	20PCS/CTN NW:7kg GW:7.5kg	
 FD15	Entrance feeder(1L)		Material:PP,Volume:1000ML	300	CTN:55*56*55cm 100PCS/CTN NW:11kg GW:12.65kg	

Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
FD16	Bottle mouth type water feeder	 	Material: PP,Bottle mouth diameter:2.7cm,size: 5x4x3.3cm,Weight: 6g	500	CTN:55*56*55cm 100PCS/CTN NW:12kg GW:13kg	
 FD17	Entrance feeder(500ML)	 	Material:PP,Volume:500ML	280	CTN:56*38*48cm 140PCS/CTN NW:12kg GW:12.2kg	
 FD18	Top feeder(1.6L)	 	Material:HIPS+PS,size:18.5*18.5*5.5cm,weight : 255g	480	CTN:40*40*48cm 60PCS/CTN NW:14.5kg GW:16.45kg	
 FD19	Division feeder (0.5L)	 	Material: PP,Water capacity: 450ml sizi:25x.3.3x15cm	2000	200PCS/CTN NW: 41kg GW:41.5kg	





Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
 FD21	Boardman feeder	 	Material: PP Weight: 28g suitable for 75 caliber glass bottles, no glass bottles	2000	200 PCS/CTN NW:40kg GW:41.5kg	
 FD21	Boardman feeder(Pine + Galvanized Iron)	 	Material: Pine + Galvanized Iron Product weight: 350 g Product size: L170*W113*H35mm	100	CTN:37.5*25*39cm 40PCS/CTN NW:15kg GW:14kg	
<b>Pollen traps</b>						
PT01	Pollen trap	 	Material:ABS+PP,Weight:430g Product size: 390*93*135mm	120	CTN:63*42*63cm 20PCS/CTN NW:11.5kg GW:12.15kg	

Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
PT02	Pollen trap		Material:ABS,Weight: 507g Product size: 305*105*145mm	100	CTN:66*38*63cm 20PCS/CTN NW:12kg GW:12.95kg	
PT04	Pollen trap		Material:PP	840	CTN:43*21*36cm 840PCS/CTN NW:10.5kg GW:11.15kg	
 PT07	Pollen trap		Material:ABS size: 30x14.5x1.3cm	500	CTN:32*16*14cm 100PCS/CTN NW:20kg GW:21kg	
 PT08	Pollen trap		Material:PP +ABS size: 30x14.5x13cm Weight: 480g	2000	CTN:71*34*63cm 20PCS/CTN NW:13kg GW:13.5kg	





Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
 PT09	Pollen trap	 	size: 32x12x11.5cm Material: ABS+PP_Painted Iron Weight: 620g	2000	TN:71*34*63cm 20PCS/CTN NW:13kg GW:13.5kg	
 PT10	Pollen trap	 	Product length: 380mm, width 145mm, height 115mm, ear center distance 300mm. Material: ABS+PP, weight: 485g	500	TN:71*34*63cm 20PCS/CTN NW:10kg GW:11.5kg	
<b>Honey Extractors</b>						
HE01	Extractor(2 frames plastic manual)	 	Material: PP,Measure of frame rack:420mm*260mm	10	Packing size 42*42*75cm 1 PCS/CTN NW:6kg GW:6.05kg	

Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
HE02-2	Extractor(2 frames transparent manual honey )		Material: Acrylic,Measure of frame rack:420mm*260mm	10	Packing size 41*41*94cm 1 PCS/CTN NW:10.8kg GW:13.2kg	
HE02-3	Extractor(3 frames transparent manual honey )		Material: Acrylic,Measure of frame rack:420mm*260mm	10	CTN:42*42*93cm 1PCS/CTN NW:11kg GW:13.4kg	
HE03-2	Extractor(Economy 2 frames manual)		Material: SUS201	10	Packing size 42*42*69cm 1 PCS/CTN NW:7kg GW:8KG	
HE04-2	Extractor(Economy 2 frames manual)		Material: SUS201	10	Packing size 42*42*69cm 1 PCS/CTN NW:8kg GW:9KG	







Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
HE05-2	Extractor(2 frames manual riversible )		Material: SUS201,with legs and plastic honey gate,Measure of frame rack:420mm*260mm	10	Packing dimension : 52*52*78cm Packing: Paper carton and foam NW:23.5kg GW:25KG	
HE05-3	Extractor(3 frames manual riversible )		Material: SUS201,with legs and plastic honey gate,Measure of frame rack:420mm*260mm	10	Packing dimension : 52*52*78cm Packing: Paper carton and foam NW:25.5kg GW:27KG	
HE05-4	Extractor(4 frames manual riversible )		Material: SUS201,with legs and plastic honey gate,Measure of frame rack:420mm*260mm	10	Packing size 65*65*91cm 1 PCS/CTN NW:29kg GW:30KG	
HE06-2	Extractor(2 frames manual) iron rack packing		Material: SUS201,with legs and plastic honey gate,Measure of frame rack:420mm*260mm	10	Packing size 42*42*79cm 1 PCS/CTN NW:10.5kg GW:12KG	






Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
HE06-2E	Extractor(2 frames electric) iron rack packing		Power supply:220V(110V customized on-demand),Motor:140watts,Material: SUS201,Weight:18kg,Measure of frame rack:420mm*260mm	10	Packing size:47*47*92cm 1PCS/CTN NW:15.5kg GW:16.8KG	
HE06-3	Extractor(3 frames manual) iron rack packing		Material: SUS201,with legs and plastic honey gate,Measure of frame rack:420mm*260mm	10	Packing size 42*42*79 1PCS/CTN NW:13kg GW:14.8KG	
HE06-3E	Extractor(3 frames electric) iron rack packing		Power supply:220V,Motor:140watts,Material: SUS201,Weight:19kg,Speed control,,singel-phase Measure of frame rack:420mm*260mm	10	Packing size:47*47*92cm 1PCS/CTN NW:16.2kg GW:17.5KG	
HE06-4	Extractor(4 frames manual) iron rack packing		Material: SUS201,with legs and plastic honey gate,Measure of frame rack:420mm*260mm	10	CTN: 52*52*78cm 1PCS/CTN NW:14kg GW:16KG	







Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
HE06-4E	Extractor(4 frames electirc) iron rack packing		Material: SUS201,Barrel,Size of inner frame: 42*26cm,Accessories:honey gates and legs,Voltage:110V/220V	10	CTN:53*53*91cm 1PCS/CTN NW:18.5kg GW:22.5KG	
HE06-6	Extractor(6 frames manual) iron rack packing		Material: SUS201,with legs and plastic honey gatemMeasure of frame rack:420mm*260mm	10	CTN :72*72*85cm 1PCS/CTN NW:24kg GW:27KG	
HE06-6E	Extractor(6 frames electirc) iron rack packing		Power supply:220V(110V customized on-demand ,)Motor:250watts,Material: SUS201,Weight:34kg,Speed control, Measure of frame rack:420mm*260mm	10	CTN : 75*75*107cm 1PCS/CTN NW:28kg GW:31KG	
HE06-6EM	Extractor(Three use 6 frames electirc) iron rack packing		Power supply:220V/12V,Motor:250watts,Material: SUS201,Weight:34kg,Speed control,Measure of frame rack:420mm*260mm	10	CTN : 75*75*107cm 1PCS/CTN NW:38kg GW:53KG	

Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
HE06-8	Extractor(8 frames manual) iron rack packing		Material:SUS201,with legs and plastic honey gate,Measure of frame rack:420mm*260mm	10	CTN : 72*72*85cm 1PCS/CTN NW:25kg GW:28KG	
HE06-8E	Extractor(8 frames electric) iron rack packing		Power supply:220V(110V customized on-demand),Motor:250watts, Material: SUS201,Weight:39.5kg,Speed control, single-phase,Measure of frame rack:420mm*260mm	10	CTN :75*75*92cm 1PCS/CTN NW:32kg GW:35KG	
HE06-12E	Extractor(12 frames electric) wooden case packing		Power supply:220V(110V customized on-demand),Motor:550watts,Material: SUS201,Weight:55.5kg,Speed control,Frequency Converters,three-phase,Measure of frame rack:420mm*260mm	10	CTN :81*81*91cm 1PCS/CTN NW:70kg GW:83KG	
HE06-20E	Extractor(20 frames electric) wooden case packing		Power supply:220V(110V customized on-demand),Motor:550watts,Material: SUS201,Weight:68.5kg,Speed control,Frequency Converters,three-phase,Measure of frame rack:420mm*260mm	10	CTN:104*98*98cm 1PCS/CTN NW:85kg GW:90KG	













Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
HE06-24E	Extractor(24 frames electirc) wooden case packing		Power supply:220V(110V customized on-demand ),Motor:550watts,Material: SUS201,Weight:80kg,Speed control,Frequency Converters,three-phase,Measure of frame rack:420mm*260mm	10	CTN:98*98*105cm 1PCS/CTN NW:80kg GW:101KG	
HE07-4	Extractor(4 frames electirc CE) iron rack packing		Power supply:220V(110V customized on-demand ),Motor:140watts,Material: SUS201,Weight:29kg,Speed control,singel-phase,Measure of frame rack:420mm*260mm	10	CTN: 44*42*96cm 1PCS/CTN NW:18.5KG GW:26KG	
 HE12-3	Extractor(3 frames manual brake) iron rack packing		Barrel height: 60CM,diameter: 48CM,total height: 110cm,inner frame meterial : sus304,barrel bodymeterial : sus201 rack:420mm*260mm	10	CTN: 52.5*52.5*79cm 1PCS/CTN NW:11kg GW:16.5KG	
 HE12-2	Extractor(2 frames manual brake) iron rack packing		Barrel height: 60CM,diameter: 48CM,total height: 110cm,inner frame meterial : sus304,barrel bodymeterial : sus201 rack:420mm*260mm	10	Packing size 53*53*79cm 1 PCS/CTN NW:11kg GW:16.5KG	

Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
 HE12-4	Extractor(4 frames manual brake) iron rack packing		Barrel height: 60CM,diameter: 48CM,total height: 110cm,inner frame meterial : sus304,barrel bodymaterial : sus201 rack:420mm*260mm	10	CTN:70*70*92cm 1PCS/CTN NW:19kg GW:21KG	
HEPJ01	2/3/4 frame manual gear assembly		The gear assembly specifications of the 2 frames and 3 frames are the same, 4 frames have other specifications but with the same price.			
HEPJ02	2/3/4 frame manual gear assembly + beam		The gear assembly specifications of the 2 frames and 3 frames are the same, 4 frames have other specifications but with the same price.			
HEPJ03	6/8 frame manual gear assembly					

Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
HEPJ04	6/8 frame manual gear assembly + beam	 				
HEPJ16	Handle	 				
<b>Bee smokers</b>						
S01	BB Smoker (Euro M)	 	Material:SUS201,Size:26CM* Φ10CM,Collector box:PVC,Can be equipped with inner tank barrel+cover: 0.3mm tripod fuel support+bellow bracket: 0.5mm cover connector: 0.8mm	100	CTN:73*46*60cm 20PCS/CTN NW:17kg GW:19.95kg	

Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
S01-L	BB Smoker (Euro L)		Material:SUS201,Size:30CM* Φ10CM,Collector box:PVC,Can be equipped with inner tank barrel+cover: 0.3mm tripod fuel support+bellow bracket: 0.5mm cover connector: 0.8mm	100	CTN:72*46*67cm 20PCS/CTN NW:19kg GW:21.5kg	
S02	BB Smoker (M) (US)		Material:SUS201,Size:29CM* Φ10CM,Collector box:PVC,Can be equipped with inner tank barrel+cover: 0.3mm tripod fuel support+bellow bracket: 0.5mm cover connector: 0.8mm	100	CTN:73*46*64cm 20PCS/CTN NW:20kg GW:21.5kg	
S02-L	BB Smoker (L) (US)		Material:SUS201,Size:32CM* Φ10CM,Collector box:PVC,Can be equipped with inner tank barrel+cover: 0.3mm tripod fuel support+bellow bracket: 0.5mm cover connector: 0.8mm	100	CTN:72*46*71cm 20PCS/CTN NW:19kg GW:21.5kg	
S03	BB Smoker (thick)		Material:SUS201,Size:29CM* Φ10CM,Collector box:PVC barrel+cover: 0.3mm tripod fuel support+bellow bracket: 0.5mm cover connector: 0.8mm	100	CTN:71*48*61cm 20PCS/CTN NW:21kg GW:24kg	

Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
 S04	Smoker(Australian style M)	 	Material:SUS201,Size:29CM* Φ10CM, Collector box:PVC	100	CTN:71*45*58cm 20PCS/CTN NW13kg GW:17.6kg	
 S04-L	Smoker(Australian style L)	 	Material:SUS201,Size:32CM* Φ10CM, Collector box:PVC	100	CTN:72*45*70cm 20PCS/CTN NW:15kg GW:18.7kg	
S05	Smoker(Economic M)	 	Material:SUS201,Size:24CM* Φ10CM,Collector box:Cowhide,Can be equipped with inner tank	150	CTN:72*31*71cm 15PCS/CTN NW:11.25kg GW:12.8kg	
S05-L	Smoker(Economic L)	 	Material:SUS201,Size:29CM* Φ10CM,Collector box:Cowhide,Can be equipped with inner tank	100	CTN:69*37*46cm 10PCS/CTN NW:8.5kg GW:9.5kg	

Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
S05-S	Smoker(Economic S)		Material:SUS201,Size:21CM*Φ8.5CM,Collector box:Cowhide,Can be equipped with inner tank	150	CTN:64*30*66cm 15PCS/CTN NW:8.25kg GW:11kg	
S05-BS	Smoker(Economic XS)		Material:SUS201,Size:20CM*Φ7.5CM,Collector box:Cowhide,Can be equipped with inner tank	150	CTN:60*46*48cm 20PCS/CTN NW:10kg GW:13.85kg	
S06	Smoker(Economic M)		Material:SUS201,Size:29CM*Φ10CM,Collector box:Cowhide,Can be equipped with inner tank	150	CTN:71*31*70cm 15PCS/CTN NW:10.5kg GW:13.85kg	
S06-L	Smoker(Economic L)		Material:SUS201,Size:32CM*Φ10CM,Collector box:Cowhide	100	CTN:68*36*48cm 10PCS/CTN NW:8.5kg GW:9.35kg	












Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
S06-S	Smoker(Economic S)		Material:SUS201,Size:26CM*Φ8.5CM,Collector box:Cowhide	150	CTN:63*30*62cm 15PCS/CTN NW:9.25kg GW:10.25kg	
S07	Smoker(Galvanized M)		Material:Galvanized iron,Size:28CM*Φ10CM,Collector box:Cowhide,Can be equipped with inner tank	150	CTN:68*32*72cm 15PCS/CTN NW:10.5kg GW:12.7kg	
S07-L	Smoker(Galvanized L)		Material:Galvanized iron,Size:31CM*Φ10CM,Collector box:Cowhide,Can be equipped with inner tank	100	CTN:68*36*48cm 10PCS/CTN NW:8kg GW:9.35kg	
S07-S	Smoker(Galvanized s)		Material:Galvanized iron,Size:26CM*Φ8.5CM,Collector box:Cowhide,Can be equipped with inner tank	150	CTN:63*30*63cm 15PCS/CTN NW:7.5kg GW:10.7kg	


Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
S08	Kid Smoker	 <p>Benefitbee</p>	Material:SUS201,Size:18CM*Φ6.5CM,Collector box:PU	100	CTN:76*33*42cm 40PCS/CTN NW:8kg GW:11.55kg	
S09	Smoker(Electric US)	 <p>S0</p> <p>Benefitbee</p>	Material:SUS201,Size:28CM*Φ10CM	150	CTN:68*31*80cm 15PCS/CTN NW:12kg GW:12.55kg	
S09-2	Smoker(Electric Euro)	 <p>Benefitbee</p>	Material:SUS201,Size:26CM*Φ10CM	150	CTN:70*30*79cm 15PCS/CTN NW:10.75kg GW:12.75kg	
 S10	Smoker(copper)	 <p>SC</p> <p>益蜂</p>	Material:copper,Size:26CM*8.5CM	200	CTN:71*45*53cm 20PCS/CTN NW:9kg GW:15kg	













Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
 S11	Manual Smoker		weight:1.6kg; size: L:330mm, W:130mm, H:400mm;	100	CTN:68*38*47cm 4PCS/CTN NW:6.8kg GW:9.7kg	
S11-2	Manual Smoker		weight:1.6kg; size: L:330mm, W:130mm, H:400mm;	100	CTN:68*38*47cm 4PCS/CTN NW:6.8kg GW:9.7kg	
 S12	BB Benefitbee electric smoker		Material:SUS201,Size:29CM* Φ10CM, Rechargeable, adjustable speed, Removable gas box <b>Patent No.:202030576923.8</b>	100	CTN:75*62*66cm 20PCS/CTN NW:23kg GW:25.7kg	
 S13	Smoker(American style M)		Material:Flame retardant PVC leather +SUS201, Size:28*29*13cm Φ10.5cm, Can be equipped with inner tank	200	CTN:79x53x66cm 20pcs/CTN NW:26kg GW: 27kg	





Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
 S13-L	Smoker(American style L)	 	Material:Flame retardant PVC leather +SUS201, Size:34*29*13cm Φ10.5cm Can be equipped with inner tank	200	CTN:79x53x80cm 20pcs/CTN NW:28.3kg GW: 29.3kg	
 S14	Smoker(South America)	 	Material:PVC leather +SUS201, Size:43*25cm (closed transition) Φ15cm	900	CTN:62*33.5*48cm 3pcs/CTN NW:8.5g GW: 10kg	
 S15	Smoker(European style)	 	Material:PVC leather +SUS201,Size:24*21cm ( closed transition ) Φ10cm	100	CTN:59*44*47cm 20pcs/CTN NW:14.5g GW: 16kg	
 S16	Smoker(European style electric)	 	Material:PVC leather +SUS201,Size:24*21cm ( closed transition ) Φ10cm, Match with AA battery(not include in package)	100	CTN:59*44*47cm 20pcs/CTN NW:14g GW: 15.5kg	

Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
 S17-S	Smoker(Italian style S)	 	Material:SUS201,Size:Size:20CM* Φ 7.5CM,Collector box:PVC,Heat insulation net: stainless steel with plating colorful zinc barrel+cover: 0.3mm tripod fuel support+bellow bracket: 0.5mm cover connector: 0.8mm Can be equipped with inner tank	300	CTN:23*20*24cm 18pcs/CTN NW:14g GW: 15kg	
 S17-M	Smoker(Italian style M)	 	Material:SUS201,Size:Size:Size:26cm* Φ 10cm,Collector box:PVC,Heat insulation net: stainless steel with plating colorful zinc barrel+cover: 0.3mm tripod fuel support+bellow bracket: 0.5mm cover connector: 0.8mm Can be equipped with inner tank	300	CTN:28*24*14cm 18pcs/CTN NW:15.5g GW: 16kg	
 S17-L	Smoker(Italian style L)	 	Material:SUS201,Size:Size:30CM* Φ 7.5CM,Collector box:PVC,Heat insulation net: stainless steel with plating colorful zinc barrel+cover: 0.3mm tripod fuel support+bellow bracket: 0.5mm cover connector: 0.8mm Can be equipped with inner tank	300	CTN:32*24*18cm 18pcs/CTN NW:18g GW: 19kg	
SP01	Smoker box(Cow leather)	 	Material:Cow leather &Veneer case	200	CTN:71*38*47cm 100PCS/CTN NW:25.6kg GW:32kg	

Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
SP01-2	Smoker box(PU)		Material:Micro leather &Veneer case	120	CTN:44*37*42cm 60PCS/CTN NW:19.2kg GW:29.5kg	
SP01-3	Smoker box(PVC)		Material:PU &Veneer case	120	CTN:44*38*42cm 60PCS/CTN NW:21.2kg GW:21.7kg	
SP02	Smoker box(Plastic)		Material:Plastic	120	CTN:72*32*64cm 60pcs/carton NW:20kg GW:20.7kg	
SP03	Inner tank(M)		Material:Iron	200	CTN:77*49*53cm 100pcs/carton NW:17kg GW:17.5kg	

Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
SP03-S	Inner tank(S)		Material:Iron	200	CTN:49*49*34cm 100pcs/carton NW:7kg GW:7.35kg	
SP04	Tank support		Material:Iron:SUS201	500	CTN:77*49*53cm 500PCS/CTN NW:20kg GW:21kg	
SP05	Smoker fuel (Bag)		54pcs/bag	200bags s	CTN:52*46*28cm 100bags/CTN NW:17kg GW:17.6kg	
 SP05-2	Smoker fuel (jute)		size:12x320cm Density: 43 x44 Material:jute weight : 92g	200	CTN:64*44*35cm 200pcs/CTN NW:23kg GW:24.1kg	





Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
 <b>SP06</b>	Smoker Buddy box (This product does not include smoker)		Product size: 24.5x15.4x37.5cm Material: handle and bow are iron chrome plated, barrel body 201 stainless steel double-sided wire drawing, product weight: 2.7kg, thickness: 0.8mm.	100	CTN:47*40*55cm 5pcs/CTN NW:12.3kg GW:13.8kg	
<b>Hive tools</b>						
<b>T01</b>	Hive tool (thermal treatment, Hardness >50°)		Length:260mm,Weight:164g Widest Point:40mm,Surface Treatment:Sanding Material:2CR13 Thickness:2.8mm,(Customized:Length:240mm , Thickness:2.5mm )	100	CTN:33*23*8cm 100PCS/CTN NW:16kg GW:16.75kg	
 <b>T01-C</b>	Hive tool (Large+Mirror) (thermal treatment, Hardness >50°)		length :305mm, width: 50mm, height: 35mm, weight :235g, surface treatment: mirror light, material :2CR13 thickness :2.6-2.7mm.	100	CTN:38*18*8cm 60PCS/CTN NW:14kg GW:15.15kg	









Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
T01-S	Hive tool (Color can be customized) (thermal treatment, Hardness >50°)		Length:240mm,Weight:145g Widest Point:40mm,Surface Treatment:Sanding and high temperature paint,Material:2CR13 Thickness:2.5mm	100	CTN:32*18*8cm 100PCS/CTN NW:12.5kg GW:13.35kg	
T01-SP	Hive tool (Color can be customized) (thermal treatment, Hardness >50°)		Length:240mm,Weight:145g Widest Point:40mm,Surface Treatment:Sanding and high temperature paint,Material:2CR13 Thickness:2.5mm	100	CTN:33*23*8cm 100PCS/CTN NW:16kg GW:16.3kg	
T01-2	Hive tool (thermal treatment, Hardness >50°)		Length:260mm,Weight:170g ,Widest Point:40mm,Surface Treatment:Sanding and high temperature paint,Material:2CR13 Thickness:2.8mm	100	CTN:33*23*8cm 100PCS/CTN NW:15.3kg GW:16.3kg	
T01-3	Hive tool (thermal treatment, Hardness >50°)		Length:260mm,Weight:170g Widest Point:40mm,Surface Treatment:Sanding and high temperature paint Material:2CR13 Thickness:2.8mm(Customized:Length:240mm Weight:160g )	100	CTN:34*23*7cm 100PCS/CTN NW:16kg GW:16.6kg	









Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
T01-R	Hive tool (Curved hook) (thermal treatment, Hardness >50°)	 	Length:228mm Widest Point:42mm Surface Treatment:Sanding Material:2CR13 Thickness:2.8mm	120	CTN:33*16*14cm 120PCS/CTN NW:15kg GW:15.8kg	
 T01-P	Hive tool(mirror polished with rubber handle) (thermal treatment, Hardness : 48-50)	 	total length 235mm thickness: 2.5mm Weight: 178g Widest point: 40mm Surface treatment: mirror light material: stainless steel 2CR13	2000	CTN:53*48*11cm 100PCS/CTN NW:18.62g GW:19.25kg	
T02	Hive tool(Wooden handle) (thermal treatment, Hardness >50°)	 	Length:200mm Widest Point:47mm Thickness:2.0mm Handle:105mm*25mm*15mm Surface Treatment:Sanding Material:2CR13 Weight:108g	100	CTN:34*24*18cm 100PCS/CTN NW:11kg GW:12kg	
T02-L	Hive tool(Wooden handle) (thermal treatment, Hardness >50°)	 	Length:310mm,Thickness 3.0mm ,The widest point:51mm Handle:165mm*35mm*24mm,weight: 307g	50	CTN:33*30*22cm 50PCS/CTN NW:15kg GW:15.85kg	









Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
T02-P	Plastic handle hive tool (thermal treatment, Hardness >50°)	 	Length:200mm,Widest Point:47mm Thickness:2.0mm,Handle:105mm*25mm*15mm Surface Treatment:Sanding Material:2CR13,Weight:108g	100	CTN:34*24*19cm 100PCS/CTN NW:10kg GW:10.7kg	
T03	Hive tool Thickness:3.8mm (thermal treatment, Hardness >50°)	 	Length:285m,Weight:182g Shovel:35mm,Surface Treatment:Sanding Material:2CR13 Thickness:3.8mm	100	CTN:33*19*11cm 100PCS/CTN NW:16.85kg GW:17.45kg	
T03-T	Hive tool Thickness:2.8mm (thermal treatment, Hardness >50°)	 	Length:285m,Weight:125g Shovel:35mm,Surface Treatment:Sanding Material:2CR13 Thickness:2.8mm	100	CTN:33*19*19cm 100PCS/CTN NW:12.5kg GW:13.3kg	
T03-2	Hive tool (thermal treatment, Hardness >50°)	 	Length:285mm,Weight:140g Shovel:35mm,Surface Treatment:High temperature paint,Material:2CR13 Thickness:2.8mm	100	CTN:33*19*9cm 100PCS/CTN NW:12.8kg GW:13.5kg	








Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
T04-T	Hive tool Thickness:2.5mm (thermal treatment, Hardness >50°)		Length:270mm,Weight:140g Shovel:45mm,Surface Treatment:Sanding and high temperature paint Material:2CR13 Thickness:2.5mm	100	CTN:31*21*8cm 100PCS/CTN NW:13kg GW:13.6kg	
T04-TP	Hive tool Thickness:2.5mm (thermal treatment, Hardness >50°)		Length:270mm,Weight:140g Shovel:45mm,Surface Treatment:Sanding and high temperature paint Material:2CR13 Thickness:2.5mm	100	CTN:29.5*20*7cm 100PCS/CTN NW:14.3kg GW:14kg	
T04	Hive tool Thickness:2.8mm (thermal treatment, Hardness>50°)		Length:270mm,Weight:145g Shovel:.45mm,Surface Treatment:Sanding and high temperature paint Material:2CR13 Thickness:2.8mm	100	CTN:30*22*8cm 100PCS/CTN NW:16kg GW:16.4kg	
T05	Hive tool (thermal treatment, Hardness >50°)		Length:260mm,Weight:204g Widest Point:85mm,Surface Treatment:Sanding,Material:2CR13 Thickness:2.8mm	80	CTN:35*15*14cm 80PCS/CTN NW:14 kg GW:14.7kg	

Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
T06	Hive tool (thermal treatment, Hardness >50°)	 	Length:210mm,Weight:148g,Widest Point:75mm,Surface Treatment:Sanding Material:2CR13,Thickness:3.0mm (Stiffeners can be customized)	80	CTN:32*14*14cm 80PCS/ CTN NW:10.9kg GW:11.45 kg	
T07	Hive tool (thermal treatment, Hardness >50°)	 	Length:240mm,Weight:140g,Shovel:30mm,Surface Treatment:High temperature paint,Material:2CR13 Thickness:3.0mm	100	CTN:28*26*9cm 100PCS/CTN NW:13kg GW:13.6kg	
T08	Hive tool (thermal treatment, Hardness >50°)	 	Length:255mm,Weight:175g Surface Treatment:Sanding Material:2CR13 Thickness:2.8mm	100	CTN:33*29*23cm 100PCS/CTN NW:17.95kg GW:18.3kg	
T09	Hive tool (thermal treatment, Hardness >50°)	 	Length:230mm,Thickness:23mm,Width:35mm,Wei ght:400g,Material: stainless steel,Precision casting	120	CTN:46*24*15cm 60PCS/CTN NW:16kg GW:16.55kg	

Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
T10	Hive tool (thermal treatment, Hardness >50°)	 	Length:188mm Widest Point:27mm Surface Treatment:Sanding Material:2CR13 Thickness:3mm	200	CTN:31*23*9cm 200PCS/CTN NW:15.2kg GW:16.4kg	
T11	Hive tool (thermal treatment, Hardness >50°)	 	Length:227.5mm Shovel:43.66mm, Surface Treatment:High temperature paint ,Material:2CR13,Thickness:4.33mm	80	CTN:26*19*10cm 80PCS/CTN NW:16kg GW:16.5kg	
T12	Hive tool (Small) (thermal treatment, Hardness >50°)	 	Length:157mm,Weight:80g ,Surface Treatment:Sanding,Material:2CR13	320	CTN:36*16*14cm 320PCS/CTN NW:23kg GW:23.1kg	
T13	Hive tool (Extra long) (thermal treatment, Hardness >50°)	 	Length:388mm,Weight:220g, Surface Treatment:Sanding,Material:2CR13	80	CTN:42*19*10cm 80PCS/CTN NW:17.5 kg GW:17.75kg	









Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
T14	Hive tool (Extra long) (thermal treatment, Hardness >50°)	 	Surface Treatment:mirror splishing&Spray paint,Material:2CR13	80	CTN:39*13*10cm 80PCS/CTN NW:13.5kg GW:14.5kg	
T15	BB Multifunction hive tool(Patent) (thermal treatment, Hardness >50°)	 	Length:267mm,Weight:300g,Surface Treatment:Sanding,Material:2CR13 Appearance Patent No.: 201530043392.5 Utlity Model Patent No.: 201520103196.7	40	CTN:30*22*8cm 40PCS/CTN NW:12kg GW:12.45kg	
 T15B	BB Multifunction hive tool(Patent) (thermal treatment, Hardness >50°)	 	Length: 267mm, weight: 300g, surface treatment: mirror luster color wooden handle, material: 2CR13, handle: colorwood, product size: 29*19*5.5cm Appearance Patent No.: 201530043392.5 Utlity Model Patent No.: 201520103196.7	128	CTN:41*31*25cm 64PCS/CTN NW:19kg GW:19.25g	
T16	Hive tool (thermal treatment, Hardness >50°)	 	Length:285mm,Weight:164g Widest Point:40mm,Surface Treatment:Sanding Material:2CR13 Thickness:2.8mm	100	CTN:34*15*14cm 100PCS/CTN NW:14kg GW:14.6kg	









Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
T17	Hive tool (thermal treatment, Hardness >50°)		Length:190mm,Weight:30g ,Surface Treatment:Sanding Material:2CR13 & Wooden handle	160	CTN:45*30*27cm 160PCS/CTN NW:14kg GW:14.75kg	
T17-2	Hive tool (thermal treatment, Hardness >50°)		Material:2CR13 & Wooden handle,Surface Treatment:Spray paint,Length:195mm,Weight:76g	224	CTN:44*26*38cm 224PCS/CTN NW:14kg GW:19.45KG	
T18	Hive tool (thermal treatment, Hardness >50°)		Size: Long26cm width:6cm,weight: 112g, thickness: 0.25cm material:stainless steel 2CR13	200	CTN:26*19*13cm 100PCS/CTN NW:10.5kg GW:11.4kg	
T19	Hive tool (thermal treatment, Hardness >50°)		Length:202mm,Weight:120g,Surface Treatment:Sanding Material:2CR13 & Wooden handle	100	CTN:26*17*10cm 100PCS/CTN NW:11.1kg GW:11.8kg	

Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
T20	Hive tool (thermal treatment, Hardness >50°)		Length:310mm,Weight:63g,Surface Treatment:mirror splishing,Material:2CR13	320	CTN:47*31*36cm 320PCS/CTN NW:20.8kg GW:20.95kg	
 T21	Hive tool(Galvanized) (thermal treatment, Hardness >50°)		Size:21.8x3.3x2.5cm,Weight: 125g,thickness: 42mm,Material: Galvanized steel structure	200	CTN:31*29*14cm 200PCS/CTN NW:25kg GW:25.15kg	
 T22	Hive tool (thermal treatment, Hardness >50°)		Length:22CM,width:3.1CM,thickness:2.4mm weight: 94g,thickness:0.25CM,material: stainless steel 2CR13	160	CTN:30*17*12cm 160PCS/CTN NW:17.92kg GW:18.25kg	
 T23	Hive tool (thermal treatment, Hardness >50°)		Length:26.cm,width:6cm,thickness:2.5mm weight: 112g,material: stainless steel 2CR13	160	CTN:30*15*14cm 160PCS/CTN NW:19.5kg GW:20kg	





Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
T24	Hive tool (thermal treatment, Hardness >50°)	 	Length:245mm,Weight:144g,Surface Treatment:mirror splishing,Material:2CR13	100	CTN:31*31*8cm 100PCS/CTN NW:14.2kg GW:15.1kg	
T25	Hive tool (thermal treatment, Hardness >50°)	 	Length:310mm,Weight:120g,Surface Treatment:mirror splishing,Material:2CR13	100	CTN:33*12*11cm 100PCS/CTN NW:11.5kg GW:13.8kg	
T26	Honey scraper knife	 	Material:2CR13	200	CTN:26*26*20 cm 100PCS/CTN NW:11.2kg GW:11.35kg	
T27	Honey scraper knife	 	Material:SUS430 Surface Treatment:Mirror polish	1000	200PCS/CTN	






















Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
 T28	Hive tool (small) (thermal treatment, Hardness >50°)	 	Length 250mm, width of head 57mm, thickness 3.0mm ,weight 154g,material: stainless steel 2CR13,Surface Treatment:Sanding	100	CTN:28*26*8 100PCS/CTN NW:15.4kg GW:15.6kg	
 T29	Hive tool (large) (thermal treatment, Hardness >50°)	 	Length 330mm, width of head 57mm, thickness 3.0mm,weight203g,material: stainless steel 2CR13,Surface Treatment:Sanding	160	CTN:37*18*9 80PCS/CTN NW:15kg GW:15.7kg	
<b>Uncapping knives</b>						
K01	Uncapping knife (Thickness:1.5mm ) (thermal treatment, Hardness>50°)	 	Length:300mm,Weight:95-105g,Blade :140mm*29mm,Handle:125mm,Surface Treatment:Mirror polish,Material:2CR13,Thickness(Customized):1.0m m&1.2mm	150	CTN:32*30*27cm 150PCS/CTN NW:16.8kg GW:17.9kg	

Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
K02	Uncapping knife (Blade: flat edge ) (thermal treatment, Hardness >50°)	 	Length:395mm,Weight:150g,Blade:285mm*35mm, Handle:105mm*22mm*15mm,Surface Treatment:Mirror surface,Material:2CR13	100	CTN:44*26*20cm 100PCS/CTN NW:15kg GW:15.5kg	
K02-2	Uncapping knife (Blade:serrated ) (thermal treatment, Hardness>50°)	 	Length:395mm,Weight:150g,Blade:285mm*35mm, Handle:105mm*22mm*15mm,Surface Treatment:Mirror surface,Material:2CR13	100	CTN:44*26*20cm 100PCS/CTN NW:15kg GW:15.95kg	
K03	Uncapping knife(Blade: flat edge ) (thermal treatment, Hardness : 48-50)	 	Length:395mm,Blade:285mm*35mm,Handle:105m m*22mm*15mm,Surface Treatment:Mirror surface,Material:2CR13	100	CTN:44*27*22cm 100PCS/CTN NW:17.4kg GW:18.5kg	
K03-2	Uncapping knife(Blade:serrated ) (thermal treatment, Hardness >50°)	 	Length:395mm,Blade:285mm*35mm,Handle:105m m*22mm*15mm,Surface Treatment:Mirror surface,Material:2CR13	100	CTN:44*27*23cm 100PCS/CTN NW:17kg GW:17.35kg	







Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
K04	Uncapping knife (thermal treatment, Hardness >50°)	 	Thickness: 1.8mm,length:395mm,weight:157g,Blade length:285mm,Blade width: 35mm , Handle size:105mmX22mmX15mm ,Surface treatment: sanded, open edge on both sides,material: stainless steel 2CR13	100	CTN:37*27*19cm 100PCS/CTN NW:12kg GW:13kg	
K05	Uncapping knife (thermal treatment, Hardness >50°)	 	Length: 323mm,Weight: 141g	120	CTN:38*31*29cm 120PCS/CTN NW:15.12kg GW:15.7kg	
K05-2	Uncapping knife (thermal treatment, Hardness >50°)	 	Length: 345mm,Weight: 130g	120	CTN:37*30*28cm 120PCS/CTN NW:13.75g GW:15.65kg	
K06	Uncapping knife (thermal treatment, Hardness >50°)	 	Lenth:420mm ,weight:190-210g,blade length:280mm,blade width:45mm,handle size:125mmX30mmX18mm(Blade: customizable serrated or flat edge)	80	CTN:46*26*26cm 80PCS/CTN NW:14.22kg GW:18Kg	

Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
K07	Uncapping knife (thermal treatment, Hardness >50°)	 	Length:395mm ,Weight:126g, Blade:280mm*35mm,Handle:115mm,Surface Treatment:Mirror polish,Material:2CR13 Thickness:1.2mm	266	CTN:43*30*38cm 266PCS/CTN NW:32.76kg GW:33.3kg	
K08	Uncapping knife (thermal treatment, Hardness >50°)	 	Length:415mm,Weight:107g,Blade:300mm*37mm ,Handle:115mm,Surface Treatment:Mirror polish,Material:2CR13 Thickness:1.0mm	250	CTN:47*26*36cm 250PCS/CTN NW:27kg GW:28.5kg	
K09	Uncapping knife (thermal treatment, Hardness>50°)	 	Weight:63g;Length:335mm,Blade:225mm*30mm,H andle:100mm*20mm,Surface Treatment:Mirror polish Material:2CR13 Thickness:0.6mm	300	CTN:42*30*45cm 300PCS/CTN NW:18kg GW:19.1kg	
K10	 Uncapping knife (Sanding Plugs:.,American,Austra lian;Other specs can be customized )	 	Length:440mm ,Thickness:7.0mm,Weight:470g Blade:250mm*50mm Handel:145mm*30mm*40mm Material:SUS304&Beech , Wire length:1.5M (Length can be customized),Max temperature:150~190°C,Surface Treatment:Mirror polish and Sanding Plugs:.,American,Australian (Other specs can be customized ) Voltage:110- 220V Power:300W	25	CTN:42*39*36cm 25PCS/CTN NW:15kg GW:15.3kg	


Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
 K10-B	Ultrathin alligator clip electric knife	 	Material:SUS304&Beech Voltage: 12V Power: 60W , Blade:230mm*28mm,Handle:130mm*35mm*25mm blade thickness : 2.0mm	25	CTN:38*42*35cm 25PCS/CTN NW:13kg GW:15.3kg	
K10-E	 Clip electric uncapping knife	 	Length:440mm ,Thickness:7.0mm , Weight:470g Blade:250mm*50mm Handel:145mm*30mm*40mm Material:SUS304&Beech , Wire length:1.5M (Length can be customized) Max temperature:150~190 °C, Surface Treatment:Mirror polish and Sanding, Voltage:12V Power:300W	25	CTN:49*38*36cm 25PCS/CTN NW:16.3kg GW:17.4kg	
K10-T	 Electric uncapping knife(with thermo regulator)	 	Length:440mm, Thickness:7.0mm , Weight:470g Blade:250mm*50mm, Handel:145mm*30mm*40mm Material:SUS304&Beech, Wire length:1.5M (Length can be customized) Max temperature:150~190 °C, Surface Treatment:Mirror polish and Sanding Plugs:, American, Australian (Other specs can be customized ) Voltage:110&220V Optional Power:300W	25	CTN:51*39*36cm 25PCS/CTN NW:14.75kg GW:15.45kg	
K10-TS	 Electric uncapping knife(with thermo regulator)	 	Maximum temperature of 180 degrees, Minimum temperature 50 degrees, on off keys represents switch; HEAT light represents electric knife heating, SET key represents adjusting temperature	25	CTN:53*38*38cm 25PCS/CTN NW:12.78kg GW:14.2kg	




Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
<div style="text-align: center;"> <h1 style="color: green;">Uncapping knives</h1> <p style="color: green;">OEM/ODM available&gt;&gt;&gt; #304 Stainless steel Switch control Adjustable temperature: 0-180°C</p>  </div>						
	 <b>BB</b> Electric uncapping knife(with thermo regulator)	 	heating plate control,Max Output Power: 800W,Input Voltage: 110V-230V,Can switch Celsius and Fahrenheit by short press switch button,Can turn ON or OFF by long press switch button,Plus or Minus 5 unit each by press" + " or "- " button Length:440mm ,Thickness:7.0mm,Weight:470g Blade:250mm*50mm Handel:145mm*30mm*40mm Material:SUS304&Beech , Wire length:1.5M Patent No.:202030295900.X	25	CTN:51*39*46cm 25PCS/CTN NW:12.5kg GW:15.55kg	
K11	<b>BB</b> Uncapping knife (thermal treatment, Hardness >50°)	 	Thickness:1.2mm ,Surface Treatment:Mirror polish. Material:SUS2CR13&ABS Patent No.:201530031130.7	140	CTN:43*29*27cm 140PCS/CTN NW:17.36kg GW:17.8kg	






Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
K11-2	Uncapping knife (patent) (thermal treatment, Hardness >50°)	 	Length:40mm Weight:120g Surface Treatment:Sanding Material:2CR13	140	CTN:43*29*25cm 140PCS/CTN NW:15.5kg GW:16.3kg	
K12	Forging a honey cutter	 	material:Tungsten steel solid wood length: 415mm weight: 168g	150	CTN:45*28.5*26cm 150PCS/CTN NW:25.2kg	
K13-S	Uncapping knife (thermal treatment, Hardness>50°)	 	Length:260mm,Weight:56g,Thickness:1mm ,Blade:28mm,Surface Treatment:Mirror,Material:2CR13,Optional : Double side serrated & Double side flat surface	200	CTN:56*30*30cm 200PCS/CTN NW:11.8kg GW:12.15kg	
K13-L	Uncapping knife(Lar ge) (thermal treatment, Hardness >50°)	 	Length:340mm ,Weight:67g,Thickness:1mm,Blade:30mm,Surface Treatment:Mirror,Material:2CR13,Optional : Double side serrated & Double side flat surface	200	CTN:55*37*29cm 200PCS/CTN NW:15.2kg GW:16.15kg	




Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
K14	Frame knife (thermal treatment, Hardness >50°)		Surface Treatment: Sanding&Sharp blade Material: 2CR13&Wooden handle	460	CTN:45*26*38cm 460PCS/CTN NW:17.8kg GW:18.6kg	
K15	Uncapping knife (thermal treatment, Hardness >50°)		Length: 420mm Weight: 175g Thickness:2.0mm,Blade width: 35mm ,Surface treatment: Mirror ,Material: stainless steel 2CR13	80	CTN:44*29*26.5cm 80PCS/CTN NW:16kg GW:16.5kg	
 K16	 Electric uncapping planer		Material:Copper&Beech Plugs:European ,American Voltage: 110~220V Power: 450W	20	CTN:53*41*45cm 20PCS/CTN NW:16.8kg GW:20.45kg	
K17	Uncapping knife (thermal treatment, Hardness >50°)		Length:303mm ,Weight:160g,Surface Treatment:mirror splishing,Material:2CR13 &Solid wood handle,Use:Uncapping &scraper	200	CTN:39*39*25cm 200PCS/CTN NW:34kg GW:34.9kg	






Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
K18	BB Uncapping knife(patent) (thermal treatment, Hardness >50°)		Length:46mm,Weight:200g, Material:2CR13 Patent No.:201530031135. X	80	CTN:50*21*26cm 80PCS/CTN NW:16.16 kg GW:16.35kg	
K19	Uncapping knife (thermal treatment, Hardness >50°)		Length:270mm,Weight:140g ,Surface Treatment:mirror splishing,Material:2CR13 & Solid wood handle,Use:Uncapping &scraper	100	CTN:32*25*33cm 100PCS/CTN NW:14kg GW:14.25kg	
K20	Uncapping knife (thermal treatment, Hardness >50°)		Length:270mm,Weight:80g,Surface Treatment:mirror splishing, Material:2CR13,Use:Uncapping &scraper	240	CTN:49*30*19cm 240PCS/CTN NW:18kg GW:18.75kg	
 K21	 uncapping knife (Plugs:.,American,Austr alian;Other specs can be customized ) Blade: serrated		Length:515mm,Thickness:7.0mm,Weight:470g Blade:325mm*50mm Material:SUS304&Beech , Wire length:1.5M (Length can be customized),Max temperature:150~190 °C Surface Treatment:Mirror polish and Sanding Plugs:.,American,Australian (Other specs can be customized ) Voltage:110-220V Power:300W	30	CTN:54*44*43cm 30PCS/CTN NW:18kg GW:18.85kg	







Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
<b>Uncapping forks</b>						
UF01	Uncapping fork ( 18 needles )		Needle material:SUS304,Handle material:Plastic,Needle thick:2.0mm,Color: red, yellow, green ,Needle: straight, curved	400	CTN:55*36*37cm 400PCS/CTN NW:21kg GW:22.5kg	
UF02	Uncapping fork ( 21 needles )		Needle material:SUS304,Handle material:Plastic,Needle thick::1.6mm ,Color: red, yellow, green,Needle: straight, curved, rake	400	CTN:55*35*37cm 400PCS/CTN NW:18.56kg GW:19.45 kg	
UF03	Uncapping fork		Needle material:SUS304,Handle material:Aluminum&wooden,Needle thick:1.6mm	100	CTN:33*28*20cm 100PCS/CTN NW:8kg GW:10.3kg	









Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
UF04	Uncapping roller		Needle material:SUS201	96	CTN:52*33*32CM 48PCS/CTN NW:11.5kg GW:11.55kg	
UF05	Uncapping roller(Plastic handle)		Weight:220g,Material:PP	200	Handle: CTN:40*30*27cm 100PCS/CTN GW:16.05kg Wheel: CTN:61*33*43cm 200PCS/CTN GW:18.4kg	
UF05-2	Uncapping roller(Wooden handle)		Weight:240g,Material:PP	200	Handle: CTN:39*35*31cm 100PCS/CTN GW:16.3kg Wheel: CTN:61*33*43cm 200PCS/CTN GW:18.4kg	
 UF06	Uncapping roller(European)		Size:28.5x16.5x8cm Weight:265g Material:pp	120	CTN:46*36*38cm 24PCS/CTN NW:5.95kg GW:6.95kg	

Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
UF07	Uncapping fork (20 needles)		Colour:Yellow,Needle material:SUS304,Handle material:Plastic	200	CTN:64*26*20cm 200PCS/CTN NW:7.2kg GW:8kg	
UF08	Uncapping fork (21 needles)		Material:PP & SUS304, needle thickness:1.6mm, lengthe:55mm, Plastic Bright surface, Weight:45g	240	CTN:54*39*27cm 240PCS/CTN NW:24kg GW:24.5kg	
UF09	Uncapping fork		Needle material:2CR13 material:Rubber Handle	150	CTN:38*26*30cm 150PCS/CTN NW:19.5kg GW:20.75kg	
UF11	Uncapping fork (19 needles)		Needle material:2CR13,Handle material:PP; weight: 112g	160	CTN:44*23*27cm 160PCS/CTN NW:18kg GW:18.8kg	





Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
UF12	Uncapping fork (25 needles)		Size: Length 22.5cm width: 13.5cm thickness:0.21cm,weight: 150g materail: needle stainless stell SUS304 +PP handle	100	CTN:36*26*29cm 100PCS/CTN NW:14.8kg GW:15.5 kg	
UF13-1	Uncapping slide scratcher		Material:SUS304 handle:Rubber wood or eucalyptus length:24.2cm, width:7.5cm, thickness:2cm handle length: 5.3cm	80	CTN:54*36*38cm 80PCS/CTN NW:13.3kg GW:13.8kg	
UF13-1P	Uncapping slide scratcher(Plastic handle)		Material:SUS304 handle:Plastic length:24.2cm, width:7.5cm, thickness:2cm handle length: 5.3cm	80	CTN:55*35*38cm 80PCS/CTN NW:12.85kg GW:14.5kg	
UF13-1A	Uncapping slide scratcher(Adjustment)		Material:SUS304 handle:Rubber wood or eucalyptus	80	CTN:55*45*38cm 80PCS/CTN NW:15.5kg GW:16.25kg	






Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
UF13-1AP	Uncapping slide scratcher(Adjustment Plastic handle)		Material:SUS304 handle:Plastic length:24.2cm, width:7.5cm, thickness:2cm handle length: 5.3cm	80	CTN:55*45*39cm 80PCS/CTN NW:15.36kg GW:17.05kg	
UF13-2	Uncapping slide scratcher(L)		Material:SUS304 handle:Plastic handle and wooden handle are optional width:13cm	60	CTN:54*43*38cm 60PCS/CTN NW:13.9kg GW:14.9kg	
UF13-2A	Uncapping slide scratcher(L Adjustment)		Material:SUS304 handle:Plastic handle and wooden handle are optional width:13cm	60	CTN:55*50*39cm 60PCS/CTN NW:16.5kg GW:17.1kg	
UF13-3	Uncapping slide scratcher(needles)		Material:SUS304 handle:Plastic handle and wooden handle are optional width:7.5cm	80	CTN:58*36*39cm 80PCS/CTN NW:13.45kg GW:14.65kg	










Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
UF13-3P	Uncapping slide scratcher(needles Plastic handle)		Material:SUS304 handle:Plastic width:7.5cm	80	CTN:58*45*39cm 80PCS/CTN NW:14kg GW:14.4kg	
UF13-3A	Uncapping slide scratcher(needles Adjustment Plastic handle)		Material:SUS304 handle:Plastic handle and wooden handle are optional width:7.5cm	80	CTN:58*45*39cm 80PCS/CTN NW:13kg GW:14.4kg	
 UF13-4	Uncapping fork (plastic handle)		Material:SUS304 handle:Plastic handle and wooden handle are optional width:7.5cm	80	CTN:57*42*38cm 80PCS/CTN NW:16.65kg GW:17.45kg	
 UF14	Uncapping roller		Roller length:10cm, 15cm, 20cm, and 25cm (other size can be customized also) Roller diameter 7.2cm Teeth length 1.2cm,Unlike the ordinary roller structure, there is no need for screws or snaps on the crossbar. The roller does not slip during the rotation process, and the length of the roller can be customized.	100		












Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
 UF15	Uncapping fork ( 17 needles )	 	Needle material:SUS304,Handle material:Plastic,Needle thick:2.0mm	400	CTN:55*35*37cm 400PCS/CTN NW:18kg GW:18.5 kg	
 UF16	Honey Uncapper	 	You are buying a new style of uncapper which is simple in its use and clean up. IDEAL FOR BIG OR SMALL APIARISTS The benefits of the Roller uncapper is that is a time saver for both the bee keeper and the bees. The roller uncapper barely damages the comb giving the bees a quick turn around once the sticky is reinserted into the hive. The Roller uncapper works with all sizes of Langstroth frames, including Full depth, ideals and halves	30	CTN:45*35*37cm 5PCS/CTN NW:22.5g GW:24kg	
<b>Frame grip tools</b>						
FG01	Frame gripper (Stainless)	 	Size:130mm*130mm,Thickness:1.8mm,Surface Treatment:Mirror polish and Sanding,Material:SUS2CR13	100	CTN:33*33*46cm 100PCS/CTN NW:14.8kg GW:15.35kg	


























Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
FG02	Frame gripper (Iron)		Weight:140g Size:130mm*90mm Thickness:2.0mm Surface Treatment:Metal plating Material:Iron	100	CTN:36*31*29cm 100PCS/CTN NW:20kg GW:20.5kg	
FG03	Frame gripper(with bee tool)		Size:270m*130mm*105mm,Shovel:35mm,Thicknes s:2.8mm,Weight:275g Surface Treatment:Electrolytic polishing Material:2CR13	144	CTN:36*31*31cm 48PCS/CTN NW:13.88kg GW:14.25kg	
FG04	Frame gripper(short clip)		Size:130*140mm ,Material:Galvanized iron	128	CTN:33*33*22cm 64PCS/CTN NW:18.5kg GW:19.45kg	
FG05	Frame gripper(Long clip)		Size:130*140mm,Material:Galvanized iron	120	CTN:32*19*32cm 40PCS/CTN NW:18kg GW:18.9kg	










Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
FG06	Frame gripper		Material:Galvanized iron,Thickness:3mm	140	CTN:41*27*25cm 60PCS/CTN NW:16.8kg GW:17.4kg	
FG07	Frame gripper(Wooden handle)		Material:SUS201,Thickness:3mm	120	CTN:33*33*31cm 60PCS/CTN NW:12kg GW:12.45kg	
 FG07-2	Frame gripper(Wooden handle)		Material:SUS201+PP Plastic handle,Thickness:3mm , Product weight: 0.228g	120	CTN:44*30*23cm 60PCS/CTN NW:13.8kg GW:14.35kg	
FG08	Frame gripper(French)		Material:SUS201	160	CTN:32*29*42cm 40PCS/CTN NW:17.65kg GW:18.25kg	





Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
 FG08-2	Frame gripper	 	Clamping width: 14mm Product material: 410 stainless steel material thickness: 2.0mm	300	CTN:35*25*20cm 40PCS/CTN NW:16kg GW:15kg	
FG09	Frame grip(European Style)	 	Material:SUS201	160	CTN:32*29*42cm 40PCS/CTN NW:17.65kg GW:18.25kg	
FG10	Frame gripper(with bee tool)	 	Material:Galvanized iron	128	CTN:34*32*24cm 64PCS/CTN NW:15.3g GW:15.95kg	
FG11	Frame gripper(Iron)	 	Material:Galvanized iron	100	CTN:34*30*19cm 50PCS/CTN NW:10kg GW:10.3kg	

Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
 FG12	Frame gripper (Aluminum)	 	Material: Aluminum	150	CTN:31*19*21cm 50PCS/CTN NW:4.6kg GW:5.2kg	
 FG13	Frame gripper (South America)	 	Material: stainless steel 2CR13,size: 27*6*11,weight: 320g,Surface treatment: red paint	160	CTN:35*33*32cm 40PCS/CTN NW:12kg GW:12.8kg	
FG14	Honey comb fork	 	Material:SUS201 ,Weight: 101g	160	CTN:44*29*38cm 160PCS/CTN NW:17kg GW:17.9kg	
 FG15	Electric bee taking-off machine	 	1. Voltage: 20V,Frequency: 1200-1500-1800, speed:0-2700 round/minute. 2. the frame holder range: width:25-- 30mm,Thickness ≤22 mm 3. The lithium battery : 2000mAH Standard: (single battery)	5	CTN:40*40*44cm 5PCS/CTN NW:10kg GW:11kg	




Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
 <b>FG15-2</b>	Electric bee taking-off machine	   	Size: 30*30cm Vibrational frequency:1800/Min battery capacity: 2200mAh Weight:4KG colour:Color: yellow and red	10	CTN:37*37*61cm 5PCS/CTN NW:18.75kg GW:19.65kg	
 <b>FG16</b>	Frame grip(Stainless)	 	bayonet: 2cm,thickness: 0.8mm. material: stainless steel, not open mould yet	128	CTN:30*30*27cm 64PCS/CTN NW:14.98kg GW:15.75kg	
 <b>FG17</b>	Gripper automatic stainless steel	 	Product material: 201 Product size: 14.2*4.8*14cm Open size: 2.5x3.7cm Product weight: 209g	100	CTN:53*34*25cm 50PCS/CTN NW:10.5kg GW:12kg	
 <b>FG17-2</b>	Gripper automatic stainless steel (plus)	 	Product material: 201 Product size: 21*6.5*25cm Open size: 2.5x3.7cm Product weight: 308g	100	CTN:53*34*25cm 40PCS/CTN NW:12.5kg GW:13kg	






Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
 FG18	BB Frame grip(201 Stainless)	 	Product material: SUS201	80	CTN:54*32.5*27cm 40PCS/CTN NW:10.8kg GW:13kg	
<b>Bee brush</b>						
 BR01	Bee brushes(Double rows horsehair)	 	Handle:40cm,Brush width:21cm,Brush material:Horsehair,Handle material:Pine	300	CTN:55*51*34cm 150PCS/CTN NW:26kg GW:26.75kg	
 BR02	BB Bee brushes(Single row plastic)	 	Length: 450mm,Weight: 130g,Material: plastic Patent No.:201930551034. 3	100	CTN:53*46*28cm 100PCS/CTN NW:18kg GW:18.7kg	









Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
 BR03	Bee brushes(Single row Plastici)	 	Handle length: 35cm , Brush length: 6.5cm , Material : varnished beech + plastic brush , product weight : 98g	200	CTN:51*40*40cm 200PCS/CTN NW:20kg GW:21.05kg	
BR04	Bee brushes(Four rows horsehair)	 	Handle:40cm,rush width:21cm,Brush material:Horsehair,Handle material:Pine	250	CTN:45*45*69cm 250PCS/CTN NW:29.8kg GW:30.45kg	
BR05	Bee brushes(Double rows bristles)	 	Handle:40cm,Brush width:21cm,Weight:50g,Brush material:Bristles,Handle material:Pine	250	CTN:45*45*69cm 250PCS/CTN NW:29.8kg GW:30.45kg	
BR06	Bee brushes(Double rows horsehair)	 	Handle:40cm,Brush width:21cm,Weight:42g,Brush material:Horsehair,Handle material:Pine	500	CTN:45*45*69cm 500PCS/CTN NW:31kg GW:31.7kg	






Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
BR07	Bee brushes(Double rows horsehair)		Handle:40cm,Brush width:21cm,Weight:70g,Brush material:Horsehair,Handle material:Plastic	600	CTN:45*45*66cm 600PCS/CTN NW:39.2kg GW:41.1kg	
BR08	Electric bee taking-off machine		Rated power:150W,Voltage:12V	10	CTN:58*41*26cm 1PCS/CTN NW:6.1kg GW:7.15kg	
BR09	Bee brushes(Three rows bristles)		Handle:40cm,Brush width:7.5cm,Weight:100g,Brush material:Bristles,Handle material:Pine	320	CTN:42*46*68m 320PCS/CTN NW:32kg GW:28kg	
BR10	Bee brushes(Three rows plastic)		Handle:40cm,Brush width:8cm Weight:90g,Brush material:Plastic Handle material:Pine	320	CTN:42*46*68cm 320PCS/CTN NW:27.6kg GW:28.35kg	



























Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
BR11	BB Bee brushes(Double rows bristles)		Length: 450mm,Weight: 130g,Brush material:bristles	100	CTN:53*46*28cm 100PCS/CTN NW:16kg GW:19.9kg	
<b>Filter tool</b>						
FT01	Double strainer (Φ 24MM)		Size:Φ240mm,Mesh material:SUS304,Filter screen height:65mm,Upper layer:16 mesh,Under layer:40 mesh	100	CTN:58*56*29cm 10PCS/CTN NW:8.5kg GW:9.45kg	
FT01B	Double strainer (large Φ32MM)		Size:Φ320mm,Mesh material:SUS304,Filter screen height:65mm,Upper layer:16 mesh,Under layer:40 mesh	100	CTN:81*37*68cm 10PCS/CTN NW:11.6kg GW:14.85kg	













Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
FT01-2	Double strainer (Φ 24MM)		Size:Φ240mm,Mesh material:SUS304,Filter screen height:65mm,Upper layer:16 mesh,Under layer:40 mesh	100	CTN:59*56*30cm 10PCS/CTN NW:6.7kg GW:7.95kg	
 FT01-3	Double strainer (Φ 24cm)		Diameter: 24cm, Height: 15.3cm, Upper layer: 16 mesh, Down layer: 40 mesh. Material: SUS304 mesh, SUS201 extented holder	100	CTN:94*57.5*28.5cm 10PCS/CTN NW:6.7kg GW:8.2kg	
FT02	Double strainer(Nylon)		Size:Φ240mm*60mm,Mesh material:Nylon,Case material:Nylon,Upper layer:16 mesh,Under layer:40 mesh	100	CTN:61*34*62cm 20PCS/CTN NW:6kg GW:7.2kg	
FT03	Double strainer(PP)		uper layer Size:Φ295mm Upper layer:8 mesh,Under layer:20 mesh	100	CTN:66*32*30cm 20PCS/CTN NW:8kg GW:8.75kg	

Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
FT04	Double strainer(ABS)	 	Size:Φ230mm,Mesh material:ABS,Weight: 676g,single layer height : 8cm,double layer height : 14.8cm Upper layer:16 mesh,Under layer:40 mesh	1000	10PCS/CTN NW:6.7kg GW:7.5kg	
FT05	Honey strainer	 	Size:Φ255mm,Material:SUS201 mesh: 40 mesh	100	CTN:53*46*28cm 50PCS/CTN NW:12kg GW:13kg	
FT05-2	Honey strainer	 	Size:Φ255mm,Material:SUS201 mesh: 40 mesh	100	CTN:77*54*37cm 100PCS/CTN NW:30.2kg GW:31.45kg	
FT06	Honey strainer	 	Size:Φ230mm,Material:SUS201 mesh: 40 mesh	100	CTN:54*49*31cm 50PCS/CTN NW:11.5kg GW:13.1kg	

Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
FT07-3	Honey filter (0.3 mm square mesh ø33cm )		Material:Nylon,0.3 mm square mesh ø33cm	200	CTN:88*44*44cm 200PCS/CTN NW:29kg GW:30.5kg	
 FT08	Honey filter (Thicker style)		Size:35X23cm,Material:Nylon mesh: 16 mesh	240	CTN:82*43*43cm 240PCS/CTN NW :20.8kg GW:25.8kg	
FT08-2	Honey filter (Thin style)		Size:50X35cm , Material:Nylon mesh: 80 mesh	240	CTN:53*46*28cm 240PCS/CTN NW:16.4kg GW:17.1kg	
FT09	Uncapping tray		Surface Treatment: Sanding,Material:SUS201	20	CTN:55*45*13cm 1PCS/CTN NW:1.95kg GW:2.05kg	

Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
 FT09B	Plastic uncapping tub	 	Material:PP,Usage:Use with Uncapping tray	18	CTN:56*43*61cm 3PCS/CTN NW:4.8kg GW:6.35kg	
 FT10	Uncapping tray	 	Surface Treatment:Mirror polishing,Material:SUS201	20	CTN:57*47*13cm 1PCS/CTN NW: 1.76kg GW:1.85kg	
 FT11	Double strainer (34MM)	 	Size:Size:340x240x120mm Mesh material:SUS304 Upper layer:16 mesh Under layer:40 mesh	100	CTN:63*37*52cm 10PCS/CTN NW: 8kg GW:9.2kg	
 FT13	Uncapping tray	 	Size:Size:stainless steel disc 600*400*95mm plastic box: external dimension 600x400x175mm internal dimensions 550*365*160mm Mesh material:SUS201+PP	50	CTN:64*43*21cm 1PCS/CTN NW:6kg GW:7kg	

Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
 FT14	Uncapping tray	 	Size:Size:stainless steel disc 600*400*150mm plastic box: external dimension 600x400x230mm internal dimensions 550*365*220mm Mesh material:SUS201+PP	50	CTN:60*40*23m 1PCS/CTN NW:6kg GW:7kg	
 FT15	Honey filter (1 mm square mesh .ø33cm.length 47cm)	 	Material:Nylon,201 Stainless steel ring,ø33cm ,1 mm square mesh,length 47cm.	120	CTN:38*38*59cm 120PCS/CTN NW:16.2kg GW:18.35kg	
 FT15-2	Honey filter (0.3mm square mesh.ø33cm.length 36cm)	 	Material:Nylon,201 Stainless steel ring,ø33cm .0.3mm square mesh,length 36cm.	200	CTN:36*36*60cm 200PCS/CTN NW:25.8kg GW:26.65kg	
 FT15-3	Honey filter (0.2mm square mesh.ø33cm.length 36cm)	 	Material:Nylon,201 Stainless steel ring,ø33cm ,0.2mm square mesh,length 36cm.	200	CTN:36*36*60cm 200PCS/CTN NW:26.2kg GW:27kg	










Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
 FT16	Honey filter (1 mm square mesh .ø45cm.length 47cm)	 	Material:Nylon,201 Stainless steel ring,ø45cm ,1 mm square mesh,length 47cm.	260	CTN:40*40*55cm 260PCS/CTN NW:35.1kg GW:36.5kg	
 FT16-2	Honey filter (0.3mm square mesh.ø45cm.length 36cm)	 	Material:Nylon,201 Stainless steel ring,ø45cm .0.3mm square mesh,length 36cm.	260	CTN:45*45*55cm 260PCS/CTN NW:35.1kg GW:36.5kg	
 FT16-3	Honey filter (0.2mm square mesh.ø45cm.length 36cm)	 	Material:Nylon,201 Stainless steel ring,ø45cm .0.2mm square mesh,length 36cm.	260	CTN:45*45*55cm 260PCS/CTN NW:35.1kg GW:36.5kg	
 FT17	Uncapping tray for honey flow	 	Material: 201 stainless steel product size: 455x320x40mm thickness: 1.0mm Support thickness: 2.0mm,Weight: 1.3kg	100	CTN:50*31*58cm 10PCS/CTN NW:35kg GW:36kg	









Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
 FT18	Honey filter ( 304 stainless steel )	 	1. The wall thickness of stainless steel is 0.8MM 2. The middle hole diameter is between 4.0 and 5.0. 3. The hole spacing is 3.0mm. 4. The overall shape keeps the taper, and the taper is between 48 degrees and 49 degrees. 5. The diameter of the top of the product is 560mm, the diameter of the bottom is 140mm, and the height is 150mm.	100	CTN:60*60*40cm 10PCS/CTN NW:20kg GW:21kg	
 FT19	Stand for Strainer Ø30cm	 	Material: SUS201,Diameter 30cm, Height: 50cm Stainless Steel Band Thickness: 0.2cm Weight: 1600g Made of stainless steel legs and stainless steel screws and stainless steel straps! Fits any size bucket from 32cm to 60cm in diameter. . They can also be placed on smaller buckets, but won't be as secure.	100	CTN:52*14*16cm 10PCS/CTN NW:16kg GW:17kg	
 FT19-2	Stand for Strainer Ø43cm	 	Material: SUS201, Diameter 43cm, Height: 50cm Stainless Steel Band Thickness: 0.2cm Weight: 1700g Made of stainless steel legs and stainless steel screws and stainless steel straps! Fits any size bucket from 45cm to 90cm in diameter. . They can also be placed on smaller buckets, but won't be as secure.	100	CTN:52*14*16cm 10PCS/CTN NW:17kg GW:18kg	





## Cleaning tools













Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
CL01	Beehive shovel		Length:205mm,Shovel:105mm*80mm Thickness:1.8mm,Handle:100mm,Surface Treatment:Zincing	180	CTN:43*25*34cm 180PCS/CTN NW:17.1kg GW:18.4kg	
CL01-2	Beehive shovel		Length:200mm,Shovel:105mm*80mm Handle:95mm*22mm,Surface Treatment:Mirror polish Material:SUS430,Thickness:1.8mm	200	CTN:47*33*27cm 200PCS/CTN NW:16.2kg GW:16.85kg	
CL02-2	Excluder cleaner		Material:SUS304,Thickness:1.5mm,(Customizable: Double-sided teeth&Plastic Handle)	176	CTN:44*29*37cm 176PCS/CTN NW:16.37kg GW:17.3kg	
CL02-3	Excluder cleaner(Plastic handle)		Toal L:19cm, shovel L:6.3cm, shovel W:3.1cm,handle L:12.5cm,Φ2.9cm,Surface Treatment:Mirror polish, Material:PP & SUS430, thickness:1.5mm	120	CTN:36*26*46cm 120PCS/CTN NW:12.24kg GW:12.7kg	






Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
 <b>CL02-4</b>	Excluder cleaner(Plastic)	 	Material:SUS304,Thickness:1.5mm,(Customizable: Double-sided teeth&Plastic Handle)	500	CTN:59*55*40cm 500PCS/CTN NW:11.5kg GW:13.05kg	
<b>CL03</b>	Frame cleaner	 	Material:Galvanized iron,Thickness:3mm	200	CTN:41*31*30cm 200PCS/CTN NW:16kg GW:17.3kg	
<b>CL04</b>	Honey scraper knife with shovel	 	Length 16.7cm,width 12.1cm,height 2.1cm ,weight 252g,thickness 0.31cm,material: 201 stainless steel	1000	100PCS/CTN	
<b>CL05</b>	Beewax scraper	 	Material:SUS201	400	CTN:40*34*12cm 400PCS/CTN NW:20.4kg GW:22.25kg	













Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
CL06	Frame cleaner	 	Length: 270mm    needle length: 150mm handle length: 120mm weight: 83.3g material: 201 stainless steel    handle:solid wood	200	CTN:29*29*40cm 200PCS/CTN NW:14.8kg GW:15.5kg	
CL06-2	Frame cleaner	 	Material: 201 stainless steel    weight :85g size: 23.7*3.1*0.6cm	250	CTN:30*30*20cm 250PCS/CTN NW:23kg GW:23.3kg	
CL07	Pollen grip	 	Material:SUS304	750	CTN:29*29*27cm 1300PCS/CTN NW:19kg GW:19.7kg	
CL08	Royal jelly cleaner	 	Material:PP	500	CTN:46*23*15cm 1500PCS/CTN NW:5kg GW:5.45kg	

Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
CL08-2	Royal jelly cleaner		Material:Plastic	500	CTN:46*23*15cm 1500PCS/CTN NW:4.5kg GW:5.45kg	
CL08-3	Royal jelly cleaner (50PCS/BOX)		Material:bamboo	10BOX S	CTN:46*23*15cm 1200PCS/CTN NW:4kg GW:5.25kg	
CL08-4	Royal jelly cleaner		Material:Plastic	100	100PCS/BAG	
CL08-5	Royal jelly cleaner(8- CT)		Length: 95mm,Width: 82mm,Weight: 28q,Material: PP/food grade	200	CTN:46*23*15cm 200PCS/CTN NW:5.1kg GW:5.8kg	




Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
CL08-6	Royal jelly cleaner(9-CT)		Length: 95mm,Width: 82mm,Weight: 28q,Material: PP/food grade	200	CTN:46*23*15cm 200PCS/CTN NW:6kg GW:6.3kg	
 CL09	Honey scraper		Material: PP      Size:22*13*1.8cm Weight: 137g	100	CTN:45*25*35cm 100PCS/CTN NW:13.7kg GW:14.1kg	
 CL09-2	Honey scraper		Material: silicone spatula      Size:34.5x7.5cm Weight: 123g	100	CTN:54*24*26cm 100PCS/CTN NW:12.2kg GW:12.5kg	
 CL09-3	Honey cleaning shovel		Product size: 13x12.5cm weight: 64g	250	CTN:53*46*28cm 250PCS/CTN NW:16kg GW:17.1kg	





Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
CL10	Excluder cleaner(Plastic)		weight:31g, 9 teeth, material:PP size:13*4.5*1.5cm	1800	300PCS/CTN	
<b>Bundle tools</b>						
BT01	Beehive tie strap		Surface Treatment:galvanized Buckle width:33mm Buckle thickness:1.2mm Rope material:Polypropylene Rope length:5M Rope width:25mm Colour:Customized	100	CTN:34*28*28cm 50PCS/CTN NW:12.25kg GW:12.65kg	
BT01-2	Beehive tie strap (With hook)		Surface Treatment:Galvanized Buckle width:33mm Buckle thickness:1.2mm Rope material:Polypropylene Rope length:5M Rope width:25mm Colour:Customized	126	CTN:34*28*28cm 42PCS/CTN NW:14.7kg GW:15kg	

Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
BT02	8 teeth Beehive tie strap	 	Material:Galvanized iron Length :5m Thickness: Iron shell 2.5mm.Iron core 5.0mm.Iron sheet 0.4mm. Weight:650g	100	CTN:27*20*18cm 25PCS/CTN NW:15kg GW:15.25kg	
BT02-2	8 teeth Beehive tie strap (Australian Nylon)		Material:Galvanized iron Length :5meters Thickness: Iron shell 2.5mm.Iron core 5.0mm. Weight:600g	200	CTN:29*20*19 cm 20PCS/CTN NW:9kg GW:9.2KG	
BT02-4	9 teeth Beehive tie strap (Australian)		Material:Galvanized iron Length :5meters ,Weight:600g ,9 teeth,Thickness of iron case: 2.5	240	CTN:26*20*20cm 25PCS/CTN NW:16kg GW:16.1kg	
BT03	Beehive tie strap(BIG)		Rope material:Polypropylene Rope length:10M	100	CTN:53*36*27cm 10PCS/CTN NW:14.5kg GW:15kg	








Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
 BT04	Beehive tie strap (Australian)	 	5M yellow polyester braid strap, breaking force 1 ton (tested) Rope width:26mm	200	CTN:47*27*36cm 100PCS/CTN NW:23.2kg GW:24kg	
 BT06	Beehive tie strap	 	3M green Polypropylene strap, breaking force 300kg, rope width:25mm	240	CTN:40*28*29cm 240PCS/CTN NW:11.2kg GW:12.4kg	
 BT07	Beehive tie strap (US)	 	10mm SUS201, 3M blue polyester braided tape, breaking force 200kg(test)	500	CTN:43*26*31cm 50PCS/CTN NW:14.8kg GW:15.05kg	
 BT08	Beehive tie strap (Euro)	 	10mm SUS201, 5M yellow polyester braid strap, breaking force 1 ton (tested)	480	CTN:50*27*15cm 60PCS/CTN NW:14.7kg GW:15.65kg	




Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY																														
<b>Bee gloves</b>																																				
 <table border="1" data-bbox="241 534 1265 973"> <thead> <tr> <th colspan="2">Glove size(cm)</th> <th colspan="3">Measured by hand</th> </tr> <tr> <th>Size</th> <th>Cloth length</th> <th>Cloth width</th> <th>Skin length</th> <th>Skin width</th> </tr> </thead> <tbody> <tr> <td>L</td> <td>29</td> <td>14</td> <td>18</td> <td>11</td> </tr> <tr> <td>XL</td> <td>29</td> <td>14.5</td> <td>19</td> <td>11.5</td> </tr> <tr> <td>XXL</td> <td>29</td> <td>15</td> <td>20</td> <td>12</td> </tr> <tr> <td>XXXL</td> <td>29</td> <td>15.5</td> <td>21</td> <td>12.5</td> </tr> </tbody> </table> 							Glove size(cm)		Measured by hand			Size	Cloth length	Cloth width	Skin length	Skin width	L	29	14	18	11	XL	29	14.5	19	11.5	XXL	29	15	20	12	XXXL	29	15.5	21	12.5
Glove size(cm)		Measured by hand																																		
Size	Cloth length	Cloth width	Skin length	Skin width																																
L	29	14	18	11																																
XL	29	14.5	19	11.5																																
XXL	29	15	20	12																																
XXXL	29	15.5	21	12.5																																
<b>BG01PW</b>	Bee gloves(White sheepskin, Grade A sheepskin)		Material:White sheepskin & Polyester cotton,Size:S-XXXL,Length:480mm-520mm	200	CTN:100*58*20cm 200PCS/CTN NW:25kg GW:25.5kg																															

Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
BG01PG	Bee gloves(Golden sheepskin, Grade A sheepskin)		Material:Golden sheepskin & + Polyester cotton,Size:S-XXXL,Length:480mm -520mm	200	CTN:100*58*20cm 200PCS/CTN NW:25kg GW:25.5kg	
BG01CG	Bee gloves(Golden sheepskin, Grade A sheepskin)		Material:Golden sheepskin & Canvas,Size:L,XL,XXL,Length:480mm -520mm	200	CTN:100*58*20cm 200PCS/CTN NW:29kg GW:29.5kg	
BG02	Bee gloves(With mesh, Grade A sheepskin)		Material:White sheepskin & Polyester cotton or canvas,Size:S-XXXL,Length:480mm -520mm,Colour:yellow 、 white	200	CTN:100*58*20cm 200PCS/CTN NW:29kg GW:30.5kg	
BG03	Bee gloves (Breathable, Grade A sheepskin)		Material:Golden sheepskin + High breathable mesh+Polyester cotton,Size:S-XXXL,Length:480mm -520mm,Colour:yellow 、 white	200	CTN:125*62*25cm 200PCS/CTN NW:25.6kg GW:27.3kg	

Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
BG04	Bee gloves (Breathable, Grade A sheepskin)	 	Material:White sheepskin + High breathable mesh+Polyester cotton,Size:L,XL,XXL,Length:480mm -520mm	200	CTN:117*60*27cm 200PCS/CTN NW:29.8kg GW:30.5kg	
BG05	Bee gloves (Breathable, Grade A sheepskin)	 	Material:Golden sheepskin + High breathable mesh+Canvas,Size:S-XXXL,Length:480mm -520mm	200	CTN:118*61*28cm 200PCS/CTN NW:29.6kg GW:34.5kg	
BG06	Bee gloves(Mesh, Grade A sheepskin)	 	Material: three - layer breathable mesh cloth and sheepskin	200	CTN:128*60*26cm 200PCS/CTN NW:37.2kg GW:37.5kg	
BG07	Bee gloves(Euro Grade A sheepskin)	 	Material:White sheepskin +Polyester cotton,Size:S- XXXL,Length:480mm -520mm	200	CTN:100*58*20cm 200PCS/CTN NW:27.6kg GW:28.2kg	

Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
 <b>BG08</b>	Bee gloves(Euro Grade A sheepskin)	 	Material:White sheepskin +Polyester cotton,Size:S-XXXL,Length:480mm-520mm	200	CTN:100*58*20cm 200PCS/CTN NW:27.6kg GW:28.2kg	
 <b>BG09</b>	Bee gloves(White sheepskin breathable, Grade A sheepskin)	 	Material:White sheepskin +Polyester cotton,Size:S-XXXL,Length:480mm-520mm	200	CTN:100*58*20cm 200PCS/CTN NW:27.6kg GW:28kg	
 <b>BG11</b>	Bee gloves(Euro Grade A sheepskin)	 	Material: Yellow sheepskin + TC breathable mesh, size :S-XXXL	200	CTN:100*58*20cm 200PCS/CTN NW:27.6kg GW:28kg	
 <b>BG12</b>	Bee gloves(Yellow sheepskin ,Grade A sheepskin))	 	Material:sheepskin +Polyester+Leatherette cotton,Size:S,M,L,XL,XXL,Length:480mm-520mm	200	CTN:100*58*20cm 200PCS/CTN NW:27.6kg GW:28kg	

Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
<b>BG10</b>	Rain boots		Size 39-45 Textile material Height: 3cm Tube height:38cm Material PVC+ beef tendon sole, anti-hit, anti-puncture, insulation and corrosion resistant	200	CTN:45*45*55cm 20PCS/CTN NW:18.8kg GW:20kg	

## Bee suits



### Bee suit





Size	Leg length	Sleeve length	Chest circumference	Shoulder width	Clothing Length
150-155/S	66	58	120	46	145
155-160/M	68	62	124	48	148
160-165/L	70	64	128	50	151
165-170/XL	72	66	132	52	154
170-175/XXL	74	68	136	54	157
175-180/3XL	76	70	140	56	160

#### Children's bee-proof clothing

height:	110	120	130	140	150
clothes length:	104	108	112	116	120
hest circumference:	88	92	96	100	104
shoulder width:	42	43	44	45	46
Sleeve Length:	42	44	48	50	52















Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
BS01	Bee suit 		Size:S,ML,XL,XXL,XXXL,Material:Cotton,Color: white, apricot, yellow,The hat can be parted,With veil and zipper	50	CTN:44*44*61cm 25PCS/CTN NW:27kg GW:28kg	
BS01-2	Bee suit 		Size:S,M,L,XL,XXL,XXXL,Material:Polyester cotton,Color: white, apricot, yellow,The hat can be parted,With veil and zipper	30	CTN:47*47*56cm 30PCS/CTN NW:27kg GW:28kg	
BS04	Bee suit(wasp)		material: oxford fabric outer layer+ thickened PU inner layer. Stereo mask, with a fan on the mouth, 10 ventilated holes, 3 fans for ventilation without being stuffy. Lengthened zipper + Velcro double-layer protection, easy to put on and take off and avoid the bees getting in.	30	CTN:52*45*27cm 1PCS/CTN NW:1.85kg GW:2.8kg	
BS05	Bee suit 		Size:S,M,L,,XL,XXL,XXXL Material:Cotton Color: white, apricot, yellow	40	CTN:45*45*61cm 20PCS/CTN NW:24kg GW:26kg	

Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
BS06	Bee jacket  4 colors		Size:S,M,L,XL,XXL,XXXL,Material:Cotton Color: white, apricot, yellow	50	CTN:44*44*61cm 25PCS/CTN NW:23.6kg GW:24kg	
BS07	Bee jacket(Breathable)		Size:S,M,L,XL,XXL,XXXL,Material:Cotton & breathable mesh Hat: round or astronaut	30	CTN:45*45*55cm 30PCS/CTN NW:16.5kg GW:17.7kg	
BS08	Bee suit(Breathable)		Size:S,M,L,XL,XXL,XXXL,Material:Cotton & breathable mesh Hat: round or astronaut	30	CTN:44*44*83cm 10PCS/CTN NW:12kg GW:21.5kg	
BS09	Bee suit(Breathable)  4 colors		Size:S,M,L,XL,XXL,XXXL,Material:Cotton & breathable mesh Color: white, green, yellow	30	CTN:45*45*55cm 30PCS/CTN NW:28.5kg GW:29.7kg	































































Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
BS09-2	Bee jacket(Breathable)  4 colors	 	Size:S,M,L,XL,XXL,XXXL Material:Cotton & breathable mesh Color: white, green, yellow	30	CTN:45*45*55cm 30PCS/CTN NW:18kg GW:19kg	
BS10	Bee jacket  4 colors		Material:polyester & breathable mesh	30	CTN:45*45*55cm 30PCS/CTN NW:19.5kg GW:20.5kg	
 BS11	Bee jacket  4 colors		Material: polyester,The hat can be parted,With veil and zipper	30	CTN:45*45*55cm 30PCS/CTN NW:16.5kg GW:18kg	
BS12	Bee jacket  4 colors		Size:Free size,Material:Polyester,Color: white, pink, blue, camouflage	120	CTN:48*48*54cm 60PCS/CTN NW:15kg GW:16kg	











Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
BS13	Bee jacket	  	Size:Free size Material: Cotton	80	CTN:45*45*55cm 40PCS/CTN NW:15kg GW:16kg	
 BS14	Sleeveless apron	 	Material: flax Features: waterproof and oil-proof size: 68x55cm	50	CTN:59*49*34cm 150PCS/CTN NW:13kg GW:13.35kg	
 BS14-2	Sleeveless apron	 	Material: flax Features: waterproof and oil-proof size: 68x55cm	50	CTN:59*49*34cm 150PCS/CTN NW:13kg GW:13,35kg	










Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
 BS14-3	Sleeveless apron		Material: flax Features: waterproof and oil-proof size: 68x55cm	50	CTN:59*49*34cm 50PCS/CTN NW:15kg GW:15.35kg	
 BS16	European round hat bee jacket (with zipper)		Material: 100% cotton, gram weight: 150g, color: white、 yellow、 green、 pink、 blue.	100	CTN:45*45*60cm 25PCS/CTN NW:17kg GW:18kg	
 BS16-2	European astronaut hat bee jacket(with zipper)		Material: 100% cotton, gram weight: 150g, color: white、 yellow、 green、 pink、 blue.	100	CTN:45*45*60cm 25PCS/CTN NW:20kg GW:21kg	





Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
 <b>BS16-3</b>	European astronaut hat bee jacket(camouflage with zipper)	 	Material: 100% cotton, gram weight: 180g	100	CTN:45*45*60cm 25PCS/CTN NW:22kg GW:23kg	
 <b>BS17</b>	European round hat bee jacket (without zipper)	 	Material: 100% cotton, gram weight: 150g, color: white、 yellow、 green、 pink、 blue.	100	CTN:45*45*60cm 25PCS/CTN NW:17kg GW:18kg	
 <b>BS18</b>	European astronaut hat overall beesuit	<p>Color: </p>  	Material: 100% cotton, gram weight: 150g, color: white、 yellow、 green、 pink、 blue.	100	CTN:45*45*60cm 20PCS/CTN NW:24kg GW:25kg	

Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
 <b>BS19</b>	European bee pants	                             	Material: 100% cotton, gram weight: 150g, color: white, yellow, green, pink, blue.	100	CTN:60*38*26cm 25PCS/CTN NW:12.5kg GW:13.5kg	
<b>Bee hats</b>						
<b>BH01</b>	Bee hat	                  	Size:Free size	100	CTN:43*43*87cm 50PCS/CTN NW:11kg GW:11.55kg	
<b>BH01-2</b>	Bee hat	           	Size:Free size	100	CTN:43*43*87cm 50PCS/CTN NW:10.6kg GW:11.55kg	





Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
BH02	Bee hat	 	Size:Free size Material:Cotton Color: white, yellow, camouflage	100	CTN:44*44*61cm 50PCS/CTN NW:6kg GW:7kg	
BH03	Bee hat	 	Size:Free size Material:Cotton Color: white, yellow, camouflage	100	CTN:44*44*60cm 50PCS/CTN NW:14.2kg GW:15.15kg	
BH04	Bee hat colours ) ( 5	 	Material:straw plaited,colour:Brown, green, white, off-white, beige	50	CTN:59*36*80 cm 50PCS/CTN NW:10.4kg GW:11.4kg	
BH04-2	Bee hat ( 3 colours )	 	Material:PP,colour:Brown, khaki, green	60	CTN:37*37*61 cm 30PCS/CTN NW:4.7kg GW:5.3kg	

Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
BH05	Square veil without helmet		Material:50% cotton & 50% synthetic blend cloth	100	CTN:40*40*81cm 100PCS/CTN NW:15.95kg GW:17.95kg	
BH06	Square veil		Material:cotton &Nylon veil	100	CTN:40*40*81cm 100PCS/CTN NW:17.65kg GW:19.65kg	
BH07	Square veil		Material:cotton &Nylon veil	80	CTN:40*40*81cm m 80PCS/CTN NW:15.75kg GW:17.75kg	
BH08	Bee hat		Size:Free size Material:Cotton	200	CTN:43*43*82cm 200PCS/CTN NW:29kg GW:30.3kg	





Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
 BH09	Bee hat	 	Size:Free size Material:Polyester	250	CTN:40*40*79cm 250PCS/CTN NW:22.4kg GW:23.25kg	
 BH10	Bee hat	 	Size:Free size Material:Cotton	200	CTN:40*40*81cm 200PCS/CTN NW:20kg GW:21.65kg	
 BH11	Bee hat	 	Size:Free size Material:Cotton	200	CTN:40*40*81cm 200PCS/CTN NW:20kg GW:21.65kg	
<b>Queen cages</b>						





Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
QC01	Queen cages		Plastic queen cage(The larva not longer need to be transferred)	2000	CTN:74*50*32cm 2000/CTN NW:9kg GW:10kg	
QC01-2	cap feeder for queen cage		material:PP 500pcs / package	45bag	CTN:53*46*28cm 15bag2000/CTN NW:8.6kg GW:9.15kg	
QC02	Queen cages		Plastic queen cage(Extension type) Color: white, yellow	2700	CTN:54*54*32cm 2700/CTN NW:14.8kg GW:15.35kg	
QC03	Queen cages		Plastic queen cage	1600	CTN:46*46*56cm 1600PCS/CTN NW:12kg GW:12.4kg	











Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
QC04	Queen cages		Plastic queen cage	1600	CTN:46*46*56cm 1600PCS/CTN NW:12.8kg GW:13.9kg	
QC05	Queen cages		Plastic queen cage	1000	CTN:59*52*25cm 1000PCS/CTN NW:14.4kg GW:20kg	
QC06	Marking cages		Material:PS&PP Weight:60g, Color: red, blue, white	300	CTN:60*18*37cm 300PCS/CTN NW:6kg GW:6.55kg	
QC07	Marking cages		Material: PP	576	CTN:54*29*60cm 576PCS/CTN NW:17.28kg GW:18.9kg	

Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
QC08	Marking cages	   	Length: 70mm Width: 45mm Weight: 32g Material: plastic	535	CTN:68*34*56cm 535PCS/CTN NW:23kg GW:24.8kg	
QC09	Marking cages	 	Queen marker	340	CTN:51*32*35cm 170PCS/CTN NW:9kg GW:9.55kg	
 QC09-2	Marking cages	  	Queen marker, Material: Glass tube	340	CTN:51*32*35cm 170PCS/CTN NW:9kg GW:9.55kg	
QC11	Marking cages	 	55*45*90MM 67g	200	CTN:54*50*27 cm 200PCS/CTN NW:15.05kg GW:15.3kg	






Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
QC12	Queen catcher (PC)		Material:PC	1200	CTN:68*47*50cm 1200PCS/CTN NW:19.5kg GW:21.2kg	
QC13	Queen catcher (Iron)		Material:Iron	630	CTN:53*32*31cm 630PCS/CTN NW:21.5kg GW:22.5kg	
QC14	Queen catcher (Stainless)		Material:SUS201	600	CTN:45*29*33cm 600PCS/CTN NW:16kg GW:16.6kg	
QC15	Queen cages		Bamboo queen bee cage	800	CTN:54*47*58cm 8000PCS/CTN NW:7.8kg GW:14kg	

Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
QC16	Queen cages		Bamboo queen bee cage	2000	CTN:62*51*58cm 2000PCS/CTN NW:13kg GW:13.8kg	
QC17	Queen catcher		Height:40mm Needle dia:1mm Weight:24g Material:SUS304&Plastic colour:yellow, white	600	CTN:54*37*29cm 600PCS/CTN NW:15.6kg GW:16.25kg	
QC18	Queen catcher		Material:PP	500	CTN:69*57*36cm 1000PCS/CTN NW:11KG GW:12.25kg	
QC19	Marking cages		Material:PP	2500	CTN:46*46*56cm 5000PCS/CTN NW:15kg GW:16.5kg	









Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
QC20	Queen rearing cages		Material:PP	2000	CTN:68*47*50cm 2000PCS/CTN NW:15KG GW:16.4kg	
QC21	Queen rearing cages(500PCS/BAG)		Material:Plastic(500PCS/BAG)	20bags	CTN:60*50*40cm 10000PCS/CTN NW:10KG GW:10.3kg	
QC21-2	Queen rearing cages(250PCS/BAG)		Material:Plastic(250PCS/BAG)	20 bags	CTN:53*46*28cm 5000PCS/CTN NW:3.8KG GW:4.35kg	
QC23	Queen catcher		Material: PP Size: 10.8*6.7*2.5cm	500	CTN:53*46*28cm 500PCS/CTN NW:9.5KG GW:10.46kg	













Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
QC25	Queen catcher		Material: ABS	500	CTN:50*29*43cm 500pcs/ctn NW:11kg GW:11.85kg	
QC26	Queen catcher		Length: 7.2CM Width:5.1CM Height:2.2CM Space distance:4.0CM	500	CTN:43*30*41cm 500pcs/ctn NW:8.2kg GW:9.7kg	
QC27	Wasp trap		Material:PP	120	CTN:41*32*31cm 24pcs/ctn NW:2.46kg GW:2.95kg	
QC28	Wasp trap		Diameter: 225mm Height: 150mm Weight: 316g Material: plastic	120	CTN:45*45*55cm 40pcs/ctn NW:12.6kg GW:13.4kg	













Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
QC29	Wasp trap		Material: PP	96	CTN:60*60*48cm 48PCS/CTN NW:6.24kg GW:8.6kg	
QC30	Wasp trap		Material: PP Each pc packed in box seperately	96	CTN:56*56*42cm 48PCS/CTN NW:8.2kg GW:9.5kg	
QC31	Wasp trap		Material: PP	90	CTN:53*34*42cm 45PCS/CTN NW:4.5kg GW:6.75kg	
QC32	Wasp trap		Material: PP	100	CTN:64*36*35cm 25PCS/CTN NW:5.88kg GW:6.25kg	
















Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
QC33	Swarm catcher		Material: polyester-mixed cotton	100	CTN:45*45*55cm 100PCS/CTN NW:18kg GW:18.8kg	
QC34	Swarm catcher		Material: polyester-mixed cotton	50	Cloth 100pcs 53*46*28 GW: 12.4kg Circle CTN:53*46*28cm 50PCS/CTN NW:18kg GW:18.85kg	
 QC35	Queen cages		Weight: 38g Material: PP	600	CTN:61*45*29cm 600PCS/CTN NW:16kg GW:16.15kg	
QC36	Bee collecting cage		Material:Bamboo	120	CTN:55*45*45cm 30PCS/CTN NW:4.3kg GW:4.9kg	











Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
QC36-2	Bee collecting cage	 	Material:Bamboo	90	CTN:26*26*85cm 3PCS/CTN NW:2kg GW:2.35kg	
QC37	Queen control box (1FRAME)		Material:ABS Product size: 485*50*240mm Aperture: 3.9mm	100	CTN:72*50*30cm 25PCS/CTN NW:16.25kg GW:18kg	
QC37-2	Queen control box (2FRAME)	 	Material:ABS Product size: 485*90*240mm Aperture: 3.9mm	100	CTN:72*50*30cm 25PCS/CTN NW:19.5kg GW:20kg	
 QC37-3	Queen control box (1FRAME)	 	Size:48.5x5x24cm,Weight:1.2kg, Material:galvanized iron	200	CTN:72*50*30cm 25PCS/CTN NW:19.5kg GW:20kg	














Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
 QC39	Queen catcher	 	14.8*13*1.1cm weight:40g material: ABS	1000	CTN:73*33*34 200PCS/CTN NW:8.2kg GW:8.8KG	
 QC40	Queen catcher	 	Size: 13.5x10.5x1.5cm Material: PP Weight: 20g Can be fixed on the honeycomb quickly and save time to catch the queen bee. Simple structure, efficient use. Control egg-laying.	900	CTN:55*47*40cm 300PCS/CTN NW:8.2kg GW:8.85KG	
 QC41	Wasp trap for plastic bottle	 	Diameter: 1cm How to use: Use a knife to cut a cross on two-thirds part of the plastic bottle. Install the trap to the cross part. This is the foot of the wasp. Remove the bottle cap, make a small hole on it, and hang a lure in the bottle. Hang the traps near the apiary Convenient and efficient trap tool	1000	CTN:46*46*56 2000PCS/CTN NW:10kg GW:11.2KG	
 QC42	Swarm catcher(Euro)	 	Material: polyester-mixed cotton Weight:640g	100	CTN:68*50*35cm 20PCS/CTN NW:8kg GW:16.9KG	











Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
 43	Marking cages	 	Material:PP	1500	CTN:53*46*31 1500PCS/CTN NW:7.5KG GW:8.4KG	
 44	JZBZ queen bee protection box	 	Material:PP size: 21x6x7.5cm, weight: 100g	240	CTN:63*43*25 60PCS/CTN NW:6KG GW:7.05KG	
 44-2	JZBZ queen bee protection box	 	Material:PP 20pcs Queen cages+1pcs JZBZ queen bee protection box	120	CTN:63*43*25 60PCS/CTN NW:10KG GW:12.1KG	
 45	Marking cages	 	Material:PS+ABS	576	CTN:54*30*58cm 576PCS/CTN NW:18kg GW:18.9kg	

Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
 CS46	Skep straw hive	  	Material:straw Size (medium and large)diameter x height 38x38cm 32x34cm 25x35cm	100	CTN:43*43*38cm 1PCS/CTN NW:3.8kg GW:4.65kg	
 CS49	Queen catcher	  	Material:PP	200	CTN:53*46*28cm 200PCS/CTN NW:6.8g GW:7.1kg	
 CS50	Queen catcher	 	Material:Material: composite plate +201 stainless steel product size : 8.9*6.1*1cm	1600	CTN:53*46*28cm 800PCS/CTN NW:14kg GW:14.85kg	
 CS51	Queen catcher	  	Material:PP+ABS Grip size:11*2.5cm Dome diameter:6cm weight: 20g	2000	CTN:53*46*28cm 500PCS/CTN NW:10kg GW:11.35kg	





Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
 <b>QB52</b>	Queen catcher		Material:SUS304+ Product size: H37*Φ50mm Weight: 27g	2000	CTN:53*37*29cm 500PCS/CTN NW:13.5kg GW:14kg	
<b>Queen breed tools</b>						
<b>QB01</b>	Grafting tool(Aluminium)		Length:170mm Handle:127mm Needle dia:2mm Weight:18g Material:Aluminium&SUS304	1000	CTN:44*34*16cm 1000PCS/CTN NW:14kg GW:19.25kg	
<b>QB01-2</b>	Grafting tool(Stainless steel)		Length:190mm Needle dia:3mm Weight:7g Material:SUS304	500	CTN:40*23*35cm 3000PCS/CTN NW:28kg GW:29kg	





Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
QB01-3	Grafiting tool(Stainless steel European style)		Length:190mm Needle dia:4mm Weight:10g Material:SUS304	500	CTN:30*20*16cm 2000PCS/CTN NW:18kg GW:18.85kg	
QB01-4	Grafiting tool(Plastic)		Material:PP&Ox horn	1150	CTN:67*33*31cm 11500PCS/CTN NW:24kg GW:26.5kg	
QB01-5	Grafiting tool(Plastic)		Material:Bamboo&Qx horn	1150	CTN:67*33*31cm 11500PCS/CTN NW:18kg GW:18.5kg	
QB01-6	Grafiting tool(Plastic) 2PCS/BOX		Specification: 2 pcs/box Box size: 11.8x3.9x1cm Weight:12.5g Material:Bamboo&Shofar	200	CTN:33*26*14cm 200PCS/CTN NW:2.4kg GW:2.65kg	






Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
 QB01-7	Grafting tool(Plastic)	  	Weight: 6g length:13.5cm Material: pp 40pcs/bag	500	CTN:42*26*53cm 5000PCS/CTN NW:28kg GW:29kg	
 QB01-8	Grafting tool(Stainless steel European style)	 	Length:190mm Needle dia:4mm Weight:10g Material:SUS304	500	CTN:23*23*14cm 3000PCS/CTN NW:11.5kg GW:12.5kg	
 QB01-9	Grafting tool(fit for both right and left hands)	  	tip diameter:0.5mm Weight:35g Material:SUS420	500	CTN:55*44*35cm 500PCS/CTN NW:10.5kg GW:13.1kg	
QB02	Head band magnifier	 	Magnification times:1.2X ,1.8X ,2.5X ,3.5X. Material:ABS & organic glass Battery:(not included) 2*AAA(1.5V)	24	CTN:65*45*48cm 24PCS/CTN NW:13.2kg GW:13.85kg	





Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
QB02-2	Head band magnifier (not included)	 	Magnification times:1.2X ,1.8X ,2.5X ,3.5X.,Material:ABS & organic glass,Battery: (not included)2×AAA(1.5V)	36	CTN:68*48*40cm 36PCS/CTN NW:14.4kg GW:16.6kg	
 QB02-3	Desktop magnifying	 	Size: 20.0 * 5.0 * 20.0 cm Product material: metal, plastic, acrylic lens Package: PP bag, foam, giftbox Packing information: 24 / box, 51.5 * 48 * 42CM, 22 / 20KG Magnification: 2X (large lens), 5X (small lens) Effective diameter: 130mm (large lens), 22mm (small lens) (mm) Material Plastic, metal, acrylic ,Battery: not included.	24	CTN:53*49*43CM 24PCS/CTN NW:28.5kg GW:30kg	
 QB02-4	Head band magnifier	 	Product weight: 180 grams (net weight), 298 grams (including packaging) Product multiples: 1.5 times, 3 times, 6.5 times, 8 times Product size: 250*200*50mm Color box size: 265*205*65mm Product material: plastic, metal, acrylic lens, glass lens Packing method: PP bag, color box (factory without battery) Battery: not included, Packing information: 24pcs/carton.	24	CTN:59*43*47CM 24PCS/CTN NW:7kg GW:9kg	
QB03	Grafting support	 	Material:SUS201	20	CTN:67*58*53cm 10PCS/CTN NW:32kg GW:33.7kg	




















Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
QB04	Queen rearing box		Material:ABS, Surface Treatment: polished Weight:155g	254	CTN:53*53*34cm 128PCS/CTN NW:21kg GW:21.8kg	
QB04-2	Queen cell(1000PCS/BAG)		Material:PP,(1000PCS/BAG)	10BAG S	CTN:46*46*56cm 60bag/CTN NW:17kg GW:17.75kg	
QB04-3	Queen cell cup(1000PCS/BAG)		Material:PP ,Match with Item ,(1000PCS/BAG),Matching with Item No.QB04-4	15BAG S	CTN:58*56*29cm 15bag/CTN NW:12kg GW:12.8kg	
QB04-4	Plastic frame spacer		Material:PP,Matching with Item No.QB04-3	700	CTN:46*46*56cm 700pcs/CTN NW:7.7kg GW:21.65kg	




Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
QB04-5	Queen cell cup(1000PCS/BAG)		Material:PP(1000PCS/BAG)	10BAG S	CTN:53*46*28cm 20bag/CTN NW:9kg GW:9.9kg	
QB04-6	Queen cell cup (1000pcs/bag)		Height: 16.7mm Width: 19mm Weight: 1.2g Material: plastic	12BAG S	CTN:53*46*28cm 12bags/CTN NW:8.4KG GW:15.3kg	
QB04-7	JZ BZ base mount cell cups (1000pcs/bag)		Height: 16mm Width: 12mm Weight: 0.9g Material: PC Color: black, yellow, blue, orange, green. The default color is yellow, other colors start at 50000	15BAG S	CTN:39*35*40cm 15bags/bag NW:12kg GW:12.95kg	
QB04-7B	JZ BZ Queen cell bar		Material:pp Weight:30g	100	CTN:87*44*36cm 1000PCS/CTN NW:29kg GW:29.6kg	





Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
 <b>QB04-7C</b>	JZBZ Plastic Royal Jelly Frame		JZBZ Plastic Royal Jelly Frame Material: PP Product size: 23*4.6 cm Product weight: 31g	560	CTN:62*51*50cm 560PCS/CTN NW:17.5kg GW:18.55kg	
<b>QB04-8</b>	Push-In Cell Cups (1000pcs/bag)		Height: 12mm Width: 14mm Weight: 0.35g Material: PC	10BAG S	CTN:53*46*28cm 20bags/CTN NW:11kg GW:11.5kg	
<b>QB04-9</b>	Holder for queen cell		Material:pp	3000	3000PCS/CTN NW:15kg GW:15.85kg	
<b>QB05</b>	Birth control tweezer		Material:PP	500	CTN:46*24*15cm 1000pcs/CTN NW:3kg GW:3.8kg	

Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
QB06	Mellifera queen breeding equipment		Material: pp, Queen rearing kit include: 4 pcs Larva Rearing Frame, 60 pcs Royal Jelly Cup Sheets, 120 pcs Larva Rearing Cell Sheets , 10 pcs Royal Jelly Frame, 2 pcs Frame Cage	10	CTN:49*24*31cm 1PCS/CTN NW:9kg GW:10kg	
QB06-2	Mellifera royal jelly frame		Material: pp	20	CTN:5245*27cm 20PCS/CTN	
QB06-3	Impregnated Mellifera larva breeding frame		Material: pp frame	20	CTN:52*45*27cm 20PCS/CTN	
QB06-4	Mellifera adjustable bottom row		Material: pp	1000	CTN:52*45*27cm 2000PCS/CTN NW:30kg GW:30.5kg	










Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
QB06-5	Mellifera queen cage		Material: ABS	20	CTN:52*45*27cm 20PCS/CTN	
QB06-6	Mellifera impregnation queen stripe		Material: pp	20	CTN:52*45*27cm 2000PCS/CTN NW:10kg GW:11kg	
QB07	Marking pen (1 PCS)		Mitsubishi PC-5M Color:Red,Green,Blue,Yellow,White	50	CTN:62*43*34cm 1000PCS/CTN NW:23.6kg GW:24.45kg	
 QB08	Queen marking pen (1 PCS)		Mitsubishi PC-5M Color:Red,Green,Blue,Yellow,White	50	CTN:41*33*24cm 400PCS/CTN NW:9.6kg GW:10.5kg	






Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
 QB38	Cell cup silicone mould	 	new environmental silicone, non-toxic and environmental, with a temperature resistance of 40 to 230°C. Size:10x5x1.4cm , weight: 80g,	200	CTN:32*32*25cm 200PCS/CTN NW:12kg GW:13kg	
 QB38-2	Cell cup silicone mould	 	new environmental silicone, non-toxic and environmental, with a temperature resistance of 40 to 230°C. Size:10x9.5x1.9cm , weight: 80g,	130	CTN:41*30*26cm 130PCS/CTN NW:16.5kg GW:17kg	
 QB39	Scissor	 	Material: 402J2 steel, thickness: 3.9mm, product length: 12.5mm weight: 86g	200	CTN:26*27*13cm 100PCS/CTN NW:7kg GW:8kg	
 QB42	queen shipper	 	Material: PP Product size: 420x35x15mm Weight: 60g	520	CTN:88*45*35cm 520PCS/CTN NW:31.2kg GW:31.9kg	





Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
QB43	BB Queen incubator		Input voltage: DC 12v, heating temperature: 36 °C, can put Wangtai cup: 54pcs <b>Patent No.:202220476207.6</b>	8	CTN:45*50*33cm 8PCS/CTN NW:20kg GW:21kg	
<b>Outdoor-tools</b>						
OT01	Multi-function claw hammer		Multi-function claw hammer	80	CTN:42*34*30cm 80PCS/CTN NW:30.16kg GW:31.55kg	
OT03	Sprayer		Size:32mm*13mm Weight:275g Volume:2000ml Material:PE	100	CTN:66*56*36cm 20PCS/CTN NW:7kg GW:7.45kg	




Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
OT04	Outdoor beehive burglar monitor	 	<p>Suitable for 2G cameras: GPRS MMS SMTP SMS  Trigger time:1.0s, 12MPFull HD ; Interval shooting  Detection angle; 90 degrees; Lens angle 60°;36  pieces; 940nm LED light; 2.0 inch display; 8 AA  battery, without SD card, Accessories: USB  cable x1 lace</p>	12	CTN:38.5*35*22cm 12PCS/CTN NW:6.72kg GW:7.5kg	
OT04-2	Outdoor beehive burglar monitor		<p>4G camera; suitable for WCDMA CDMA2000,  MMS,SMTP,FTP,SMS,TIMELAPSE, FDD-LTE,TD-  LTE;Trigger time:0.5s, 16MP;Full HD ;Interval  shooting; Detection angle:120°, GPSLens angle:  90 degrees 24 pieces; 940nm LED light; 2.0 inch  display; 8 AA battery; Can transfer full size photos  and 5-30s short video; N.W.: 0.32kg</p>	12	CTN:38.5*35*22cm 12PCS/CTN NW:6.72kg GW:7.5kg	
OT04-3	Monitor solar power		<p>Output voltage:6 v -9 v Maximum output current:800  ma  Solar panel power:0.4 w, Lithium ion polymer  battery interior:1500 ma, AC adapter voltage and  current:5v和300mA。 White box:170x115x80mm  supports x1 Power  Adapter x1 Charging Cable x1  Output line x1 Lace x1</p>	12	CTN:38.5*35*22cm 12PCS/CTN NW:6.24kg GW:7.5kg	






Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
QT60	Honey dispenser jar	  	Material:Acrylic Capacity:200ml Size:83mm*100mm*150mm	120	CTN:50*37*49cm 60PCS/CTN NW:10.02kg GW:12kg	
QT58	Plastic honey spoon	 	Length: 155mm Weight: 4g Material: plastic	2000	CTN:38*27*45cm 2000PCS/CTN NW:8kg GW:9.35kg	
QT010	Spoons(Wooden)	 	Material: Beech, Length: 16cm, Other lengths can be customized.	1600	CTN:45*45*55cm 1600PCS/CTN NW:16.8kg GW:17.65kg	
QT010-2	Spoons(PP)	 	Material:PP	800	CTN:53*46*28cm 800PCS/CTN NW:9kg GW:9.7kg	


Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
QT010-3	Spoons(SUS304)	 	Material: all 304 stainless steel ( food grade) weight: 93g, specification: 15.6x2.0cm	200	CTN:35*15*14cm 200PCS/CTN NW:7.85kg GW:9.85kg	
QT010-4	Spoons(SUS304)		Length: 205mm weight: 17.5g material:stainless steel	500	CTN:53*46*28cm 500PCS/CTN NW:8kg GW:8.4kg	
QT010-5	Spoons(SUS304)		Material: all 304 stainless steel ( food grade) weight: 93g, specification: 15.6x2.0cm	200	CTN:33*15*14cm 200PCS/CTN NW:7.85kg GW:9.85kg	
QT010-6	Spoons(SUS304)		Material: all 304 stainless steel ( food grade) weight: 93g, specification: 15.6x2.0cm	200	CTN:33*26*15cm 200PCS/CTN NW:7.85kg GW:9.85kg	

Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
QT1010-7	Dual-purpose honey stick(silicone wrapped stainless steel )		Material:silicone wrapped stainless stee weight: 93g, specification: 25*2.6cm Customizable colors, minimum order quantity 1000pcs	96	CTN:28*25*30cm 96PCS/CTN NW:3.3kg GW:3.8kg	
QT41	Honey refractometer tester		Measuring Range: 58-92Brix 38-43 Be° (Baume) 12-27 Water Division: 0.5 Brix 0.5 Be° (Baume) 1 Water Accuracy: ±0.5 Brix ±0.5 Be° (Baume) ±1 Water Automatic Temperature Compensation (ATC) Length : 140mm Weight: 230g	25	CTN :44*23*30cm 25PCS/ CTN NW:6KG GW:6.85KG	
QT41-3	Digital honey refractometer (new style,) (included)		Brix S01 0.0—90.0% Water S02 38.0%—5.0% Be' S0333.0—48.0 Refractive Index S04 1.3330—1.5177nD	24	CTN :45*32*22cm 24PCS/ CTN NW:9kg GW:10kg	
QT41-4	High precision digital display honey refractometer tester (included)		Measuring accuracy: ±0.5°C, automatic temperature compensation: 5°C-40°C measurement response time: 0.3ml power supply: 2xAAA battery battery life 5000 reading size: 145x67x8mm net weight: 185g	25	CTN :35*32*46cm 25PCS/ CTN NW:8.75kg GW:10kg	

Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
QT145	Hand labeler		Material:PP	360	CTN:47*47*40cm 72PCS/CTN NW:19.66kg GW:22.5kg	
QT74	Thermo&humidity meter (included)		Specification: temperature measurement range: -50 °C -- +70 °C Measurement accuracy: +/-1 °C Temperature resolution: 0.1 °C Humidity measurement range: 10%RH-99%RH Humidity measurement accuracy: +/-5%RH Humidity resolution: 1% Battery: AAA 1.5v Overall dimension: 100*92*23 mm	50	CTN: 50*32*36cm 150PCS/ CTN NW:17.55kg GW:18.5kg	
QT74-2	Digital thermometer (included)		The product is packed in a white box with no words. Neutral packing I. function overview: 1. The LCD display 2. External dimension: 48*28.6*15.2mm (small error in measurement) 3.LCD size :35.7*16.8mm (small error in measurement) 4. Weight: 25g (excluding battery) 5. Humidity display 6. Humidity measurement range is 20% ~ 90% 7. Humidity display resolution 1% 8. Humidity sampling cycle: 10 seconds (1 minute)	250	CTN : 58*33*25cm 250PCS/ CTN NW:11.5kg GW:12.5kg	

Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
 <b>QT82</b>	Honey color photometer	 	HI96785 Honey color photometer Measurement range: 0-150 mm Pfund(Bufonte) resolution 1mm Pfund(Bufonte) accuracy @25°C (77°F)±2mm Pfundao 80mm Pfund Optical system: narrow band interference filter, silicon photocell, tungsten lamp @ 420 nm, 525nm Method standard: direct colorimetric method Power mode: 1x9V battery Automatic shutdown: In measurement mode, automatic shutdown after 10 minutes of measurement mode, or in calibration mode, after one hour of no use	10	CTN :35*32*46cm 25PCS/ CTN NW:8.75kg GW:10kg	

## Bottle-Top Dispensers DispensMate



**Features**

- Excellent chemical resistance, components are made of PTFE, FEP, BSG, PP
- Fully autoclavable at 121°C
- Four ranges of bottle-top dispenser covering a volume range from 0.5mL to 50mL
- Easy for cleaning and maintenance
- The optional flexible discharge tube with safety handle permits fast and precise dispensing
- Vapor pressure Max. 500mbar, viscosity max. 500mm<sup>2</sup>/s, temperature max. 40°C, density max. 2.2g/cm<sup>3</sup>
- Dispensmate Plus is supplied with 540, GL32, GL38, GL25, GL28 sized adaptors

**Specifications**

Cat. No.	Volume Range mL	Graduation mL	A ≤ ±		CV ≤	
			%	μL	%	μL
731100047777	5.0-50	1.0	0.5	250	0.1	50



**Easy-to-use volume adjustment**




**Smooth piston design provides effortless dispensing**


**Adapters allow fitting to standard reagent bottles**

**Filling tube adjusts easily for different size bottles**









**Closure cap protects against reagent contact and is easy to attach and remove, without taking glove off.**





Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
QT78	Inverter	 	Dc 12V to AC 110V, voltage 400W and 800W	12	12PCS/ CTN NW:20kg GW:21kg	
J31	Honey heating pot	 	Material:SUS304 Weight:618g Volume:1.5L	36	CTN:53*45*34cm 12PCS/CTN NW:7.8kg GW:9.85kg	
J32	Honey heating pot	 	Material:SUS304	120	CTN:58*46*81cm 60PCS/CTN NW:12kg GW:16kg	
QT68	Bee venom acquisition instrument	 	One single output acquisition controller, one power grid, 3500mah large-capacity lithium battery,5V2A charger	5	CTN:55.5*46*10.8cm 1PCS/CTN NW:1kg GW:1.5kg	


Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
Q180	Honey jar linen bag		Material: Linen Product size: 25*9*15cm Attached picture of honey just for reference	1000	CTN:25*25*20cm 1PCS/CTN NW:5kg GW:6kg	
Q181	Plastic-coated pushpin		Material: plastic, metal Specification: 10 * 10 mm Packing: 100 PCS/transparent plastic box (68*54*24mm) Weight: about 36g Color: 12 monochrome optional	500	CTN:45*23*11cm 100PCS/CTN NW:3.6kg GW:4kg	
<b>Pest control tools</b>						
PC01	Oxalic acid heater		handle: wooden ,meterial: stainless steel & aluminum voltage:12 v,temperature : 160°-190°	30	CTN:57*43*43cm 30PCS/CTN NW:15kg GW:16.05kg	





Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
PC02	Formic acid dispenser	 <p>Benefitbee®</p>	Material:pp+Plastic	120	CTN:45*45*27cm 60PCS/CTN NW:14.16kg GW:15.35kg	
PC04	Smoke mite eliminating machine	 <p>Benefitbee®</p>	Weight:3.9KG	10	CTN:52*45*27cm 1PCS/CTN NW:3.9kg GW:4.9kg	
PC05	Acarid fumigator	 <p>Benefitbee®</p>	Material:SUS304	300	CTN:38*33*49cm 60PCS/CTN NW:12.66kg GW:13.35kg	
PC06	Black beetle trap	 <p>Benefitbee®</p>	Material:PP ,Size: 22.5cm,weight: 9g	800	CTN:64*51*42cm 800PCS/CTN NW:7.2kg GW:7.55kg	











Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
PC07	Plastic beetle trap		Material:PP ,Size: 17.5cm,weight: 14g	1400	CTN:61*51*51cm 1400PCS/CTN NW:14KG GW:21.55kg	
PC08	Beetle trap box		material: pp,size: 9.3x7.70.8cm ,weight: 18g	500	CTN: 45*25*36cm 500PCS/CTN NW:8.1KG GW:8.85kg	
 PC09	 acid heater		voltage: 12V	200	CTN: 63*51*40cm 50PCS/CTN NW:25.2KG GW:25.85kg	
 PC09-2	 c acid heater		Connectthevaporizerto12Vpowersource.It will take approximately 15 minutes to reach preset temperature.The red sequence readout will display 280 when ready.in the white lids (recess sideup)placetheappropriateamountofOA.Invert the vaporizer. Take the white lid containing the OA and push it onto the bowl(becareful the vaporizer bowl is very HoT!) Place the still inverted vaporizer stem (with lid attached)into the drilled hole then turn the vaporizer right side up and tap thelid.The acid willfallintothe bowland start to vaporize.This will take	40	CTN:50*46*30cm 10PCS/CTN NW:13kg GW:13.65kg	





Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
NEW 9-3	CE c acid heater		Connect the vaporizer to 220V/110V power source. It will take approximately 1 minutes to reach preset temperature. The red sequence readout will display 280 when ready. In the white lids (recess side up) place the appropriate amount of OA. Invert the vaporizer. Take the white lid containing the OA and push it onto the bowl (be careful the vaporizer bowl is very HOT!) Place the still inverted vaporizer stem (with lid attached) into the drilled hole then turn the vaporizer right side up and tap the lid. The acid will fall into the bowl and start to vaporize. This will take	40	CTN:50*46*30cm 10PCS/CTN NW:13kg GW:13.65kg	
NEW 10	Formic acid dispenser		φ: 11.5cm H:2.8cm Material:PP+foam weight:60g	1000	CTN:50*40*54cm 250PCS/CTN NW:12kg GW:12.5kg	
NEW 11	Formic acid dispenser		φ:17cm H:4.5cm Material:PP ,weight: 160g	1000	100PCS/CTN NW:16kg GW:16.8kg	
NEW 12	Formic acid dispenser		Material:PP	350	CTN:60*55*28cm 70PCS/CTN NW:10kg GW:11.5kg	









Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
 13	Mite smoker (not included)		Material:PP+SUS201 dry battery(not included)	120	CTN:68*45*35m 40PCS/CTN NW:17kg GW:17.20kg	
 14	Metal beetle trap		Material:aluminum ,Size: 29.5*4*3cm,weight: 60g	300	CTN:42*32*36cm 300PCS/CTN NW:18kg GW:18.2kg	
 15	plastic beetle trap		Material:PP	500	CTN:62*46*49cm 1000PCS/CTN NW:25.4kg GW:26.5kg	
 16	Varroa Check		Product size: L14.5*diameter 10cm, product weight: 150g, material: PP	100	CTN:55*56*32cm 50PCS/CTN NW:89.2kg GW:9.65kg	

Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
 PC18	Stainless steel varroa fumigato		Voltage: 12 v	20	CTN:62*41*50cm 20PCS/CTN NW:22kg GW:24kg	
<b>Bee medicines</b>						
BM22	Varroa mite-killer		Content : 50mg/pcs Usage and dose : each standard group (10 spleen bee ) using a 1/4 of the way corner or hang on bee nest door in sert the pill. Specification : 50mg *20 strips/bag	100	CTN:52*45*27cm 200BAG/CTN NW:10.6kg GW:11.3kg	
BM22-1	Varroa mite-killer		Content : 50mg/pcs Usage and dose : each standard group (10 spleen bee ) using a 1/4 of the way corner or hang on bee nest door in sert the pill. Specification : 50mg *20 strips/bag	100	CTN:52*45*27cm 200BAG/CTN NW:12.2kg GW:12.9kg	





Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
BM22-2	Varroa mite-killer		<p>Content : 50mg/pcs            Usage and dose : each standard group (10 spleen bee ) using a 1/4 of the way corner or hang on bee nest door in sert the pill.            Specification : 50mg *20 strips/bag</p>	100	CTN:40*25*35cm 200BAG/CTN NW:11.9kg GW:11.9kg	
BM22-3	Mite killer		<p>length :275mm            20 strips/bag            Weight: 55g</p>	100	CTN:52*45*27cm 200BAG/CTN NW:10kg GW:10.9kg	
BM22-4	Mite killer		<p>Weight: 52g</p>	100	CTN:52*45*27cm 200BAG/CTN NW:10kg GW:10.9kg	
BM25-1	Golden mite-killer		<p>Content : 50mg/pcs            Usage and dose :Hanging the strips with diagonal direction in bee hive, or inserting the strips into hive door. One piece for weaker colony and two pieces for stronger colony generally.</p>	100	CTN:52*45*27cm 200BAG/CTN NW:10kg GW:10.9kg	





Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
BM25-2	Golden mite-killer		Content : 50mg/pcs Usage and dose :Hanging the strips with diagonal direction in bee hive, or inserting the strips into hive door. One piece for weaker colony and two pieces for stronger colony generally.	100	CTN:52*45*27cm 200BAG/CTN NW:10.2kg GW:10.9kg	
BM26	Prosperous mite-killer		Content : 50mg/pcs Usage and dose : each standard group (10 spleen bee ) using a 1/4 of the way corner or hang on bee nest door in sert the pill. Specification : 60mg *20 strips/bag	100	CTN:52*45*27cm 200BAG/CTN NW:10kg GW:10.9kg	
BM41	Amitraz aerosol (Zhenxing)		Specification :418ML/ bottle Composition: Double onyx Material: liquid Validity :2 years Use: Beekeeping tools;kill mites that hunting bees	90	CTN:52*45*24cm 30 pcs/ctn NW:13.5kg GW:14.15kg	
BM42	Formic acid aerosol (Zhenxing)		Specification :418ML/ bottle Composition: Formic acid Material: liquid Validity :2 years Use: Beekeeping tools;kill mites that hunting bees	90	CTN:52*45*24cm 30 pcs/ctn NW:13.2kg GW:14.1kg	




Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
BM43	Fluvalinate Strips Specification: 10 strips/bag or 20 strips/bag,Arabic version		Active Ingredient : Fluvalinate40-50mg strip	100	100pcs/ctn	
BM45	Fluvalinate Strips Specification: 10 strips/bag or 20 strips/bag		Active Ingredient : Fluvalinate40-50mg strip	100	CTN:40*30*30cm 500 pcs/ctn NW:25kg GW:27kg	
BM46	or 20 strips/bag,Arabic version		Active Ingredient : Fluvalinate40-50mg strip	100	CTN:40*30*30cm 500 pcs/ctn NW:25kg GW:27kg	
BM47	MANPULIKE Main Ingredient: TaufluvalinateSpecifical ion: 10 strips/bag,20 strips/bag		Active Ingredient : Fluvalinate40-50mg strip	100	CTN:40*30*30cm 500 pcs/ctn NW:25kg GW:27kg	




Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
BM48	Manjing - Flumethrin Strips Specification: 10 strips/bag or 20 strips/bag	 	Flumethrin 3.6mg/strip	100	CTN:40*30*30cm 500 pcs/ctn NW:25kg GW:27kg	
BM49	Mavrilk - Fluvalinate Strips Specification: 20 strips/bag	 	Fluvalinate 50mg/strip	100	CTN:40*30*30cm 400 pcs/ctn NW:26kg GW:28kg	
BM50	Manhao pro-Fluvalinate Strips Specification: 40*2 strips/bag	 	Fluvalinate 80-90mg/strip	100	CTN:40*30*30cm 300 pcs/ctn NW:30kg GW:32kg	
BM51	Man Jie - Formic Acid Aerosol Specification: 550ml/bottle	 	Formic Acid	112	CTN:40*30*30cm 56 pcs/ctn NW:28kg GW:30kg	











Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
BM52	Miticide - Amitraz Solution Aerosol		Amitraz	112	CTN:40*30*30cm 56 pcs/ctn NW:28kg GW:30kg	
BM53	Bee liquid ( 100ml )		instructions for the Use of Magic Bee-hiring Water JINHAINA This product is refined from more than 20 precious Chinese medicines mixed with quee bee pheromone. It can send out strong information to lure bees within 1 kilometer into your hive. This product is an adjuvant drug to induce bees. It is based on the traditional method of bee harvesting to provide the product with the success rate of bee harvesting. It requires that the bee trapper must have mature experience of bee harvesting and	112	CTN:43*20.5*28.5cm 56 pcs/ctn NW:14kg GW:13kg	
BM54	Bee trap lure ( 30ml )		Product size: 10.4cm * 3.1cm * 3.1cm Specifications: 30ml HOW TO USE IT ① beehive door and surrounding area. If you are using an old box, please apply this product to the If you are using a new beehive with an unpleasant smell. ② wall and apply it evenly We need to use this product to smear all parts of the inner It is best to lure bees in the bee-splitting period. the success rate is much higher.	100	CTN:40*37*22cm 300 pcs/ctn NW:13.8kg GW:14.8kg	
BM55	Bee bait ( 60ml )		Product size: 14cm * 5.5cm * 3.5cm Specifications: 60ml HOW TO USE IT ① beehive door and surrounding area. If you are using an old box, please apply this product to the If you are using a new beehive with an unpleasant smell. ② wall and apply it evenly We need to use this product to smear all parts of the inner It is best to lure bees in the bee-splitting period. the success rate is much higher.	230	CTN:40*37*22cm 230 pcs/ctn NW:15.5kg GW:14.5kg	

Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
			<b>Beeswax</b>			
BW01	Beeswax grade A		Pure beeswax content: 30%	500	25KG/BAG	
BW02	Beeswax grade B		Pure beeswax content: 50%	500	25KG/BAG	
BW03	Beeswax grade B		Pure beeswax content: 80%	500	25KG/BAG	











Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
BW04	Beeswax grade C		Pure beeswax content: 100%	500	25KG/BAG	
BW05	Pure beeswax		Pure beeswax	500	25KG/BAG	
<b>Bee fodder</b>						
HF02	Rape pollen		1KG/BAG	500	CTN :46*35*22 cm 20BAGS/CTN NW : 20KG GW:21KG	

Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
HF04	Mixed pollen		1KG/BAG	500	CTN :51*32*27 cm 20BAGS/CTN NW : 20KG GW:20.9KG	
HF05	Sunflower pollen		1KG/BAG	500	CTN :46*35*22 cm 20BAGS/CTN NW : 20KG GW:21KG	
HF06	Buckwheat pollen		1KG/BAG	500	CTN :46*35*22 cm 20BAGS/CTN NW : 20KG GW:21KG	
<b>Honey pail</b>						


Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
HA18L-C	18 liters plastic honey pail (America style)	 	Material:PP Capacity:18 liters Dia:300 Height:360	40	CTN:33*33*190cm 20PCS/CTN NW:16.4kg GW:17kg	
HA20L-A	20 liters plastic honey pail (zipper lid)	 	Material:PP Capacity:20 liters Dia:300 Height:380	40	CTN:33*33*190cm 20PCS/CTN NW:17kg GW:18kg	
HA20L-B	20 liters plastic honey pail with thickened body	 	Material:PP Capacity:20 liters Dia:300 Height:380	40	CTN:33*33*195cm 20PCS/CTN NW:17kg GW:18.5kg	
HA20L-C	20 liters plastic honey pail (America style)	 	Material:PP Capacity:20 liters Dia:293 Height:380	40	CTN:33*33*195cm 20PCS/CTN NW:19.9kg GW:17kg	










Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
HB25-A	25kg honey pail with flat cover(Plastic honey gate)	 	Material:SUS201,Honey volume: 20L,Bucket body thickness:0.8MM,Diameter:30cm,Height:30cm Processing technology:Seamless welding &polishing,	20	CTN:36*36*34cm 1 pcs/CTN NW:3 kg GW:3.7kg	
HB50-A	50kg honey pail with flat cover(Plastic honey gate)	 	Material:SUS201,Honey volume: 38L,Bucket body thickness:0.8MM,Diameter:35cm,Height:40cm Processing technology:Seamless welding &polishing,	20	CTN:41*41*44cm 1 pcs/CTN NW:3.1 kg GW:5.35 kg	
HB75-A	75kg honey pail with flat cover(Plastic honey gate)	 	Material:SUS201,Honey volume: 56L,Bucket body thickness:0.8MM,Diameter:40cm,Height:45cm Processing technology:Seamless welding &polishing,	20	CTN:44*44*48cm 1 pcs/CTN NW:5 kg GW:6.5kg	
HB100-A	100kg honey pail with flat cover(Plastic honey gate)	 	Material:SUS201,Honey volume: 78L,Bucket body thickness:0.8MM,Diameter:45cm,Height:50cm Processing technology:Seamless welding &polishing,	20	CTN:50*50*54cm 1 pcs/CTN NW:6.65kg GW:7.65kg	












Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
HB150-A	150kg honey pail with flat cover(Plastic honey gate)	  	Material:SUS201,Honey volume:114L,Bucket body thickness:0.8MM,Diameter:50cm,Height:58cm Processing technology:Seamless welding &polishing,	20	CTN:56*56*63cm 1 pcs/CTN NW:8.5kg GW:9.6kg	
HB200-A	200kg honey pail with flat cover(Plastic honey gate)	  	Material:SUS201,Honey volume: 154L,Bucket body thickness:0.8MM,Diameter:60cm,Height:55cm Processing technology:Seamless welding &polishing,	20	CTN:65*65*63cm 1 pcs/CTN NW:11kg GW:12.25kg	
 HB25-C	25kg honey pail with flat cover(304 stainless steel honey gate)	  	Material:SUS201,Honey volume: 20L,Bucket body thickness:0.8MM,Diameter:30cm,Height:30cm Processing technology:Seamless welding &polishing,(welding 304 stainless steel honey gate)	40	CTN:35*35*33cm 1 pcs/CTN NW:3 .5kg GW:4 .5kg	
 HB50-C	50kg honey pail with flat cover(304 stainless steel honey gate)	  	Material:SUS201,Honey volume: 38L,Bucket body thickness:0.8MM,Diameter:35cm,Height:40cm Processing technology:Seamless welding &polishing,(welding 304 stainless steel honey gate)	40	CTN:39*39*43cm 1 pcs/CTN NW:3.8 kg GW:4.8 kg	





Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
 HB150-C	75kg honey pail with flat cover(304 stainless steel honey gate)	 	Material:SUS201,Honey volume: 56L,Bucket body thickness:0.8MM,Diameter:40cm,Height:45cm Processing technology:Seamless welding &polishing,(welding 304 stainless steel honey gate)	40	CTN:45*45*50cm 1 pcs/CTN NW:5.5kg GW:6.5 kg	
 HB100-C	100kg honey pail with flat cover(304 stainless steel honey gate)	 	Material:SUS201,Honey volume: 78L,Bucket body thickness:0.8MM,Diameter:45cm,Height:50cm Processing technology:Seamless welding &polishing,(welding 304 stainless steel honey gate)	40	CTN:50*50*54cm 1 pcs/CTN NW:7kg GW:8kg	
<b>HB150-C</b>	150kg honey pail with flat cover(304 stainless steel honey gate)	 	Material:SUS201,Honey volume:114L,Bucket body thickness:0.8MM,Diameter:50cm,Height:58cm Processing technology:Seamless welding &polishing,(welding 304 stainless steel honey gate)	40	CTN:56*56*63cm 1 pcs/CTN NW:9.5kg GW:10.6kg	
 HB200-C	200kg honey pail with flat cover(304 stainless steel honey gate)	 	Material:SUS201,Honey volume: 154L,Bucket body thickness:0.8MM,Diameter:60cm,Height:55cm Processing technology:Seamless welding &polishing,	40	CTN:65*65*63cm 1 pcs/CTN NW:11.5kg GW:12.5kg	








Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
HC50-201	Honey pail with filter	  	Material:SUS201,Honey volume: 50L	20	CTN:41*41*65cm 1 pcs/CTN NW:4.35kg GW:6.35kg	
HC50	CE lization honey tank	 	Material:SUS201 Capacity:70L Remark:It melts the wax by heating water round the bucket(double-layer bucket) and also with the heating plate on the bottom	10	CTN:53*53*77cm 1 pcs/CTN NW:16kg GW:17kg	
TW70-A	CE regulated zation honey tank	 	Material:SUS201 Honey volume: 70L Remark: It melts the wax through the bottom heating plate	10	CTN:46*46*54cm 1 pcs/CTN NW:6.5kg GW:7.25kg	
TW70-B	CE o regulated ization honey tank(304 stainless stee honey gate)	  	Material:SUS201 Honey volume: 70L Remark: It melts the wax through the bottom heating plate	10	CTN:46*46*54cm 1 pcs/CTN NW:6.5kg GW:7.25kg	












Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
HAP01	Pail opener	  	Material:PP,Color: Red, yellow,suitable for 3-25L plastic pail	230	CTN:52*45*27cm 230PCS/CTN NW15.18KG GW:17.45kg	
HAP02	Honey tank support	 	Material:SUS201	100	CTN:36*32*43cm 50PCS/CTN GW:12.5kg GW:13.3kg	
HAP02-2	Honey tank support	 	Material:SUS201	120	CTN:40*40*45cm 40PCS/CTN NW:18.8kg GW:19.5kg	
HAP02-3	Honey Pail Support	 	Material: Engineering plastic	100	CTN:52*32*34cm 100PCS/CTN NW:9.4kg GW:10.5kg	

Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
 HAP02-4	Honey tank support	 	Material:SUS304,Weight : 570g,Size:28x12cm	100	CTN:53*46*28cm 50PCS/CTN NW:28.2kg GW:28.85kg	
HAP03	Plastic frame scraper	 	material: pp size: 33x14x2cm weight: 468g	60	CTN:54*45*32cm 60pcs/ctn NW:24.2kg GW:25kg	
 HAP04	Honay tank stand	 	Height: 50cm, diameter: 30cm, Height: 50cm, diameter: 35cm Height: 50cm, diameter: 40cm, Height: 50cm, diameter: 45cm Height: 50cm, diameter: 50cm, Height: 50cm, diameter: 52cm Material: 201, no magnetic, Foldable design, bearing capacity: 60kg Both sides can be used to support the barrel.One side is 14.5cm above the ground and the other - 8.5cm	45	CTN:73.5*53.5*90cm 15PCS/CTN NW:24.75kg GW:29kg	
 HAP05	Honay tank stand	 	Diameter 32cm, Height 35cm. Packing: 1pc/inner carton (90*65*395)mm; 6pcs/outer box (195*145*410mm) Material: 201 T=2.0mm single side wire drawing	48	CTN:20*15*41cm 6PCS/CTN NW:18kg GW:19kg	

Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
NEW 05-2	Honay tank stand		Diameter 41cm, Height 35cm. Packing: 1pc/inner carton (90*65*395)mm; 6pcs/outer box (195*145*410mm) Material: 201 T=2.0mm single side wire drawing	48	CTN:20*15*41cm 6PCS/CTN NW:19.2kg GW:20kg	
NEW 03	Honay tank stand		Diameter 47cm, Height 35cm Packing: 1pc/inner carton (90*65*410)mm; 6pcs/outer box (195*145*435mm) Material: 201 T=2.0mm single side wire drawing	48	CTN:20*15*44cm 6PCS/CTN NW:21kg GW:22kg	
HAP06	Blanket Rongmibao( Honey melter) BEST INNOVATION IN APIARAB 2019		Size:140*44cm Electric:220V Average power:160W NW:1.5KG GW:2KG one pc/box HS:6301300000	120pcs	CTN:85*50*40cm 8PCS/CTN NW:5kg GW:6kg	
NEW 07	Honey Mixer		Total length: 610mm spiral outer diameter 80mm Straight rod diameter: 10mm, spiral diameter 6mm, spiral height 250mm Material: 304 stainless steel	60	CTN:62*51*20cm 20PCS/CTN NW:16kg GW:18kg	













Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
HAP07-2	Honey Mixer		<p>Total length: 600mm  Material: 304 stainless steel  Bar diameter: 10mm  Spiral diameter: 100mm  The wall thickness of the spiral disk is 1.2mm  The position of the two spiral discs can be adjusted,  and the inner nut is fixed</p>	60	CTN:63*61*36cm 30PCS/CTN NW:15kg GW:15.5kg	
 -3	Honey Mixer		<p>Total length: 500mm  Material: 304 stainless steel  Bar diameter: 10mm  Spiral diameter: 95mm  Spiral height 104mm</p>	60	CTN:58*54*33cm 30PCS/CTN NW:14.5kg GW:15.5kg	
 08	Honey straining heater		<p>Honey straining heater 550W for ø 32 cm strainers.  Does straining honey annoy you too?  The heating spiral makes it easy to filter even cold  or crystallized honey and it can also be used to  liquefy honey as well. You can adjust the  temperature between 30 - 85 °C.  Since honey is liquified at about 35-40 °C, the  heating coil has to be adjusted to a temperature  higher than this. Operation at higher temperatures is  possible without damaging the honey, because it will  leave the system as soon as it is liquified at about</p>	30	CTN:60*40*100cm 10PCS/CTN NW:14.5kg GW:16kg	
<b>Honey gates</b>						





Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
 01	Honey gate	 	Thread outer diameter :45mm (For honey extractor hole),Material:ABS(White/Orange/Yellow/Green/Red)	200	CTN:51*34*36cm 200PCS/CTN NW:15.2kg GW:16kg	
HG02	Honey gate(Yellow)	 	Thread outer diameter :45mm (For honey extractor hole) Material:Nylon	200	CTN:52*36*39cm 200PCS/CTN NW:18kg GW:18.95kg	
HG03	Honey gate(White)	 	Thread outer diameter :48mm (For honey extractor hole),Material:Nylon	200	CTN:52*39*39cm 200PCS/CTN NW:18kg GW:19kg	
 4	Honey gat(PP)	 	Thread outer diameter :44mm (For honey extractor hole),Material:PP	200	CTN:52*45*30cm 200PCS/CTN NW:17.6kg GW:18.95kg	





Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
HG06	Honey gate(Stainless)	 	Thread outer diameter :45mm (For honey extractor hole),Material:SUS304,Weight:487g	50	CTN:45*23*14cm 50PCS/CTN NW:20.05kg GW:20.65kg	
 07	Honey gate(Stainless)	 	Thread outer diameter :45mm (For honey extractor hole),Material:SUS304,Weight:487g	90	CTN:27*20*31cm 30PCS/CTN NW:12.1kg GW:12.45kg	
 8	Honey gate(European style nylon)	 	φ: 45cm,Material:Nylon	320	CTN:52*38*38cm 160PCS/CTN NW:15kg GW:15.9kg	
 9	Honey gate(Push type)	 	Material: Nylon,diameter: 48mm,weight: 290g	500	CTN:54*41*38cm 50PCS/CTN NW:27.1kg GW:30kg	

Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
NEW 1	Honey gate(European style Stainless steel )		material: SUS304,diameter:48cm weight:408g	90	30PCS/CTN NW:12kg GW:12.55kg	
	Honey gate (304)		A solid, stainless steel, self closing, no-drip valve, threads. Rising plunger valve. Will fit tanks with 1' male thread outlet directly with no adapters. 1. Installation method: G3/4 internal thread connection 2. Stop time: 1-2S 3. Filling speed: 1 L/min 4. Applicable materials: liquid, paste (without particulate matter)	50	CTN:33*15*12cm 2PCS/CTN NW:1.9kg GW:2.3kg	
<b>Glass bottle</b>						
NEW	honey glass bottle(180ml)		Diameter 5.2cm height 8.5cm side 6.2cm	1000	CTN:58*34*27cm 120PCS/CTN NW:18kg GW:19kg	







Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
	honey glass bottle(380ml)	 	Diameter 6.5cm height 10cm side 8cm	1000	CTN:52.5*38.5*32cm 72PCS/CTN NW:18kg GW:19kg	
	honey glass bottle(730ml)	 	Diameter7.5cm height 12cm side 10cm	1000	CTN:52.5*38.5*32cm 45PCS/CTN NW:21kg GW:22kg	
	Boston Round Dropper bottle with plastic cap	 	Capacity: 5ml、 10ml、 15ml、 20ml、 30ml、 50ml、 100ml	3000	CTN:40*30*16cm 765PCS/CTN NW:17.6kg GW:18kg	
	Propolis bottle with plastic cap	 	Capacity: 5ml、 10ml、 15ml、 20ml、 30ml、 50ml、 100ml	3000	CTN:40*30*16cm 765PCS/CTN NW:17.6kg GW:18kg	

Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
NEW 4	Spray bottle		Capacity: 5ml、 10ml、 15ml、 20ml、 30ml、 50ml、 100ml	3000	CTN:40*30*16cm 765PCS/CTN NW:17.6kg GW:18kg	
NEW 5	Cosmetics Packing Jars		Capacity: 5ml、 10ml、 15ml、 20ml、 30ml、 50ml、 100ml	3000	CTN:47*30*25cm (30ml) 288PCS/CTN NW:17.6kg GW:18kg	
NEW 13	honey glass bottle(380ml)		Caliber: 69.5mm Height: 104mm Weight: 200g	2000	CTN:33.5*25*10.3cm 12PCS/CTN NW:2.4kg GW:3kg	
NEW 14	honey glass bottle(770ml)		Caliber: 80mm height: 137mm product weight: 350g	2000	CTN:40*30*10.3cm 12PCS/CTN NW:4.2kg GW:4.5kg	









Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY	
			<b>Wax press</b>				
ZS01	Stainless steel wax press		Material :SUS201,Diameter of wax press:26.5cm,Height of wax press: 49cm	20	CTN: 37*37*57cm 1PCS/CTN NW:8.5kg GW:8.65kg		
ZS01-2	Stainless steel wax press with splash collar		Material :SUS201,Diameter of wax press:26.5cm,Height of wax press: 49cm	20	CTN: 37*37*57cm 1PCS/CTN NW:10.85kg GW:11.65kg		
ZS02	Stainless steel wax press		Material :SUS201, Diameter of wax press:26.5cm,Height of wax press: 49cm	20	CTN: 37*37*57cm 1PCS/CTN NW:7.5kg GW:8.1kg		









Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
ZS02-2	Stainless steel wax press with splash collar	 	Material :SUS201,Diameter of wax press:26.5cm,Height of wax press: 49cm	20	CTN: 37*37*57cm 1PCS/CTN NW:8kg GW:8.85kg	
ZS03	Stainless steel wax press(Jack)	 	Material :SUS201,Diameter of wax press:26.5cm,Height of wax press: 49cm	20	CTN: 37*37*57cm 1PCS/CTN NW:11.5kg GW:12kg	
ZT01	Iron wax press	 	Material :Iron Diameter of wax press:26.5cm,Height of wax press: 49cm	20	CTN:37*37*57cm 1PCS/CTN GW:9.5kg	
ZT01-2	Iron wax press with splash collar	 	Material :Iron ,Diameter of wax press:26.5cm,Height of wax press: 49cm	20	CTN: 37*37*57cm 1PCS/CTN NW:12kg GW:12kg	

Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
ZT01-B	Iron wax press	 	Material :Iron,Diameter of wax press:26.5cm,Height of wax press: 49cm	20	CTN:56*44*34cm 1PCS/CTN GW:9.5kg	
ZT01-B2	Iron wax press with splash collar		Material :Iron,Diameter of wax press:26.5cm,Height of wax press: 49cm	20	CTN:56*44*34cm 1PCS/CTN GW:12kg	
ZT02	Iron wax press		Material :Iron,Diameter of wax press:26.5cm,Height of wax press: 49cm	20	CTN: 37*37*57cm 1PCS/CTN NW:9kg GW:9.5kg	
ZT02-2	Iron wax press with splash collar		Material :Iron,Diameter of wax press:26.5cm,Height of wax press: 49cm	20	CTN: 37*37*57cm 1PCS/CTN NW:12kg GW:12.65kg	










Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
ZT03	Iron wax press (Jack)		Material :Iron,Diameter of wax press:26.5cm,Height of wax press: 49cm	20	CTN:56*44*34cm 1PCS/CTN NW:9kg GW:9.5kg	
ZT04	Stainless steel wax press		Material :SUS201,Diameter of wax press:26.5cm,Height of wax press: 57cm	20	CTN:46*36*44cm 1PCS/CTN NW:12 kg GW:12.65kg	
 5	Stainless steel wax press (Large)		Material :SUS201,Color: Silver Gross weight: 25 KG Material: 201 stainless steel Capacity: 10L Inner barrel: 33*38cm External tank: 40*40cm Size: 49.5*39.5cm Mesh diameter: 0.6cm	20	CTN:52*43*52cm 1PCS/CTN NW:22.2kg GW:24.9kg	





**foundation machines**









Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
FM01	Fully automatic beeswax machine (wooden case packing)	 	Roller size: 170*750mm (Stock size 350mm), Power supply:380V/220V Powder:3kw,Speed:3/min,Roller diameter: 200mm,Cooling mode:water cooling,Output capacity: 50-60kg/hour Machine dimension: 260*95*140cm	1	CTN :295* 115* 165cm 1PCS/CTN GW: 650kg/Carton	
FM02-1	Manual beeswax embossing machine (wooden case packing)	 	Material: aluminum alloy,Cell size: 5.4mm or 4.9mm,Roller length: 195mm,Cylinder diameter: 86mm	1	CTN :63*33*33cm 1PCS/CTN GW: 42kg/Carton	
FM02-1D	Electrical beeswax embossing machine (wooden case packing)	 	Material: aluminum alloy,Cell size: 5.4mm or 4.9mm,Roller length: 195mm,Cylinder diameter: 86mm,Power supply :220V Power(kw):0.75kw Speed:40/min	1	CTN:92.5*59.5*63cm 1PCS/CTN GW: 117kg/Carton	
FM02-2	Manual beeswax embossing machine (wooden case packing)	 	Material: aluminum alloy ,Cell size:5.4mm or 4.9mm,Roller length: 250mm ,Cylinder diameter: 86mm	1	CTN:63*33*33cm 1PCS/CTN GW: 42kg/Carton	








Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
FM02-2D	Electrical beeswax embossing machine (wooden case packing)	 	Material: aluminum alloy,Cell size:5.4mm or 4.9mm,Roller length: 250mm,Cylinder diameter: 86mm,Powersupply:220V Power(kw):0.75kw,Speed:40/min	1	CTN:92.5*59.5*63cm 1PCS/CTN GW: 117kg/Carton	
FM02-3	Manual beeswax embossing machine (wooden case packing)	 	Material: aluminum alloy,Cell size: 5.4mm or 4.9mm,Roller length: 310mm,Cylinder diameter: 86mm	1	CTN:63*33*33cm 1PCS/CTN GW: 42kg/Carton	
FM02-3D	Electrical beeswax embossing machine (wooden case packing)	 	Material: aluminum alloy,Cell size:5.4mm or 4.9mm,Roller length: 310mm,Cylinder diameter: 86mm,Power supply :220V Power(kw):0.75kw,Speed:40/min	1	CTN:92.5*59.5*63cm 1PCS/CTN GW: 117kg/Carton	
FM02-4D	Electrical beeswax embossing machine (wooden case packing)	 	Material: aluminum alloy,Cell size:5.4mm or 4.9mm,Roller length: 450mm,Cylinder diameter: 86mm,Power supply :220V Power(kw):0.75kw,Speed:40/min	1	CTN:92.5*59.5*63cm 1PCS/CTN GW: 117kg/Carton	











Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
FM03-1	Manual beeswax embossing machine( parallel) wooden case packing	  	Material: aluminum alloy,Cell size:5.4mm or 4.9mm,Roller length: 310mm,Cylinder diameter: 86mm	1	1PCS/CTN GW: 30kg/Carton	
FM03-2	Manual beeswax embossing machine( parallel) wooden case packing	 	Material: aluminum alloy, Cell size:5.4mm or 4.9mm,Roller length: 350mm , Cylinder diameter: 86mm	1	1PCS/CTN GW: 35kg/Carton	
FM03-3	Manual beeswax embossing machine( parallel) wooden case packing	 	Material: aluminum alloy,Cell size:5.4mm or 4.9mm,Roller length: 500mm,Cylinder diameter: 86mm	1	1PCS/CTN GW: 40kg/Carton	
FM03-4	Manual beeswax embossing machine( parallel) wooden case packing	 	Material: aluminum alloy,Cell size:5.4mm or 4.9mm,Roller length: 350mm,Cylinder diameter: 170mm	1	1PCS/CTN GW: 50kg/Carton	

Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
FM03-5	Manual beeswax embossing machine( parallel) wooden case packing	 	Material: aluminum alloy,Cell size:5.4mm or 4.9mm,Roller length: 500mm,Cylinder diameter: 170mm	1	1PCS/CTN GW: 60kg/Carton	
FM03-6	Manual beeswax embossing machine (wooden case packing)	 	Material: aluminum alloy,Cell size: 5.4mm or 4.9mm,Roller length: 450mm,Cylinder diameter: 86mm	1	CTN:63*33*33cm 1PCS/CTN GW: 42kg/Carton	
FM04	Beeswax embossing machine	 	Material: alumunium alloy ,Cell size: 4.9mm for Apis Cerana or 5.4mm for Apis Mellifera ,Size:420mm*220mm,195mm*395mm,200mm*350 mm,Due to customers measurements	1	CTN:43*10*28cm 1PCS/CTN NW:5.5kg GW: 6.65kg	
FM05-1	Manual beeswax flat sheet machine	 	Material: stainless steel,Roller length: 310mm ,Cylinder diameter: 75mm	1	CTN:61*28*28cm 1PCS/CTN NW:41kg GW:42kg	









Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
FM05-1D	Electrical beeswax flat sheet machine (wooden case packing)	 	Material: stainless steel, Roller length: 310mm, Cylinder diameter: 75mm, Power supply: 220V, Power (kw): 0.75kw, Speed: 40/min	1	CTN: 92.5*59.5*63cm 1PCS/CTN GW: 117kg/Carton	
FM05-2	Manual beeswax flat sheet machine (wooden case packing)	 	Material: stainless steel, Roller length: 350mm, Cylinder diameter: 75mm	1	CTN: 63*33*33cm 1PCS/CTN GW: 42kg/Carton	
FM05-2D	Electrical beeswax flat sheet machine (wooden case packing)	 	Material: stainless steel, Roller length: 350mm, Cylinder diameter: 75mm, Power (kw): 0.75kw, Speed: 40/min	1	CTN: 92.5*59.5*63cm 1PCS/CTN GW: 117kg/Carton	
FM05-3	Manual beeswax flat sheet machine (wooden case packing)	 	Material: stainless steel, Roller length: 500mm, Cylinder diameter: 75mm	1	CTN: 63*33*33cm 1PCS/CTN GW: 42kg/Carton	

Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
FM05-3D	Electrical beeswax flat sheet machine (wooden case packing)	 	Material: stainless steel, Roller length:500mm, Cylinder diameter: 75mm, Power supply :220V, Power(kw):0.75kw, Speed:40/min	1	CTN:92.5*59.5*63cm 1PCS/CTN GW: 117kg/Carton	
FM06	Comb silicone mold	 	size:40*22cm/42*22cm/44*30cm , hole size: 5.4mm blue/red/black/white	100	CTN:46*30*33cm 20PCS/CTN NW:10kg GW: 11kg	
	Updated Beeswax sheet machine	 	Size:44x22x3xcm, Material: Plastic+Aluminun+304 Stainless	10	CTN:51*31*8cm 1PCS/CTN NW:4.3kg GW: 4.5kg	




Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
FM09	Steam wax melter		Voltage/Frequency:220-240V~50HZ Input power: 1850W-2200W Capacity:3L/max, Working Time:45min, Black Tube Length:3.0m , With Black plate Imports Temperature Control VDE plug 1.5m Rubber cable(H05RN-F 3G1.0mm <sup>2</sup> ) Packing in mail Box CE GS EMC ROHS	40	CTN:53*32*57cm 4PCS/CTN NW:11kg GW: 12kg	
 -2	Steam wax melter		Voltage/Frequency: 220-240V~50/60Hz Input Power: 1850-2200W Boiler Capacity: 4.5L/max Steam Timer : 70 min Plate Size: 28x20cm Colorbox Size: 32x26x31 cm Quantityin : 20/40' 20:1016pcs/40:2200pcs CE GS EMC ROHS	40	CTN:54*33.5*64cm 4PCS/CTN NW:10kg GW: 12kg	
<b>processing machines</b>						
ME01	Insemination equipment			1	CTN: 46*23*30cm 1PCS/CTN GW:7.75kg	




Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
MEP05	Insemination equipment microscope		44x19x19 weight 4.5kg	1	CTN: 39*24*38cm 1PCS/CTN NW:4.5kg GW:4.85kg	
MEP01-2	Insemination equipment (standard edition)		One Artificial Insemination Instrument Of Queen Bee ( VE-QBAII-H1.4 ) : Including one Instrument Body , one Abdominal Hook , one Tail Clip , one Spiral Micro Syringe (1000μL ) , one Induction Room , one Anesthesia Room , three Special Needle for Queen Bee's Insemination , one Protective Box and an Instruction Manual . One Anesthesia System Of Queen Bee : one high-pressure 304 steel cylinder, one bubble recorder, one base, one valve, one hose One Three-eye Microscope	1	CTN: 39*24*38cm 1PCS/CTN NW:4.5kg GW:5kg	
MEP01-3	Insemination equipment (high-end version)		One Artificial Insemination Instrument Of Queen Bee ( VE-QBAII-H1.4 ) : Including one Instrument Body , one Abdominal Hook , one Tail Clip , one Spiral Micro Syringe (1000μL ) , one Induction Room , one Anesthesia Room , three Special Needle for Queen Bee's Insemination , one Protective Box and an Instruction Manual . One Anesthesia System Of Queen Bee : one high-pressure 304 steel cylinder, one bubble recorder, one base, one valve, one hose One Three-eye Microscope	1	CTN: 39*24*38cm 1PCS/CTN NW:4.5kg GW:4.85kg	
ME03	0.5 ton original flavor reflux concentrator		Size: 80*50*165cm Power: 7KW Material: food contact part SUS304	1	1PCS/CTN GW:120kg	




Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
ME03-B	1 ton original flavor reflux concentrator		Size: 80*50*165cm Power: 7KW Material: food contact part SUS304	1	1PCS/CTN GW:200kg	
ME16	Pollen dryer		Size: 60*40*30cm Capacity: 3-5kg/hour Vacuum pump power: 2KW	1	CTN:80*78*166cm 1PCS/CTN GW:124kg	
ME18	25kg melting wax bucket		Dimension(L*W*H): 36*36*64cm Power:1500W	2	CTN:45*45*72cm 2PCS/CTN GW:12kg	
ME20	Automatic spleen-cutter		Size: 156x98x146 CM  200KG	1	CTN:185*103*162c m 1 PCS / CTN GW:200kg	




Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
ME22	Honey and wax separating machine	 	Voltage:220V-380V power: 1.5kw-1.1kw Screw speed 30 revolutions per minute Screw diameter : 100mm Wax Extruding amount: 30kg/hour Size: 1100x450x900	1	CTN:120*56*86cm 1PCS/CTN NW:110kg GW:130kg	
ME24	Hand push type honey pumping&shaking machine	 	Honey extractor can be customized according to customer's requirement. Picture is 4 frames self-turning honey extractor. Manual honey extractor (4 frame) 1540x600x1030mm (LWH) , 78kg, 0.87KW, 220V Manual honey extractor (4 frame self-turning) 1650x800x1120mm (LWH) 100KG,0.93kw,220V 50HZ	1		
ME26	Frame support with filter tank	 	Material: Frame & lid:stainless steel 201, other parts SUS304 Size: 94.5x56.5x98.5cm	1	CTN:107*61*53CM 1PCS/CTN NW:41.5KG GW:39KG	
ME27	Solar melting beewax machine	 	Size:85x71x30cm 1pcs weight:26.7kg	1	CTN: 83*67*30CM 1PCS/CTN NW:22KG GW:23KG	







Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
ME39	Honey filling machine		Specification: 1, Working temperature: 15-120°C 2, Speed: 80g/second, 5.0kg/minute 3, Filling range: 50g-2500g 4, Solution tank: 33L, 47kg honey5, Driving voltage: 12V Solenoid voltage: 12V6, Service life: >200 thousand times 7, Working pressure : 0.3-0.8MP8, Power:5w 9, Weight: 13kg (Material: 202 stainless steel) / 15kg (Material: 304 stainless steel)	5	CTN:44*44*54CM 33*33*28CM ,2.75kg 1PCS/CTN NW:11.35KG GW:11.4KG	
ME39-2	CE filling machine		Rated voltage: DC12V AC110V AC220V Rated powder: 80W Item size:467mm * 322mm * 282mm Applicable capacity: 100g-5000g Flow rate: 500g 360 bottle/H Filling error: 1g-3g Filling height: 0-280mm Applicable viscosity: 36-43 Filling environment temperature: Above 15°C Applicable liquid temperature: 15-90°C	5	CTN:42*42*26CM 1PCS/CTN NW:10KG GW:10.2KG	
ME39-3	Honey filling and filtering machine		Rated voltage: DC12V AC110V AC220V Rated powder: 120W Item size:567mm * 322mm * 282mm Applicable capacity: 100g-5000g Flow rate: 500g 470 bottle/H Filling error: 1g Filling height: 0-380mm Applicable viscosity: Below 44 Baume degree Filling environment temperature: Above 5°C Applicable liquid temperature: 5-90°C	5	CTN:41*41*26CM 1PCS/CTN NW:10KG GW:11KG	





Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
	Swienty Honeypump		Product size: 360*200*150mm Pumping Amount (kg honey/h)~ 1000 kg/h Fittings2x 2" BS hose connection Materials: Massive Plastic Rotation Speed:180 RPM Length:26.5cm Width:14.5 cm Voltage:110-230 V/12V Pumping Amount (L/h)700 L/h Filter mesh number: 100 mesh	5	CTN:41*41*26CM 1PCS/CTN NW:8KG GW:9KG	
ME39-7	Honey filling machine		Product parameters Product number: CSY-L15 Rated voltage: AC220V 50Hz Rated power: 200W Maximum flow rate: 15L/Min Applicable capacity: 20g-10Kg  Filling error: ≤2-5g	5	CTN:35*35*40CM 1PCS/CTN NW:13KG GW:14KG	
ME39-8	Honey filling machine		Filling height: 0-40cm Total Weight: 12.5kg Product Size: 26cm*27cm*20cm Package dimensions: 35cm*35cm*35cm	5	CTN:35*35*40CM 1PCS/CTN NW:13KG GW:14KG	








Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
NEW 40	Handheld branding machine		Logo needs to be customized The LOGO needs to be customized and sent for confirmation			
ME41	Pollen dryer		The rated voltage 220v Rated power 800W Rated frequency 60/50Hz Temperature range 35-75 ° C The layer number of trays 6 layer	1	CTN:53*41*39CM 1PCS/CTN GW:8.9KG	
NEW 42	Pouch Packaging machine for Honey		Measuring Scope: 1 - 100 g (3- 100 ml) Bag Size: L: 30-170mm W:30-100mm Packing Speed: 30 - 60 bags/min Dimension(L*W*H): 900*1100*1590mm Weight:400 kg Total Power:220V /50Hz/1.4kw Capacity: 220L	1	CTN:100*120*165 CM 1PCS/CTN NW:400KG GW:430KG	

Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
ME43	Automatic Honey Spoon Packaging Machine		Power supply voltage (V/Hz): AC 220/50 Heat seal power (W):3300 Sealing speed 1000-1200 cups/hour (depending on the material and filling amount) Filling accuracy < 1g (depending on material) Temperature control range 0-400°C Cover material: PE PP PET/PE Overall dimensions: 1500×1500×1600mm (L×W×H) Net weight (kg):300	1	CTN:160*160*165 CM 1PCS/CTN NW:300KG GW:340KG	
ME44	Beehive Frame Making Machine		Product name: Beehive Frame Making Machine Voltage: Single phase 220V 50Hz Power: 1.1kw Suitable for: Langstroth beehive frame Accessories: 5 knives, 1 drill Overall size: 59*35*31cm Weight :30KG	1	CTN:62*38*34 CM 1PCS/CTN NW:30KG GW:35KG	
<b>Insect house</b>						
IH01	Insect house		Material: Bamboo + Wood,24*8*31cm	1000	CTN:58*29*45CM 25PCS/CTN NW:15KG GW:16KG	

Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
IH02	Insect house	 	Material: Bamboo + Wood,25*9*31CM	1000	CTN:53*31.5*24CM 50PCS/CTN NW:22.5KG GW:24KG	
<b>Bee crafts</b>						
BNC-001	Fortune Bee		Material: Plastic & Resin Technique: Plated Color: Golden Size: 17*17*28cm	10pcs	CTN:23*23*33cm 1PCS/CTN	
BNC-002	LED Smoker Keychain 44th Apimondia Apiculture bronze medal for Artistic Exhibition		Material:Plastic Diameter:2.5cm      Color:Silver	1200pc s (>10000 pcs can OEM)	CTN:27*18*3cm 12PCS/CTN	


Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
BNC-003	Bee Keychain		Material:Rubber Diameter:2.5cm	1000pc s	1pc/opp bag 1000pcs/plastic bag	
BNC-004	Trash can	 Benefitbee 蜜蜂:长98宽59高110厘米 桶高:直径35高70厘米	HS:3926400000 Material: Resin A single size:98*60*110cm	10pairs	1pc/carton+wooden frame Ctn size:72*51*62cm GW: 35 KG /CTN One pair Standard outsourcing wooden frame Size:75*50*65cm(0. 24CBM) Weight: 17 KG/pair	
BNC-006	Trash can		HS:3926400000 Material: Resin A single size:98*60*110cm	10pairs	6 designs/box Box size:20*11*15cm	
BNC-007	Motobike bee with clock Gold medal on 44th Apimondia		Material:Resin	40pcs	one pc /box CTN size:25*11*23.5cm	






Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
BNC-009	Bees lifting up honey		<p>Material: Resin            HS Code:392640000 size: 25*11*20cm</p>	15boxes	<p>1 pc/box            Box size:            29*16*18cm            CTN:62.5*33.6*54.6            CM            6PCS/CTN            GW:9.65KG</p>	
BNC-011	Sweetbee		<p>When press ,she can sing 3 songs            Material:Textile &amp; Fabric Size:50cm high</p>	120pcs	<p>1 pc/bag            CTN:50*40*40CM            24PCS/CTN</p>	
BNC-012	Whole set Bottle holder		<p>Material:Resin            1 set(3 designs)</p>	30sets	<p>1 set /box            Box            size:47*27*17cm            6 boxes/carton            Carton size:            60*42*38cm            GW:12.9kgs            NW:10.9kgs            Safety packing</p>	
BNC-014	Umbrella with ears and a whistle		<p>Fabric:waterproof cloth Frame:metal            Ribs: Zinc-plated Iron Ribs Handle: Auto open            plastic handle with A whistle</p>	100pcs	<p>1 pc / plastic bag            CTn : 58*50*26cm            100PCS/CTN            GW:20.7kgs            NW:22.7kgs</p>	





Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
BNC-015	Umbrella of bee and flower	 	Fabric:Plastic Ribs:Black Metal      Open:Auto Open	100pcs	1 pc / plastic bag 100 pcs/carton	
BNC-016	Bee pen holder	 	Material:Resin      Size:9*5*12cm	240pcs	CTN:51*49*50CM 60PCS/CTN NW:14.3KG GW:16.3KG	
BNC-017	Bee pen holder		Material:Resin      Size:9.5*4.5*13cm	240pcs	1 pc /box 48 boxes/carton	
BNC-018	Trash can	 	SIZE:43*30*55	10	CTN:72*51*62CM 1PCS/CTN NW:33KG GW:35KG	











Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
BNC-019	Trash can	  	SIZE:43*30*55	10	CTN:72*51*62CM 1PCS/CTN NW:33KG GW:35KG	
BNC-020	Guard bee (1.5M)	 	SIZE:1.5m		CTN:155*51*62CM 1PCS/CTN NW:20KG GW:23KG	
BNC-021	Lawn Music Box		Material:Resin Size:28*42*52cm	5pcs	CTN:50*36*33CM 1PCS/CTN NW:4KG GW4.75KG	
BNC-023	Greedy bear (1.5m)		Material: FRP size: 1.5m	5pcs	CTN:155*40*68CM 1PCS/CTN NW:7KG GW7.8KG	








Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
BNC-024	Lovely bee (height: 1.2m)	  	Material: FRP size: 1.2m	5pcs	CTN:155*40*68CM 1PCS/CTN NW:7KG GW7.8KG	
BNC-025	Lovely bee (height: 1.2m)	  	Material: FRP size: 1.2m	5pcs	CTN:155*40*68CM 1PCS/CTN NW:7KG GW7.8KG	
BNC-026	Lovely bee (height: 1.2m)	  	Material: FRP size: 1.2m	5pcs	CTN:155*40*68CM 1PCS/CTN NW:7KG GW7.8KG	
BNC-027	Lovely bee (height: 1.2m)	  	Material: FRP size: 1.2m	5pcs	CTN:155*40*68CM 1PCS/CTN NW:7KG GW7.8KG	







Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
BNC-029	Simulation model bee	 	Material:Resin+PVC(wings) Size:36*24*14cm	100pairs	CTN:70*52.5*57CM 24PCS/CTN	
BNC-038	Resin model simulation bee		Material:Resin Size:56*48*42cm weight:4.8kg Safe packing	Net 10pcs	1 pc/carton	
BNC-040	11 designs bee models (11pcs/set)		Material:Resin Size:45cm height each design Weight:1.8kg/pc 1 set include 11 designs	1 set	CTN:66*48*30CM 1PCS/CTN	
BNC-042	Bee singer Loudspeaker		Material:Resin Size:76cm height Gross weight: 5.535kg SD/TF card ,can connect with phone and computer	5 pc	1 pc/carton	

Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
BNC-047	Cartoon bee costumes		Material:Soft plush Adult size	4pcs	1 pc / carton	
BNC-049	Solar Swing bee In the sunlight, leaves can swing		Material:ABS Plastic Size:10*6.5*11.5cm	720pcs	1 pc/pvc box	
BNC-051	Cartoon bee mascot		Material:Plush Size:30cm/40cm	5carton s (50 pairs big & 50 pairs small)	CTN:53*47*30CM 15PCS/CTN NW:2.35KG GW:4.35KG	
BNC-052	Bee mascot keychain		Material:Rubber Diameter:2.5cm	1000pc s	1 pc / opp bag 1000 pcs / plastic bag	





Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
BNC-053	Electric simulation bee model		Material:TPE Height: 5m/4m /3 m When use electric,can shake head,body & wings ,also can make a "buzz"sound	1 pc	CTN:190*150*520C M 1PCS/CTGW:200-300KG	
BNC-053-2	Bee model (100cm)		Material:TPE	2 pc		
BNC-053-3	Bee model		Material:TPE	3 pc		
BNC-053-4	Bee model		Material:TPE	4 pc		










Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
BNC-053-5	Bee model (80cm)	 <p>The image shows a large, realistic-looking bee model mounted on a black metal stand. Above the bee is a large, light-colored flower. A small 'Benefitbee' logo is visible above the bee.</p>	Material:TPE	5 pc		
BNC-053-6	Bee model	 <p>The image shows a large bee model with detailed markings. Dimension lines indicate a height of 140CM, a width of 120CM, and a length of 14200. A small 'Benefitbee' logo is visible above the bee.</p>	Material:TPE	6 pc		
BNC-053-7	Bee model (60cm)	 <p>The image shows a medium-sized bee model with detailed markings. Dimension lines indicate a height of 140CM, a width of 80CM, and a length of 14000. A small 'Benefitbee' logo is visible above the bee.</p>	Material:TPE	7 pc		
BNC-053-8	Bee model (16cm)	 <p>The image shows a small bee model with detailed markings. A small 'Benefitbee' logo is visible above the bee.</p>	Material:TPE	8 pc		













Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
BNC-053-9	Bee model (50cm)	  	Material:TPE	9 pc		
BNC-053-10	Bee model (60cm)	 		10 pc		
BNC-056	Bee mascot inflatable gas model- Fengxiaobao(Can OEM)		Material:PVC Height:8m Type:inflatable bee	1 pc	1 pc/bag	
BNC-057	Outdoor Large inflatable gas model - Fengxiaoya (Can OEM)		Material:PVC Height:8m Type:inflatable bee	1 pc	1 pc/bag	







Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
BNC-058	Bee mascot model	 	Material: Resin Size:1.2m height      Weight:20kg	1 pc	1 pc / carton outside is wooden case	
BNC-059	Outdoor advertising inflatable bee gas model		Height:2.2m      Material:PVC NW:5kg GW:6.5kg	1pc	1 pc/bag	
BNC-060	Barrel heater		Material:Stainless Steel      Diameter:40cm Max weight:80kgs      Electric:220V/200W Temperature:60 °C Net weight:2.5kgs	300pcs	1 pc/box CTN:45.1*43.8*22.2 cm 100pcs/carton	
BNC-066	Iron bee gardener	Barrel heater Diameter:40cm Max weight:80kgs  	(4 designs/set)	50sets	1 pc/carton	


















Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
BNC-068	Bee shape thermometer		Material:Resin	10pcs	1 pc / box	
BNC-073	Bee anatomical model		Material:Resin Size: 60*60*13 cm Package: 65*46*20cm Weight: 4.3KG	10pcs	1 pc / plastic bag	
BNC-076	Bee development model (Silver Medal for artistic display on 45th Apimondia )		Size: 82.5*26*17cm	1	CTN:94*27*27CM 1PCS/CTN NW:8KG GW:8.5KG	
BNC-077	Sweet Honeybee Carrier		Size: 38*14*28cm	10		









Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
 085	little bee backpack	 	Size: 32*24*11cm Material: Oxford cloth	10	CTN:35*26*50CM 5PCS/CTN NW:7.5KG GW:8KG	
 086	little bee notebook	 	Cover material: imitation leather Binding: perfect binding Inner material: double-adhesive paper Weight of inner paper: 80 (g) Inner paper size: 105*165mm Printing LOGO: Yes	10	CTN:35*26*50CM 40PCS/CTN NW:20KG GW:21KG	
 088	Children Ride On Motorcycle	 	Newest Plastic Kids Electric Battery Motorcycle with Three Wheels	1PCS	CTN:85*50*46cm 1PCS/CTN NW:7kg GW:7.5KG	
<b>Resin craftwork</b>						









Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
 1-1	BB Resin craftwork	 	Material: Resin product size: 15*21cm (width * height) product weight;580g Can be processed based with supplied drawing Patent No.:202030688284.4	24	CTN: 60*56*45cm 24PCS/CTN NW:14kg GW:15.4kg	
 1-2	BB Resin craftwork	 	Material: Resin product size: 15*21cm (width * height) product weight;580g Can be processed based with supplied drawing Patent No.:202030688284.4	24	CTN: 60*56*50cm 24PCS/CTN NW:13.92kg GW:16.15kg	
 1-3	BB Resin craftwork	 	Material: Resin product size: 15*19cm (width * height) product weight;580g Can be processed based with supplied drawing Patent No.:202030688284.4	24	CTN: 60*56*45cm 24PCS/CTN NW:13kg GW:14.65kg	
 1-4	BB Resin craftwork	 	Material: Resin product size: 15*21cm (width * height) product weight;580g Can be processed based with supplied drawing Patent No.:202030688284.4	24	CTN: 60*56*50cm 24PCS/CTN NW:13.92kg GW:15.2kg	

Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
 1-5	BB Resin craftwork	  	Material: Resin product size: 15*21cm (width * height) product weight;580g Provide high-definition pictures, styles can be customized Can be processed based with supplied drawing Patent No.:202030688284.4	24	CTN: 60*56*50cm 24PCS/CTN NW:13.92kg GW:15.8kg	
 1-6	BB Resin craftwork	  	Material: Resin product size: 15*21cm (width * height) product weight;580g Provide high-definition pictures, styles can be customized Patent No.:202030688284.4	24	CTN: 60*56*50cm 24PCS/CTN NW:13.92kg GW:15.05kg	
 02	BB Resin craftwork	  	Material: Resin product size: 10*16cm (width * height) product weight;400g Provide high-definition pictures, styles can be customized Can be processed based with supplied drawing	24	CTN: 58*49*40cm 24PCS/CTN NW:9.6kg GW:9.75kg	
 03	BB Resin craftwork	  	Material: Resin product size: 8.5*7.5cm (width * height) product weight;165g Provide high-definition pictures, styles can be customized Can be processed based with supplied drawing	72	CTN: 50*32*40cm 72PCS/CTN NW:11.88kg GW:14.25kg	









Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
004	BB Resin craftwork	  	<p>Material: Resin product size: 10*15cm (width * height) product weight;375g  Provide high-definition pictures, styles can be customized Can be processed based with supplied drawing</p>	25	CTN: 54*41*39cm 25PCS/CTN NW:8.2kg GW:9.2kg	
005	BB Resin craftwork	 	<p>Material: Resin product size: 5*11cm (width * height) product weight;108g  Provide high-definition pictures, styles can be customized Can be processed based with supplied drawing</p>	50	CTN: 70*32*47cm 50PCS/CTN NW: 7kg GW:9.45kg	
<b>Bee broochs</b>						
AG009	Bee brooch	 	<p>Material:Environmental alloy with rhinestone</p>	100	Weight: 8g; Size:3.7*2.5cm	










Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
AG015	Bee brooch	 	Material:Environmental alloy;Yellow acrylic;yellow rhinestone &red rhinestone	100	Weight: 9g; Size:2.5*2.7cm	
AG041	Bee brooch	 	Material:Environmental alloy with KC gold and Rhinestone	100	Weight: 9g; Size:2.5*2.7cm	
AG050	Bee brooch	 	Material:Environmental alloy with KC gold and Rhinestone	100	Weight: 15g; Size:3.4*4.5cm	
AG062	Bee brooch	 	Material:Environmental zinc alloy with ancient silver and shell	100	Weight: 11g; Size:2.5*3.4	









Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
AG080	Bee brooch	 	Material:Environmental alloy with KC gold; and painting oil	100	Weight: 12g; Size:3.4*3.4cm	
AG091	Bee brooch	 	Material:Environmental alloy; Rhinestone and glass	100	Weight: 15g; Size:4.5*4.0cm	
AG130	Bee brooch	 	Material:Environmental Zinc alloy with ancient silver and Rhineston	100	wight:13g; Size:5.0*3.5cm	
AG132	Bee brooch	 	Material:Environmental Zinc alloy with KC gold; Rhinestone and painting oil	100	Weight:11g; Size:4.1*3.0cm	











Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
AG134	Bee brooch	 	Material:Environmental Zinc alloy with KC gold; Rhinestone and painting oil	100	Weight:12g; Size:3.8*3.2cm	
AG149	Bee brooch	 	Material:Environmental alloy with KC gold; Rhinestone and painting oil	100	Weight:10g; Szie:3.8*4.3cm	
AG152	Bee brooch	 	Material:Environmental alloy with KC gold; Rhinestone and painting oil	100	weight:9g; size:3.3*2.7cm	
AG158	Bee brooch	 	Material:Environmental alloy with KC gold; Rhinestone and painting oil	100	weight:10g; size:4.1*2.4cm	















Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
AG177	Bee brooch	 	Material:Environmental alloy with KC gold; Rhinestone and painting oil	100	weight:11g; size:4.2*2.6cm	
AG178	Bee brooch	 	Material:Environmental alloy with KC gold; Rhinestone and painting oil	100	weight:13g; size:4.3*3.5cm	
AG182	Bee brooch	 	Material:Environmental alloy with ancient gold; Rhinestone and painting oil	100	weight:12g; size: 4.7*3.4cm	
AG192	Bee brooch	 	Material:Environmental alloy with KC gold; Rhinestone and painting oil	100	weight:10g; Size:2.8*3.4cm	





Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
AG200	Bee brooch	  	Material:Environmental alloy with KC gold; Rhinestone and glass	100	weight:12g; Size:3.6*3.1cm	
AG202	Bee brooch	 	Material:Environmental alloy with KC gold; Rhinestone and pearl	100	weight:13g; Size:4.7*3.5cm	
AG215	Bee brooch	 	Material:Environmental alloy with ancient silver and Rhinestone	100	weight:21g; size:6.0*4.1cm	
AG216	Bee brooch	 	Material:Environmental alloy with ancient silver and Rhinestone	100	weight:16g; Size:5.0*4.0cm	

Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
AL084	Bee brooch	 	Material:Environmental alloy and KC gold	100	weight:11g; size:3.8*3.2cm	
AL214	Bee brooch	 	Material:Environmental alloy with ancient silver and Rhinestone	100	weight:16g; size:3.2*4.8cm	
AL219	Bee brooch	 	Material:Environmental alloy with KC gold and painting oil	100	weight:11g; size:3.5*2.6cm	
AL242	Bee brooch	 	Material:Environmental alloy with Ancient silver and Rhinestone	100	weight:14g; size:4.7*4.3cm	

Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
AL267	Bee brooch	   	Material:Environmental alloy with K gold, Rhinestone,painting oil	100	weight:14g; size:5.4*3.5cm	
AL297	Bee brooch	 	Material:Environmental alloy with Ancient silver, painting oil	100	weight:15g; size:3.6*3.4cm	
AL320	Bee brooch	 	Material:Environmental alloy with Painting oil	100	weight:13g; size:3.2*6.2cm	
AL356	Bee brooch	 	Material:Environmental alloy;KC Gold and Rhinestone	100	weight:11g; size:4.1*3.4cm	

Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
AL358	Bee brooch		Material:Environmental alloy;KC Gold and Rhinestone	100	weight:13g; size:5.2*4.3cm	
<b>Bee Accessories</b>						
BS009	Bee Accessories		Material: 925 silver+Platinum plated+Zircon+Dripping oil	30	Size:H*W: 2.4*1.1cm Weight:3.19g	
BSC002	Bee Accessories		Material: 925 silver	30	Size: H*W:2.3*1.2cm weight: 1.49g	





Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
BSC067	Bee Accessories	  	Material:925 silver+Plated Platinum +Plated gold+Zircon	30	Size: H*W:2.6*2.2cm weight: 3.1g	
SCB043	Bee Accessories	 	Material:925 silver+Oxidation+Zircon+Glass	30	Size: H*W1.5*1.9cm; length 22cm; weight:5.15g	
SCB061	Bee Accessories	 	Material:925 silver+Oxidation+Dripping oil+Zircon	30	Size: flower H*W:0.8*0.8cm; length:22cm weight: 2.2g	
SCB104	Bee Accessories	 	Material:925 silver+Oxidation+Zircon	30	Size: Outer ring diameter:6.5cm Circle wall: 0.2cm; single:1.5*1.7cm; weight: 6.5g	





Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
SCC046	Bee Accessories		Material :925 silver + zircon	30	Size: H*W:2.2*1.4cm weight: 2.3g	
SCC410	Bee Accessories		Material:925 silver +Oxidation+glass	30	Size: H*W:0.9*2.4cm weight: 4g	
SCC500	Bee Accessories		Style:Charming hive ; Material:925 silver + Oxidation+Dripping oil +Zircon	30	Size: H*W:1.2*1.2cm weight: 0.1g	
SCC654	Bee Accessories		Style: Bee house Material: 925 silver +Oxidation+Zircon	30	Size: H*W:1.1*1.1cm weight: 0.1g	




Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
SCC779	Bee Accessories	 	Style:honeycomb; Material:925silver+Oxidation+dripping oil	30	Size: H*W:1.1*1.1CM; Weight:1.92g	
SCC821	Bee Accessories	 	Style:Bee story; silver+Oxidation+Zircon <span style="float: right;">Material:925</span>	30	Size: H*W:1.9*1.2cm weight: 1.3g	
SCC831	Bee Accessories	 	Style: Bee Queen; silver+Plated gold+Zircon <span style="float: right;">Material:925</span>	30	Size: H*W:2*1cm weight: 1.66g	
SCC870	Bee Accessories	 	Style: Hive honey love; silver+Plated Platinum +Zircon <span style="float: right;">Material:925</span>	30	Size: H*W:1.9*1.3cm weight: 3.00g	









Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY	
SCC879	Bee Accessories	  	Style:honey comb; silver+Oxidation+Zircon	Material: 925	30	Size: H*W:2.2*1cm weight: 3.6g	
SCC1073	Bee Accessories	 	Style: Honey comb; Material:925 silver+Oxidation+Zircon+Glass beads	30	Size: H*W:1.8*0.9cm weight: 4.7g		
SCC1102	Bee Accessories	 	Material: 925 silver +Oxidation+ Dripping Oil	30	Size: H*W:1.0*0.8cm weight: 2.00g		
SCC1125	Bee Accessories	 	Material: 925 silver+Platinum plated+Plated gold+Zircon	30	Size: H*W:2.6*2.2cm weight: 2.5g		









Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
SCE149	Bee Accessories		Material: 925 silver+Oxidation+Zircon	30	Size: H*W:3*1.7cm weight: 3g	
SCE344	Bee Accessories		Material: 925 silver+Oxidation +Zircon	30	Size: H*W:1.2*1.4cm weight: 0.1g	
SCE370	Bee Accessories		Style: Bees' Blessing;925 silver+Platinum plated+Zircon	30	Size: H*W:3.2*2cm weight: 5.7g	
SCE484	Bee Accessories		Material:925 silver+oxidation+Zircon	30	Size: H*W:10.5*1.1cm weight: 1.9g	

Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
SCN191	Bee Accessories		Material:925 silver+oxidation+Zircon	30	Size:Bee H*W:1.0*1.3cm weight: 2.6g;total length:50cm Frame:1.1*1.1cm	
SCN202	Bee Accessories		Material: 925 silver+Oxidation+Dripping Oil+Zircon	30	Size: H*W:5.2*1.6cm weight: 2.9g chain length: 38- 45cm	
SCN216	Bee Accessories		Material: 925 silver+Oxidation+Dripping Oil+Zircon	30	Size: H*W:4.2*3.9cm weight: 4.5g Chain length:38- 45cm;Pendant height:2.5cm	
SCN221	Bee Accessories		Material: 925 silver+Oxidation+Zircon	30	Size: H*W:3*1.4cm weight:2.3g;chain length:38-45cm	

Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
SCN242	Bee Accessories		Material: 925 silver+Platinum plated+Zircon	30	Size: H*W:2.3*2.3cm weight:3.3g; chain length:38-45cm	
SCR025	Bee Accessories		Material: 925 silver+Oxidation+zircon	30	Size: ring space:1.7*1.5cm weight:4.6g;ring width:2MM	
SCR086	Bee Accessories		Material: 925 silver+Oxidation+zircon	30	Size: Bee: H*W:1.2*0.8cm weight: 1.4g;ring width: 0.2CM	
SCR292	Bee Accessories		Material: 925 silver+Oxidation+zircon	30	Size: : H*W:0.7*2cm weight: 2.2g;ring width: 0.2CM	







Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
SCR329	Bee Accessories		Material: 925 silver+Oxidation+Dripping oil+zircon	30	Size: H*W:1.8*1.0cm weight: 2.79g; ring wall:0.25cm	
SCR334	Bee Accessories		Material: 925 silver+Oxidation+zircon	30	Size:Bee H*W:1.3*1.1cm; star H*W:0.7*0.7cm; weight: 2.1g Ring Width:0.2cm	
SCR348	Bee Accessories		Material: 925 silver+Oxidation+zircon	30	Size: H*W:1.6*1.5cm weight: 2.5g ring width:0.2cm	
SCR391	Bee Accessories		Material: 925 silver+Oxidation+zircon	30	Size: ring width:0.7cm; weight: 3.06g	

Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
SCR422	Bee Accessories	 	Material: 925 silver+Oxidation+zircon	30	Size: H*W:1.3*1.2cm weight: 2.43g;ring width:0.2cm	
SCR433	Bee Accessories	 	Material:925 silver+Platinum plated+Zircon	30	Size: ring width:0.2cm weight: 1.9g	
SCX103	Bee Accessories	 	Material:925 silver+ Plated gold+Zircon	30	Size: H*W:1.3*1.6cm weight: 1.7g	
<b>Bee 3D pictures</b>						









Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
BP01	3D picture (Without wooden frame)	 	3DPainting core (60X110) 3DPainting core (25X150)	10	30PCS/CTN	
BP02	3D picture (Without wooden frame)	 	3DPainting core (60X110) 3DPainting core (25X150)	10	30PCS/CTN	
BP03	3D picture (Without wooden frame)	 	3DPainting core (60X110) 3DPainting core (25X150)	10	30PCS/CTN	
BP04	3D picture (Without wooden frame)	 	3DPainting core (60X110) 3DPainting core (25X150)	10	30PCS/CTN	









Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
BP05	3D picture (Without wooden frame)	 	3DPainting core (60X110) 3DPainting core (25X150)	10	30PCS/CTN	
BP06	3D picture (Without wooden frame)	 	3DPainting core (60X110) 3DPainting core (25X150)	10	30PCS/CTN	
BP07	3D picture (Without wooden frame)	 	3DPainting core (60X110) 3DPainting core (25X150)	10	30PCS/CTN	
BP08	3D picture (Without wooden frame)	 	3DPainting core (60X110) 3DPainting core (25X150)	10	30PCS/CTN	









Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
BP09	3D picture (Without wooden frame)	 	3DPainting core (60X110) 3DPainting core (25X150)	10	30PCS/CTN	
BP10	3D picture (Without wooden frame)	 	3DPainting core (60X110) 3DPainting core (25X150)	10	30PCS/CTN	
BP11	3D picture (Without wooden frame)	 	3DPainting core (60X110) 3DPainting core (25X150)	10	30PCS/CTN	

oap silicone mold

Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
SIL001	Soap silicone mold	 	<p>New environmental grade silicone, Non-toxic environmental protection, Temperature resistance is 40 to 230 degrees.minimum order qty:100 pcs.size:6.5x7x3.7cm , weight: 95g</p>	50	100PCS/CTN	
SIL002	Soap silicone mold	 	<p>New environmental grade silicone, Non-toxic environmental protection, Temperature resistance is 40 to 230 degrees.size:9x9x2.3cm , weight: 110g, minimum order qty:100 pcs</p>	50	100PCS/CTN	
SIL003	Soap silicone mold	 	<p>New environmental grade silicone, Non-toxic environmental protection, Temperature resistance is 40 to 230 degrees.size:8.5x4cm , weight: 175g, minimum order qty:100 pcs</p>	50	100PCS/CTN	
SIL004	Soap silicone mold	 	<p>New environmental grade silicone, Non-toxic environmental protection, Temperature resistance is 40 to 230 degrees.size:8.5x4cm , weight: 175g, minimum order qty:100 pcs.Size:9.5x9.5x2.3cm , weight: 100g</p>	50	100PCS/CTN	

Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
SIL005	Soap silicone mold	 	<p>New environmental grade silicone, Non-toxic environmental protection, Temperature resistance is 40 to 230 degrees.minimum order qty:100 pcs.Szie:8.3x7x3cm , weight: 90g</p>	50	100PCS/CTN	
SIL006	Soap silicone mold	 	<p>New environmental grade silicone, Non-toxic environmental protection, Temperature resistance is 40 to 230 degrees.size: 9x7x3.6cm , weight: 96g, minimum order qty:100 pcs.Size:8.5x3.2cm , weight: 160g</p>	50	100PCS/CTN	
SIL007	Soap silicone mold	 	<p>New environmental grade silicone, Non-toxic environmental protection, Temperature resistance is 40 to 230 degrees.size; 9x7x3.6cm , weight: 96g, minimum order qty:100 pcs</p>	50	100PCS/CTN	
SIL008	Soap silicone mold	 	<p>New environmental grade silicone, Non-toxic environmental protection, Temperature resistance is 40 to 230 degrees.size:5.8x6cm (heightxdiameter), weight: 125g, minimum order qty:100 pcs</p>	50	100PCS/CTN	

Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
SIL009	Soap silicone mold		<p>New environmental grade silicone, Non-toxic environmental protection, Temperature resistance is 40 to 230 degrees. Size: 9x6.7x2.8cm, weight: 120g, minimum order qty: 100 pcs</p>	50	100PCS/CTN	
SIL010	Soap silicone mold		<p>New environmental grade silicone, Non-toxic environmental protection, Temperature resistance is 40 to 230 degrees. Size: 9.2x6.4x2.7cm, weight: 85g, minimum order qty: 100 pcs</p>	50	100PCS/CTN	
SIL011	Soap silicone mold		<p>New environmental grade silicone, Non-toxic environmental protection, Temperature resistance is 40 to 230 degrees. size: 7.8x3.2cm, weight: 130g, minimum order qty: 100 pcs</p>	50	100PCS/CTN	

Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
SIL012	Soap silicone mold		<p>New environmental grade silicone, Non-toxic environmental protection, Temperature resistance is 40 to 230 degrees. Size:6x6.8x3cm, weight: 80g, minimum order qty:100 pcs</p>	50	100PCS/CTN	
<b>Candle silicone mold</b>						
RS1-1006	Candle silicone mold		<p>Mould Size: Diameter 5.5cm Height 8cm Mould Weight: 130g Product Size: 4.5*7.5cm Product Weight: 88g</p>	100	100PCS/CTN	
RS1-1020	Candle silicone mold		<p>Mould Size: Diameter 7.5cm Height 8.5cm Mould Weight: 231g Product Size: Diameter 7cm Height 8cm Product Weight: 260g</p>	100	100PCS/CTN	

Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
RS1-1034	Candle silicone mold	  	Mold size: 7*7*6cm Mold weight: 214g Product size: 5.5*5.5*5cm Product weight: 85g	100	100PCS/CTN	
	Candle silicone mold	 	Mould Size: Diameter 6.9cm Height 9.4cm Mould Weight: 212g Product Size: Diameter 5.7cm Height 8cm Product Weight: 118g	100	100PCS/CTN	
RS1-1036	Candle silicone mold	 	Mold size: 6.1*9.2cm(171g) Finished size: 5.1*8.6cm Candle weight: 114g	100	100PCS/CTN	
	Candle silicone mold	 	Mold size: diameter 7.5cm height 7.1cm mold weight: 237g product size: diameter 5.3cm height 6cm product weight: 89g	100	100PCS/CTN	










Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
RS1-1071	Candle silicone mold		Mould Size: Diameter 6.3cm Height 3.8cm Mould Weight: 69g Product Size: Diameter 4.9cm Height 3.1cm Product Weight: 44g	100	100PCS/CTN	
	Candle silicone mold					
RS1-1157	Candle silicone mold		Mould Size: Diameter 7.8cm Height 11.5cm Mould Weight: 430g Product Size: Diameter 6.5cm Height 10.5cm Product Weight: 135g	100	100PCS/CTN	
	Candle silicone mold					
RS1-1158	Candle silicone mold		Mould Size: Diameter 5.6cm Height 17.4cm Mould Weight: 359g Product Size: Diameter 3.5cm Height 16.5cm Product Weight: 105g	100	100PCS/CTN	
	Candle silicone mold					
RS1-1161	Candle silicone mold		Mould Size: Diameter 5cm Height 11cm Mould Weight: 176g Product Size: Diameter 4.2cm Height 9.5cm Product Weight: 87g	100	100PCS/CTN	

Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
RS1-1162	Candle silicone mold		Mould Size: Diameter 6cm Height 11.2cm Mould Weight: 185g Product Size: Diameter 4.1cm Height 9.7cm Product Weight: 86g	100	100PCS/CTN	
	Candle silicone mold					
RS1-1164	Candle silicone mold		Mold size: 8*4.5*7.1cm Mold weight: 69g Product size: 7.3*3.9*6.8 Product weight: 64g	100	100PCS/CTN	
	Candle silicone mold					
RS1-1165	Candle silicone mold		Mold size: 7.2*4.2*5.5cm Mold weight: 40g Product size: 6.5*3.8*4.6 Product weight: 36g	100	100PCS/CTN	
	Candle silicone mold					
RS1-1167	Candle silicone mold		Mould Size: Diameter 5.8cm Height: 5.3cm Mould Weight: 101g Product Size: Diameter 4.5cm Height: 4.7cm Product Weight: 45g	100	100PCS/CTN	



Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
RS1-1169	Candle silicone mold		Mold size: 7.4*7.4*12.5cm Mold weight: 345.7g Product size: 6*6**12cm Product weight: 280g	100	100PCS/CTN	
	Candle silicone mold					
RS1-1171	Candle silicone mold		Mold size:11*11*10.5cm(478g) Finished size:10*10cm	100	100PCS/CTN	
	Candle silicone mold					
RS1-1249	Candle silicone mold		Mold size: 6.7*7.8*9cm(244g) Finished size: 5.3*5.7*8.3cm Candle weight: 100g	100	100PCS/CTN	
	Candle silicone mold					
RS1-1282	Candle silicone mold		Mold size: 9.8*8.1cm(155g) Finished size: 9*7.5cm Candle weight: 270g	100	100PCS/CTN	

Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
RS1-1702	Candle silicone mold		Mold size: 10.6*6.6*11.3cm(194g) Finished size: 9*5.4* 10.5cm Candle weight: 170g	100	100PCS/CTN	
	Candle silicone mold					
RS1-458	Candle silicone mold		Mould: Length 8.5cm Width 7.5cm Height 14.0cm Mould Weight: 338g Finished Product: Diameter 6.5cm Height 13.0cm Product Weight; 122g	100	100PCS/CTN	
	Candle silicone mold					
RS1-459	Candle silicone mold		Mould: Length 7.4cm Width 6.8cm Height 10.8cm Mould Weight: 237g Finished Product: Diameter 5.8cm Height 9.8cm Candle Weight: 49g	100	100PCS/CTN	
	Candle silicone mold					
RS1-891	Candle silicone mold		Mould: Diameter 7cm High 8cm Mould Weight: 159g Finished Product: Diameter 5cm High 7cm Product Weight: 135g	100	100PCS/CTN	

Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
RS1-930	Candle silicone mold	  	Mold size: 65*61cm Mold weight: 111g Finished size: 55*55cm Candle weight: 140g	100	100PCS/CTN	
RS1-973	Candle silicone mold	 	Mold size: diameter 8cm, height 7.6cm, mold weight: 267g, product size: diameter 5.5cm, height 6.4cm product weight: 132g	100	100PCS/CTN	
RS1-989	Candle silicone mold	 	Mold size: 13.9*6.2*6.3cm mold weight; 380g product size; 13.7*5.1cm product weight: 89g	100	100PCS/CTN	
RS1-994	Candle silicone mold	 	Mould size: 7.2*7.2*18.5cm Mould weight: 480g Product size: 6*6*18.1cm	100	100PCS/CTN	

Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
RS1-1513	Candle silicone mold	 Benefitbee  	Mold size: 11.2*6cm(173g) Finished size: 10.2*5.2cm Candle weight: 158g	100	100PCS/CTN	
	Candle silicone mold	 Benefitbee 	Mold size: 8.6*5.8cm(129g) Finished size: 7.5*4.7cm Candle weight: 119g	100	100PCS/CTN	
RS1-1701	Candle silicone mold	 Benefitbee 	Mold size: 8.5*7*12.5cm (175g) Finished size: 6.4*4.4*11.2cm Candle weight: 100g	100	100PCS/CTN	
RS1-1702	Candle silicone mold	 Benefitbee 	Mold size: 10.6*6.6*11.3cm (194g) Finished size: 9*5.4*10.5cm Candle weight: 170g	100	100PCS/CTN	

Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
RS1-1720	Candle silicone mold	 	Mold size: 4.2*18.8cm (203g) Finished size: 2.5*18.3cm Candle weight: 50g	100	100PCS/CTN	
RS1-1721	Candle silicone mold		Mold size: 4.2*19.6cm (231g) Finished size: 2.2*19cm Candle weight: 40g	100	100PCS/CTN	
RS1-1770	Candle silicone mold		Mold size: 7*9.9cm (250g) Finished size: 5.3*9cm Candle weight: 158g	100	100PCS/CTN	
RS1-2007	Candle silicone mold		Mold size: 3.8*22cm (227g) Finished size: 2.7*21cm Candle weight: 52g	100	100PCS/CTN	

Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
RS1-2011	Candle silicone mold		Mold size: 5.26*20.6cm (414g) Finished size: 3.9*20cm Candle weight: 83g	100	100PCS/CTN	
RS1-2039	Candle silicone mold		Mold size: 17*15cm (984g) Finished product size: 15.5*14cm Candle weight: 1380g	100	100PCS/CTN	
RS1-2040	Candle silicone mold		Mold size: 15*17cm (742g) Finished size: 13.5*15.3cm Candle weight: 1288g	100	100PCS/CTN	
RS1-2043	Candle silicone mold		Mold size: 6*9.5cm (168g) Finished size: 5.1*8.5cm Candle weight	100	100PCS/CTN	

Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
RS1-2044	Candle silicone mold	 <p>The image shows two silicone molds and two finished candles. The top mold is pink with a scalloped edge, and the bottom mold is white with a smooth surface. The finished candles are white and cylindrical. Dimensions and weights are provided for both mold and finished product.</p>	Mold size: 7.4*20.6cm (287g) Finished size: 5.6*9.6cm Candle weight: 215g	100	100PCS/CTN	
RS1-2045	Candle silicone mold	 <p>The image shows two silicone molds and two finished candles. The top mold is white with a smooth surface, and the bottom mold is orange with a textured, diamond pattern. The finished candles are white and cylindrical. Dimensions and weights are provided for both mold and finished product.</p>	Mold size: 8.1*9.5cm (180g) Finished size: 6.8*8.6cm Candle weight: 279g	100	100PCS/CTN	
RS1-2046	Candle silicone mold	 <p>The image shows two silicone molds and two finished candles. The top mold is pink with a textured, wavy pattern, and the bottom mold is white with a smooth surface. The finished candles are white and cylindrical. Dimensions and weights are provided for both mold and finished product.</p>	Mold size: 8.9*11.8cm (323g) Finished size: 7.5*10.3cm Candle weight: 385g	100	100PCS/CTN	
RS1-2197	Candle silicone mold	 <p>The image shows two silicone molds and two finished candles. The top mold is pink with a fluted, vase-like shape, and the bottom mold is white with a smooth surface. The finished candles are white and cylindrical. Dimensions and weights are provided for both mold and finished product.</p>	Mold size: 62*137mm (340g) Finished product size: 57*133mm Candle weight: 126g	100	100PCS/CTN	




Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
RS1-2262	Candle silicone mold	 <p>Mold size: 5.3*9.5cm (154g) Finished product size: 4*8.6cm Candle weight: 64g</p>   <p>Mold size: 5.3*9.5cm (154g) Finished product size: 4*8.6cm Candle weight: 64g</p>	100	100PCS/CTN		
RS1-2272	Candle silicone mold	 <p>Mold size: 6.9*8.2cm (148g) Finished product size: 5.7*7.9cm Candle weight: 166g</p>   <p>Mold size: 6.9*8.2cm (148g) Finished product size: 5.7*7.9cm Candle weight: 166g</p>	100	100PCS/CTN		
RS1-2273	Candle silicone mold	 <p>Mold size: 5.7*8.8cm (165g) Finished product size: 4.4*8.4cm Candle weight: 130g</p>   <p>Mold size: 5.7*8.8cm (165g) Finished product size: 4.4*8.4cm Candle weight: 130g</p>	100	100PCS/CTN		
RS1-2274	Candle silicone mold	 <p>Mold size: 7.4*6cm (141g) Finished product size: 6.1*5.2cm Candle weight: 98g</p>   <p>Mold size: 7.4*6cm (141g) Finished product size: 6.1*5.2cm Candle weight: 98g</p>	100	100PCS/CTN		



Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
RS1-2275	Candle silicone mold		Mold size: 7.7*5.8cm (141g) Finished product size: 6.5*5.4cm Candle weight: 108g	100	100PCS/CTN	
RS1-2295	Candle silicone mold		Mold size: 73*148mm (448g) Finished product size: 60*138mm Candle: 200g	100	100PCS/CTN	
RS1-2459	Candle silicone mold		Mold size: 109*43*98mm (288g) Finished product size: 96*32*92mm Candle: 174g	100	100PCS/CTN	
RS1-2501	Candle silicone mold		Mold size: 85*55*108mm (240g) Finished product size: 76*43*100mm Candle: 155g	100	100PCS/CTN	

Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
RS1-2502	Candle silicone mold		Mold size: 75*105mm (318g) Finished product size: 63*93mm Candle: 190g	100	100PCS/CTN	
RS1-2503	Candle silicone mold		Mold size: 83*105mm (350g) Finished product size: 68*97mm Candle: 220g	100	100PCS/CTN	
RS1-2504	Candle silicone mold		Mold size: 90*108mm (225g) Finished product size: 85*95mm Candle: 386g	100	100PCS/CTN	
RS1-2529	Candle silicone mold		Mold size: 60*108mm (231g) Finished product size: 52*100mm Candle: 106g	100	100PCS/CTN	










Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
RS1-2540	Candle silicone mold		Mold size: 70*117mm (339g) Finished product size: 55*113mm Candle: 115g	100	100PCS/CTN	
RS1-2639	Candle silicone mold		Mold size: 70*135mm (220g) Finished product size: 58*130mm Candle weight: 260g	100	100PCS/CTN	
RS1-2640	Candle silicone mold		Mold size: 57*112mm (161g) Finished product size: 43*106mm Candle weight: 113g	100	100PCS/CTN	
RS1-2641	Candle silicone mold		Mold size: 64*96mm (173g) Finished product size: 48*90mm Candle weight: 125g	100	100PCS/CTN	

Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
RS1-2642	Candle silicone mold		Mold size: 62*57*110mm (139g) Finished product size: 48*47*90mm Candle weight: 136g	100	100PCS/CTN	
RS1-2643	Candle silicone mold		Mold size: 76*76mm (176g) Finished product size: 67*72mm Candle weight: 156g	100	100PCS/CTN	
RS1-4001	Wick Holder Wax Mop		The product specification is 12.5×2.5mm. The price of the product is a pack of 100. This product is 100 in a small ziplock bag.	50	50PCS/CTN	





Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
RS1-4002	Three hole wick holder	  	Product name: Three-hole wick holder Product material: stainless steel Product size: width 2.5 cm diameter 10 cm Product weight: 13.5 grams Quantity: 2000pcs/box If the purchase quantity is less than one box, it will be shipped in a ziplock bag as shown above	200	200PCS/CTN	
	RS1-4003	Pure cotton wick	 	Product volume weight is about 140 grams, 34 plus dense smokeless cotton wicks	50	50PCS/CTN
			<b>beeswax candle</b>			
BC-001	beeswax candle	 	Product weight: 220g a box, product size: diameter * height 40*16mm beeswax content: 40%	100	CTN:32*40*26CM 60PCS/CTN NW:13KG GW:14KG	


Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
BC-002	beeswax candle	  	Product weight: 64g a box(2 PCS/box), product size: diameter * height 20*190mm beeswax content: 40%	100	CTN:28*28*21CM 100PCS/CTN NW:6.4KG GW:7.8KG	
BC-003	beeswax candle	 	Product weight: 115g a box(2 PCS/box), product size: diameter * height 45*65mm beeswax content: 40%	100	CTN:11.5*13*35CM 90PCS/CTN NW:11.5KG GW:13KG	
BC-004	beeswax candle	 	Product weight: 118g a box(2 PCS/box), product size: diameter * height 40*95mm beeswax content: 40%	100	CTN:11.5*20*26CM 90PCS/CTN NW:12KG GW:13.5KG	
BC-005	beeswax candle	 	Product weight: 64g a box(2 PCS/box), product size: diameter * height 27*100mm beeswax content: 40%	100	CTN:27.5*27.5*21C M 100PCS/CTN NW:6.4KG GW:7.8KG	

Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
BC-006	beeswax candle		Product weight: 250g , product size: Length * width * height 60*60*76mm beeswax content: 40%	100	CTN:34.5*29*23.5C M 48PCS/CTN NW:11.5KG GW:13KG	
BC-007	beeswax candle		Product weight: 315g , product size: diameter * height 65*100mm beeswax content: 40%	100	CTN:30*30*22CM 32PCS/CTN NW:10.5KG GW:12.5KG	
BC-008	beeswax candle		Product weight: 268g , product size: diameter * height 65*82mm beeswax content: 40%	100	CTN:30*30*27CM 48PCS/CTN NW:13KG GW:14KG	
BC-009	beeswax candle		Product weight: 321g , product size: diameter * height 65*100mm beeswax content: 40%	100	CTN:30*30*22CM 32PCS/CTN NW:10.5KG GW:12.5KG	


Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
BC-010	beeswax candle	  	Product weight: 725g , product size: diameter * height 100*100mm beeswax content: 40%	100	CTN:32*32*22CM 18PCS/CTN NW:13KG GW:14.5KG	
BC-011	beeswax candle	 	Product weight: 122g , product size: diameter * height 65*82mm beeswax content: 40%	100	CTN:32*40*26CM 122PCS/CTN NW:9.5KG GW:11KG	
BC-012	beeswax candle	 	Product weight: 118g , product size: diameter * height 55*70mm beeswax content: 40%	100	CTN:30*30*27CM 90PCS/CTN NW:9.3KG GW:11KG	
BC-013	beeswax candle	 	Product weight: 252g , product size: Length * width * height 60*60*76mm beeswax content: 40%	100	CTN:30*30*25CM 48PCS/CTN NW:12.5KG GW:14KG	



Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
BC-014	beeswax candle	 	Product weight: 158g , product size: diameter * height 40*104mm beeswax content: 40%	100	CTN:28*28*32CM 75PCS/CTN NW:12KG GW:13.5KG	
BC-015	beeswax candle		Product weight: 625g , product size: diameter * height 88*100mm beeswax content: 40%	100	CTN:36*27*21CM 24PCS/CTN NW:13KG GW:14KG	
BC-016	beeswax candle		Product weight: 984g , product size: diameter * height 130*80mm beeswax content: 40%	100	CTN:30*30*24CM 18PCS/CTN NW:13KG GW:14KG	

Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
BC-017	beeswax candle		Product weight:525g , product size: diameter * height 82*95mm beeswax content: 40%	100	CTN:28*28*22CM 18PCS/CTN NW:10.5KG GW:12KG	



Item No.	Commodity	Picture	Product description	MOQ/P CS	Packing	QTY
						



## Shenzhen Benefitbee Bee Industry Co., Ltd

TEL / +86 755 89697771

FAX / +86 755 89697772

EMAIL / info@benefitbee.com

WEB / www.benefitbee.com

ADD / FL 5, Building 6, Liantang Industrial Zone , 48 Kangzheng Road, Danzhotou,

