

2023.11

CATALOG

PRODUCT CATALOG

CHINA PROFESSIONAL BEEKEEPING SOLUTION PROVIDER

BENEFITBEE BEE INDUSTR

Shenzhen Benefitbee Bee Industry Co.,LTD FengQingWanZhong Bee Industry Limited



Company Profile

Shenzhen Benefitbee Bee Industry Co.,Ltd

(FengQingWanZhong Bee Industry Limited)

深圳市益蜂蜂业有限公司,成立于2009年,是中国养蜂学会理事 单位,中国蜂机具专业委员会常务委员单位,广东省养蜂学会副理事 长单位,中国畜牧业协会蜂业分会副会长单位,深圳潮汕商会常务理 事单位,深圳网贸会副会长单位。

Established in 2009, Shenzhen Benefitbee Bee Industry Co., LTD (FengQingWanZhong Bee Industry Limited) is standing corporate member of China Beekeeping Equipment Commitee, council member of Guangdong Apiculture Association, Vice President Unit of CAAA(China Animal Agriculture Association) Apiculture Branch, Council Unit of Shenzhen Chaoshan Commerce Chamber, Vice President Unit of Shenzhen E-commerce Association. <image><image>

目前经营1100多种养蜂机具,拥有40多项发明、实用新型和外观等 专利,每年上百种养蜂机具新品研发,年出口额名列行业前茅,旗 下Benefitbee品牌系列蜂机具在国际上有很高的知名度,公司常 年为国内外同行设计、研发、生产、供应各种新型养蜂机具。

We are managing more than 1100 types of beekeeping equipment. Practical and appearance patents, our equipment with Benefitbee brand are enjoying highly reputation in international market. Throughout years, we design, develop, produce and supply new style equipment for peer company home and abroad. 是一家集设计、开发、生产与出口销售各种养蜂装备的一站式专业制造商, As a professional manufacturer Integrating designing,

development, production and sales.







Subsidiary factory

旗下五金塑料工厂——阳江市益蜂蜂机具有限公司,坐落于有"世界刀城"之称的工业重地——广东省阳江市,拥有中国发达的工业制造技术与产业配 套优势,目前拥有一整套完善的模具开发与生产设备,年产各种养蜂刀具200多万把,金属隔王板50多万片,喷烟器20多万个,塑料巢础200多万片,塑料隔王板 100多万片,塑料巢框50多万个,拥有塑料和五金蜂机具模具400余副。

Affiliated to Benefitbee, Yangjiang Benefitbee Beekeeping Equipment Co., LTD is located in an important knife production base Yangjiang, which is called "World' s Knife City". With China advanced manufacturing technology and supporting advantages, Yangjiang Benefitbee' s annual production capacity reaches:

>2,000,000 hive tools	>2,000,000 plastic foundations
>500,000 metal queen excluders	>1,000,000 plastic queen excluders
>200,000 bee smokers	>500,000 plastic frames

Until now, we have produced more than 400 sets of plastic and hardware tooling.

旗下蜂箱工厂——黄山市益蜂蜂箱有限公司,位于美丽的安徽省黄山市,拥有优势的木材原材料资源以及先进的生产设备,工厂占地20亩,年产蜂箱10万套, 巢框200万个,木制隔王板50多万片,进出口资质齐全,常年为澳大利亚、新西兰、美国、韩国等国家生产和出口高质量的蜂箱产品。

Shenzhen Benefitbee, Huangshan Benefitbee Beehive Co., LTD is located in a pretty city called Huangshan, in Anhui Province, owning advantageous raw material sources and advanced production equipment. Huangshan Benefitbee occupies an area of 1.5 hectares, annually produces 100,000 beehives, 2 million frames, more than 500,000 wooden queen excluders. Anhui Benefitbee is a qualified exporter supplying high quality beehives to Australia, New Zealand, USA and Korea.

公司自创立以来,充分发扬自主创新的精神,凭借多年来的蜂机具出口与制造经验、珠三角倚天独厚的交通便利,秉着"关爱蜜蜂、造福人类"的企业使命, "巧夺天工,精益求精"的质量方针,"一言九鼎、无微不至"的经营理念,不断提升在品种、质量、价格以及服务上的综合竞争优势,赢得世界众多知名企业的认 可并且建立了战略合作伙伴关系,产品远销全球140多个养蜂强国及地区。

Since establishment, Benefitbee has been carrying strong spirit of self innovation, relying on extensive experiences and unique transportation networks, we are making continuous progress in becoming more competitive in product range/ quality/price/Service. Holding the mission of "Love the bees, Benefit the world", with the philosophy of "Keeping a solemn promise, granting the best care", we have won the recognition from many famous beekeeping enterprises and established strategic partnership with them. Benefitbee products have been sold to more than 140 countries and areas with powerful apiculture.

企业的成功来源于高品质的产品、优质的服务以及客户的信赖。我们真诚期望与世界蜂业界朋友们建立友好长久的合作关系,为中国乃至世界 养蜂业的快速发展而携手并进!

Business success results from high quality product, excellent service and customers' trust. We sincerely expect to build long term partnership with friends from apiculture industry. Let's work shoulder to shoulder, hand in hand, to make contribution to rapid development of world's apiculture!





👻 D1 Variety

Shenzhen Benefitbee Bee Industry Co., Ltd(FengQingWanZhong Bee Industry Limited) operates more than 800 beekeeping tools currently, 40% of which are self-produced. We invest hundreds of thousands of dollars for mold; research & develop dozens of new products every year. We are the veritable one-stop beekeeping equipment supplier in China. The non-stop innovation ability determines our competitive advantage in the industry, but we believe that our advantage is not only the 800 products, but also the solution provide capacity of demand plan for the beekeeping tools and machine.

D2 Quality

We refuse to exchange low quality for low price. The quality stability and functional practicability of our products are the necessary standards for measuring our products. The continuous upgrading and improvement of our products is the direction of our work. With more than ten years of experience in research & development, production and sales of beekeeping tools, we strictly control the products quality for our customers. Not all beekeeping tools can enter our catalogue. We promise that the products will be refunded in full if they have quality problems.

D3 Price

40% of the varieties are self-produced and sold, first-hand sources. Although 60% are outsourced products, but our huge annual purchase volume determines our position, delivery, price, and quality standards with partners. The same quality with lower price, the same price with higher quality is our commitment to customers. Under the same conditions and the same price, if you find that the price is higher, we promise to refund the price difference.

D4 Service

The prosperous Shenzhen Special Economic Zone will inevitably have high labor costs, but it provides us with a high-quality service team. 100% customer satisfaction is our pursuit, you will get our convenient, time-saving, money-saving and reassuring service during pre-sale, in-sale and after-sales! Your appeal is the source of our growth! If you have any service issues, welcome to direct complaint to the general manager's email: elvis@benefitbee.com

D5 Transportation

Shenzhen Benefitbee Bee Industry Co., Ltd(FengQingWanZhong Bee Industry Limited) is headauartered in the Shenzhen Specia Economic Zone. adiacento Yantian Port, which is the largest port in China, also near to ports such as Shekou, Nansha and Huangpu. Wecan provide you with fast, convenient and cost-effective transportation solutions.

D6 Industry

Our factory is located in the industrial city of China's Pearl River Delta. It has China's advanced production technology and industrial supporting advantages, such as the world's knife city in Yangjiang and the plastic mold capital in Dongguan. Its top industrial level creates first-class product quality.

D7 Experience

Since its establishment in 2009, our products have been exported to more than 130 countries and regions, and we have visited dozens of countries and regions in the field. We have deep knowledge of beekeeping habits, market demand and product standards in most countries and regions around the world. These valuable experiences have created our comprehensive service capabilities!

D8 Scale

Our company currently has 2000 square meters of hardware products factory; 1,500 square meters of plastic products factory; 3000 square meters warehouse distribution center; goods value of nearly 1 million US dollars in stock; 1000 square meters office;400 square meters comprehensive exhibition hall; total employees more than 120 people; more than 300 carefully selected suppliers with high quality supporting. We strive to build our comprehensive strength to protect your logistics supply.

D9 Background

Shenzhen Benefitbee Bee Industry Co., Ltd (FengQingWanZhong Bee Industry Limited) is the governing unit of Chinese Beekeeping Society; the standing corporate member of the Chinese Beekeeping Equipment Committee and the Council Member of Guangdong Apiculture Association. We have never stopped communicating and learning with industry experts and scholars, which provides a valuable source for our research & development capacity!








- 01-12 Beehives
- 13-14 beehive parts
- 15-17 Hive accessories
- 18-21 Frames
- 22 Comb foundation
- **23-24** Economy wire tools
- 25 Bundle tools
- 26-30 Queen excluders
- 31 Pollen traps
- **32-34** Bee feeders
- **35-43** Bee smokers
- **44-47** Honey extractors
- 48-51 Hive tools
- **52-54** Uncapping knivies
- **55-56** Uncapping forks
- **57-58** Frame grip tools
- **59.61** Filter tools
- **62-63** Cleaning tools
- 64·65 Bee brush
- 66-67 Bee gloves
- 68-70 Bee suits
- 71 Bee hats
- **72-74** Queen cages

Queen breed tools 75[.]77 78-79 Other products 80-81 Pest control tools 82.83 Bee medicines 84 Bee wax Bee fodder 85 86-88 Honey tank Honey pail 89 Honey gates 90 91 Wax press Beeswax foundation roller 92 93-94 Honey processing machines Candle silicone moulds 95.97 98 Beeswax silicone moulds Beeswax candle 99 100 Resin crafts Honey bottle 101 102-103 Bee crafts Bee broochs 104 Bee accessories 105 106 Bee 3D pictures



This 1-floor multifunctional plastic hive consists of top cover, top feeder, inner cover, deep box, excluder and bottom.



Pollen holder



Model: H21

455mm*440mm*576mm(1 LAYER)

1 Top feeder 1 Top cover 1 Inner cover 1 Deep box 1 Bottom



Model: H21–2

700mm*440mm*576mm(2 LAYERS)

1 Top cover 1 Inner cover 1 Excluder

1 Top feeder 2 Deep box 1 Bottom



Benefitbee[®]

Model: H21-3 945mm*440mm*576mm (3 LAYERS)

1 T . . . f. 1 Top cover 1 Inner cover 1 Excluder


1 Top feeder					
3 Deep box					
1 Bottom					







Model:HP17 BB Beehive outer cover



Model:HP19 BB Plastic slide beehive entrance



Model:H21-4 BB Plastic beehive box

Box inner size: 490x370x260mm suitable for length 490 and 483mm



Model:HP18 BB Bottom board



Model:HP20 BB Pollen tray (8L)



Deep box

There are grooves in the middle and at the two sides. While inserting PVC board or a wooden board, beekeeper can keep two queen bees.








Model:H27L-P

Langstroth Beehive

Approximate weight: 10.66kg Material:EPS&plastic Size:575.5*440*460mm Foam density:150g



168mm

245mm



Langstroth 4/3 (Jumbo,Dandant,) Model:H27-295







Langstroth 2/3 Model:H27-168









Model:H27L

Langstroth Beehive


Approximate weight:8.81kg Waterial:EPS&plastic Size:575.5*440*456mm Foam density:150g





Model:H27D EPS Dadant(US)Beehive

Approximate weight:9.35kg Waterial:EPS&plastic Size:575.5*440*509mm Foam density:150g



Model:H27D-2 EPS Dadant(US)Beehive

Approximate weight:12kg Waterial:EPS&plastic Size: 575.5*440*684mm Foam density:150g


Igmu 245mu

Model:H27L-2 Langstroth Beehive

Approximate weight:11.45kg Waterial:EPS&plastic Size:575.5*440* 631mm Foam density:150g













Model: H10–2

Size:24x15x17cm Material:EPS Standard: 4 frames

Patent No.:2021 3 0233864. 9 1 plastic feeder, 1 floating net, 1 PVC transparent observation film, plastic hive door + breathable bottom board, foam density 120g.







Model: H10-3



Model: H10–3B BB Plastic queen bee mating super box

Material: HDPE Size: 25.4x15.3x17.1cm





Patent No.:202130289413.7

Standard: 4 frames Optional Box color: blue, green, yellow







Model: H10-4 Patent No.:2021 23305122.6

Size:24x15x17cm,

material:EPS Standard: 4 frames, 1 plastic feeder, 1 floating net, 1 PVC transparent observation film, plastic hive door + round plastic ventilators(5.5CM), foam density 120g.





Model: H19–2 Material: Tinplate size Diameter x height 10*14cm

Bee package

Appearance Patent No.: 202030137781.5 Utlity Model Patent No.: 202020512338. 6

1. The Bee Cage have a good protective for Bees in the long-distance transportation. It's suitable for mailing package and bee transfer place.

2. The Bee Cage's up and down can be connected to each other, transport more firmly.

- 3. Large Capacity, ventilation de sign, foldable and assemble easily.
- 4. With a feeding can, which can be repeated use.





Beehives Langstroth Beehive Kit



Material:

Chinese Fir with knot splicing board, the beehive is boiled twice with Paraffin, the first step is boiled for about 3.5 mins.

Model: H22–2

Langstroth Beehive Kit (2 deep box+1 super box)

Langstroth Beehive 10 Frames Standard

1 large iron cover

1 super box

(505 * 413 * 168)mm

1 inner cover (marked with oval holes) 2 deep box

(505 * 413 * 245)mm

1 bottom board

1 excluder (510x410)mm

20pcs wax sprayed black foundations (425x210)mm

10pcs wax sprayed yellow foundations (425x141)mm

10pcs first-class pine big frames (Pinus sylvestris without scab 483x232)mm 20pcs first-class pine small frames (Pinus sylvestris without scab 483x159)mm



Model: H22 Langstroth Beehive Kit (1 deep box+1 super box)





Langstroth Beehive Kit (2 deep box+2 super box)



Model: H22–4 Langstroth Beehive Kit (1 deep box+4 super box)



- 1、Lid -top cover
- 2、Syrup excluder (one front and one back)
- 3、Lid-bottom cover
- 4、Frame (three of one group)
- 5、Shallow super
- 6. Beehive Entrance panel (Assembled with entrance sheet, three of one group)
- 7、Beehive entrance sheet- round sheet
- (assemble with entrance panel, three of one group)

Model: H18

Patented product

▶ (1) ◀

Patented no. 201910754536.5 Patented no. 201930438030.4 Patented no. 201921324972.0

8、Beehive entrance sheet- square sheet (assemble with entrance panel, three of one group) 9、Queen excluder

- 10、Deep hive body
- 11、Bottom plate

		1 1 1 1 1			& &			
H18-4	H18-5	H18-6	H18-7	H18-9	H18-9	H18-10		
H18	Standard inclduing : Lid, Feeder, Super box, Deep box Accessories: 16pcs plastic frame, 2pcs syrup excluder, 4pcs plastic entrance panel(red and yellow each 2pcs), 2pcs round entrance sheet, 2pcs square entrance sheet, 1pc bottom board, 1pc queen excluder, 2pcs PVC foam clapboard, Size:328mm*148mm*363mm							
H18-2	Standard inclduing : Lid,Feeder,Deep box Accessories: Bpcs plastic frame, 2pcs syrup excluder, 2pcs plastic entrance panel(red and yellow each 1pc), 1pcs round entrance sheet, 1pcs square entrance sheet, 1pc bottom board 1pc PVC foam clapboard, Size:328mm*148mm*230mm							
H18-3		Ac 8p 1p 1p	Standard inclduing : Super box Accessories: 8pcs plastic frame, 2pcs syrup excluder, 2pcs plastic entrance panel(red and yellow each 1pc), 1pcs round entrance sheet, 1pcs square entrance sheet, 1pc bottom board, 1pc PVC foam clapboard, Size:328mm*148mm*143mm					



Benefitbee

Model: H02(10 frame) H02-2(8 Frame)

Australian beehive

Standard configuration(Australia beehive):

- 1*Outer cover(With metal) 1*Deep hive body(L505*W405/355*H242*20mm) 1*Shallow super(L505*W405/355*H146*20mm)
- 1*Bottom board (With Entrance)

Material:

New Zealand pine/Pinus sylvestris China fir (Unassemble)





Model: H01(10frame) H01-2(8 Frame)

Langstroth beehive Standard configuration(Langstroth beehive):

- 1*Outer cover(With metal)
- 1*Inner cover(L505*W413/355mm)
- 1*Deep hive body(L505*W413/355*H245*20mm)
- 1*Shallow super(L505*W413/355*H168*20mm)
- 1*Bottom board (With Entrance)

Material:

New Zealand pine/Pinus sylvestris China fir (Unassemble)





Available material: China Fir, European Pine, China Pine and New Zealand Pine. Available size: 8 frame and 10 frame



Multifunctional plastic beehive


Queen mating box (120 g density)

Queen mating box (120 g density)

H10 Queen bee mating box















Beehive entrance >>









Connector & handle >>




HA21-2 Beehive connector



CTN:150PCS

HA17 Spring fastener



HA17-2 Spring fastener

CTN:200PCS


HA17-3 Spring fastener (line diameter 4mm)



HA21 Beehive connector improved type



HA20 Beehive angle clamp



HA22

HA22-2 **Beehive handle Beehive handle**



HA22-3 **Beehive handle**



HA33 Plastic beehive fixator (Snap fastener)

Other accessories >>





Benefitbee

Model: F25 BB Comb honey frame

483*227*42mm (three layers)

483*159*42mm (two layers)

Without honey comb cassettes

Patent No.:202030368092. 5 Patent No.:202030783832. 1


CTN: 20/40PCS

Model: F25-3

BB Honey comb cassettes 250g 106.5*68*36 mm Material: PS

patent No:202030368092. 5 patent No:202030783832. 1

CTN: 150PCS













Benefitbee



Model: F06

Plastic frame with comb foundation

- Anti-beetles design
- ABS Food Grade
- 483*232mm 483*175mm 483*159mm CTN: 20PCS



Model: F04

Assembled frame with wax sheet Material:New Zealand pine without knot SUS 201, 30% beeswax foundation sheet 483*232/159/136*36mm Other size could be customized CTN: 20PCS



Plastic frame with comb foundation Material:ABS 483*232mm 483*175mm 483*159mm 483*125mm CTN:50PCS



Pollen frame

Match with F27



Pollen frame

Match with F27

F27 Pollen collector Match with F27 or F28-2



Benefitbee[®]





OEM/ODM available >>

Model : CF07

BB Plastic foundation wax roller machine Size: 470*590*420mm Material: Stainless steel

Patented product

Appearance Patent No.:202230075247.5 Utlity Model PatentNo.:202220388560.9

Benefitbee[®]



Model: CF02 Plastic comb foundation (Rotational molding)




Model: CF06 Plastic comb foundation (Injection molding) Material:PS 425*280mm 425*212mm 425*212mm 425*161mm 425*157mm 425*141mm 425*125mm 425*121mm 425*115mm CTN: 200PCS

> Model: CF03 Plastic comb foundation (Injection molding)



CTN: 30PCS Model: CF01 Pure beeswax content: 30%~100% Ceu size:4.75~5.4mm (Customized)



WT08 Beeswax septum knife

WT05

Needle

WT04

Wire pilers

WT06 Frame puncher

WT06-2 Frame puncher





WT03 Wire cutter CTN: 200PCS



WT03-2 Wire fixator CTN: 50PCS



WT03-3 Wire cutter (Wooden shaft) CTN: 40PCS



WT07 Frame threading rack CTN: 14PCS



Benefitbee®



Model: BT01 Beehive cargo lashing Rope length:5M CTN: 50PCS



Model: BT01-2 Beehive cargo lashing with hook Rope length:5M CTN: 42PCS



Model: BT03 Metal beehive tie down strap Rope length:10M CTN: 10PCS



Model: BT02-4 Beehive tie strap(Australian) Rope length:5M CTN: 25PCS









Model: BT02 Metal beehive tie down strap Rope length:5M CTN: 25PCS

Model: BT02-2 Nylon beehive cargo lashing Rope length:5M CTN: 20PCS

Model: BT04 Beehive tie-down strap (Australia style) Rope length:5M **CTN: 100PCS**

Model:BT09

Beehive tie strap(304) Rope length:3M CTN: 60PCS



Model: BT06

Beehive tie-down strap (Green with hook) Rope length:1.25M **CTN: 240PCS**



Model: BT07

Beehive tie-down strap (American style) Rope length:3M CTN: 50PCS



Model: BT08

Beehive tie-down strap (European style) Rope length:5M CTN: 60PCS



CTN: 20PCS

Model: EC01-2

Standard size:510x410mm(10 frames) 510x360mm(8 frames)

American style metal queen excluder The material or sizes can be customized as per customer's request


Queen excluders

Galvanizing, Chromium plasting, stainless steel materials are available.Precision wire spacing ensures your queen stays in the brood chamber. Product is highly durable and very easy to use. Able to supply all excluder sizes up to 550*600mm.





Benefitbee[®]




Model: EC02/EC02B

Style queen excluder (No edges rimmed) Material: SS304 or SUS201 Wire diameter: 1.9mm Clearance: 4.2mm CTN: 20PCS CTN: 1000PCS The material or sizes can be customized as per customer's request

Model: EC09-3

Propolis collector Material: PVC Aperture: 1.5*1.5mm Single weight: 45g

Galvanizing, Chromium plasting, stainless steel materials are available. Precision wire spacing ensuresyour queen stays in the brood chamber. Productis highly durable and very easy to use. Able to supply all excluder sizes up to 550*600mm.






Benefitbee

Model: ECO3 CTN: 50PCS Aluminium queen excluder

Made of durable, high-quality Aluminium. This unit is very sturdy and with smooth surface and edges which bees pass through comfortably.


Sizes can be customized







The material or colors can be customized as per customer's request



Model: EC05 Plastic queen excluder (color can be customized)

Available specifications:

510X410mm500X500mm510X425mm500X450mm510X360mm460X460mm485X400mm505X360mm506X406mm510X420mm435X435mm506X360mm506X353mm500X425mm470X410mm500X430mm

Serves as a selective barrier inside the hive, limiting where the queen and drones can travel. *Allows bees to pass through more readily.

*Precise spacing and no rough edges to harm your bees.

*Excellent plastic quality.

*Easy to clean and corrosion proof.

*Many sizes available.

CTN: 50PCS Model: EC06

Plastic queen excluder (color can be customized) Available specifications:

510*410mm/460*460mm/435*435mm/ 506*406mm/506*353mm/500*500mm/470*410mm

Alternate permutation Not hurting bees



Benefitbee®



CTN: 50PCS Material:PP

Model: EC09-1 Propolis collector

Available specifications:

410X510mm 420X510mm 435X435mm 460X460mm 470X410mm 470X470mm 485X478mm 485X400mm 500X425mm 500X430mm 500X500mm 500X450mm 505X360mm 506X353mm 506X406mm 510X425mm 510X360mm



CTN: 45PCS Material:PP Model: EC09-2

New Zealand style Propolis collector Available specifications: 500X400mm

Collect more propolis than regular 4mm mesh mats, easy to clean up surface painted Size: customizable

Model: EC12

Painting metal queen excluder Wire diameter: 1.9mm Gap: 4.2mm size: customizable, surface painted



Benefitbee

Can be hooked on hive


Pollen trap can be pulled and pushed

Model: PT02

Pollen trap Weight: 507g Size: 305X105X145mm CTN: 20PCS



High quality plastic material










Model: FD13/FD13B

BB Top feeder (Australia style 3.5L/2.5L) Size:505*405mm/506*353mm CTN: 20PCS Appearance Patent No.:201930629685.X Utlity Model Patent No.:201921966873.2

Model: FD13-2

BB Top feeder (US style 4.5L) Size:505X405mm CTN: 10PCS Appearance Patent No.:201930629684.5 Utlity Model Patent No.:201921966873.2

Size: 170X113X35mm



Size:25X3.3X15cm

Diameter: 75mm





CTN: 30PCS



Capacity: 0.5L CNT:50PCS

Capacity: 4L CNT:12PCS Capacity: 6L CNT:25PCS

Weight: 340g CNT:20PCS





Battery compartment

Patented product

Patent No.: 202030576923.8

Model	S12
Size	13.7*29*27cm
Material	PC+SUS201
CTN	20PCS





Model	S01-L	S01	
Size	L ^{Φ:10cm} h:30cm	M ^{Φ:10cm} h:26cm	
Material	SUS201		
CTN	20PCS		





Model	S02-L	S02	
Size	L ^{Φ:10cm} h:32cm	$M_{h:29cm}^{\Phi:10cm}$	
Material	SUS201		
CTN	20PCS		







Model	S13-L	S13	
Size	L ^{Φ:10.5cm} h:34cm	M ^{Φ:10.5cm} h:28cm	
Material	SUS201		
CTN	20PCS		







	Model	S04-L	S04
	Size	Ф:10cm h:32cm	M ^{Φ:10cm} h:29cm
	Material	SUS201	
	СТМ	20PCS	

	Model	S05-L	S05	S05-S
	Size	L ^{Φ:10cm} h:29cm	M ^{Ф:10cm} h:24cm	S ^{Φ:8.5cm} h:21cm
	Material	SUS201		
	СТМ	10PCS	15PCS	15PCS

Model	S06-L	S06	S06-S
Size	L ^{Φ:10cm} h:31cm	$M^{\Phi:10cm}_{h:28cm}$	S ^{Φ:8.5cm _{h:26cm}}
Material		SUS201	
СТМ	10PCS	15PCS	15PCS

















Model: S11 CTN: 4PCS l:33cm w:13cm h:40cm



Model: S10 CTN: 15PCS

Ф:8.5cm h:26cm



Model: S09 Ф:10cm CTN: 10PCS h:28cm



Model: S11-2 CTN: 4PCS L:33cm W:13cm H:40cm



Model: SO8 CTN: 40PCS






Model: S09-2 CTN: 15PCS \$\phi:10cm h:26cm













2 frames plastic manual honey extractor CTN: 1PCS



HE03-2 Economy 2 frames manual honey extractor CTN: 1PCS







HE02-2 2 frames full transparent manual honey extractor CTN: 1PCS



HE02-3 3 frames full transparent manual honey extractor CTN: 1PCS





HE05-2 2 frames manual self reversal honey extractor reversal honey extractor reversal honey extractor CTN: 1PCS



HE05-3 3 frames manual self CTN: 1PCS



HE05-4 4 frames manual self CTN: 1PCS



OEM/ODM available >>





Model:HE06-2 2 frames manual honey extractor CTN: 1PCS



Model:HE06-3 3 frames manual honey extractor CTN: 1PCS



Model:HE06-4 4 frames manual honey extractor CTN: 1PCS





Model:HE06-2E 2 frames electirc honey extractor CTN: 1PCS



Model:HE06-3E 3 frames electirc honey extractor CTN: 1PCS



Model:HE06-4E

4 frames electirc honey extractor with CTN: 1PCS





Model:HE06-6 6 frames manual honey extractor CTN: 1PCS



Model:HE06-8 8 frames manual honey extractor CTN: 1PCS



OEM/ODM available >>





Model: HE12-2 Extractor (2 frames manual brake) CTN: 1PCS



Model: HE12-3 Extractor (3 frames manual brake) CTN: 1PCS



Model: HE12-4

Extractor (4 frames manual brake) Barrel height: 60CM Diameter: 48CM Total height: 110cm Inner frame meterial : sus304 Barrel bodymeterial : sus201 Rack:45X26cm CTN: 1PCS





HEPJ01/-2/HEPJ03 2/3/4/6/8 frame manual gear assembly 4 frames have other specifications



HEPJ02/-2/HEPJ04 2/3/4/6/8 frame manual gear assembly + beam



HEPJ16 Handle



OEM/ODM available >>






Model:HE06-6E 6 frames electirc honey extractor CTN: 1PCS





Model:HE06-8E/HE06-12E HE06-20E/HE06-24E 8/12/20/24 frames electric Honey extractor CTN: 1PCS







Benefitbee®


OEM/ODM available >>



Model: T15 Multifunctional hive tool


High-quality stainless steel, sturdier wood, exquisite workmanship, powerful beekeeping hive tool, that incorporates up to a half dozen applications iron tool: Hive scraper, frame cleaner, nail puller, queen excluder straightener and cleaner, pry bar, detachable hammer, etc. It will last a lifetime! A must have for all beekeepers.













Uncapping knivies



C E Model: K10-Y

#304 Stainless Steel

Switch control: Long press to turn on or off, short press to switch Celsius and Fahrenheit Plus or Minus 5 unit each by pressing"+" or "-" button

Adjustable temperature: 0-180°C Voltage:110-220V Power:300W CTN: 25PCS


Patent No.:202030295900.X



C E Model: K10-E

#304 Stainless Steel Electric heated uncapping uncaps honeycomb in a few simple swipes.

Temperature: 150-190°C Voltage: 12V Power: 300W CTN: 25PCS





40mm



CTN: 25PCS

#304 Stainless Steel Electric uncapping knife with thermo regulator

CEcertificate. Slides right along the outer edges of the frame and makes a nice cut. ON-OFF switch attached to control temperature, avoid over-heating.

Voltage:110&220V Optional Power:300W

CE Model: K10

CTN: 25PCS

#304 Stainless Steel CE certificate Designed for easy uncapping to extract honey faster. No more messy chunks of wax in all over the place

40mm

Temperature: 150-190°C Voltage:110-220V Power:300W




Model: K10-B Model: K21 Model:K10-TS Model: K16 2CR13 2CR13 2CR13 Sanding **Mirror polish** ROOMM 395mm #ISMM **K08 K07** K11-2 Weight:126g Weight:107g Weight:120g Thickness:1.2mm Thickness:1.0mm **CTN: 266PCS** Patent No.:201530031130.7 CTN: 266PCS **CTN: 250PCS** SUS2CR13&ABS 2CR13 **Tungsten steel Mirror polish Mirror polish** solid wood

Benefitbee[®]







Thickness:1.8mm

CTN: 100PCS

Weight:150g

CTN: 120PCS


Weight: 147g

CTN: 120PCS













OEM/ODM available >>








FG14 Material:SUS201 CTN:160PCS

FG15 The lithium battery : 2000mAH CTN:5PCS

FG15-2 Battery capacity: 2000 mAh CTN:5PCS



FG09 Material:SUS201 CTN:40PCS

FG08 Material:SUS201 CTN:60PCS

FG08-2 Material: ABS+ Stainless steel ring CTN:20PCS

FG13 Material:2CR13 CTN:40PCS



FG16 Material: stainless steel CTN:64PCS

FG17 Material:SUS201 CTN:50PCS

FG17-2 Material:SUS201 CTN:40PCS

FG07-2 Material:SUS201+PP CTN:50PCS





CTN:10PCS Diameter:Ф320mm Mesh material:SUS304 Filter screen height:65mm Upper layer:16 mesh Under layer:40 mesh



Model: FT01B(Φ32cm)

304 STAINLESS STEEL is durable, highly resistant to rust and oxidation. Designed with two separate screens: the upper sieve removes large debris, while the lower sieve strains out fine particles. Adjustable brackets to fit dia 21-40cm bucket size, strain honey faster and easier. Easy to clean with warm soapy water and dry immidiately.

BB



Model: FT01-3 Double strainer (Φ24cm) Material: SUS304 & SUS201 Diameter: 24cm, Height: 15.3cm CTN:10PCS

Model: FTTT Double honey strainer Mesh material:SUS304 CTN:10PCS

Φ240mm



FT07-3 <u>CTN:200PCS</u> Ф255mm



FT05 CTN:50PCS





FT05-2 CTN:50PCS







FT06 CTN:50PCS



Modle: FT13

Honey comb holder uncapping tray

Size:stainless steel disc: 600*400*95mm Plastic box: External dimension: 600x400x175mm Internal dimension: 550*365*160mm Mesh material:SUS201+PP

CTN:1 PCS



Modle: FT14

Uncapping tray

Plastic box:

External dimension: 600x400x230mm Internal dimension: 550*365*220mm Stainless steel disc: 600*400*150mm Mesh material:SUS201+PP CTN:1 PCS

Modle: FT15/FT16

Honey filter

Material:Nylon,201 Stainless steel ring **Product Size:**

ø33cm ,1 mm square mesh,length 47cm.
ø33cm ,0.3mm square mesh,length 36cm.
ø33cm ,0.2 mm square mesh,length 36cm.
ø45cm ,1 mm square mesh length 47cm.
ø45cm ,0.3 mm square mesh length 36cm.
ø45cm ,0.2 mm square mesh length 36cm.
CTN:120/200/260 PCS









Model: FT04 Double honey strainer Size:Ф230mm,Mesh material:ABS CTN:10PCS

Size:Ф240mm*60mm Mesh material:Nylon Case material:Nylon Layer:26 mesh CTN:20PCS

Model: FT02 Nylon double honey strainer

Model: FT03 Double honey strainer Uper layer Size:Ф295mm CTN:10PCS



Model: FT10 Uncapping tray



Surface Treatment: Sanding Material:SUS201 Size: 470*432*100mm CTN:1 PCS

Model: FT09 Uncapping tray



Model: FT09B Plastic uncapping tub Material:PP CTN:3 PCS



FT19/FT19-2

Stand for Strainer

Ø30cm/ Ø43cm

Material:SUS201

Weight: 1600g/1700g


CTN:10 PCS

FT18 Honey filter (304 stainless steel) The hole spacing is 3.0mm CTN:10 PCS FT08 Honey filter (Thin style) Size:35X23cm Material:Nylon CTN:260 PCS




FT08-2 Honey filter Size:50X35cm Material:Nylon CTN:240 PCS

























OEM/ODM available >>



CTN:1 PCS

Model: BR08 Electric bee taking-off machine Rated power:150W,Voltage:12V





Handle:450mm Brush width:7cm Model: BR11

BB Bee brushes(Double rows bristles) CTN:200 PCS









Material, color, size, style can be customized



Model: BG07

Beekeeping glove

Material:White sheepskin +Polyester cotton Size:L,XL,XXL CTN:200PCS


Model: BGO3 Beekeeping ventilated glove Material:Golden sheepskin + High breathable mesh+ Polyester cotton Size:L,XL,XXL Colour:yellow, white CTN: 200PCS



Model: BG11

Bee gloves(Euro Grade A sheepskin) Material: Yellow sheepskin + TC breathable mesh size :S-XXXL

CTN:200PCS





Bee suits

Material, color, size, style can be customized



Model:BS16-2

Bee jacket Material: 100% cotton gr/m²: 150g CTN:25PCS





Model:BS16

Color:

Bee jacket Material: 100% cotton gr/㎡: 150g Color:



Model:BS17 European style half-length round hat bee jacket (without zipper)

Model:BS19 European style bee pants

Color:







Material, color, size, style can be customized



BS05

BS08

BS14

BS14-2

BS14-3



Material, color, size, style can be customized









BS10



BS11

BS12

BS09-2



BS13

BS16-3



Material, color, size, style can be customized

Model:BH06

Model:BH07





BH01





BH01-2

Model:BH02





BH09



BH04



BH04-2



BH05



BH08



BH10

BH11











Model: QC49





Model: QC51





Model: QC44-2



QC37-3 Queen control box (2FRAME)



QC39 Queen catcher



QC42 Swarm catcher(Euro)



QC43 Marking cages



QC44 JZBZ queen bee protection box



QC45 Marking cages




QC50 Queen catcher



QC52 Queen catcher





Wasp trap (Rotatable)





Model: QC32 Wasp trap (Large)





Wasp trap (Solar LED light)





Model: QC30 Wasp trap (Gourd shaped)







QC35 Queen cages



QC37 Queen control box (1FRAME)

QC36 Bee collecting cage



QC37-2 Queen control box (2FRAMES)



QC46 Skep straw hive(3PCS)











Model:QB43

BB Queen incubator Input voltage: DC 12v Heating temperature: 36 °C Can put cell cup: 54pcs

Patented product

Patent No.: 202220476207.6


Model:QB01-9

Grafting tool tip diameter:0.5mm Weight:35g Material:SUS420

Patented product
Patent No.:ZL 2022 3 0510174.8



(fit for both right and left hands, tip 0.5mm)



QB01-8 Grafting tool



QB02-4 Head band magnifier (not included battery)




QB04-7B Queen cell bar




QB04-7C JZBZ Plastic Royal Jelly Frame

QB04-9 Holder for queen cell



QB42 Queen shipper



75



QB38 Cell cup silicone mould



QB38-2 Cell cup silicone mould



QB39

Scissor

Queen breed tools

Benefitbee[®]




Model: QB04 Queen rearing box



Model: QB04-2 Queen cell

- 1. Insert the comb box into a frame and 110 brown cell starter cups are fitted into the back of it. (With this kit you will be able to raise your own queens and do it without grafting or ever touching a larvae.)
- 2. Confine the queen in the front of cage and she immediately lays eggs in the 110 available cells. She can be realeased in the next day. On the 4th day each newly hatched larvae is ready for transfer.
- 3. Remove each cell starter cup and insert it into a cell cup holder.
- 4. Slid this unit onto a cell bar holder which is attached to a cell bar.
- 5. To finish the cells you now put the cell bar into a cell building colony.




Model: QB06 No graft queen rearing system for mellifera bees



Model: QB06-2 Mellifera royal jelly frame



Model: QB07 Queen marking pen



Model: QB06-3 Impregnated Mellifera larva breeding frame



Model: QB08 Queen marking pen (1 PCS)



Model: QB06-5 No graft queen rearingsystem for mellifera bees

Queen breed tools Benefitbee

Material, color, size, style can be customized



Model: QB03

Grafting support

Grafting support can ascend and descend to adjust people's sitting position so as to relieve the user's injuries of cervical vertebra and lumbar vertebra; it is flexible, portable, compact, which does not occupy too much space.



Model: QB01-6 Plastic grafting tool

100% new and service to the beekeeper Material: Plastic Black color Total length: Approx 12 cm

2 graft tools in one box Threading Needle: 113mm * 6mm Packing box: 118mm * 30mm

Model: QB02-3

Desktop loupe





QB01 Aluminium handle grafting tool



OB02



QB04-7 JZ BZ base mount cell cups Push-In Cell Cups

Omm QB01-2



QB02-2 Binocular head loupe Binocular head loupe



QB04-8



QB01-3 (European style)



QB04-3 Queen cell cup



QB04-10 Queen cell





QB01-4 QB01-5 QB01-7 Stainless steel grafting tool Stainless steel grafting tool Plastic grafting tool Plastic grafting tool American style plastic Horn Horn grafting tool

QB04-5

Queen cell cup (The larva not

longger need to be transferred)

QB06-4

bottom row



QB04-4 Plastic frame spacer



QB05







QB04-6 JZ BZ base mount



QB06-6 Birth control tweezer Mellifera adjustable Mellifera impregnation queen stripe







Model: J31(1.5L)

Honey heating pot (Customizable 1L/2L/2.5L/3L)



Model: J32 Honey heating pot Material:SUS304 100X210X125mm







OT04 Outdoor beehive burglar monitor



QT78 Liquid Propolis Scale Dispenser



OT04-2 Outdoor beehive burglar monitor

78



Model: QT68 Bee venom acquisition instrument



QT74 Thermo&humidity meter



OT02 18 function combined knife card



QT74-2 **Digital thermometer**



OT04-3 Monitor solar power





Voltage:110-230V Power: 250W

PC09-2 CTN: 10PCS



PC17-2 CTN: 1PCS

PC18 CTN: 20PCS

Voltage:12V







Model: PC01


Mite medicine atomizer Handle: wooden Meterial: stainless steel & aluminum Voltage:12 V Temperature : 160°-190° CTN: 30PCS

70mm -

PC05

Material:SUS304

CTN: 60PCS



PC02 Material:pp+Plastic CTN: 60PCS




PC06 Material:PP CTN: 800PCS



PC10 Material:PP+foam CTN: 250PCS




PC07 Material:PP CTN: 1400PCS




PC11 Material:PP CTN: 100PCS



PC08 Material:PP CTN: 500PCS



PC12 Material:PP CTN: 80PCS





PC13 CTN: 25PCS



Varroa mite-killer (10//20pcs)

Formic acid aerosol (Zhenxing)

BM55 Bee bait(60ml)

82







BM52 Miticide - Amitraz Solution Aerosol

BM53 Bee liquid (100ml)

BM54 Bee trap lure (30ml)







Model: BW01 Beeswax grade D • Pure beeswax content: 30%



Model: BW03 Beeswax grade B • Pure beeswax content: 80%



Model: BW02 Beeswax grade C • Pure beeswax content: 50%



Model: BW04 Beeswax grade A • Pure beeswax content: 100%





Model: HF04

Canola pollen Sunflower pollen Buckwheat pollen



HF02 Canola pollen



HF05 Sunflower pollen



Customizable specifications

Model:HD70/HD90

Decrystalization honey tank HD70 70L 52X52X77CM HD90 90L 52X52X83CM







Model : HAP06

Honey melting blanket

Size:140*44cm Electric:220V Average power:160W NW:1.5KG GW:2KG one pc/box





Model:HB025-A

Material:SUS201,Honey volume: 20L, Bucket body thickness:0.8MM,Diameter:30cm,Height:30cm Processing technology:Seamless welding &polishing, (Not including honey gate)

HB25-A	25KG-30X30CM
HB50-A	50KG-35X40CM
HB75-A	75KG-40X45CM
HB100-A	100KG-45X50CM
HB150-A	150KG-50X58CM
HB200-A	200KG-60X55CM



Model:HB025-B

Material:SUS201,Honey volume:20L, Bucket body thickness:0.8MM Diameter:30cm,Height:30cm Processing technology:Seamless welding &polishing, (Not including honey gate)

HB25-B	25KG-30X30CM
HB 50-B	50KG-35X40CM
HB 75-B	75KG-40X45CM
HB100-B	100KG-45X50CM
HB150-B	150KG-50X58CM



Model: TW70-A

Thermo regulatd decrystalization honey tank (201 steel flat lid)



Model:HC30/50/70/80/120-201

Honey tank with double-layer filter

HC30-201	30L-37X35CM
HC50-201	50L-37X47CM
HC70-201	70L-37X65CM
HC80-201	80L-37X74CM
HC120-201	120L-47X74CM(No filter)





Model: HB25-C

Material:SUS201,Honey volume:20L, Bucket body thickness:0.8MM Diameter:30cm,Height:30cm Processing technology:Seamless welding &polishing, (Not including honey gate) HB25-C 25KG 30X30CM HB50-C 50KG 35X40CM HB75-C 75KG 40X45CM HB100-C 100KG 45X50CM HB150-C 150KG 50X58CM HB200-C 200KG 60X55CM



Model: TW70-B

Thermo regulated decrystalization honey tank(304 stainless stee honey gate) Material:SUS201 Honey volume: 70L



Model: HAP05

Honay tank stand Diameter 32cm Height 35cm Material: 201 T=2.0mm single side wire drawing



Customizable specifications



HA3/4/5/6/15/18/20L-A 3/4/5/6/15/18/20 liters plastic honey pail (zipper lid)



HA6/20/25L-B 6/20/25 liters plastic honey pail (thickened body)



HA3/6/18/20L-C 3/6/18/20 liters plastic honey pail (America style)



HAP04-30/35/40/45/50/52 Stainless steel bracket for honey barrel (H50cm, Φ30/35/40/45/50/52cm)



HPA02-2 Honey tank support



HAP02 Honey tank support





8

HAP07-3

Honey Mixer

HAP07 Honey Mixer



HAP08 Honey straining heater HAP07-2 Honey Mixer

HAP01

Pail opener



HAP02-3 Honey Pail Support



HAP03 Plastic frame scraper










Beeswx foundation roller 🥢 💋 Benefitbee®



Model: FM01 Fully automatic beeswax machine



Model: FM04 Beeswax embossing machine The size of the machine or cell Size can be customized.



Model: FM06 Comb silicone mold







Model: ME01-3

Insemination equipment microscope



Beekeeping tools Benefitbee efficient coupling equipment professional microscope Instrument queen bee artificial Insemination kits



ME01-2 Insemination equipment (Anesthesia bottle)



MEP04 Insemination equipment



MEP05 Insemination equipment microscope



ME39 Honey filling machine



ME16 Pollen dryer



ME22 Honey and wax separating machine



ME26 Frame support with filter tank

Honey processing machines

Benefitbee[®]



Model:ME39-3

Honey filling machine

Rated voltage: DC12V AC110V AC220V Rated powder: 120W Item size:567mm * 322mm * 282mm Applicable capacity: 100g-5000g Flow rate: 500g 470 bottle/H Filling error: 1g Filling height: 0-380mm Applicable viscosity: Below 44 Baume degree Filling environment temperature: Above 5°C Applicable liquid temperature: 5-90°C Filter density: 150um Filtration flow: 500L/H



ME39-2 Honey filling machine



ME39-6 Honey filter



ME39-7 Honey filling machine (copper pump)





ME39-8 Honey filling machine (304 stainless steel pump)



ME20 Automatic spleen-cutter



ME24 Hand push type honey pumping&shaking



ME27 Solar melting beewax machine



ME38 Semi-automatic cutting machine



ME41 Pollen dryer



ME03 0.5 ton original flavor reflux concentrator



ME03-B 1 ton original flavor reflux concentrator



ME44 Beehive Frame Making Machine



Model: RS1-1006

Candle silicone mold


Mould Size: 5.5cmX8cm Mould Weight: 130g Product Size: 4.5X7.5cm Product Weight: 88g








RS1-1020



RS1-1034



RS1-1035




RS1-1036

RS1-1070

RS1-1071

RS1-1157







RS1-1164





RS1-1165

RS1-1167



RS1-1169



RS1-1171



RS1-1249




RS1-1282






RS1-458



RS1-459



RS1-891

SR1-1513

SR1-1721

SR1-2040



(173g)



RS1-994

(203g)

SR1-1720

(50g)



RS1-989







RS1-930



RS1-1702













SR1-1514

(129g)



(170g)

SR1-1702

SR1-2039





[194g]



SR1-2007

(250g) 1158g

SR1-1770






SR1-2043



SR1-2044



SR1-2045




SR1-2046




SR1-2197













SR1-2273



SR1-2274




SR1-2275



SR1-2295



SR1-2459







SR1-2502



SR1-2503



SR1-2504



SR1-2529



SR1-2540



SR1-2639



SR1-2640



97

Beeswax silicone moulds Benefitbee®



SIL001 Flower heart-shaped silicone mold



SIL002 Face cylindrical silicone mold




SIL003 Flowery cylindrical silicone mold



SIL004 Hexagonal silicone mold



SIL005 Owl oval silicone mold



SIL006 Butterfly square silicone mold



SIL007 Cylindrical silicone mould



SIL010 Flower fairy square silicone mold



SIL008 Flower cylindrical silicone mold



SIL011 Honey bee hexagonal honeycomb silicone mold



SIL009 Mermaid square silicone mold



SIL012 Three flower heart-shaped silicone mold





RC004



Honey glass jar				
Model	G09-1	G09-2	G09-3	
Diameter	52mm	65mm	75mm	
Height	85mm	100mm	120mm	
Side	62mm	80mm	100mm	
Capacity:	180ml	380ml	730ml	





honey glass bottle				
Model	G13	G14		
Caliber:	69.5mm	80mm		
Height:	104mm	137mm		
Weight:	200g	350g		
Capacity:	380ml	770ml		

Boston Round Dropper bottle with plastic cap			
Model	G12-2		
Capacity:	10ml	10ml	
	15ml	20ml	
	30ml	50ml	
	100ml		









BNC-001 Fortune bee



BNC-002 LED smoker keychain44th apimondia Apiculture bronze medal for artistic exhibition



BNC-003 Bee keychain



BNC-004 Resign bee couple with storage bucket



BNC-006



BNC-007 Motobike bee with clock Gold medal on 44th apimondia



BNC-009 Bees lifting up honey





BNC-012 Whole set Bottle holder



BNC-017 Bee pen holder



BNC-023 SD/USB music player



BNC-013 Bee money container



BNC-018 Trash can



BNC-024 Lovely bee



BNC-014 Umbrella with ears and a whistle



BNC-019 Trash can



BNC-025 Lovely bee



BNC-015 Umbrella of bee and flower



BNC-020 Guard bee



BNC-026 Lovely bee



BNC-016 Bee pen holder



BNC-021 Lawn music Box



BNC-027 Lovely bee







BNC-027 Rubber bee with pot Keychain



BNC-029 Simulation model bee



BNC-038 Resin model simulation bee



BNC-040 11 designs bee models



BNC-042 Bee singer Loudspeaker



BNC-045 Bee helicopter toy



BNC-047 Cartoon bee costumes

BNC-056

Bee mascot inflatable gas

model-Fengxiaobao



BNC-049 Solar Swing bee In the sunlight, leaves can swing



BNC-051 Cartoon bee mascot



BNC-058 Bee mascot model



BNC-073 Bee anatomical model



BNC-088 Children Ride On Motorcycle



BNC-052 Bee mascot keychain



BNC-059 Outdoor adversting inflatable bee gas model



BNC-076 Bee development model Sweet Honeybee Carrier



BNC-053 Electric simulation bee model



BNC-060 Barrel heater



BNC-077



BNC-085 little bee backpack



BNC-086 little bee notebook

BNC-057

Outdoor Large inflatable



BNC-068 Bee shape thermometer

gas model -Fengxiaoya





















AG009

AG015

AG041

AG050

AG062

AG080



AG091



AG130



AG132



AG134



AG149



AG152



AG158

AG202



AG177



AG182



AG200



AG215





AL084



AL214

AL219




AL242

AL267

AL297

AL320

















BP02

Bee 3D pictures



















































🗭 Benefitbee®













YOU DESERVE THE BEST FROM BENEFITBEE







www.benefitbee.com



+86 755 89697771

+86 755 89697772

ROOM 07A 26 FLOOR NEW TREND CENTRE NO.704 PRINCE EDWARD ROAD EAST SAN PO KONG KOWLOON HK SAN PO KONG KLN,

