BENEFITBEE PRODUCT CATALOGUE

 Item No.
 Commodity
 Picture
 Product description
 Selling points
 MOQ (PCS)
 Packing (PCS/CTN)
 ORDER QTY (PCS)
 Remark



PRODUCT CATALOG



+86 755 89697771



+86 755 89697772

FL 5, Building 6, Liantang Industrial Zone, 48 Kangzheng Road, Danzhutou. Nanwan Street Office, Longgang District, Shenzhen, China 518114



COMPANY DESCRIPTION

FACTORY

Benefitbee owns hardware, plastic and wooden-ware factory to produce around 1300 beekeeping tools with competitive price and quality.













EXHIBITION •

Every exhibition is a stage for us to show our strength to the world. With our rich experience and professional skills, we have won countless praises and cooperation opportunities in exhibitions in various countries.

PRODUCT SHOWROOM

Our showroom usually welcomes customers and partners from all over the world, who come here to learn about our products and establish deep cooperative relationships with us.







WHY CHOOSE US?



PROFESSIONAL

As a leading solution provider for beekeeping, Benefitbee has been a supplier of beekeeping tools for 15 years.



INVENTORY CAPACITY

Our regular inventory amount reaches \$2,000,000 to keep leading time of 90% products within 7-15 days.



FACTORY

Benefitbee owns hardware, plastic and wooden-ware factory to produce around 1300 beekeeping tools with competitive price and quality.



PATENTS

We own R&D team to invest more than USD 15,000 on R&D with nearly 100 patented products.



CONFIDENTIAL

Benefitbe always keeps confidential for every customer's OEM and ODM business.

H21-2	BB Plastic beehive (2 layers) (Lan gstroth) (Pa tent)	€ Benefitbee	BB plastic beehive (double layers), Material: HDPE, Standard configuration: 1*large cover (yellow), 1*feeder (yellow) 1*deep box 245 (white), 1*super box 168 (white) 1*base (yellow), 1*plastic queen excluder, 2*stainless steel frame holders, 1*rotating entrance and thermometer and hygrometer, stainless steel buckles and screws. 2*large and small PVC partitions, 2*base insulation boards (unassembled)	Patent product: Chinese patent number ZL 202030732914.3 Made using blow molding technology, suitable for outdoor HDPE new plastic materials, seamless, UV resistant, antioxidation, filled with polyurethane, high temperature and cold resistant. Equipped with a top feeder, the lid has holes, and you don't need to open the lid to add bee feed. Can raise two groups of bees. The base has a pollen trap function and is equipped with a large capacity pollen container. Equipped with frame support poles.	1	1	0	
-------	---	--------------	--	--	---	---	---	--

H21-3	BB Plastic beehive (1 layer Dadant)	Dan State of the S	Langstroth10 frames, 1 layer, size: 500*440*525mm, suitable for length 470*300 frames, insulating filling layer, heat insulation CN Patent No. ZL 202030732914. 3, (unassembled)	Patent product: Chinese patent number ZL 202030732914.3 Made using blow molding technology, suitable for outdoor HDPE new plastic materials, seamless, UV resistant, antioxidation, filled with polyurethane, high temperature and cold resistant. Equipped with a top feeder, the lid has holes, and you don't need to open the lid to add bee feed. Can raise two groups of bees. The base has a pollen trap function and is equipped with a large capacity pollen container. Equipped with frame support poles.		1	0	
-------	--	--	--	--	--	---	---	--

H21-4	BB Plastic beehive (2 layers Dadant)	₩ Benefit bee	BB plastic beehive (Dadant double layer), Material: HDPE, Standard configuration: 1*large cover (yellow), 1*feeder (yellow) 1*deep box 330 (white), 1*super box 190 (white) 1*base (yellow), 1*plastic queen excluder, 2*stainless steel frame holders, 1*rotating entrance and thermometer and hygrometer, stainless steel buckles and screws. 2*large and small PVC partitions, 2*base insulation boards (unassembled)	Patent product: Chinese patent number ZL 202030732914.3 Made using blow molding technology, suitable for outdoor HDPE new plastic materials, seamless, UV resistant, anti-oxidation, filled with polyurethane, high temperature and cold resistant. Equipped with a top feeder, the lid has holes, and you don't need to open the lid to add bee feed. Can raise two groups of bees. The base has a pollen trap function and is equipped with a large capacity pollen container. Equipped with frame support poles.	1	1	0	
H21-D	BB Plastic beehive (Dadant deep box)	Benefitbee	Material: HDPE, standard Dadant10-frame, outer diameter: 540*438*330mm, inner diameter: 472x365x308mm, suitable for frames 470*300mm, foam filling layer, heat insulation. standard: bulk, white, rotating entrance and thermometer, stainless steel connector and screws	Patent Product: CN Patent No. ZL 202030732914.3 Made by blow molding process, suitable for outdoor HDPE new plastic material, seamless, UV resistant, anti-oxidation, filled with polyurethane, high temperature resistant, cold resistant, with frame support	1	6	0	

H21-L	BB Plastic beehive (Langstroth deep box)	@ Benefitbee	Material: HDPE, standard Langstroth 10-frame, outer diameter: 540*438*262mm, inner diameter: 485x365x240mm, suitable for frames 483*232mm, foam filling layer, heat insulation. standard: bulk, white, rotating entrance and thermometer, stainless steel connector and screws	Patent Product: CN Patent No. ZL 202030732914.3 Made by blow molding process, suitable for outdoor HDPE new plastic material, seamless, UV resistant, anti-oxidation, filled with polyurethane, high temperature resistant, cold resistant, with frame support	1	6	0	
H21-DS	BB Plastic beehive (Dadant super box)	ISON STATE OF THE PARTY OF THE	Material: HDPE, standard Langstroth 10-frame, outer diameter: 540*438*190mm, inner diameter: 472*365*168mm, suitable for frames 470*159mm, foam filling layer, heat insulation. Standard: Bulk, white, rotating entrance with thermometer and hygrometer, stainless steel connector and screws.	Patent Product: CN Patent No. ZL 202030732914.3 Made by blow molding process, suitable for outdoor HDPE new plastic material, seamless, UV resistant, anti-oxidation, filled with polyurethane, high temperature resistant, cold resistant, with frame support	1	6	0	
H21-S	BB Plastic beehive (Langstroth super box)	15 and 15	Material: HDPE, standard Langstroth 10-frame, outer diameter: 540*438mm, inner diameter: 485x365mm, suitable for frames 483*159mm, foam filling layer, heat insulation. Standard: Bulk, white, rotating entrance with thermometer and hygrometer, stainless steel connector and screws.	Patent Product: CN Patent No. ZL 202030732914.3 Made by blow molding process, suitable for outdoor HDPE new plastic material, seamless, UV resistant, anti-oxidation, filled with polyurethane, high temperature resistant, cold resistant, with frame support	1	6	0	

H21-B	BB Plastic beehive base	@ Benefitbee	Product weight: 3.06KG, Outer diameter: 575*440*125mm, Inner diameter: 365*470mm, Suitable for standard Langstroth10 frame. Standard: yellow, plastic drawer, 2 pollen trap board, 1 Sliding entrance, 2 *Replacement	oxidation, with pollen	1	5	0	
H21-C	BB Plastic beehive large cover		Material:HDPE Product weight: 2.28KG, Outer diameter: 540*435*110mm, Inner diameter: 510*410mm, Suitable for standard Langstroth10 frame. Insulation filling layer, thermal insulation.	Patent Product: CN Patent No. ZL 202030732914.3 Made by blow molding process, suitable for outdoor HDPE new plastic material, seamless, UV resistant, anti- oxidation, filled with polyurethane, high temperature resistant, cold resistant, can be used for standard beehives	1	5	0	

H27	EPS one- layer beehive	Benefitbee	Material: EPS, density: 150kg/m³. Langstroth deep box size 483*232mm, US Dadant deep box size 470*300mm, JUMBO Dadant deep box size 480*285mm. Standard configuration: 1* deep box, 1*1Yellow big cover, 1* Feeder, 1*Yellow plastic or foam base, 1set/box.	Patent product: Design patent number: ZL 2023 3 0432538. 10 Utility model patent number: ZL 2023 2 1819424.1 150kg/m³ high-density EPS production. Plastic and EPS are integrally formed, making them more sturdy. High temperature resistance, deformation resistance, light weight, long service life, detachable, saving transportation. Equipped with a top feeder, the lid has holes, and you don't need to open the lid to add bee feed. You can choose a plastic base with a pollen trap or an EPS base with a tray.	1	1	0	Please choose to configure a plastic base or an EPS base?
-----	------------------------------	------------	--	---	---	---	---	--

H27-2	EPS Double layer beehive	₩ Benefitbee*	Material: EPS, density: 150kg/m³, Langstroth deep box size 483*232mm, Langstroth super box size 483*159mm; US Dadant deep box size 470*300mm, US Dadant super box size 470*159mm; JUMBO Dadant deep box size 480*285mm. Standard configuration: 1*deep box, 1*super box, 1*Plastic queen excluder, 1* Yellow big cover, 1*Feeder, 1*Yellow plastic or foam base, 1set/box.	Patent product: Design patent number: ZL 2023 3 0432538. 10 Utility model patent number: ZL 2023 2 1819424.1 150kg/m³ high-density EPS production. Plastic and EPS are integrally formed, making them more sturdy. High temperature resistance, deformation resistance, light weight, long service life, detachable, saving transportation. Equipped with a top feeder, the lid has holes, and you don't need to open the lid to add bee feed. You can choose a plastic base with a pollen trap or an EPS base with a tray.	1	1	0	Please choose to configure a plastic base or an EPS base?
H27-L	Foam Langstroth Deep Box	Benefitbee 33bm	Material:EPS, density:150kg/m³, 1*deep box. Langstroth deep box outter size: 542*440*268mm, inner diameter size: 485*360*245mm; Suitble for 483**232mm frames. CN Patent No. ZL 2023 3 0432538. X	Patent product: Design patent number: ZL 2023 3 0432538. X Utility model patent number: ZL 2023 2 1819424.1 150kg/m³ high-density EPS production. High temperature resistance, deformation resistance, lighter weight, longer usage time, detachable to save transp	1	1	0	

Н27-В	Beehive Base (EPS)	@Benefitbee	Material:EPS, density:150kg/m³, Outer dimensions: 587.5*440*117mm, suitable for foam and plasti boxes. 1*Basedrawe, 1*Stainless Steel Mesh, 1*Entrance	Patent product: Design patent number: ZL 2023 3 0432538. X Utility model patent number: ZL 2023 2 1819424.1	1	1	0	
H27-D	Foam Dadant Deep Box	@ Benefitbee	Material:EPS, density:150kg/m³, 1*deep box. JUMBO Dadant deep box, outter size:540*440*321mm Suitabel for Gemany Dadant standard frame size:480*285mm CN Patent No.ZL 2023 3 0432538.X	Patent product: Design patent number: ZL 2023 3 0432538. X Utility model patent number: ZL 2023 2 1819424.1 150kg/m³ high-density EPS production. High temperature resistance, deformation resistance, lighter weight, longer usage time, detachable to save transp	1	1	0	
H27-S	Foam Super Box	Benefitbee	Material: EPS, Suitable with Dadant and Langstroth's super box, Super box size: 542*440*195mm, inner diameter size: 485*360*185mm; suitable for length 483*159mm frames CN Patent No. ZL 2023 3 0432538. X	Patent product: Design patent number: ZL 2023 3 0432538. X Utility model patent number: ZL 2023 2 1819424.1 150kg/m³ high-density EPS production. High temperature resistance, deformation resistance, lighter weight, longer usage time, detachable to save transp	1	1	0	please confirm which style beehive you want?
H10-2	BB Nuc box/Queen mating box (120kg/m³ density) (Patent)	(increditive)	Size:24x15x17cm, material:EPS Standard: 4 frames, 1 plastic feeder, 1 floating net, 1 PVC transparent observation film, plastic hive door + breathable bottom board, foam density 120kg/m³ CN Patent No. ZL 2021 3 0233864.9	Patent Product: CN Patent No. ZL 2021 3 0233864.9 120kg/m³ high-density, food grade plastic	1	24	0	

H10-3	BB Plastic nuc box/Queen mating box (HDPE) (Patent)	@Benefitbee	Size:25. 4x15. 3x17. 1cm, material:HDPE Standard: 4 frames, 1 plastic feeder, 1 floating net, 1 PVC transparent observation film, plastic hive door + breathable bottom board, the beehive body can be added, Box ring color optional: blue, green, yellow EU Patent No. 008737472-0001 CN Patent No. ZL ZL 2021 3 0289413. 7	Patent product: Chinese patent number ZL ZL 2021 3 0289413.7 Made using blow molding technology, a new type of plastic material Seamless, UV resistant, antioxidant, insect resistant, long-lasting, customizable polyurethane filling. Super boxes can be stacked and customized in any color.	1	18	0	Please confirm the color?
H10-3B	BB Plastic queen bee mating super box(Patent)	@Benefitbee	Size:12x15x17cm, material:HDPE Standard: 6 frames, plastic hive door, Box ring color optional: blue, green, red EU Patent No. 008737472-0001 CN Patent No. ZL ZL 2021 3 0289413.7	Patent product: Chinese patent number ZL ZL 2021 3 0289413.7 Made using blow molding technology, a new type of plastic material Seamless, UV resistant, antioxidant, insect resistant, long-lasting, customizable polyurethane filling. Super boxes can be stacked and customized in any color.	1	18	0	Please confirm the color?
H10-4	BB Nuc box/Queen mating box (120kg/m³ density) (Patent)	@Benefitbee*	· -	Patent Product: CN Patent No. ZL 2021 3 0823334. X 120g high-density, food grade plastic, detachable bottom	1	24	0	

H10-7	BB Queen mating box (120 kg/m³ density) (Patent)	- (5	Size:530x285x408mm, material:EPS, Weight:3Kg Foam density:120kg/m³ it is suitable for frame size:483*232mm CN Patent No.ZL 2023 3 0378671.1	Patent Product: CN Patent No. ZL 2023 3 0378671.1 120kg/m³ high-density, food grade plastic with top feeder, detachable to save transportation space, easy to assemble, capable of raising two queen bees	1	1	0	
H10-8	BB Queen mating box (Dadant) (Patent)	5	Size: 530*285*490mm Density 120kg/m³ Material: EPS suitble with the Frame: 470*300mm CN Patent No. ZL 2023 3 0378671.1	Patent Product:CN Patent No. ZL 2023 3 0378671.1 120kg/m³ high-density, food grade plastic with top feeder, detachable to save transportation space, easy to assemble, capable of raising two queen bees	1	1	0	
H10-9	BB Queen mating box (spaarkast/ simplex) (Patent)		Size: 530*285*408mm Density 120kg/m³ Material: EPS suitble with the Frame: spaarkast/ simplex:435*300mm or National frames:431*300mm CN Patent No. ZL 2023 3 0378671.1	Patent Product:CN Patent No. ZL 2023 3 0378671.1 120kg/m³ high-density, food grade plastic with top feeder, detachable to save transportation space, easy to assemble, capable of raising two queen bees	1	1	0	

H10-10	Double queen mating box	@ Benefitbee	Product outer diameter: 32.8*13*11.2CM, Material: Foam, Standard configuration: 4 nest frames, 1 floating net, 2 PVC transparent observation sheets, plastic nest doors on both sides + two breathable bottom plates, foam density 120g Weight: 398g. The box body uses foam material for thermal insulation and thermal insulation performance is wood3.5times, The thermal insulation performance can make the micro-bee colony more resistant to the heat, The product is mini, light and easy to use in cold spring and cold autumn climate conditions. Suitable for Chinese and Italian bees, professional queen breeding, and pet beekeeping, etc.		1	10	0	
H18	BB double- deck nuc box/queen mating box(Patent)	© Benefitbee*	4pcs plastic entrance panel(red and yellow each 2pcs) 2pcs round entrance sheet 2pcs square entrance sheet	Patent product: Invention patent NO: 201910754536.5 Appearance patent NO:201930438030.4 Utility model patent NO: 201921324972.0 120kg/m³ density, food grade plastic, capable of raising multiple queen bees. With Top Feeder	1	12	0	

H18-2	BB nuc box/queen mating box (120kg/m³ density) (Patent)	@Benefitbee*	Standard inclduing Lid, Feeder, Deep box Accessories: 8pcs plastic frame 2pcs syrup excluder 2pcs plastic entrance panel (red and yellow each 1pc) 1pcs round entrance sheet 1pcs square entrance sheet 1pc bottom board 1pc PVC foam clapboard Material:EPS Invention patent NO: 201910754536.5 Appearance patent NO:201930438030.4 Utility model patent NO: 201921324972.0	Patent product: Invention patent NO: 201910754536.5 Appearance patent NO:201930438030.4 Utility model patent NO: 201921324972.0 120kg/m³ density, food grade plastic, capable of raising multiple queen bees. With Top Feeder	1	12	0	
H18-3	BB Plus Queen Mating Deep Nuc(only Super box) (Patent)	@Benefitbee*	Standard inclduing: Super box Accessories: 8pcs plastic frame 2pcs syrup excluder 2pcs plastic entrance panel(red and yellow each 1pc) 1pcs round entrance sheet 1pcs square entrance sheet 1pc bottom board 1pc PVC foam clapboard Material:EPS Invention patent NO: 201910754536.5 Appearance patent NO:201930438030.4 Utility model patent NO: 201921324972.0	Patent product: Invention patent NO: 201910754536.5 Appearance patent NO:201930438030.4 Utility model patent NO: 201921324972.0 120kg/m³ density, food grade plastic, capable of raising multiple queen bees. With Top Feeder	1	12	0	Patented products with LOGO, please confirm whether it is acceptable?

H01	Langstroth Beehive(US style)		Size: 10Frames, other Frames can be customized Configuration: With 1 large iron cover, 1 inner cover (marked with oval holes), 1 super box (505 * 413 * 168), 1 deep box (505 * 413 * 245), 1 bottom. Material: splicing board, New Zealand pine, can be customized Pinus sylvestris pine, fir knotted splicing board (with scars), Packaging: Bulk, can be customized assembly, painting, wax cooking, single board	1	2	0	Please confirm the material? Is scarring allowed? Do you need single board? Do you need to spray wax? Do you need assembly? Do you need to paint?Do you need a carton pack?
Н02	Australia beehive	@Benefitbee*	Size: 10Frames, other Frames can be customized Configuration:with 1 large iron cover, 1 super box (505 * 405 * 145), 1 deep box (505 * 405 * 245), 1 bottom. Material: splicing board, New Zealand pine, can be customized Pinus sylvestris pine, fir knotted splicing board (with scars), Packaging: Bulk, can be customized assembly, painting, wax cooking, single board	1	2	0	Please confirm the material? Is scarring allowed? Do you need single board? Do you need to spray wax? Do you need assembly? Do you need to paint?Do you need a carton pack?Does the cover need a vent hole?
H02-2	Australia beehive (Waxed+ painted)	@Berefiber	Size: 10Frames, other Frames can be customized Configuration:with 1 large iron cover, 1 super box (505 * 405 * 145), 1 deep box (505 * 405 * 245), 1 bottom. Material: splicing board, New Zealand pine	50	2	0	Please confirm the material? Is scarring allowed? Do you need single board? Do you need to spray wax? Do you need assembly? Do you need to paint?Do you need a carton pack?Does the cover need a vent hole?

Н03	Italy hive	© Benefitbee*	10frames: Deep hive body size:L515mm*W425mm*H294mm (thickness 25mm), shallow super size:L515mm*W425mm*H168mm (thickness 25mm) Material:New Zealand Pine wood(splicing wood) unassemble packing	100	2	0	1. if need a single board, the price will be added USDO. 50/pc 2. if need cooking wax, the price will be added \$0.60/pc 3. if need spray paint, the price will be added \$2.00/pc 4. if need assemble package, the price will be added \$0.50/pc
H04	Langstroth queen rearing box (5 frames)	⊘ Benefitbod	Size: 5Frames, other Frames can be customized Configuration:with 1 large iron cover, 1 deep box, 1 bottom. Material: splicing board, New Zealand pine, can be customized Pinus sylvestris pine, fir knotted splicing board (with scars), Packaging: Bulk, can be customized assembly, painting, wax cooking, single board	1	2	0	Please confirm whether it is assembled? What are the requirements? Material? Is it a single board? The length, width and thickness of the Box? Spray paint? Cooking wax?
H04-2	5er Zander Ableger	(i) Benefitbee	Size: 5Frames, other Frames can be customized Configuration:with 1 large iron cover, 1 deep box, 1 feeder (wax boiling) Material: splicing board, New Zealand pine	10	1	0	

H05	Flow hive(withou t plastic frames)	© Benefitbee	Size: 10Frames Configuration: With 1 large cover, 1 inner cover (marked with oval holes), 1 super box (505 * 413 * 245), 1 deep box (505 * 413 * 245), 1 bottom. Material: splicing board, fir knotted splicing board (with scars), Packaging: wax cooking, painting, Bulk, can be customized assembly	1	1	0	Please confirm whether it is assembled? What are the requirements? Material? Is it a single board? The length, width and thickness of the Box? Spray paint? Cooking wax?
H05-2	New Auto Flow hive (with plastic frames)	@Benefitbee	Material: boiled fir wood, configuration: 1* large cover, 1* inner cover (marked with oval holes), 1* deep box (505*413*245), 1*super box (505 * 413 * 245), 1 *base, 1* queen excluder, 7* auto flowing beehive frames for super box. Material: splicing board, fir splicing board (with scars), packaging: wax paper packaging, color box packaging, bulk, customizable assembly	1	1	0	
H05-3	Mini auto flow Beehive Set	Product Components Of The Mini Flows Hive Indian Ind	Configuration: 1*large cover, 1*	1	1	0	

		 ⊗ Benefitbee'					
Н06	Nuc bee box (Calcium plastic)	· ·	Material:Calcium plastic Size: 54*21*28cm Size: any specifications can be customized	1	25	0	
H06-2	Nuc bee box (Calcium plastic)	@Benefitbee	Material:Calcium plastic Size: any specifications can be customized	1	25	0	
H06-4	Nuc box (Kraft linerboard)	@Benefitbee	Material: kraft paper, wax coated, suitable for Langstroth frame 483*448*232mm	1	25	0	
H06-5	Nuc Mesh Transport Bag	@Benefitbee	Size: 1*0.6M	1	100	0	
Н08	Double layer plastic beehive	Benefitbee*	Material: PP, hive without frame, hive ring size:490x370x260cm hive ring slot:10cm suitable length:490 & 483 frames plastic bottom size:540x440x55cm , large plastic lid size:550x470x80cm, \$3 extra with thermometer, large lid size 30mm; Insulation filling layer, heat insulation	1	1	0	

Н09	Insulation beehive	@ Benefitbee	Material: Insulation board, Standard configuration: 1pcs 245mm box with bottom plate, 2pcs 168mm super boxes, 1pcs lid, 1pcs metal excluder, and 1pcs metal nest door	100	1	0	
Н10	Queen bee mating box/nucbox (50kg/m³ density)	@Benefitbee	Size:24x15x17cm, material:EPS	1	24	0	
H10-5	Queen mating box (120kg/m³ density)	@Benefitbee	Size:27x21.5x17cm, material:EPS Product weight:380g Standard: 4 frames, 1 PVC transparent observation film, plastic hive door + round plastic ventilators(5.5CM), foam density 120kg/m³	1	10	0	
H10-A	BB Plastic queen bee mating super box frame	@Benefitbee	material:PP used with H10 & H18	1	200	0	
H10-F	BB Plastic queen bee mating super box frame (integrated)	(g) Benefitbee	material:PP used with H10-2 & H10-3 &H10-4	1	600	0	

H10B	Double layer Queen bee mating box	@Benefitbee*	Size:24x15x29.5cm material:EPS	50	16	0	
H11	UK National beehive	© Benefitbee*	Material: American red cedar, quotation standard: 1 base, 1 bottom box (245 * 460 * 460MM), 1 super box ring (145 * 460 * 460MM), 1 auxiliary cover, 1 metal cover.	100	2	0	
H12	UK WBC beehive	@Benefitbee	Material:Red cedar	100	1	0	
H13	Japan style beehive	& Benefitbee*	Material:China pine	100	2	0	
H14	Top bar hive	@Benefitbee*	Material: Chinese Fir with knot splicing board Hive size: Length =127mm Width =57mm Height =85.8mm Beam (length 49.5cm wide 3.8cm thick 1.9cm) Nest door (length =19cm, width =3.8cm)	50	1	0	

H17	Observation Portable Bee Hive	@Benefitbee	Material: pine + acrylic, Size: 24*5.8*23cm 1PC/brown inner box(27*27*8CM)	1	24	0	
Н19	Bee package (Patent)	@Berefitbee	Size:LWH: 366*197*259mm Material: PP CN Patent No.ZL 2020 3 0137781.5	1	10	0	
Н19-2	BB Bee package division feeder	Selectibe Statemen Bog and age down The selection of th	Material: Tinplate size; Diameter x height 10*14cm	1	10	0	
H20-2	Plastic Beehive (two layers)(una ssembled)	© Benefitbee	Product size: 595*450*675mm Packing size: 600*510*350mm Material: PE+ foam filling product net weight: 16.5kg plus packing net weight: 18kg	1	1	0	
H20-D	Plastic insulation beehive deep box	@Benefibee	Material:PE+Foam padding Product weight: 4.04KG, outer diameter: 530*450*260mm, inner diameter: 490*370mm.	1	5	0	

		@Benefitbee					
Н20-В	Plastic insulation beehive Base	ALL STATES OF THE STATES OF TH	Material:PE, Outer diameter: 590*440*95mm, Inner diameter: 490*375mm, Product weight: 2.32KG.	1	5	0	
H22	Langstroth Beehive Kit (1 deep box+1 super box)	@ Benefitbee	Langstroth Beehive 10 Frames Standard: 1 large iron cover, 1 inner cover (marked with oval holes), 1 super box (505 * 413 * 168), 1 deep box (505 * 413 * 245), 1 bottom board.10pcs wax sprayed black foundations (425x210) / 10pcs wax sprayed yellow foundations (425x141) / 10pcs first-class pine big frames (Pinus sylvestris without scab 483x232) / 10pcs first-class pine small frames(Pinus sylvestris without scab 483x159) / one excluder (510x410) / one package of stainless steel nails / one instruction manual Material: Chinese Fir with knot splicing board, the beehive is boiled twice with stone wax, the first step is boiled for about 3.5 mins,	1	1	0	

H22-2	Langstroth Beehive Kit (2 deep box+1 super box)	@ Benefitbee	Langstroth Beehive 10 Frames Standar: 1 large iron cover, 1 inner cover (marked with oval holes), 1 super box (505 * 413 * 168), 2 deep box (505 * 413 * 245), 1 bottom board. 20pcs wax sprayed black foundations (425x210) / 10pcs wax sprayed yellow foundations (425x141) / 10pcs first-class pine big frames (Pinus sylvestris without scab 483x232) / 20pcs first-class pine small frames (Pinus sylvestris without	1	1	0	
H22-2	Beehive Kit (2 deep box+1 super	© Benefitbee	foundations (425x210) / 10pcs wax sprayed yellow foundations (425x141) / 10pcs first-class pine big frames (Pinus sylvestris without scab 483x232) / 20pcs first-class pine small	1	1	0	
			(510x410) / one package of stainless steel nails / one instruction manual Material: Chinese Fir with knot splicing board, the beehive is boiled twice with stone wax, the first step is boiled for about 3.5 mins,				

H22-3	Langstroth Beehive Kit (2 deep box+2 super box)	© Benefitbee	Langstroth Beehive Kit (2 deep box+2 super box) 1 large iron cover, 1 inner cover (marked with oval holes), 2 super box (505 * 413 * 168), 2 deep box (505 * 413 * 245), 1 bottom board. 20pcs wax sprayed black foundations (425x210) / 20pcs wax sprayed yellow foundations (425x141) / 20pcs first-class pine big frames (Pinus sylvestris without scab 483x232) / 20pcs first-class pine small frames (Pinus sylvestris without scab 483x159) / one excluder (510x410) / one package of stainless steel nails / one instruction manual Material: Chinese Fir with knot splicing board, the beehive is boiled twice with stone wax, the first step is boiled for about 3.5 mins, after cooling, the second step is dipped in wax for 5-10 seconds.	1	1	0	
H22-4	Langstroth Beehive Kit (1 deep box+4 super box)	@Benefitbec	Langstroth Beehive Kit (1 deep box+4 super box) 1 inner cover (marked with oval holes), 4super box (505 * 413 * 168), 1deep box (505 * 413 * 245), 1 bottom board. Material: Chinese Fir with knot splicing board, the beehive is boiled twice with stone wax, the first step is boiled for about 3.5 mins, after cooling, the second step is dipped in wax for 5-10 seconds.	1	1	0	

H24	10er_Dadant Beehive	@Benefitbee	New Zealand pine without knot, three layers, deep box 509*429*293*22, super box 509*429*149*22, bottom 509*426*70, cover 509*426*35	100	1	0	
Н25	10er_Zander Beehive	@Benefitbee	New Zealand pine without knot, three layers, deep box 509*429*293*22, bottom 509*426*70, cover 509*426*35	100	1	0	
Н26	Kenya Set Beehive	@Benefitbee	Size: 10Frames, other Frames can be customized Configuration: With 1 large iron cover, 1 inner cover (marked with oval holes), 1 super box (505 * 413 * 168), 1 deep box (505 * 413 * 245), 1 bottom. Material: fir knotted splicing board (with scars), Packaging: Bulk, can be customized assembly, painting, wax cooking, single board	100	1	0	Please confirm the material? Is scarring allowed? Do you need single board? Do you need to spray wax? Do you need assembly? Do you need to paint?Do you need a carton pack?
Н28	Swarm Trap Box	Benefitbee	Material: PP+glass fiber+201 stainless steel, weight: about 2.5kg, product size: 562*243*440mm, suitable for Langstroth, Dadant, and National frames, capacity: 48L. Bulk delivery	100	1	0	

HP02-3	BB Multifuncti on Beehive inner cover(Paten t)	@Benefitbee	Material: ABS. Product size: 35.5X 1.3 X 50.5cm(8 boxes) 40.5X 1.3 X 50.5cm(10 boxes) Optional size in free term CN Patent No. ZL 2020 3 0275110.5	Patent Product: CN Patent No. ZL 2020 3 0275110.5 New ABS plastic material, multifunctional, can be used as an inner cover, can be used to clear bees in honey boxes.	1	20	0	Benefitbee patented product
HP09-4	Australian Metal Beehive Tray (4 Holes)	@Benefitbee	Material: galvanized sheet Product size: 111.5*82.5*7.9cm, Product weight: 24kg	Load capacity 1000KG. No solder joints, not easy to rust, durable. Used for Australian standard beehives. You can customize any size.	50	1	0	
HP09-5	Australian Metal Beehive Pallet		Bottom frame material: galvanized sheet Product size: 103*83*14.5cm, inner size 102*82cm can hold four bottom box rings Product weight: 19.2KG	Load capacity 1000KG. Food grade stainless steel, no solder joints, not easy to rust, durable. Used for Australian standard beehives. You can customize any size.	50	1	0	
НР01	Beehive outer cover with iron sheet	○ 前業	Material:New Zealand pine (Langstroth\Australia\8frames\10frames can be chosen), Ventilated hole could be customized.		1	5	0	Please confirm the size
НР02	Beehive inner cover		Material:New Zealand pine (8frames\10frames can be chosen)		1	10	0	Please confirm the size? Punching method?

HP02-4	Wood frame galvanized sheet beehive inner cover	@Benefitbee	Material: Unscarred pine + galvanized sheet (0.1mm thickness) Weld 4 galvanized runners Wooden frame width 2cm, thickness 2.5cm	100	6	0	Please confirm the size? Punching method?
НР03	Beehive body	○ 職業	Material:New Zealand pine (Splicing wood) 20mm(board thick) unassemble package	1	20	0	Please confirm the size and thickness?Do you need to paint? Do I need to cook wax? Do you need a single board?
НР04	Bottom board(Langs troth)		Material:New Zealand pine+ Plywood (8frames\10frames can be chosen)	1	10	0	Please confirm the size and material?
НР05	Bottom board(Austr alia style)	Ø Benefitbee '	Material:New Zealand pine (8frames\10frames can be chosen)	1	5	0	Please confirm the bottom drawer style
HP05-2	Bottom board(Austr alia style)	@Berefitber	Material:New Zealand pine (8frames\1 Oframes can be chosen)	50	2	0	

		@Benefitbee					
HP05-3	Bottomboard (Australia style)		Material:New Zealand pine (8frames\10frames can be chosen) Surface treatment: spray paint	50	5	0	
НР06	Beehive plastic stand(10fra mes)	⊕ Benefitbee*	Material:PP Assembled size: 575*420*34mm	1	5	0	
HP06-2	Beehive plastic stand(8fram es)	@ Benefitbee*	Material:PP	1	5	0	
HP06-4	Anti-ant beehive stand		material: stainless steel 201, customizable;	1	20	0	Can be made in any size, please confirm the size of your beehive base
HP06-5	Anti-ant beehive stand		material: galvanized iron, customizable;	100	1	0	Can be made in any size, please confirm the size of your beehive base

HP06-6	African beehive stand(1 pair)	@Benefitbee	Material: 201 stainless steel, steel thickness 3.0mm, steel pipe inner diameter 68*38mm, bracket leg steel thickness 1.5mm, bracket adjustable height 17-50.5cm, spacing between wooden strips: 31cm. Suitable for 3*10cm thick wood strips One pair/box. Gross weight: 9KG, Net weight: 8.56KG	The length of the wooden strips can be freely matched, 1-5 sets of beehives can be placed, and the height can be freely adjusted	50	1	0	
HP06-7	Adjustable metal beehive stand(pair)	(© Benefitbee	Material: galvanized iron. Standard configuration:a pair. Adjustable height: 39.5cm, minimum height is 33cm, Distance between the two sides of the bottom frame is 47.5cm. The width of the wooden strip is the outer dimension: 4.5cm, inner dimension: 3.7cm, the width of both sides, the width of the wooden strip and the distance between the two wooden strips can be adjusted.	Patent No.: 202530333494.4	100	2	0	
НР08	Bottom board stainless tray(8 frames)		Material: 410 stainless steel, size: 40x30x2cm, weight: 380g, G.W.: 42kg		1	110	0	
HP08-2	Bottom board stainless tray(10 frames)	& Benefitbee	Material: 410stainless steel, size: 45x35x2cm, weight: 520g		1	80	0	

HP08-3	Bottom board PS tray(47x32. 5*1.5cm)	⊘ Benefitbee*	Material: PS, weight: 340g, size: 47*32.5*1.5cm	1	50	0	
HP08-4	Bottom board PS tray (47*35. 3*1.5cm)	@ Benefitbee*	Material: PS, weight:397g, size: 47*35.5*1.5cm	1	50	0	
HP08-5	Bottom board PS tray(47*41* 0.9cm)	@Benefitbee*	Material: PS, weight: 420g, size: 47*41*0.9cm	1	50	0	
HP08-6	Bottom board PS tray(40.8*3 5.3*1.5cm)	⊘ Benefitbee'	Material: PS, weight:397g, size: 40.8*35.3*1.5cm .	1	50	0	
HP08-7	Bottom board PS tray(46.5*3 5.5*1.5cm)	⊘ Benefitbee'	Material: PS, weight:397g, size: 46.5*35.5*1.5cm	1	50	0	

		 ⊗ Benefitbee [*]					
НР09	EZY Pallet	AA	Product size: 1230*1135*130mm, Iron tube size: 30*50*1.5mm, foot Irontube size: 100*100*1.5mm (left and right) /100*50*1.5mm (middle) yellow paint Add solder joints and add 3 steel pipes	50	1	0	
HP09-2	Hive Pallet	@ Benefitbee	Product size: 1120*820*130mm, Iron tube size: 30*50*1.5mm, foot steel tube size: 100*100*1.5mm (left and right) /100*50*1.5mm (middle)	50	1	0	
HP09-3	Honey Pallet	@ Benefitbee	Product size: 1020*820*130mm, Iron plate: 1020*820*1.2mm, Ironpipe size: 30*50*1.5mm, foot Iron pipe size: 80*80*1.5mm Yellow paint	50	1	0	
HP12	Australian stylebeehiv e pallet	@Benefitbee	4 bars, included entrance reducer, disassembled	50	200	()	Please provide the size you need?
HP13	Cleats	(i) Benefitbee	Size:70*38cm	50	80	0	

		@Benefitbee					
HP14	Rims		4 bars, with hole (22mm) and ventilated mesh, disassembled	50	10	0	Please provide the size you need?
НР16	Hive cart with universal wheels (10 frames)	(A) Exercisible	Material 201 stainless steel thickness 1.8 Product size: 510x406mm Caster: 4 inch rubber, size can be customized.	20	1	0	
HP16-2	Hive cart with universal wheels (8 frames)	(DE constitute)	Material 201 stainless steel thickness 1.8 Product size: 510x352mm Caster: 4 inch rubber, size can be customized.	20	1	0	
НР19	BB Plastic slide beehive entrance	To the state of th	Material: PP Size:365*40mm	1	200	0	
НР20	BB Pollen tray (8L)		Material: PP Size:463x370x63mm Capacity: 8L	1	0	0	

HA01	Beehive entrance		Material:Iron, Size:480*35mm/450*35mm/400*35mm/380*35mm/375*35mm/350*35mm/250*35mm/220*35mm/180*35mm/160*35mm	200	500	0	Please confirm the length
НАО2	Beehive entrance	Benefitbee	Material:Iron, Size: 480*35mm/450*35mm/400*35mm/380*35mm/375*35mm/350*35mm/300*35mm/250*35mm/220*35mm/18 0*35mm/160*35mm GW: 25.65kg 180mm 700pcs/ctn GW: 21.75kg 33*20*11cm 375mm 400pcs/ctn GW: 23kg 40*22*8cm 450mm 400pcs/ctn 47*25*10cm	200	400	0	Please confirm the length
НАОЗ	Adjustable entrance		Material:Galvanized iron	1	300	0	
HAO4	Beehive entrance (Iron plating)	(Benefitzer	Material:Iron plating, Thickness:0.4mm Size: 390*65mmsuitable for 10 frames hive, 335*65mm for 8 frames.Default 390mm length	1	100	0	
HA04-3	Beehive entrance (stainless steel)	ZGree ZGree ZGree ZGree ZGree ZGree ZGree ZGree	Surface treatment: Galvanized product size: Length x width 165*27mm 200*27mm 250*27mm 300*27mm 350*27mm 375*27mm Material: Iron, thickness: 0.7mm 200PCS/CTN NW:8.6kg GW:10kg	300	200	0	

HA04-4	Beehive entrance	@Benefitbee*	Material; Iron length: 30cm hole diameter: 10mm	1	200	0	
НАО4-В	Beehive entrance (stainless steel)	Benefitbee State of the State o	Material:stainless steel, Material:Iron plating, Thickness:0.4mm Size: 390*65mmsuitable for 10 frames hive, 335*65mm for 8 frames. Default 390mm length	50	100	0	
НАО5	Plastic beehive entrance(Ye llow)	@Benefitbee	Material:pp,Size: 432mm*50mm,Weight:84g	1	200	0	
НАО6	Plastic slide beehive entrance	© Benefitbee de la company de	Material:PP, weight: 42g, Size: 31.5x4cm for Austranlian and American langstroth 8 frame hive , 37 x4cm for Austranlian and American langstroth 10 frame hive, 45x4cm for Dadant 10 frame hive 31.5cm 400pcs/ctn GW:16.7kg 72*31*50cm 37cm 350pcs/ctn GW:16.6kg 72*31*50cm 45cm 300pcs/ctn GW:16.5kg 72*31*50cm	1	300	0	Please confirm the size?

HA06-2	Plastic slide beehive entrance	(Benefitbee)	size: 37 x4cm (Australian and Longstroth 10-frame beehive) Weight: 74g, material: pp	1000	0	0	
HA06-3	Plastic slide beehive entrance	(i) Benefitbee	size: 28*3.5cm, (Australian and Longstronth 8-frame beehive), weight: 41g, material: pp	1000	0	0	
HA06-4	Plastic beehive entrance (Orange)	(i) Benefitbee	size: 19.7*3.4cm, weight: 27g, material: pp	1000	200	0	
НАО7	Dual function beehive entrance	© Benefitbee'	Material:PP,Size:189*30cm	1	1000	0	
НА08	Multi function hive entrance	@ Benefitbee'	Weight: 52g Material: Plastic	1	300	0	

		(i) Benefitbee					
НАО9	Beehive entrance (12.5CM)		Diameter:125mm, Thickness:0.45mm, Material:Galvanized iron	1	200	0	
НА09-2	Stainless steel rotating nest door (6.8CM)	& Benefitbee'	Diameter:68mm Thickness:0.8mm Material:stainless steel 201	1	1000	0	
HA09-3	Plastic beehive entrance (5CM)	⊗ Benefitbee	Diameter:50mm	1	10000	0	
НА09-4	Plastic beehive rotate entrance(6. 8CM)	© Benefitber	Material:Plastic Color: yellow, blue, green, purple, red, white Size: 6.8mm	1	2500	0	Please confirm the color
НАО9-5	Plastic beehive rotate entrance(8C M)		Material:Plastic,Color: yellow, blue, green, purple, red Size:80mm	1	1200	0	Please confirm the color

НА09-6	Plastic beehive entrance (5CM)	@Benefitbee*	Material:PP,weight: 3g	1	10000	0	Please confirm the color
HA09-6B	Plastic beehive entrance (Stainless steel 5CM)	& Berefibee	Material:201Stainless steel,weight: 9.5g	1	1000	0	
НА09-7	Plastic beehive entrance (12.5CM)	@ Ecrefiber	Material:PP, weight: 15g	1	1000	0	Please confirm the color
НА09-8	Plastic beehive entrance(5. 5CM)		Diameter:50mm	1	2000	0	Please confirm the color
НА09-9	round plastic ventilators (5.5CM		Diameter:50mm	1	2000	0	Please confirm the color

НАО9В	Beehive entrance (12.5CM)	@Benefitbee*	Diameter:125mm Thickness:0.45mm Material: stainless steel 201	1	200	0	
НА13	Foam beehive plastic bottom plate	⊗ 昆鑾	Material:PP	1	1120	0	
HA14	Frame fixator (10 FRAME)	@ Benefitbee*	Size:370*31mm, Thickness:0.3mm, Material:Galvanized iron, Weight:35g	1	500	0	
HA14-2	European style frame fixator (8FRAME)	@ Benefitbee*	Size:370*33mm, Material:Galvanized iron, Weight:30g	1	1000	0	
HA14-3	European style frame fixator (10 FRAME)	@ Benefitbee'	375X21 (Galvanized iron)	1	1000	0	

HA14-4	European style frame fixator (10 FRAME)	© Benefitbee'	450X21 (Galvanized iron)	1	1000	0	
HA14-5	European style frame fixator (10 FRAME OR 8 FRAME)	(i) Benefitbee	9 holes length: 369mm (suitable for 10 frames hive) 7 holes length: 312mm (suitable for 8 frames hive)	50	450	0	
HA14-6	Frame fixator (9 holes)		Frame fixator (9 holes), product size: 372*30mm, weight: 60g, material: 201 stainless steel.	1000	0	0	
HA14-7	Frame fixator (11 holes)		Frame fixator (11 holes), product size: 445*30mm, Weight:72g, material: 201 stainless steel.	100	0	0	
НА15	Beehive edgings	& Benefitbee'	Size:375*12mm/450*12mm, Material:Ga lvanized iron, Weight:29g	1	1000	0	

HA16	Frame fixing sheet	© Benefitbee	Size:45x2cm, Material: SUS201wire, weight: 32g	300	1000	0	
HA16-2	Frame fixing sheet	@Benefitbee	Size:37.5x2cm Material: SUS201wire	500	1000	0	
HA17	Spring Fastener (20pcs/ Bag)	©Benefitbee*	Material:SUS201 20pcs/ Bag With 60 self-tapping screws	1	50	0	
HA17-2	Spring Fastener (20pcs/ Bag)	(GBenefitbee)	Material: SUS201, specification: 17.8x6cm, line diameter: 3mm, weight: 14g, With 60 self-tapping screws	1	50	0	The line diameter 4.0mm is usually used in Australia.
HA17-3	Spring Fastener (line diameter 4mm, 20pcs/ Bag)	@Benefitbee	Material: Galvanized iron, specification: 17.8x6cm, line diameter: 4mm, weight: 20g, With 60 self-tapping screws	50	50	0	The line diameter 4.0mm is usually used in Australia.

HA19	Anti-glare film	© benefit bed	Size: 500*270 500*430 Aluminum coating plus pearl cotton. Uses: In hot weather, it can refract strong light and reflect heat sources to achieve a cooling effect on the beehive; in cold weather, the pearl cotton in the middle of the double-layer aluminum film can achieve a heat preservation effect on the beehive.	100	150	0	
HA20	Beehive angle clamp	Ø Benefitbee	Size:7 *3mm, Weight: 26g, material: galvanized iron	1	600	0	
HA21	Beehive connector improved type	& Benefitbee*	Length:65mm Material:Galvanized iron Weight:88g	1	200	0	
HA21-2	Beehive connector (停产)	& Benefities	Length:65mm , Material:Galvanized iron, Weight:88g	2000	200	0	

HA22	Beehive handle	Benefitbee	Size:110mm*90mm Handle dia:5.6mm Material:Galvanized iron Weight:95g	1	150	0	
HA22-2	Beehive handle	@ Benefitues	Size:110mm*90mm Handle dia:7mm Material:Galvanized iron Weight:95g	1	200	0	
HA22-3	Beehive handle	Benefities	Size:120mm*90mm Material:Stainless Steel& surface white zinc plating treatment	1	100	0	
HA22-4	Beehive handle (Galvanized zinc plating iron)	© Benefitbee	Size:110mm*75mm Material:Galvanized zinc plating iron. Surface:white	100	100	0	
HA23	Entrance robbing guarder (8 holes)	Ø Benefitber	Length:415mm Width:85mm Material:Galvanized iron	1	50	0	

HA23-2	Entrance robbing guarder (7holes)	(Banefirbus	Length:382mm Width:85mm Material:Galvanized iron	1	50	0	
НА24	Metal corner bee escape	Benefitzer	Material:Iron	1	450	0	
HA25	8 ways bee escape (Diameter: 25.8cm)	Benefities	Material:ABS, Weight:86g , Diameter: 25.8cm	1	100	0	Please confirm the color
HA25-2	16 ways bee escape(Diam eter: 25cm)	@ Benefitbee*	Material:ABS, Weight:95g, (Diameter: 25cm)		100	0	Please confirm the color
HA26	Bee escape	& Benefitbee'	Material:ABS, Weight:95g, Size:12*1. 1cm	1	100	0	

		@Benefitbee"					
HA26-2	Bee escape (SUS201)		Material: SUS201, diameter:12cm	1	200	0	
HA27	Bee escape (Large)	Benefitbes	Material:ABS:size:38x12.2cm	1	140	0	
HA28	Bee escape	@ Benefities	Material:ABS Size: 110*43mm	1	2500	0	
НА29	Bee escape	© Benefitbee*	Material:PP	1	450	0	
НАЗО	Plastic Conical bee escape cone	& Benefitbee*	Material:PP	1	1600	0	

		@Benefitbee					
НАЗ1	Plastic conical entrance		Material:PP	1	3000	0	
НАЗ2	Beehive Number mark	Benefitied	Material:ABS	1	720	0	
HA32-2	Beehive Number mark	© Ecrefibee	Material: PP, Color: red, yellow, blue, green, black, white, gray	1	600		Please confirm the color?
HA32-3	Beehive Number mark	© Errolitati	Material: PP	1	500		Pls confirm which color you need
HA32-4	Hive number mark (100pcs/Bag	29	Material: ABS Weight: about 90g size: about 3.5 cm Hole diameter: about 4mm	1	80	0	

НАЗЗ	Plastic beehive fixator(sna p fastener)	0.000	Material:ABS, 2pcs/set	1	500	0	
НАЗ4	Frame support	② 函樂	Material:SUS201 Hanging beehive contact surface width 25.5mm, fit for beehive thickness 20-25mm Size: 46*6*2.6cm	1	40	0	
HA34-2	Frame support (2pcs/set)	₩ 日曜	Length: 215mm Width: 135mm Weight: 350g Marerial: stainness steel Material:SUS201 Hanging beehive contact surface width 25.5mm, fit for beehive thickness 20-25mm	1	40	0	
HA34-3	Frame support	@ Benefitbee	Material:SUS201 Opening width: 22mm, please note if other sizes are needed The cantilever is 20cm and can be hung with 8 frames, inside widths is 455mm	1	40	0	
HA34-5	Frame support (new)	@Benefitbee*	Thickness: 0.8cm, center outer diameter: 25cm, center inner diameter: 33.5cm, wrapped wire: 9cm, width outer diameter: 39.2cm, width inner diameter: 38cm. Inner void: 4cm. Weight: 383g. Material: 201 stainless steel	300	40	0	

HA34-6	塑料巢框搁置架	© Benefitbee	Product size: 17*14*1.8cm, beehive frame holder size: 2cm/0.8in product weight: 32g, packaging: OPP packaging, 6 pcs/OPP bag, material: ABS. color: green, balck. Suitable for the beehive with the thickness of 2cm.	1	300	0	
HA34-7	Metal Beehive Inspection Perch	@Benefibee	Material: stainless steel, product size: 22.5*9*3cm, product weight: 138g, OPP packaging, color: yellow, dark bule, green and balck. Suitable for the beehive with the thickness of 2cm.	1	100	0	
НА44	stainless steel net	Benefitbee ^a	Material: stainless steel 304, diamond shape mesh Aperture: 3*4mm Wire diameter: 0.5mm size can be customized; can be permeable plate, etc.	1	100	0	
НА45	Galvanized hive cover (Thickness: 0.5mm)	@Benefitber	Product internal longitude: 32x32x5cm 52.5x42.5x6cm 57x57x6cm Material: galvanized iron, size can be customized	300	5	0	
НА46	ant proof stand (201 stainless steel)	@Benefitbee	Product size: L82*W82*H67mm, product weight: 100g, material: 201 stainless steel	1	150	0	

НА47	Beekeeping tool Hive Carrier		Material: galvanized iron, Weight: 2.4kg Constructed of heavy duty steel tubing Helps you move hives and supers with ease Easy to assemble and disassemble for storage Designed for easy operation	1	5	0	
НА48	Galvanized iron nail	@ Benefitbee	Box nails- 2-1/4 inch long, loose filled, electro galvanized (50 LB/CTN)	1	23	0	
HA48-2	Galvanized iron nail	@Benefitbee	Frame nails- 1-1/4 inch long, loose filled, electro galvanized(50 LB/CTN)	1	23	0	
HA49-1	Hive transfer connector- Shape"W"	@Benefitbee	Material: galvanized iron	1	400	0	
HA49-2	Hive transfer connector- Shape"U"	@Benefitbee	Material: galvanized iron		360	0	

HA51	(European) B eehive ventilation window		Product material: PP; Product size: 54*54*35mm Diameter: 29mm, Colors: yellow/red/green/white/blue. Use: for beekeeping, to prevent the queen from escaping.	1. Compared with ordinary anti-escape tablets, there is no powder and no bee blocking. 2. The drone can be released in the non-bee season to save feed.	1	1000	0	
GSP-04	Comb Honey Frame (Without honey comb Cassettes)	Benefitbee	Material: ABS, Product size: 483*232mm PS: The standard package only comes with a frame, without a honey cassette. (Comb honey cassetteGSP04-2). The frame is recommended for use with 8 honey cassettes.		1	10		Patented products with LOGO, please confirm whether it is acceptable?
GSP04-2	Comb honey Cassettes (300g)	@Benefitbee*	Material: PC, honey capacity :300g		1	100	0	
GSP04-4	Comb honey Cassettes (300g)	@Benefitbee*	Material: PS. Product weight: 25.8g.		1	100	0	
F06	BB Plastic frame with comb foundation	@ilerefities		Patent Product: Appearance Patent No. 20183011118.2 New ABS plastic material, high temperature resistance, deformation resistance, seamless, no beetle hiding.	1	20	0	

F06-2	BB Plastic frame with comb foundation	@Benefitbee	Material:PS, Size:483*175mm Appearance patent No:201830101118.2	Patent Product: Appearance Patent No. 20183011118.2 New ABS plastic material, high temperature resistance, deformation resistance, seamless, no beetle hiding.	1	20	0	Please confirm the color, Patented products with LOGO, please confirm whether it is acceptable?
F06-3	BB Plastic frame with comb foundation	@Benefitbee*	Material:PS, Size:483*159mm Appearance patent No:201830101118.2	Patent Product: Appearance Patent No. 20183011118.2 New ABS plastic material, high temperature resistance, deformation resistance, seamless, no beetle hiding.	1	20	0	Please confirm the color, Patented products with LOGO, please confirm whether it is acceptable?
F25	BB Honeycomb Frame (two layers 250g) Without honey comb Cassettes	@Benefitbee	Size:483*159*42mm Material: ABS Weight: 235g Remark: Each one fits with 8 nesting honey boxes, Without honey comb Cassettes. Utility model patent No.:02030368092. 5 Appearance patent No.:202030783832. 1	Patent product: Utility model patent number: 02030368092. five Design patent number: 202030783832. one New ABS material, high temperature resistant, deformation resistant, easy to assemble, no need for nails, can be used for beeswax foundations after threading metal wires, and can also be used for plastic foundations. It can be assembled into comb honey boxes to produce comb honey	1	40	0	

F25B	BB Honeycomb Frame (two layers 250g) including honey comb Cassettes	₩ Benefitbee	Size:483*159*42mm Material: ABS Weight: 235g Remark: Each one fits with 8 nesting honey boxes, including 16pcs honey comb Cassettes and cover. Utility model patent No.:02030368092. 5 Appearance patent No.:202030783832. 1	Patent product: Utility model patent number: 02030368092. five Design patent number: 202030783832. one New ABS material, high temperature resistant, deformation resistant, easy to assemble, no need for nails, can be used for beeswax foundations after threading metal wires, and can also be used for plastic foundations. It can be assembled into comb honey boxes to produce comb honey. Food grade new plastic with honeycomb shaped bottom. Bees are more receptive and build nests quickly.	1	12	0	
F25-2	BB Honeycomb Frame (three layers 250g) Without honey comb Cassettes		Size: 483X227X42mm Material: ABS Weight: 260g Remark: Each one fits with 12 nesting honey boxes, Without honey comb Cassettes. Utility model patent No.:202030368092. 5 Appearance patent No.:202030783832. 1	Patent product: Utility model patent number: 02030368092. five Design patent number: 202030783832. one New ABS material, high temperature resistant, deformation resistant, easy to assemble, no need for nails, can be used for beeswax foundations after threading metal wires, and can also be used for plastic foundations. It can be assembled into comb honey boxes to produce comb honey	1	20	0	

F25-3	BB Honey comb Cassettes 250g	@terefibee	Size: 106.5*68*36 mm Material: PS	Patent product: Utility model patent No.:02030368092. 5 Appearance patent No.:202030783832. 1 Food grade new plastic with honeycomb shaped bottom. Bees are more receptive and build nests quickly.	1	200	0	
F25-2B	BB Honeycomb Frame (three layers 250g) including 24 pcs honey comb Cassettes	- Harana		Patent product: Utility model patent number: 02030368092. five Design patent number: 202030783832. one New ABS material, high temperature resistant, deformation resistant, easy to assemble, no need for nails, can be used for beeswax foundations after threading metal wires, and can also be used for plastic foundations. It can be assembled into comb honey boxes to produce comb honey. Food grade new plastic with honeycomb shaped bottom. Bees are more receptive and build nests quickly.	1	9	0	

F30	No-wire embedder frame (Langstroth 483*125)	@ Benefit bee	Material: PP+GF si 483*125*35mm	ize:	Patent product: EU Patent Number: 015059532-0001 Chinese Patent No.: 202430201938.4 US Patent No. 29943480 Australian Patent: 202413445 Complete specifications, food grade PP material, can be boiled in water, resistant to deformation, and can be reused. Suitable for beeswax foundations and plastic foundations.	1	1	0	
F30-2	No-wire embedder frame (Langstroth 483*145)	Ø Benefitbee ØStern	Material: PP+GF si 483*145*35mm	ize:	Patent product: EU Patent Number: 015059532-0001 Chinese Patent No.: 202430201938.4 US Patent No. 29943480 Australian Patent: 202413445 Complete specifications, food grade PP material, can be boiled in water, resistant to deformation, and can be reused. Suitable for beeswax foundations and plastic foundations.	1	1	0	

F30-3	No-wire embedder frame (Langstroth 483*160)	Benefitbee 493 mm	Material: PP+GF size: 483*160*35mm	Patent product: EU Patent Number: 015059532-0001 Chinese Patent No.: 202430201938.4 US Patent No. 29943480 Australian Patent: 202413445 Complete specifications, food grade PP material, can be boiled in water, resistant to deformation, and can be reused. Suitable for beeswax foundations and plastic foundations.	1	1	0	
F30-4	No-wire embedder frame (Langstroth 483*175)	Ø Benefitbee 493mm	Material: PP+GF size: 483*175*35mm	Patent product: EU Patent Number: 015059532-0001 Chinese Patent No.: 202430201938.4 US Patent No. 29943480 Australian Patent: 202413445 Complete specifications, food grade PP material, can be boiled in water, resistant to deformation, and can be reused. Suitable for beeswax foundations and plastic foundations.	1	1	0	

F30-5	No-wire embedder frame (Langstroth 483*230)	Senefitbee 4Strim	Material: PP+GF size: 483*230*35mm	Patent product: EU Patent Number: 015059532-0001 Chinese Patent No.: 202430201938.4 US Patent No. 29943480 Australian Patent: 202413445 Complete specifications, food grade PP material, can be boiled in water, resistant to deformation, and can be reused. Suitable for beeswax foundations and plastic foundations.	1	1	0	
F30-6	No-wire embedder frame (Langstroth 483*300)	& Benefitbee 455 nm	Material: PP+GF size: 483*300*35mm	Patent product: EU Patent Number: 015059532-0001 Chinese Patent No.: 202430201938.4 US Patent No. 29943480 Australian Patent: 202413445 Complete specifications, food grade PP material, can be boiled in water, resistant to deformation, and can be reused. Suitable for beeswax foundations and plastic foundations.	1	1	0	

F30-7	No-wire embedder frame (Dadant 470*125)	Benefitbee ***	Material: PP+GF size: 470*125*35mm	Patent product: EU Patent Number: 015059532-0001 Chinese Patent No.: 202430201938.4 US Patent No. 29943480 Australian Patent: 202413445 Complete specifications, food grade PP material, can be boiled in water, resistant to deformation, and can be reused. Suitable for beeswax foundations and plastic foundations.	1	1	0	
F30-8	No-wire embedder frame (Dadant 470*145)	Benefit bee 46mm	Material: PP+GF size: 470*145*35mm	Patent product: EU Patent Number: 015059532-0001 Chinese Patent No.: 202430201938.4 US Patent No. 29943480 Australian Patent: 202413445 Complete specifications, food grade PP material, can be boiled in water, resistant to deformation, and can be reused. Suitable for beeswax foundations and plastic foundations.	1	1	0	

F30-9	No-wire embedder frame (Dadant 470*160)	Q Benefit bee	Material: PP+GF size: 470*160*35mm	Patent product: EU Patent Number: 015059532-0001 Chinese Patent No.: 202430201938.4 US Patent No. 29943480 Australian Patent: 202413445 Complete specifications, food grade PP material, can be boiled in water, resistant to deformation, and can be reused. Suitable for beeswax foundations and plastic foundations.	1	20	0	
F30-10	No-wire embedder frame (Dadant 470*175)	⊘ Benefit bee	Material: PP+GF size: 470*175*35mm	Patent product: EU Patent Number: 015059532-0001 Chinese Patent No.: 202430201938.4 US Patent No. 29943480 Australian Patent: 202413445 Complete specifications, food grade PP material, can be boiled in water, resistant to deformation, and can be reused. Suitable for beeswax foundations and plastic foundations.	1	1	0	

F30-11	No-wire embedder frame (Dadant 470*230)	Benefitbee 470 mm	Material: PP+GF size: 470*230*35mm	Patent product: EU Patent Number: 015059532-0001 Chinese Patent No.: 202430201938.4 US Patent No. 29943480 Australian Patent: 202413445 Complete specifications, food grade PP material, can be boiled in water, resistant to deformation, and can be reused. Suitable for beeswax foundations and plastic foundations.	1	1	0	
F30-12	No-wire embedder frame (Dadant 470*300)	Ø Benefitbee 470 nm	Material: PP+GF size: 470*300*35mm	Patent product: EU Patent Number: 015059532-0001 Chinese Patent No.: 202430201938.4 US Patent No. 29943480 Australian Patent: 202413445 Complete specifications, food grade PP material, can be boiled in water, resistant to deformation, and can be reused. Suitable for beeswax foundations and plastic foundations.	1	20	0	
F01	Unassembled Langstroth frame	The state of the s	New Zealand pine without knot, 4 holes are punched in side bar. Size: 483*232/159/136*36mm, other size could be customized		1	100	0	Please confirm the size? Do side beam need to drilled holes? Does the bottom beam need to be slotted?

F02	Assembled Langstroth frame	@ Benefitber	New Zealand pine without knot, Side bar without holes. Size: 483*232/159/136*36mm, other size could be customized	1	20	0	Please confirm the size? Do side beam need to drilled holes? Does the bottom beam need to be slotted?Do you need copper eyes?
F02-2	Assembled wood frame with plastic foundation sheet		New Zealand pine without knot, Side bar without holes fixed with black plastic foundation. Size: 483*232/159/136*36mm, other size could be customized	100	20	0	Is the plastic foundation waxed? Do you need food grade plastics?
F03	Wired Langstroth frame	@ Benefithee	New Zealand pine without knot, SUS 201, copper-plating eyelet. Size: 483*232/159/136*36mm, other size could be customized	100	20	0	Please confirm the size? Does the bottom beam need to be slotted?
F04	Assembled frame with wax sheet, made of European pine without knots	in the second	New Zealand pine without knot, SUS 201, 30% beeswax foundation sheet, copper-plating eyelet. Size: 483*232/159/136*36mm, other size could be customized	200	20		Please confirm the size? Does the bottom beam need to be slotted?
F05	Plastic frame with comb foundation	© Benefitbee*	Material:PP,Size:393*225*25mm	1000	35	0	

F05-2	Plastic frame with comb foundation	@ Benefitbee*	Material:PP,Size:393*160*25mm		1000	35	0	
F31-9	Integrated frame (Dadant 470*160)	(Section 1)	Product size: 470*160*35.5mm	Food grade PS material, can be boiled in water, high temperature resistant, deformation resistant, and can be reused repeatedly. Deeper nests allow bees to quickly build their nests.	3000	50	0	
F31-12	Integrated frame (Dadant 470*300)	@ Benefit bee	Product size:470*300*35.5mm	Food grade PS material, can be boiled in water, high temperature resistant, deformation resistant, and can be reused re	3000	20	0	
F07	Plastic frame with comb foundation	@Bourfither	Material:PS,Size:483*232mm		1	50	0	Please confirm the color
F07-2	Plastic frame with comb foundation	© Bourfither:	Material:ABS,Size:483*175mm		1	50	0	Please confirm the color

F07-3	Plastic frame with comb foundation	@Exactive	Material:ABS, Size:483*159mm	1	50	0	Please confirm the color
F07-4	Plastic frame with comb foundation	© Econfidee	Material:ABS, Size:483*136mm	1	50	0	Please confirm the color
F07-5	Plastic frame with comb foundation	© Boorfices	Material:ABS, Size:483*125mm	1	50	0	Please confirm the color
F08	Frame for flow hive	@ Benefitizer	Material:ABS 7 pcs of frames for a set; Price is for one piece of frames.	1	7	0	
F09	Detachable plastic frame		Material:PP,Size:485*235*28mm	1	20	0	

F10	250g Comb honey frame	@Benefitbee	Material:ABS Size:483*240*448mm	1	40	0	
F10B	Comb honey box 250g	& Benefitbee*	Material:PS, Volume:250g Internal Dimensions:9.5*6.5*3.5cm Exterior Demensions:10.4*7.2*4.2cm	1	150	0	
F11	500g Comb honey frame	(i) Benefitbee	Material:ps Material:ABS Size:483*228*448mm	1	40	0	
F11B	Comb honey box 500g	@ Benefitbee*	Material:PS, Volume:500g Internal Dimensions:13.2*9*3cm Exterior Demensions:14.1*9.9*4.4cm	1	100	0	
F12	Heart- shaped Comb honey frame	© Benefitbee*	Material:pp	1	36	0	

		& Benefitbee'					
F12B	Fully transparent Heart- shaped Comb honey frame	(yant)	Material:ps	1	144	0	
F13	Plastic frame spacer		Material:PP	1	500	0	
F14	Frame ranging tool (9frames)	@ Benefitibed	Material:ABS, Suitable for use in Langstroth 10 frames beehive, ranging 9 frames	1	260	0	
F14-2	Frame ranging tool (7frames)	Benefitae	Material:ABS, Suitable for use in Langstroth 8 frames beehive, ranging 7 frames	1	220	0	
F14-3	Frame ranging tool (8 frames)	& Benefitbee*	Material: ABS, Suitable for use in Langstroth 10 frame beehive, ranging 8 frames	1	260	0	

F14-4	9 frames metal spacing tool	Ø Benefitiee	Material:SUS201, size:14.7x6cm	1	100	0	
F15	Frame spacer		Material:PP, Weight:5.5g	1	4000	0	
F16	Plastic frame (small)	@Benefitbee	Weight: 18g, material: PP, frame size: 8.5*6.5cm. Suitable for 159mm frames of Langstronth super box, the capacity of 10 frames.	5000	0	0	
F16-2	Plastic frame	Benefitbee	Weight: 27g, material: PP, frame size: 13*10.5cm. Suitable for 159mm frames of Langstronth super box, the capacity of 4 frames.	5000	0	0	
F18	Queen bee rearing frame (With cage)		Material: New Zealand pine without knot/Size:customized Default 483*232mm size, pine material Without foundation, included 24 queen, cagesnot include cell cup.	1	19	0	

F19	Plastic frame for mating nuc box	⊕ Benefitbee*	Size: 25*3.5*16.1cm ,Material: ABS,Weight: 79g	1000	100	0	
F20	Plastic frame for mating nuc box	@Benefitbee*	Size: 25*2.5*16cm, Material: ABS, Weight: 80g	1000	100	0	
F21	honey comb (Large)	@Benefitbee	Size:10.5*10.5*4.7cm, Material:stai nless steel, Weight:208g	1	60	0	
F22	honey comb (Small)	@Benefitbue*	Size:9.2*9.2*4.7cm, Material:stainless steel, Weight:182g	1	88	0	
F23	BB Plastic combination frame	€ Benefitias	Material: ABS, Size: 483 * 232mm, 483 * 159mm	1	100		Please confirm color, size

F24	Plastic combination frame	Ø Benefitbee*	Material: ABS, Size:483x232x33mm Appearance patent No:201922470182.X	1000	20	0	Please confirm color, size
F26	Comb honey frame fixer	@Senefitbee	size :8.5x2cm Material :201 stainless steel weight :13g thickness: 1.0mm	1	500	0	
F27	pollen collector	@Berefithed	Size: 105*95*15 mm Material: PP weight :58g	1	400	0	
F28	Pollen frame	(i) Denefitbus	Material: Painted Iron Size: 20x16cm weight :2.8kg	1	1	0	
F28-2	Pollen frame	@Benefithee	Size: 105*95*15 mm Material: ABS	1	100	0	

F29	Honeycomb turnover box (not including the frames)		Material: PP. Product weight: 3.3KG, product outer size: 62*45*34.5cm, inner size: 54.5*38.7*32.2cm. PS: It does not include the frames.	10	1	0	Kindly remind that the box can not be stacked for package and shipping.
WTO1	Economy wire embedder	@ Benefither	Length:145mm, Weight:31g, Material:Wooden&Galvanized iron	1	1000	0	
WT01-10	Wire embedder	© Benefitbee'	Material:Wooden&SUS201	1	150	0	
WT01-11	Wire embedder (US)	@Benefitbee*	Material:PP &Gavanized Iron	1	150	0	
WT01-12	Wire embedder(El ectric)	@Benefitbee*	Voltage:12V Power:40W	1	60	0	

WT01-13	Wire embedder	@ Benefitbe	size: 66*25*75cm NPUT:AC2205060Hz DC12-24 OUTPUT:DC24V	1	1		Do you need an air pump? Please confirm the plug?
WT01-2	Wire embedder	@ Benefitbee	Length:230mm, Weight:62g, Material:Wooden, Galvanized iron &Red copper	1	250	0	
WT01-3	Wire embedder	Benefitzee	Length:237mm Weight:48g, Material:Plastic&Galvan ized iron &Red copper	1	500	0	
WT01-4	wire embedder (Spur)	Ø Benefitses	Material:Wooden&Copper	1	300	0	
WT01-4B	Wire embedder(Manual Copper Head Roller)	@ Benefitbee	The length of the product is 22.6cm, the length of the wooden handle is 10.5cm, the length of the pole is 10.8cm, and the length of the copper head is 4.8cm. Product weight: 85g, material: wooden handle, copper head.	1000	300	0	

WT01-5	wire embedder(El ectric)	Benefitzer	Rated power:30W, Material:Copper, plugs(Cu stomized)	1	100		Please confirm the plug
	BB wire embedder(El ectric)	@Benefitbee	Rated power:30W, Material:Copper, plugs(Customized)	1	100	(1)	Please confirm the plug
WT01-7	Wire embedder	Benefitzes	Length:230mm, Weight:62g, Material:Wooden, Galvanized iron	1	500	0	

WT01-8	Wire embedder(El ectric)	@ Benefitbee	Model:WE-7 INPUT:AC2205060Hz DC12-24 OUTPUT:DC24V Step 1Turn on the power, put the frame(the wire has ir the frame) on the product. Notice:The contact point of the machine and frame should be the end of the wire and the other end of the wire. The dot means contact point Step2Put the comb foundation on the wire Step3Put the up-pressing board on the comb foundation, press it and step on the pedal. the light will flash. Step4When the light stop flashes, wait for another one second, the operations complete.	1	1	0	Please confirm the plug
WT01-9	Wire embedder(El ectric)	Benefitbee	Input DC 110-220V output 9V power 40W plugs(Customized)	1	20	0	Please confirm the plug
WT01-9B	Adjustable voltage frame wire embedder	@Benefitbee	Size: 13*6*3.5, adjustable voltage:0-36V, temperature control range:1-180℃	1	100	0	Please confirm the plug

WTO2	Wire crimper	Benefitbee	Material: Plastic &Zinc plated	1	200	0	
WT02-2	Wire crimper (copper gears)	@Benefitbee	Material: Plastic and stainless steel gears	1	300	0	
WT02-3B	BB Wire crimper(Sta inless)	(g Benefit bee	Material:SUS304&Iron wheel Size:13.5*5.7*2.3cm(thick)	1	80	0	
WT02-4	Wire crimper(Sta inless)	@Benefitbee'	Material:SUS304&Iron wheel	1	100	0	
WT02-6	Wire crimper(Sta inless)	@Benefitbee	Material: USU201+ iron galvanized (gear), product weight: 163g, product size: L148*W60*H28mm	1	100	0	

	Wire	@Benefitbee*	Size: 195*85*40 mm Material: Iron with colored zinc				
WT02-7	crimper(Col ored zinc plated)		Weight: 320g CTN: 45*29*22cm 50 PCS/CTN NW: 16kg GW: 16.5kg	1	50	0	
WTO3	Wire cutter	@ Benefitaei	Material:Iron	1	200	0	
WT03-2	Wire spool holder	@Benefitbee	Material:iron	1	50	0	
WT03-3	Wire spool holder	@ Benefitbee	Material:galvanized sheet	1	40	0	
WTO4	Wire pilers	@ Benefitbee*	Material:High-carbon steel	1	200	0	

WT05	Aw1	Ø Benefitiee	Material:SUS201	1	480	0	
WT05-2	Aw1	⊕ Benefitbee	Material:SUS201	1	400	0	
WT05-3	Awl	@Benefitbee*	Material:SUS304	1	500	0	
WT06	Bee Frame Eyelet Puncher	@ Benefitbee*	Material:Wooden&SUS201	1	34	0	
WT06-2	Hole punch	Benefities	Material:IRON	1	20	0	

WT06-3	Eu Hole Puch	© Benefitbee	Weight:4.9kg dimension: 75*350*480mm Packing dimension: 75*350*270mm(Folding arm package)	100	5	0	
WTO7	Frame threading rack	@Benefitbee	Material:IRON	1	14	0	
WT07-2	Frame threading rack	©irentite:	Material:IRON	1	14	0	
WT08	Beeswax septum knife	(i) Benefitbee	Disc diameter : 66mm, thickness : 19mm, length : 120mm, weight : 74g	1	125	0	
WT10-1	Galvanized wire (250G)	(i) Benefitbee	Material:Galvanized iron Wire diameter:Customized	1	40		Please confirm the wire diameter

WT10-2	Galvanized wire (500G)	© Benefither	Material:Galvanized iron Wire diameter:Customized	1	40		Please confirm the wire diameter
WT10-3	Galvanized wire (1000G)	in the second se	Material:Galvanized iron Wire diameter:Customized	1	20	0	Please confirm the wire diameter, 0.4mm or 0.55mm?
WT11-1	201Stainles s wire 0.25kg/roll	@Benefitbel	Material:SUS201,Wire diameter:Customized	1	40		Please confirm the wire diameter
WT11-2	201Stainles s wire 0.5kg/roll	@ Benefither	Material:SUS201, Wire diameter:Customized	1	40	0	Please confirm the wire diameter
WT11-3	201Stainles s wire 1kg/roll	(i) Benefitbee	Material:SUS201,Wire diameter:Customized	1	20		Please confirm the wire diameter

WT12-1	304Stainles s wire 0.25kg/roll	© Eccelification (Control of Control of Cont	Material:SUS304,Wire diameter:Customized	1	40	0	Please confirm the wire diameter
WT12-2	304Stainles s steel wire 0.5kg/roll	(Semifitee)	Material:SUS304,Wire diameter:Customized	1	40	0	Please confirm the wire diameter
WT12-3	304Stainles s steel wire 1kg/roll	ØBenefit bec	Material:SUS304,Wire diameter:Customized	1	20	0	Please confirm the wire diameter
WT13	Pure copper eyelets (1KG/BAG)	(i) Benefitber	Material:pure copper Size:4.5*4.5*2.5mm or 6.5*5*3mm (Other sizes can be customized)	1	25	0	Please confirm the size?
WT14	Iron eyelets (1KG/BAG)	(i) Benefitbes	Material:Iron Size:4.5*4.5*2.5mm or 6.5*5*3mm (Other sizes can be customized)	1	25	0	Please confirm the size?

WT15	304 stainless steel eyelets (1KG/BAG)	© Provides	Material: 304 stainless steel Size:4.5*4.5*2.5mm or 6.5*5*3mm (Other sizes can be customized)		1	25	0	Please confirm the size?
WT16	Foundation clip nail (1000pcs/bag	(Benefitbee	Material:Iron width:0.55cm, length:2.55cm, opening:0.25cm; 1000pcs/bag,0.9kg/bag		1	10	0	
EC02-5	SUS304 US style queen excluder (4 edges rimmed)	@Benefitbee	Material: SUS304, wire diameter: 1.9mm, clearance: 4.2mm, size: can be customized	304 stainless steel material, not easy to rust, finely polished, no solder joints	1	20	0	Please confirm the size? There are solder joints on the edges, which are normal quality standards.
EC04	Australian style excluder(4 edges rimmed)	@ Benefitbee*	Material: galvanized iron, wire diameter: 1.9mm, clearance: 4.2mm, size: can be customized	Australian standard, precise clearance, sturdy, not easily deformed	1	20	0	Please confirm the size?
EC06	Plastic queen excluder(Ar	Benefitbee	Material: PP, clearance: 4.2MM, Size:510*410mm/460*460mm/435 *435mm/506*406mm/506*353mm/500*500 mm/470*410/500*430mm/540*440mm	New plastic material, resistant to deformation, good toughness, circular holes, will not harm bees.	1	50	0	Please confirm the size?

EC09-2	Propolis collector (New Zealand style)	⊕ Benefitbee¹ □	Material:PP size: 500*400mm	New Zealand standard, new plastic material, deformation resistant	1	50	0	
EC10	European style excluder(no edges rimmed)	@Benefitbee*	Material:Galvanized iron , wire diameter: 1.9mm, clearance: 4.2mm, size: can be customized	European standard, electroplating is better, stronger, and less prone to deformation	100	30	1 (1	Please confirm the size?
EC12	Painting metal queen excluder	@Benefitbee	Material: galvanized iron wire, wire diameter: 1.9mm, gap: 4.2mm, size: customizable, surface painted	High temperature baking paint, longer use time, customizable in any color	100	20	0	
EC01-1	US style queen excluder (no edges rimmed)	@ Benefit bee*	Material: galvanized iron, wire diameter: 1.9mm, clearance: 4.2mm, 4 Edges without rimmed, size: can be customized		1	30	0	Please confirm the size? Due to residual electroplating acid water, there will be some rust phenomenon, which is a normal quality standard.
EC01-2	US style queen excluder (2 edges rimmed)	Benefithee	Material: galvanized iron, wire diameter: 1.9mm, clearance: 4.2mm, size: can be customized		1	20	0	Please confirm the size? Due to residual electroplating acid water, there will be some rust phenomenon, which is a normal quality standard.

EC01-3	US style queen excluder (4 edges rimmed)	& Benefitbee	Material: galvanized iron, wire diameter: 1.9mm, clearance: 4.2mm, size: can be customized	1	20	0	Please confirm the size? Due to residual electroplating acid water, there will be some rust phenomenon, which is a normal quality standard.
EC01-4	US style queen excluder (4 edges wooden)	@Benefitbee*	Material: galvanized iron, wire diameter: 1.9mm, clearance: 4.2mm, size: can be customized	200	25	0	There are two size:350*510mm/510 *410mm. Please confirm the size? Due to residual electroplating acid water, there will be some rust phenomenon, which is a normal quality standard.
EC01-5	US style queen excluder (4 wide edges rimmed)	@ Benefitbee	Material: galvanized iron, wire diameter: 1.9mm, clearance: 4.2mm, size: can be customized	1	20	0	Please confirm the size? Due to residual electroplating acid water, there will be some rust phenomenon, which is a normal quality standard.
EC01-6	US style queen excluder(th readed, with 2 wide rims and 2 narrow rims)	© Penefitbee	Material: galvanized iron, wire diameter: 2.0mm, clearance: 4.15mm, Long rim: 35mm Short rim: 25mm size: can be customized	1	20	0	Please confirm the size? Due to residual electroplating acid water, there will be some rust phenomenon, which is a normal quality standard.

		@Benefitbee					
ECO2	SS304 US style queen excluder (no edges rimmed)		Material: SS304, wire diameter: 1.9mm, clearance: 4.2mm, size: can be customized	1	20	0	Please confirm the size? There are solder joints on the edges, which are normal quality standards.
EC02-2	SS304 US style queen excluder (2 edges rimmed)	€ Benefituee	Material: SS304, wire diameter: 1.9mm, clearance: 4.2mm, size: can be customized	1	20	0	Please confirm the size? There are solder joints on the edges, which are normal quality standards.
EC02-3	SS304 US style queen excluder (4 edges rimmed)	€ Benefitbee	Material: SS304, wire diameter: 1.9mm, clearance: 4.2mm, size: can be customized	1	20		Please confirm the size? There are solder joints on the edges, which are normal quality standards.
EC02-4	SS304 US style queen excluder (4 edges rimmed)	@Benefitbee*	Material: SS304, wire diameter: 1.9mm, clearance: 4.2mm, size: can be customized	1	20	0	Please confirm the size? There are solder joints on the edges, which are normal quality standards.
EC02B	SUS201 US style queen excluder (no edges rimmed)	@Benefitbee	Material: SUS201, wire diameter: 1.9mm, clearance: 4.2mm, size: can be customized	1	20	0	

EC02B-2	SUS201 US style queen excluder (2 edges rimmed)	Material: SUS201, wire diameter: 1.9mm, clearance: 4.2mm, size: can be customized	1	20	0	Please confirm the size? There are solder joints on the edges, which are normal quality standards.
EC02B-3	SUS201 US style queen excluder (4 edges rimmed)	Material: SUS201, wire diameter: 1.9mm, clearance: 4.2mm, size: can be customized	1	20	0	Please confirm the size? There are solder joints on the edges, which are normal quality standards.
EC02B-4	SS201 US style queen excluder (4 edges rimmed)	Material: SS201, wire diameter: 1.9mm, clearance: 4.2mm, size: can be customized	1	20		Please confirm the size? There are solder joints on the edges, which are normal quality standards.
EC02B-5	SS201 US style queen excluder (4 edges rimmed)	Material: SS201, wire diameter: 1.9mm, clearance: 4.2mm, size: can be customized	1	20	0	Please confirm the size? There are solder joints on the edges, which are normal quality standards.
EC03	Aluminium queen excluder	Material: aluminum, clearance: 4.2MM, size: can be customized	100	50	0	Please confirm the size?

EC05	Plastic queen excluder		Material: PP, clearance: 4.2MM, size:510*410mm/510*360mm/506*406mm/506*353mm/500*500mm/460*460mm/510 *420mm/500*425mm/510*425mm/485*400 mm/435*435mm/470*410mm/500*450mm/510*360mm/506*360mm/500*430mm/501*351mm/478*378mm	1	100	0	Please confirm the size?
EC07	Bamboo planar queen excluder	@Benefitbee	Material: bamboo	100	25	0	
EC07-3	Korean bamboo queen excluder	@ Benefitbee	Material: bamboo	100	50	0	
EC08	Plastic queen vertical excluder	@ Benefituar	Material:ABS Size: 490*260mm	1	40	0	
EC08-2	Plastic planar queen excluder	(i) Benefitias	Material:ABS size:510*410mm	1	30		Please confirm the size?

		⊗ Benefitbee						
HI HU-I	Propolis collector		Material:PP Product size: 500*400mm		1	50	0	Please confirm the size?
H H H H	Propolis collector		Material:PVC Aperture 1.5*1.5mm, Single weight: 45g size: Can be customized to any size		100	500	0	Please confirm the size?
	Propolis collector		Size: 51*42*0.2cm, weight: 244g. It is made of plastic and can be rolled.		1000	50	0	Please confirm the size?
CF03	Plastic comb foundation (njection molding)		Weight:140g, Material:PS, Size:Size: 425*280mm/425*212mm/425*212mm/425* 161mm/425*157mm/425*141mm/425*125m m/425*121mm/425*115mm, Technology:I njection molding, any colour	New plastic materials (non recycled materials) are more friendly to honey, resistant to high temperatures, deformation, and have a deeper diameter, making them easier for bees to accept. There will be no drones.	1	200	0	Please confirm the size? Color?
CF06	Plastic comb foundation (njection molding)	© Benefithed	Weight:96g, Material:ABS, Size:425*2 12mm/425*141mm, Color: yellow	New plastic materials (non recycled materials) are more friendly to honey, resistant to high temperatures and deformation, and bees can communicate on both sides to build nests faster.		100	0	

CF01	Beewax foundation	© Benefither	Unit price is based on pure beeswax content: 30%. Other Pure content(40%`100%) for beeswax can be customized room diameter:4.75~5.4mm(customized) Packing:30pcs/inner box 10inner boxes(300pcs)/ctn		1	300	0	Please confirm the pure beeswax content? size? Single weight? Nest room diameter?
FD13	BB Top feeder (Australia style 3.5L) (Patent)	@Benefitbee	Material: ABS+PS, Weight: 1004g, size: 505*405mm, CN Patent No. ZL 2019 3 0629685. X.	Patent product: Chinese patent number ZL 2019 3 062968.5X New ABS plastic material, non polluting to bee food, resistant to deformation, large capacity, suitable for standard Langstroth beehives. Bees have an upward habit, which can make them more willing to eat. It also facilitates beekeepers to inspect and increase feed without disturbing bees.	1	20	0	
FD13-2	BB Top feeder (US style 4.5L) (Patent)	@Benefitbee	Material: ABS=+PS, Weight: 1150g, size: 505*405mm CN Patent No. ZL 2019 3 0629684.5	Patent product: Chinese patent number ZL 2019 3 062968.5X New ABS plastic material, non polluting to bee food, resistant to deformation, large capacity, suitable for standard Langstroth beehives. Bees have an upward habit, which can make them more willing to eat. It also facilitates beekeepers to inspect and increase feed without disturbing bees.	1	10	0	

FD13B	BB Top feeder (Australia 8frames 2.5L) (Patent)	Material: ABS, size:506*353mm Water capacity: 2.5L Weight: 1000g CN Patent No.ZL 2019 3 0629685.X.	Patent product: Chinese patent number ZL 2019 3 062968.5X New ABS plastic material, non polluting to bee food, resistant to deformation, large capacity, suitable for standard 8frames Langstroth beehives. Bees have an upward habit, which can make them more willing to eat. It also facilitates beekeepers to inspect and increase feed without disturbing bees.	1	20	0	
FD29	Langstroth Wet and dry top feeder(500* 405*49mm)	Put nollen feed in the heveronal	Patent product: US Patent No. 29/960738 EU Patent No. 015070340- 0001 Chinese Patent No.: 02430379666.7 New food grade PP plastic material, no pollution to bee food, anti deformation, large capacity, can be fed with pollen and sugar water at the same time, equipped with a lid to prevent other bee colonies and bird flocks from stealing food. It can facilitate beekeepers to inspect and increase bee food.	100	10	0	

FD29-2	Langstroth Wet and dry top feeder(500* 410*49mm)	& Benefitbee	Put pollen feed in the hexagonal hole, and put sugar water in the other side. Product size: 500*410*49mm Material: ABS+PP	Patent product: US Patent No. 29/960738 EU Patent No. 015070340- 0001 Chinese Patent No.: 02430379666.7 New food grade PP plastic material, no pollution to bee food, anti deformation, large capacity, can be fed with pollen and sugar water at the same time, equipped with a lid to prevent other bee colonies and bird flocks from stealing food. It can facilitate beekeepers to inspect and increase bee food.	100	10	0	
FD29-3	Dadant Wet and dry top feeder	& Benefitbee	Put pollen feed in the hexagonal hole, and put sugar water in the other side. Product size: 500*420*49mm Material: ABS+PP	Patent product: US Patent No. 29/960738 EU Patent No. 015070340- 0001 Chinese Patent No.: 02430379666.7 New food grade PP plastic material, no pollution to bee food, anti deformation, large capacity, can be fed with pollen and sugar water at the same time, equipped with a lid to prevent other bee colonies and bird flocks from stealing food. It can facilitate beekeepers to inspect and increase bee food.	100	10	0	

FD01	Frame feeder (Langstrothl /1 6L)	Ø Benefitbee	Material:PP, Size:483*80*230mm, Volume:6L, Weight:850g, langstroth cover and ladder are connected.	1	30	0	
FD01W	Frame feeder (Langstrothl /1 6L, wood cover)	@ Benefitbee*	Material:PP, Size:483*80*230mm, Volume:6L, Weight:850g, langstroth	1	25	0	
FD02	Frame feeder (Langstrothl /1 6L)	@ Benefitbee*	Material:PP, Size:483*80*230mm, Volume:6L, Weight:850g, langstroth cover and ladder can be unasembled.	1	30	0	
FD02-2	Division feeder (4L)	@Benefitbee	Material:PP, Size:483*55*220mm, Volume:4L, Weight:620g, langstroth two options of color, black or yellow.	1	30	0	
FD02-2W	Wooden cover US feeder (4L)	@Benefitbee*	Material: PP barrel + pine cover + PP ladder Capacity: 4L	1	18	0	

FD02-3	Division feeder (0.5L)		Material:PP, Size:233*120*25mm , Volume:0.5L, Weight:114g	1	140	0	
FD02-4	European black bee feeder	@Benefitbee*	Size 483*53*225mm Material: PP Capacity: 4kg Weight: 644g CTN: 50*33*55cm 30 PCS/CTN NW: 19.32kg GW: 20.3kg	1	30	0	
FD03	Division feeder (0.75L)		Material:PP,Volume:0.75kg Product size: total length 490mm width 40mm height 35mm	1	750	0	Please confirm if the length of 490CM is suitable for your local market?
FD03-2	Division feeder (1.5L)	© Benefittae	Material:PP, Volume:1.5L Product size: total length 490mm width 63mm height 55mm	1	200	0	Please confirm if the length of 490CM is suitable for your local market?
FD03-3	Division feeder (3L)	⊗ Benefitzee	Material:PP,Volume:3L Product size: total length 490mm width 77mm height 108mm	1	100	0	Please confirm if the length of 490CM is suitable for your local market?

FD03-4	Division feeder (1L)		Material:PP, Volume:1L Product size: total length 490mm width 50mm height 70mm	1	170		Please confirm if the length of 490CM is suitable for your local market?
FD03-5	Division feeder (0.6L)		Material:PP, Volume:0.6L Product size: total length 490mm width 35mm height 30mm	1	600	0	Please confirm if the length of 490CM is suitable for your local market?
FD03-6	Division feeder (1.6L)		Material:PP, Volume:1.6L Product size: total length 490mm width 56mm height 54mm	1	250	0	Please confirm if the length of 490CM is suitable for your local market?
FD04	Entrance feeder (0.5L)		Material:PP	1	200	0	
FD05	Bottle feeder	Ø Benefittise	Material:PP size: 16cm	1	800	0	

FD05-2	Langstroth feeder (1.5L)	@Benefitbee*	Material: PP. Product weight: 320g.	1	50	0	
FD06	Division feeder (4L)	@ Benefitbee*	Material:Wooden, Size:483*35*240mm, Volume:6kg	200	12	0	
FD07	Top feeder(ABS cover 6L)	@ Benefitbee*	Material: ABS, Volume: 6L Size: 39*33*7.5cm	1	10	0	
FD07B	Top feeder(PS cover 6L)	@Berefibes	Material:PS+ABS, Volume:6L Size: 390x330x75mm	1	10	0	
FD08	PP Top feeder (1.3L)	© Benefitbee'	Material:PP ,Size:260X55mm,Weight:274g,Water capacity: 1.3L	1	50	0	

		& Benefitbee					
FD08-3	Top feeder (1.3L)		Material:PP+PS, Size:210X55mm Weight:163g, Water capacity: 1.3L 1pc/inner box	1	40	0	
FD08-4	Top feeder (1.7L)	(Ø Benefitbee*	Material:PP+PS ,Size:217X85mm,Weight:281g,Water capacity: 1.7L	1	54	0	
FD09	Pollen feeder	(Benefitbee)	Material:PP Size:490X445*23mm,Weight:500g	1	40	0	
FD10	Bottle feeder	@ Benefitbee*	Handle length:10cm, Weight:0.02kg	1	700	0	
FD11	Entrance feeder (1.5L)	Ø Benefities	Material:PP+ABS,Volume:1.5L	1	50	0	

FD12	Boardman feeder	Ø Benefitbee	Material: PP&Aluminum 1pc/pp bag	1	240	0	
FD14	Top feeder	@ Benefitbee*	Weight: 340g	1000	20	0	
FD15	Entrance feeder(1L)	@ Benefitbee*	Material:PP, Volume:750ML	1	100	0	
FD16	Bottle mouth type water feeder		Material: PP, Bottle mouth diameter:2.7cm, size: 5x4x3.3cm, Weight: 3g	1	2000	0	
FD17	Entrance feeder(500M L)	& Benefitbee'	Material:PP, Volume:500ML	1	140	0	

FD18	Top feeder (1.6L)	@Benefitbee	Material:HIPS+PS, size:18.5*18.5*5.5cm, weight: 260g	1	60	0	
FD19	Division feeder (0.5L)	@ Benefitbee*	Material: PP, Water capacity: 450ml size:25x3.3x15cm	1000	200	0	
FD21	Boardman feeder	@Semefitbee*	Material: PP Weight: 28g suitable for 75 caliber glass bottles, no glass bottles	1000	200	0	
FD22	Boardman feeder(Pine + Galvanized Iron)	@Benefitbee	Material: Pine + Galvanized Iron Product weight: 350 g Product size: L170*W113*H35mm	1	60	0	
FD23	Wood Feeder	@Bernefitbee	any dimension/size can be customized.	100	0	0	please advise the dimension you need.

		Benefitbee					
FD24	Bee feeder		Outer diameter: 48*2.8*22.5cm, The height is 24.5cm. Inner diameter: 43.8**3*18.5cm, Material: PP. Weight: 522g.	1000	30	0	
FD25	Bee feeder (white)	@Benefitbee	Outer diameter: 47*29.5*3.1cm, Inner diameter: 43*2.2*29.3cm, Weight: 612g, Material: PP.	1000	30	0	
FD26	Bee feeder (white)	@Benefitbee	Weight: 397g Size: 383*210*35mm Material: PP.	1000	30	0	
FD27	Observation Portable Bee Hive (wooden)	@Benefitbee	Size: 33.5*5*26cm Weight: 743g Material: pine You can observe the living habits of bees and use for demonstrations.	300	15	0	
FD28	Beehive water tray	@Benefitbee	Material: PP, product size: 220x180x3mm (large size, weight: 54g), 180x150x3mm (small size, 37g), color can be customized.	100	100	0	

		@Benefitbee					
FD30	Floating Bee Ladder		Material: PP, product size: 18x7x1.2cm, product weight: 12g, OPP packaging	2000	400	0	
FD31	Plastic Bee Top Feeder		Outer diameter size:510*423*60mm, inner diameter size:40*33*5cm, double-sided single hole size: 6.5*0.7cm Material: PP Weight: 1150g CTN: 52*43*62cm 10 PCS/CTN NW:11.5kg GW:13.5kg	1	10	0	
PT01	Pollen trap	Benefitae	Material:ABS+PP,Weight:430g Product size: 390*9.3*135mm 1pc/brown box/40*15*12.5cm/0.55公斤	1	20	0	
PT02	Pollen trap		Material: ABS, Weight: 507g Product size: 310*145*193mm Packing: 1pc/brown box/31.5*18*12/0.70kgs hole size: 4mm	1	20	0	
PT04	Pollen trap	(i) Benefitzer	Material:PP 40cm* 2.8cm	1	840	0	

PT07	Pollen trap	@ Senefitbed	Material:ABS size: 30x14.5cm	1000	100	0	
PT08	Pollen trap	© Banefitber	Material:PP+ABS size: 30x14.5x13cm Weight: 480g	2000	20	0	
PT09	Pollen trap	@Benefitber	size: 32x12x11.5cm Material: ABS+PP_Painted Iron Weight: 620g	2000	20	0	
PT10	Pollen trap	@Benefitbee	Product length: 380mm, width 145mm, height 115mm, ear center distance 300mm. Material: ABS+PP, weight: 485g	500	20	0	
HEO1	Extractor(2 frames plastic manual)	@ Benefitbee*	Material: PP, Measure of frame rack: 420mm*260mm Size: 70*Dia: 40CM/27.5*15.75Inch 1PC/brown box	1	1	0	

HE02-2	Extractor(2 frames transparent manual honey)	Ø Benefitbee	Material: Acrylic, Measure of frame rack:45*26cm	1	1	0	
HE02-3	Extractor(3 frames transparent manual honey)	№ Benefitible	Material: Acrylic, Measure of frame rack: 45*26cm	1	1	0	
HE03-2	Extractor(E conomy 2 frames manual)	@ Benefitbee'	Material: SUS201 Measure of frame rack:45*26cm	1	1	0	
HE04-2	Extractor(E conomy 2 frames manual)	& Benefitbee'	Material: SUS201 Measure of frame rack:45*26cm	1	1	0	
HE05-2	Extractor(2 frames manual riversible)	& Benefitber	Material: SUS201, with legs and plastic honey gate, Measure of frame rack: 45*26cm	1	1	0	

HE05-3	Extractor(3 frames manual riversible)	Benefitbee'	Material: SUS201, with legs and plastic honey gate, Measure of frame rack: 420mm*260mm	1	1	0	
HE05-4	Extractor(4 frames manual riversible)		Inner frame size:42x26cm, barrel diameter: 67*72cm, Gross Weight:32kg, net weight:28kg, Carton packaging:70*70*91cm, Material:201bucket, 304Inner frame. Standard iron plastic-sprayed legs and plastic honey outlet. 180° Track rotation, self-turning and honey extraction.	1	1	0	
HE06-12E	Honey Extractor(1 2 frames electirc)	@ Benefitbee	Inner frame size:42x26cm, barrel diameter: 77*71cm, Gross Weight:77kg, net weight:56kg, Wooden box packaging:81*81*105cm, Material:201bucket, 304Inner frame. Standard iron plastic-sprayed legs and stainless steel honey outlet. Motor power 55W, 220V	1	1	0	Please confirm the plug
HE06-2	Honey Extractor(2 frames manual)	Benefitbee	Inner frame size:42x26cm, barrel diameter: 38*62cm, Gross Weight:12.4kg, net weight:10.8kg, Carton packaging: 41*41*77cm Material: 201 barrel, 304 inner frame. Standard iron plastic-sprayed legs and plastic honey outlet.	1	1	0	

HE06-20E	Extractor(2 0 frames electirc)	© Benefit bee	Power supply:220V(110V customized on-demand), Motor:550watts, Material: SUS201, Weight:68.5kg, Speed control, Frequency Converters, three-phase, Measure of frame rack:45*26cm	1	1	0	Please confirm the plug
HE06-24E	Honey Extractor(2 4 frames electirc)	@Benefitbee	Inner frame size:42x26cm, barrel diameter:95*75cm, Gross Weight:115kg,net weight:76kg, Wooden box packaging: 98*98*115cm, Material:201bucket,304Inner frame. Standard iron plastic-sprayed legs and stainless steel honey outlet. Motor power550W 220V	1	1	0	Please confirm the plug
HE06-2E	Honey Extractor(2 frames electirc)	Benefitbee	Inner frame size:42x26cm, barrel diameter: 38*62cm, Gross Weight:17.9kg, net weight:16kg, Carton packaging: 41*41*91cm, Material:201bucket, 304Inner frame. Standard iron plastic-sprayed legs and plastic honey outlet. Motor120W	1	1	0	Please confirm the plug
HE06-3	Honey Extractor(3 frames manual)	@Benefitbee	Inner frame size: 42x26cm, barrel diameter: 38*62cm, gross weight: 13.6kg, net weight: 11.8kg, carton packaging: 41*41*77cm, material: 201 barrel, 304 inner frame. Standard iron spray-coated legs and plastic honey outlet.	1	1	0	

HE06-3E	Honey Extractor(3 frames electirc)	@ Benefitbee	Inner frame size:42x26cm, barrel diameter: 38*62cm, Gross Weight:17.5kg, net weight:16.2kg, Carton packaging: 41*41*91cm, Material:201bucket, 304Inner frame. Standard iron plastic-sprayed legs and plastic honey outlet. Motor120W	1	1	l ()	Please confirm the plug
HE06-4	Honey Extractor(4 frames manual)	@Benefitbee	Inner frame size:42x26cm, barrel diameter: 48*62cm, Gross Weight:17.4kg, net weight:15kg, Carton packaging: 52*52*77cm, Material:201bucket, 304Inner frame. Standard iron plastic-sprayed legs and plastic honey outlet.	1	1	0	
HE06-4E	Honey Extractor(4 frames electric)	Benefitbee	Inner frame size:42x26cm, barrel diameter: 48*62 cm, Gross Weight: 22.3kg, Net weight: 19.5kg, Carton packaging: 52*52*91cm, Material:201bucket, 304Inner frame. Standard iron plastic-sprayed legs and plastic honey outlet. Motor120W	1	1	I ()	Please confirm the plug
HE06-6	Honey Extractor(6 frames manual)	Benefitbee	Inner frame size:42x26cm, barrel diameter: 67*62cm, Gross Weight: 32kg, Net weight: 28kg, Carton packaging: 70*70*80cm, Material:201bucket, 304Inner frame. Standard iron plastic-sprayed legs and plastic honey outlet.	1	1	0	

HE06-6E	Honey Extractor(6 frames electirc)	@Benefitbee	Inner frame size:42x26cm, barrel diameter: 67*62cm, Gross Weight:41kg, net weight:37kg, Carton packaging: 70*70*92cm, Material:201bucket, 304Inner frame. Standard iron plastic-sprayed legs and plastic honey outlet. Motor power180W	1	1	0	Please confirm the plug
HE06-6EM	Extractor(T hree use 6 frames electirc)	(i) Benefitbee	Inner frame size:42x26cm, barrel diameter: 67*62cm, Gross Weight:49kg, net weight:45kg, Carton packaging:71*71*104cm, Material:201bucket,304Inner frame. Standard iron plastic-sprayed legs and plastic honey outlet.	1	1	0	Please confirm the plug
HE06-8	Honey Extractor(8 frames manual)	Benefitbee	Inner frame size:42x26cm, barrel diameter: 67*62cm, Gross Weight: 33kg, Net weight: 29kg, Carton packaging: 70*70*80cm, Material:201bucket, 304Inner frame. Standard iron plastic-sprayed legs and plastic honey outlet.	1	1	0	
HE06-8E	Honey Extractor(8 frames electirc)	@ Benefitbee	Inner frame size:42x26cm, barrel diameter: 67*62cm, Gross Weight:43kg, net weight:38kg, Carton packaging: 70*70*80cm, Material:201bucket, 304Inner frame. Standard iron plastic-sprayed legs, plastic honey outlet. Motor power370W	1	1	0	Please confirm the plug

HE06-8EL	Extractor(8 frames electirc)	@Benefitbee	Inner frame size:42x26cm, barrel diameter: 67*62cm, Gross Weight:43kg, net weight:37.5kg, Carton packaging: 70*70*92cm, Material:201bucket, 304Inner frame. Standard iron plastic-sprayed legs and plastic honey outlet. Motor power180W	1	1	0	Please confirm the plug
HE07-4	Extractor(4 frames electirc CE)	€ Banelithed	Power supply:220V(110V customized on-demand), Motor:140watts, Material: SUS201, Weight:29kg, Speed control, singel-phase, Measure of frame rack:45*26cm	1	1	0	
HE12-2	Extractor(2 frames manual brake)	Quentities	Barrel height: 62CM, diameter:38CM, total height: 110cm, inner frame meterial: sus304, barrel bodymeterial: sus201 rack:45*26cm	1	1	0	
HE12-3	Extractor(3 frames manual brake)	© Rearthur	Barrel height: 62CM, diameter:38CM, total height: 110cm, inner frame meterial: sus304, barrel bodymeterial: sus201 rack:45*26cm	1	1	0	
HE15	Honeycomb extractor	@Benefitbee	Barrel height: 62CM, diameter:47CM, total height: 110cm, inner frame meterial: sus304, barrel bodymeterial: sus201 rack:45*26cm	1	1	0	

HE12-4	Extractor(4 frames manual brake)		Barrel height: 62CM, diameter:47CM, total height: 110cm, inner frame meterial : sus304, barrel bodymeterial : sus201 rack:45*26cm	1	1	0	
НЕРЈ01	2/3 frame manual gear assembly	@Benefitbee	The gear assembly specifications of the 2 frames and 3 frames are the same, 4 frames have other specifications but with the same price.	1	20	0	
НЕРЈ01-2	4 frame manual gear assembly	@Benefitbee	The gear assembly specifications of the 2 frames and 3 frames are the same.	1	20	0	
НЕРЈ02	2/3 frame manual gear assembly + beam	@Benefitbee	The gear assembly specifications of the 2 frames and 3 frames are the same.	1	20	0	
HEPJ02-2	4 frame manual gear assembly + beam	Benefitbee	The gear assembly specifications of the 2 frames and 3 frames are the same.	1	20	0	

		@ Benefitbee						
НЕРЈ03	6/8 frame manual gear assembly				1	0	0	
НЕРЈ04	6/8 frame manual gear assembly + beam	@Benefitbee			1	20	0	
НЕРЈ16	Handle	@Benefitbee			1	50	0	
S01	BB Smoker (Euro M)	@Benefitbee	Material:SUS201, Size:26CM*Φ 10CM, Collector box:PVC, Can be equipped with inner tank barrel+cover: 0.3mm tripod fuel support+bellow bracket: 0.5mm cover connector: 0.8mm	Produced according to European standards. The fireproof cover is encrypted to prevent burns to hands, the buckle zipper of the bellows is used to prevent loss, better springs and leather are used to increase air flow and improve service life, better hinge connection covers are used, and advanced welding and surface treatment processes are employed.	1	20		if you need add an inner tank more, item#SP03 will be suitable.

S01-L	BB Smoker (Euro L)	G Benefitbee	Material:SUS201, Size:30CM*Φ 10CM, Collector box:PVC, Can be equipped with inner tank barrel+cover: 0.3mm tripod fuel support+bellow bracket: 0.5mm cover connector: 0.8mm	Produced according to European standards. The fireproof cover is encrypted to prevent burns to hands, the buckle zipper of the bellows is used to prevent loss, better springs and leather are used to increase air flow and improve service life, better hinge connection covers are used, and advanced welding and surface treatment processes are employed.	1	20	0	if you need add an inner tank more, item#SP03 will be suitable.
S02	BB Smoker (US M)		Material:SUS201, Size:29CM*Φ 10CM, Collector box:PVC, Can be equipped with inner tank barrel+cover: 0.3mm tripod fuel support+bellow bracket: 0.5mm cover connector: 0.8mm	Produced according to American standards. The fireproof cover is encrypted to prevent burns to hands, the buckle zipper of the bellows is used to prevent loss, better springs and leather are used to increase air flow and improve service life, better hinge connection covers are used, and advanced welding and surface treatment processes are employed.	1	20	0	if you need add an inner tank more, item#SP03 will be suitable.

S02-L	BB Smoker (US L)	@ Benefit ber	Material:SUS201, Size:32CM*Φ 10CM, Collector box:PVC, Can be equipped with inner tank barrel+cover: 0.3mm tripod fuel support+bellow bracket: 0.5mm cover connector: 0.8mm	Produced according to American standards. The fireproof cover is encrypted to prevent burns to hands, the buckle zipper of the bellows is used to prevent loss, better springs and leather are used to increase air flow and improve service life, better hinge connection covers are used, and advanced welding and surface treatment processes are employed.	1	20	0	if you need add an inner tank more, item#SP03 will be suitable.
S03	BB Smoker (thick)	@Benefitbee	Material:SUS201, Size:29CM*Φ 10CM, Collector box:PVC barrel+cover: 0.3mm tripod fuel support+bellow bracket: 0.8mm cover connector: 0.8mm	Produced according to American standards. The stainless steel plate is thickened, and the bellows can accommodate Hive tools. Better springs and leather are used to increase air flow and improve service life. Better hinge connection covers are used, and advanced welding and surface treatment processes are employed.	1	20	0	
S04	Smoker(Aust ralian style M)	⊗ Benefitbod	Material:SUS201,Size:29CM*Φ 10CM,Collector box:PVC	Made to Australian standards. Use thicker stainless steel plates. Use better springs and leather materials. The product is more sturdy. The air volume is higher. Better quality. The craftsmanship is more exquisite.	1	20	0	

\$14	Smoker(Sout h America)	@ Benefit bee	Material:PVC leather +SUS201,Size:43*25cm (closed transition) Φ15cm	Made to South American standards. Use thicker stainless steel plates. Use better springs and leather materials. The product is more sturdy. The air volume is higher. Better quality. The craftsmanship is more exquisite.	2000	3	0	
S04-L	Smoker(Aust ralian style L)	Benefitbod	Material:SUS201,Size:32CM*Φ 10CM,Collector box:PVC	Made to Australian standards. Use thicker stainless steel plates. Use better springs and leather materials. The product is more sturdy. The air volume is higher. Better quality. The craftsmanship is more exquisite.	1	20	0	
S08	Kid Smoker	Benefities	Material:SUS201,Size:18CM*Φ 6.5CM,Collector box:PU	Mini smokers. Suitable for children. A popular product at the exhibition.	1	40	0	

S12	BB Benefitbee electric smoker (Patent)		Material:PC+SUS201,Size:13.7*29*27 cm CN Patent No.ZL 2020 3 0576923.8	Patent product: Chinese patent number ZL 2020 3 0576923.8 Benefittbee independently develops and designs. The bottom of the barrel is equipped with a selection door, which can facilitate the cleaning of fuel residue. The air volume can be adjusted. Can be charged and has a long usage time. Adopt better welding and surface treatment processes.	1	20	0	
S12-2	BB Electric smoker handle	@ Benefit bee	Material:ABS+3pcs 5A batteries	Patent Product: CN Patent No. ZL 2020 3 0576923.8	1	20	0	
S13	Smoker(Amer ican style M)	© Benefitbee	Material:Flame retardant PVC leather +SUS201, Size:28*29*13cm Φ 10.5cm	Made to American standards. Use thicker stainless steel plates. Use better springs and leather materials. The product is more sturdy. The air volume is higher. Better quality. The craftsmanship is more exquisite.	1	20	0	

S13-L	Smoker(Amer ican style L)	(Benefitbee)	Material:Flame retardant PVC leather +SUS201,Size:34*29*13cm Φ 10.5cm	Made to American standards. Use thicker stainless steel plates. Use better springs and leather materials. The product is more sturdy. The air volume is higher. Better quality. The craftsmanship is more exquisite.	1	10	0	
S15	Smoker(Euro pean style)	@ Benefitbee	Material:PVC leather +SUS201,Size:Height * Width 24*21cm (closed transition) Φ 10cm	Produced according to European standards. Use thicker stainless steel plates. Use better springs and leather materials. The product is more sturdy. The air volume is higher. Better quality. The craftsmanship is more exquisite.	1	20	0	
S17-L	Smoker(Ital ian style L)	@ Benefit bee	Material:SUS201, Size:Size:30cm*Φ 10cm, Collector box:PVC, Heat insulation net: stainless steel with plating colorful zinc barrel+cover: 0.3mm tripod fuel support+bellow bracket: 0.5mm cover connector: 0.8mm Can be equipped with inner tank	Produced according to European standards. Use thicker stainless steel plates. Use better springs and leather materials. The product is more sturdy. The air volume is higher. Better quality. The craftsmanship is more exquisite.	100	18	0	
S17-M	Smoker(Ital ian style M)	@ Benefit bee	Material:SUS201, Size:Size:Size:26c m*Φ10cm, Collector box:PVC, Heat insulation net: stainless steel with plating colorful zinc barrel+cover: 0.3mm tripod fuel support+bellow bracket: 0.5mm cover connector: 0.8mm Can be equipped with inner tank	Produced according to European standards. Use thicker stainless steel plates. Use better springs and leather materials. The product is more sturdy. The air volume is higher. Better quality. The craftsmanship is more exquisite.	100	18	0	

S17-S	Smoker(Ital ian style S)	@Benefitbee	Material:SUS201, Size:Size:20CM*Φ 7.5CM, Collector box:PVC, Heat insulation net: stainless steel with plating colorful zinc barrel+cover: 0.3mm tripod fuel support+bellow bracket: 0.5mm cover connector: 0.8mm Can be equipped with inner tank	Produced according to European standards. Use thicker stainless steel plates. Use better springs and leather materials. The product is more sturdy. The air volume is higher. Better quality. The craftsmanship is more exquisite.	100	18	0	
S05	Smoker(Econ omic M)	Benefitted	Material:SUS201,Size:24CM*Φ 10CM,Collector box:Cowhide,Can be packed with inner box		1	15	0	if you need add an inner tank more, item#SP03 will be suitable.
S05-BS	Smoker(Econ omic XS)	@Benefitbee*	Material:SUS201, Size:20CM*Φ 7.5CM, Collector box:super fiber, Can be equipped with inner tank		1	20	0	if you need add an inner tank more, item#SP03-S will be suitable.
S05-L	Smoker(Econ omic L)	Benefitiae	Material:SUS201,Size:29CM*Φ 10CM,Collector box:Cowhide,Can be equipped with inner tank		1	10	0	if you need add an inner tank more, item#SP03 will be suitable.

S05-S	Smoker(Econ omic S)	Benefitaee	Material:SUS201, Size:21CM*Φ 8.5CM, Collector box:Cowhide, Can be equipped with inner tank	1	15		if you need add an inner tank more, item#SP03-S will be suitable.
S06	Smoker(Econ omic M)	@Benefitbee	Material:SUS201,Size:28CM*Φ 10CM,Collector box:Cowhide,Can be equipped with inner tank	1	15		Please confirm if you need an Inner tank?
S06-L	Smoker(Econ omic L)	Benefitbee	Material:SUS201,Size:32CM*Φ 10CM,Collector box:Cowhide	1	10	0	if you need add an inner tank more, item#SP03 will be suitable.
S06-S	Smoker(Econ omic S)	@Benefitbee	Material:SUS201, Size:26CM*Φ 8.5CM, Collector box:Cowhide	1	15	0	if you need add an inner tank more, item#SP03-S will be suitable.
S07	Smoker(Galv anized M)	& Benefitbee*	Material:Galvanized iron, Size:28CM*Φ10CM, Collector box:Cowhide, Can be equipped with inner tank	1	15	0	if you need add an inner tank more, item#SP03 will be suitable.

S07-L	Smoker(Galv anized L)	@ Benefitbee	Material:Galvanized iron, Size:31CM*Ф10CM, Collector box:Cowhide, Can be equipped with inner tank	1	10	0	if you need add an inner tank more, item#SPO3 will be suitable.
S07-S	Smoker(Galv anized s)	Benefition	Material:Galvanized iron, Size:26CM*Φ8.5CM, Collector box:Cowhide, Can be equipped with inner tank	1	15	0	if you need add an inner tank more, item#SP03-S will be suitable.
S09	Smoker(Elec tric US)	@Benefitbee	Material:SUS201,Size:28CM*Φ10CM	1	15	0	
S09-2	Smoker(Elec tric Euro)	@Benefitbee	Material:SUS201,Size:26CM*Φ10CM	1	15	0	
S09-3	Smoker(Elec tric Euro)	@Benefitbee	No battery, available in black or blue	1	100	0	

S10	Smoker(copp er)		Material:copper,Size:26CM*8.5CM		1	20	0	
S11	Manual Smoker	© Benefituee	weight:1.6kg; size: L:330mm, W:130mm, H:400mm;		1	4	0	
S11-2	Manual Smoker		weight:1.6kg; size: L:330mm, W:130mm, H:400mm;		1	4	0	
S16	Smoker(Euro pean style electric)	@Benefitbee	Material:PVC leather +SUS201 Size:Height * Width 24*21cm (closed transition) Φ10cm, Match with AA battery(not include in package)		50	20	0	
SP01-5	Smoker gas box	Benefitbee	Material: PVC yellow gas box, box size: length: 19.3cm, width 12.7cm, Single item weight: 659g, The components consist of vaporizer, tank, resistance, USB cable, and silicone seal.	No fuel required. It uses e-liquid. More convenient to carry. More friendly to bees. Safer for the environment.	500	30	0	

SP01	Smoker box(Cow leather)	№ Benefitiee	Material:Cow leather &Veneer case		1	100	0	
SP06	Smoker Buddy box (This product does not include smoker)	@Benefitbee	Material: handle and bow are iron chrome plated, barrel body 201 stainless steel double-sided wire drawing, product weight: 2.8kg, thickness: 0.8mm.	Benefetbee original. When you need to drive to inspect the bee farm, you can put smokers in this stainless steel box, which has fire and smoke prevention functions.	100	15	0	
SP01-2	Smoker box(PU)	© Benefitbee*	Material:Micro leather &Veneer case		1	60	0	
SP01-3	Smoker box(PVC)	企 田樂	Material:PU &Veneer case		1	60	0	
SP02	Smoker box (Plastic)	Ø Benefitiee	Material:Plastic		1	60	0	

SP02-2	Smoker box (Plastic)	Ø Benefitbee	Material: Nylon, Color:White&Blue	1000	60	0	
SP03	Inner tank (M)	© Benefitbee	Material:Iron	1	100	0	
SP03-S	Inner tank(S)	© Benefitbee	Material:Iron	1	100	0	
SP04	Tank support	Benefitzer	Material:Iron:SUS201	1	500	0	
SP05	Smoker fuel	@Benefitbee	54pcs/bag	1	100	0	

SP05-2	Smoker fuel (jute)	& Benefitber	size:12x320cm Density: 43 x44 Material:jute weight: 92g		1	200	0	
SP05-3	Smoker Wood Fuel Pellets	@ Benefitbee	Size: 190*140*40 mm; Material: Wood Pellets; Weight: 500g CTN:53*23*25cm 20 PCS/CTN NW:10kg GW:10.5kg		1	20	0	
Т01-С	Hive tool (Large+Mirr or) (thermal treatment, Hardness > 50°)	© Berofithee'	length: 305mm, width: 50mm, height: 35mm, weight: 235g, surface treatment: mirror light, material: 2CR13 thickness: 2.6-2.7mm.	Mirror light makes the surface of the product brighter. The edge is rounded and won't hurt your hands. High temperature quenching, with a hardness of up to 55 degrees.	1	60	0	
T01-D	Hive tool (Large+Mirr or) (thermal treatment, Hardness > 50°)	@Benefitbee*	length: 255mm, width: 40mm, surface treatment: mirror light, material: 2CR13 thickness: 2.6-2.7mm.	Mirror light makes the surface of the product brighter. High temperature quenching, with a hardness of up to 55 degrees. Can tighten hexagonal screws of different specifications	1	100	0	
T01-P	Hive tool(mirror polished with rubber handle)	© Benefitbee	total length 235mm thickness: 2.5mm Weight: 178g Widest point: 40mm Surface treatment: mirror light material: stainless steel 2CR13	Mirror light, rubber handle, more comfortable to use. The surface of the product is brighter. High temperature quenching, with a hardness of up to 55 degrees.	1	100	0	

T15B	BB Multifuncti on hive tool (Patent)	@Benefitbee	Length: 267mm, weight: 300g, surface treatment: mirror luster color wooden handle, material: 2CR13, handle: colorwood, product size: 29*19*5.5cm CN Patent No. ZL 2015 3 0043392.5	Patent Product: CN Patent No. ZL 2015 3 0043392.5 Mirror light, colorful wood handle, more comfortable to use, and the product surface is brighter. High temperature quenching, with a hardness of up to 55 degrees. There are 7 functions.	1	64	0	
T24	Hive tool (thermal treatment, Hardness > 50°)		Length: 245mm, Weight: 147g, Surface Treatment: mirror splishing, Material: 2CR13	Mirror light makes the surface of the product brighter. The edge is rounded and won't hurt your hands. High temperature quenching, with a hardness of up to 55 degrees.	1	100	0	
T25	Hive tool (thermal treatment, Hardness > 50°)	€ Benefitzer	Length:310mm, Weight:115g, Surface Treatment:mirror splishing, Material:2CR13	Mirror light makes the surface of the product brighter. The edge is rounded and won't hurt your hands. High temperature quenching, with a hardness of up to 55 degrees.	1	120	0	
T01	Hive tool (thermal treatment, Hardness> 50°)		Length:260mm, Weight:164g Widest Point:40mm, Surface Treatment:Sanding Material:2CR13 Thickness:2.8mm, (Customized:Length:240mm, Thickness:2.5mm)		1	100	0	

	 	⊗ Benefitbee					
T01-2	Hive tool (thermal treatment, Hardness > 50°)		Length:260mm, Weight:170g , Widest Point:40mm, Surface Treatment:Sanding and high temperature paint, Material:2CR13 Thickness:2.8mm	1	100	0	
T01-3	Hive tool (thermal treatment, Hardness > 50°)	⊕ Benefitzer ■ Benefitzer	Length:260mm, Weight:170g Widest Point:40mm, Surface Treatment:Sanding and high temperature paint Material:2CR13 Thickness:2.8mm(Customized:Length: 240mm Weight:160g)	1	100	0	
T01-R	Hive tool (Curved hook) therma l treatment, Hardness > 50°	Benefitzer	Length:228mm Widest Point:42mm Surface Treatment:Sanding Material:2CR13 Thickness:2.5mm	1	120	0	
T01-S	Hive tool (Color can be customized) thermal treatment, Hardness > 50°	@Benefitbee*	Length:240mm, Weight:133g Widest Point:40mm, Surface Treatment:Sanding and high temperature paint, Material:2CR13 Thickness:2.5mm	1	100	0	
T01-SP	Hive tool (Color can be customized) thermal treatment, Hardness > 50°)	@Benefibe	Length:240mm, Weight:145g Widest Point:40mm, Surface Treatment:Sanding and high temperature paint, Material:2CR13 Thickness:2.5mm	1	100	0	

T02	Hive tool(Wooden handle)ther mal treatment, Hardness > 50°	Ø Benefitbee	Length:200mm Widest Point:47mm Thickness:2.0mm Handle:105mm*25mm*15mm Surface Treatment:Sanding Material:2CR13 Weight:108g	1	100	0	
T02-L	Hive tool(Wooden handle)ther mal treatment, Hardness > 50°	Benefities	Length:310mm, Thickness 3.0mm , The widest point:51mm Handle:165mm*35mm*24mm, weight: 307g	1	50	0	
Т02-Р	Hive tool (Plastic handle) thermal treatment, Hardness > 50°		Length:200mm, Widest Point:47mm Thickness:2.0mm, Handle:105mm*25mm* 15mm Surface Treatment:Sanding Material:2CR13, Weight:108g	1	100	0	
Т03	Hive tool Thickness:3 .8mm (thermal treatment, Hardness > 50°)	Ø Benefittari	Length: 285m, Weight: 135g Shovel: 35mm, Surface Treatment: Sanding Material: 2CR13 Thickness: 3.8mm	1	100	0	
T03-2	Hive tool (thermal treatment, Hardness > 50°)	@ Benefiture	Length: 285mm, Weight: 135g Shovel: 35mm, Surface Treatment: High temperature paint, Material: 2CR13 Thickness: 2.8mm	1	100	0	

Т03-Т	Hive tool Thickness:2 .8mm (thermal treatment, Hardness > 50°)	escribes (Length: 285m, Weight: 125g Shovel: 35mm, Surface Treatment: Sanding Material: 2CR13 Thickness: 2.8mm	1	100	0	
Т04	Hive tool Thickness:2 .8mm (thermal treatment, Hardness> 50°)		Length:270mm, Weight:145g Shovel:.45mm, Surface Treatment:Sanding and high temperature paint Material:2CR13 Thickness:2.8mm	1	100	0	
Т04-Т	Hive tool Thickness:2 .5mm (thermal treatment, Hardness > 50°)		Length:270mm, Weight:130g Shovel:45mm, Surface Treatment:Sanding and high temperature paint Material:2CR13 Thickness:2.5mm	1	100	0	
то4-тр	Hive tool Thickness:2 .5mm (thermal treatment, Hardness > 50°)	(i) Berefit bre	Length:270mm, Weight:130g Shovel:45mm, Surface Treatment:Sanding and high temperature paint Material:2CR13 Thickness:2.5mm	1	100	0	
T05	Hive tool (thermal treatment, Hardness > 50°)	€ Benefitues	Length: 260mm, Weight: 184g Widest Point: 85mm, Surface Treatment: Sanding, Material: 2CR13 Thickness: 2.8mm	1	80	0	

T06	Hive tool (thermal treatment, Hardness> 50°)	(i) Benefities	Length:210mm, Weight:148g, Widest Point:75mm, Surface Treatment:Sanding Material:2CR13, Thickness:3.0mm (Stiffeners can be customized)	1	80	0	
Т07	Hive tool (thermal treatment, Hardness > 50°)		Length:240mm, Weight:140g, Shovel:30 mm, Surface Treatment:High temperature paint, Material:2CR13 Thickness:3.0mm	1	100	0	
Т08	Hive tool (thermal treatment, Hardness > 50°)	Benefitod	Length:255mm, Weight:183g Surface Treatment:Sanding Material:2CR13 Thickness:3.0mm	1	100	0	
Т09	Hive tool (thermal treatment, Hardness > 50°)	⊕ Benefiture ■ Penefiture ■ Penefiture	Length:230mm, Thickness:23mm, Width: 35mm, Weight:400g, Material: stainless steel, Precision casting	1	60	0	
T10	Hive tool (thermal treatment, Hardness > 50°)		Length:188mm Widest Point:27mm Surface Treatment:Sanding Material:2CR13 Thickness:3mm	1	200	0	

T11	Hive tool (thermal treatment, Hardness > 50°)	Ø Benefitbee	Length: 228mm Shovel: 43.66mm, Surface Treatment: High temperature paint , Material: 2CR13, Thickness: 4.33mm	1	80	0	
T12	Hive tool (Small) (thermal treatment, Hardness > 50°)	№ Benefitbad	Length:157mm, Weight:72g ,Surface Treatment:Sanding,Material:2CR13	1	320	0	
T13	Hive tool (Extra long) thermal treatment, Hardness > 50°		Length: 388mm, Weight: 220g, Surface Treatment: Sanding, Material: 2CR13	1	80	0	
T14	Hive tool (Extra long)	Ø Benefitues	Surface Treatment:mirror splishing&Spray paint, Material:2CR13, Size: 323mm	1	80	0	
T15-2	BB Multifuncti on hive tool (Patent)	Benefituee	Length:267mm, Weight:300g, Surface Treatment:Sanding, Material:2CR13 CN Patent No.ZL 2015 3 0043392.5	1	40	0	

T16	Hive tool		Length:285mm, Weight:164g Widest Point:40mm, Surface Treatment:Sanding Material:2CR13 Thickness:2.8mm	1	100	0	
T17	Hive tool (thermal treatment, Hardness > 50°)	Benefities	Length:195mm, Weight:90g, Surface Treatment:Sanding Material:2CR13 & Wooden handle	1	160	0	
T17-2	Hive tool (thermal treatment, Hardness > 50°)	6	Material:2CR13 & Wooden handle,Surface Treatment:Spray paint,Length:195mm,Weight:83g	1	160	0	
T18	Hive tool (thermal treatment, Hardness > 50°)	@Benefitbee	Size: Long26cm Widest Point:5.2cm, weight: 112g, thickness: 0.25cm material:stainless steel 2CR13	1	100	0	
T19	Hive tool (thermal treatment, Hardness > 50°)		Length:202mm, Weight:120g, Surface Treatment:Sanding Material:2CR13	1	100	0	

T20	Hive tool (thermal treatment, Hardness > 50°)	Ø Benefibee	Length:310mm, Weight:65g, Surface Treatment:mirror splishing, Material:2CR13	1	200	0	
T21	Hive tool(Galvan ized) thermal treatment, Hardness > 50°		Size:21.8x3.3x2.5cm,Weight: 125g,thickness: 42mm,Material: Galvanized steel structure	1	200	0	
T22	Hive tool (thermal treatment, Hardness > 50°)	@Benefitbee	Length: 22CM, width: 3.1CM, thickness: 2.4mm weight: 112g, thickness: 0.25CM, material: stainless steel 2CR13	1	160	0	
T23	Hive tool (thermal treatment, Hardness > 50°)	& Benefitbee*	Length: 26. cm, width: 6cm, thickness: 2.5mm weight: 112g, material: stainless steel 2CR13	1	160	0	
T26	Honey scraper knife	Ø Benefittee	Material:2CR13	1	100	0	

T26-2	Honey scraper knife	@Benefitbee	Product length 36.5cm, Handle length 19cm, scraper body dimensions: length 17.5cm, width 8.3cm, thickness 0.2cm, single product weight: 296g, surface treatment: sanding. material: stainless steel 304	300	100	0	
T26-3	Honey scraper knife	@ Benefitbee	Product length 24cm, Handle length 10cm, scraper body dimensions: length 14cm, width 8.3cm, thickness 0.3cm, surface treatment: sanded Product weight: 293g, material: stainless steel 304.	300	100	0	
T28	Hive tool (small) (thermal treatment, Hardness > 50°)	Benefitbee'	Length 250mm, width of head 57mm, thickness 3.0mm, weight 154g, material: stainless steel 2CR13, Surface Treatment: Sanding	1	100	0	
T29	Hive tool (large) (thermal treatment, Hardness > 50°)	@ Berefit bee	Length 330mm, width of head 57mm, thickness 3.0mm, weight:203g, material: stainless steel 2CR13, Surface Treatment:Sanding	1	80	0	

T30	Hive tool(Spring steels Hardness: 40)	@Benefitbee*	Material: 430 Spring steels Hardness: 40, Thickness:3.0mm, Customized:Length:260mm, single weight: 197g, Product size: L260*W45*H20mm Surface technology: spray paint	High temperature baking paint, the surface of the product is more upscale. The edge is rounded and won't hurt your hands. High temperature quenching, spring steel, with higher hardness, reaching up to 65 degrees.	2000	100	0	
T32	Flat scraper (Black paint, short and thin)	@ Benefitbee	Product length 18.5cm, Width 3cm, thickness 0.3cm, surface treatment: spray paint (black) product weight: 129g, material: cast iron, grinding length on both sides 0.9cm.	High temperature baking paint, the surface of the product is more upscale. The edge is rounded and won't hurt your hands. High temperature quenching, spring steel, with higher hardness, reaching up to 65 degrees.	2000	100	0	
T33	Small curved tail scraper(bla ck paint)	⊗ Benefitbee	Total length: 16cm, The widest point: 3.7cm, thickness 0.3cm, product weight: 82g, surface treatment, Material: cast iron, painted black.	High temperature baking paint, the surface of the product is more upscale. The edge is rounded and won't hurt your hands. High temperature quenching, spring steel, with higher hardness, reaching up to 65 degrees.	2000	100	0	
К10-В	Ultrathin alligator clip electric knife	(2) Benefitbee	Material:SUS304&Beech Handle:130mm*35mm*25mm thickness: 2.0mm Blade size: 2x40x230mm Operating voltage: 12 V Operating temperature: 70-110° C Power: 65W Weight: 350g Heating time to operating temperature: 30-40 seconds Wire length: 2 meters	Low pressure heating element, safer and sharper to use, is a popular product in the European market.	1	25	0	

K10-E	Clip electric uncapping knife	Benefitbee	Length:440mm , Thickness:7.0mm , Weight:600g Blade:250mm*50mm Handel:145mm*30mm*40mm Material:SUS304&Beech , Wire length:1.5M (Length can be customized) Max temperature:150~190°C, Surface Treatment:Mirror polish and Sanding, Voltage:12V Power:300W	Low pressure heating element, safer and sharper to use, is a popular product in the European market.	1	25	0	
K10-Y	BB Electric uncapping knife(with thermo regulator)(Patent)	@Benefitbee	Temperature Range: 0-180°C adjustable, Constant heating plate control, Max Output Power: 800W, Input Voltage: 110V-230V, Can switch Celsius and Fahrenheit by short press switch button, Can turn ON or OFF by long press switch button, Plus or Minus 5 unit each by press"+" or "-" button Blade length 25cm CN Patent No. ZL 2020 3 0295900. X	The temperature can be adjusted. Precision processing of solder joints, no leakage. Use safely. Surface treatment is glossy.	1	25	0	
K21	Electric uncapping knife (Plugs:, Ame rican, Austr alian;Other specs can be customized)Blade: serrated	@ Benefitbee	Length:515mm, Thickness:7.0mm, Weigh t:550g Blade:325mm*50mm Material:SUS304&Beech , Wire length:1.5M (Length can be customized), Max temperature:150~190°C Surface Treatment:Mirror polish and Sanding Plugs:, American, Australian (Other specs can be customized) Voltage:110-220V Power:300W	European standards. The blade is serrated. Unapplying is more convenient. Advanced welding machines are used to tightly seal the welds. No leakage, safe to use.	1	25	0	Please confirm the plug?
K01	Uncapping knife (Thickness:1 .5mm) thermal treatment, Hardness> 50°		Length:300mm, Weight:95-105g, Blade:140mm*29mm, Handle:125mm, Surface Treatment:Mirror polish, Material:2CR13, Thickness(Customized):1.0mm&1.2mm		1	100	0	

K02	Uncapping knife (Blade: flat edge) thermal treatment, Hardness> 50°	Ø Benefithed	Length:395mm, Weight:150g, Blade:285 mm*35mm, Handle:105mm*22mm*15mm, Sur face Treatment:Mirror surface, Material:2CR13	1	100	0	
K02-2	Uncapping knife (Blade:serr ated) thermal treatment, Hardness> 50°	(i) Benefities	Length:395mm, Weight:150g, Blade:285 mm*35mm, Handle:105mm*22mm*15mm, Sur face Treatment:Mirror surface, Material:2CR13	1	100	0	
К03	Uncapping knife (Blade: flat edge) thermal treatment, Hardness > 50°	& Benefitiee	Length:395mm, Blade:285mm*35mm, Hand le:105mm*22mm*15mm, Surface Treatment:Sanding, Material:2CR13	1	100	0	
K03-2	Uncapping knife (Blade:serr ated) thermal treatment, Hardness> 50°	◎ 島樂	Length:395mm, Blade:285mm*35mm, Hand le:105mm*22mm*15mm, Surface Treatment:Sanding, Material:2CR13	1	100	0	
K04	Uncapping knife (thermal treatment, Hardness> 50°)	@ Benefitbee*	Weight:128g Blade :230mmX35mm Handle:105mmX22mm Surface treatment: sanded, flat edge. Material: Stainless steel 2CR13. Red grinding wood, aluminum nails	1	100	0	

K05	Uncapping knive (thermal treatment, Hardness> 50°)	© Breefiter	Length: 323mm, Weight: 126g	1	120	0	
K05-2	Uncapping knife (thermal treatment, Hardness> 50°)	(i) Benefities	Length: 345mm, Weight: 147g handle lenghth:115MM;	1	120	0	
K06	Uncapping knife (thermal treatment, Hardness> 50°)	(i) Benefities	Lenth:420mm , weight:190-210g, blade length:280mm, blade width:45mm, handle size:125mmX30mmX18mm(Blade: customizable serrated or flat edge)	1	80	0	
K07	Uncapping knife (thermal treatment, Hardness> 50°)	Ø Benefitied	Length:395mm , Weight:126g, Blade:280mm*35mm, Handle:115mm, Surf ace Treatment:Mirror polish, Material:2CR13 Thickness:1.2mm	1	266	0	
K08	Uncapping knife (thermal treatment, Hardness> 50°)	© Benefities	Length:415mm, Weight:107g, Blade:300 mm*37mm , Handle:115mm, Surface Treatment:Mirror polish, Material:2CR13 Thickness:1.0mm	1000	250	0	

К09	Uncapping knife (thermal treatment, Hardness> 50°)	Benefities	Length:335mm, Blade:225mm*30mm, Hand le:100mm*20mm, Surface Treatment:Mirror polish Material:2CR13 Thickness:0.6mm	1	300	0	
K10	Electric uncapping knife (Sanding Plugs:, Amer ican, Austra lian; Other specs can be customized)	© Benefitbee	Length:440mm , Thickness:7.0mm, Weight:585g Blade:250mm*50mm Handel:145mm*30mm*40mm Material:SUS304&Beech , Wire length:1.5M (Length can be customized), Max temperature:150~190°C, Surface Treatment:Mirror polish and Sanding Plugs:, American, Australian (Other specs can be customized) Voltage:110-220V Power:300W lpc/inner box:50*7.5*7cm	1	25	0	Please confirm the plug?
K10-T	Electric uncapping knife(with thermo regulator)	@Benefitbee	Length:440mm, Thickness:7.0mm , Weight:590g Blade:250mm*50mm, Handel:145mm*30mm *40mm Material:SUS304&Beech, Wire length:1.5M (Length can be customized) Max temperature:150~190°C, Surface Treatment:Mirror polish and Sanding Plugs:, American, Australian (Other specs can be customized) Voltage:110&220V Optional Power:300W 1pc/brown box: 51*8*7 G.W.: 0.6kg	1	25	0	Please confirm the plug?

K10-TS	Electric uncapping knife(with thermo regulator)	@ Benefitbee	Maximum temperature of 180 degrees, Minimum temperature 50 degrees, on off keys represents switch; HEAT light represents electric knife heating, SET key represents adjusting temperature 1pc/brown inner box;	1	25		Please confirm the plug?
K11	Uncapping knife (thermal treatment, Hardness> 50°)	Ø Benefituer	Thickness:1.2mm ,Surface Treatment:Mirror polish. Material:SUS2CR13&ABS	1	140	0	
K11-2	Uncapping knife (patent) thermal treatment, Hardness> 50°	Benefitzed	Length:40mm Weight:120g Surface Treatment:Sanding Material:2CR13	1	140	0	
K12	Uncapping knife (thermal treatment, Hardness> 50°)	Benefitzer	material:Tungsten steel solid wood length: 415mm weight: 231g	1	150	0	
K13-L	Uncapping knife (Large)ther mal treatment, Hardness> 50°		Length:340mm , Weight:76g, Thickness:1mm, Blade:30 mm, Surface Treatment:Mirror, Material:2CR13, Op tional: Double side serrated & Double side flat surface	1	200	0	

K13-S	Uncapping knife (thermal treatment, Hardness> 50°)	@^enefitbee	Length:260mm, Weight:57g, Thickness: 1mm, Blade:28mm, Surface Treatment:Mirror, Material:2CR13, Op tional: Double side serrated & Double side flat surface Wooden Handle		1	200	0	
K14	Frame clean knife (thermal treatment, Hardness> 50°)	(i) Benefitize	Surface Treatment: Sanding&Sharp blade Material: 2CR13&Wooden handle		1	460	0	
K15	Uncapping knife (thermal treatment, Hardness> 50°)	(i) Benefitize	Length: 420mm Weight: 175g Thickness:2.0mm, Blade width: 35mm ,Surface treatment: Mirror ,Material: stainless steel 2CR13		1	80	0	
K16	Electric uncapping planer	© Benefitbee'	Material:Copper&Beech Plugs:European ,American Voltage: 110~220V Power: 450W total lenght:29.5cm 不带柄8.5cm width:12.5cm 带加热管宽16cm		1	20	0	Please confirm the plug?
K17	Uncapping knife (thermal treatment, Hardness> 50°)	Ø Benefitbee	Length:303mm , Weight:160g, Surface Treatment:mirror splishing, Material:2CR13 &Solid wood handle, Use:Uncapping &scraper	Made to Korean standards, with a colorful wooden handle for a more comfortable use and a mirror finish on the surface. High temperature quenching, sharp and durable, with a long service life.	1	200	0	

K18-2	BB Uncapping knife(paten t) thermal treatment, Hardness> 50°	Ø Benefitber	Length:470mm, Weight:202g, Material:2CR13		1	80	0	
K19	Uncapping knife (thermal treatment, Hardness> 50°)	Ø Benefithee	Length:270mm, Weight:140g , Surface Treatment:mirror splishing, Material:2CR13 & Solid wood handle, Use:Uncapping &scraper	Made to Korean standards, with a colorful wooden handle for a more comfortable use and a mirror finish on the surface. High temperature quenching, sharp and durable, with a long service life.	1	100	0	
K20	Uncapping knife (thermal treatment, Hardness> 50°)	() Benefithee	Length:270mm, Weight:80g, Surface Treatment:mirror splishing, Material:2CR13, Use:Uncapping &scraper	Made to Korean standards, with a colorful wooden handle for a more comfortable use and a mirror finish on the surface. High temperature quenching, sharp and durable, with a long service life.	1	240	0	
UF09	Uncapping fork	@ Benefitbee	Needle material:2CR13 Handle material:Rubber	American standards. Rubber handle. 304 stainless steel material. Wire cutting technology.	1	150	0	
UF11	Uncapping fork (19 needles)	© Benefitzer	Needle material:2CR13, Handle material:PP	European standards. 304 stainless steel needle.	1	160	0	

UF12	Uncapping fork (25 needles)	& Benefitbee	Size: Length 22.5cm width: 13.5cm thickness:0.21cm, weight: 150g materail: needle stainless stell SUS304 +PP handle	European standards. 304 stainless steel needle.	1	100	0	
UF13-4	Uncapping fork (plastic handle)	& Benefitbee		New Product Promotion	1	80	0	

UF16	Honey Uncapper	₩ Benefitbee	You are buying a new style of uncapper which is simple in its use and clean up. IDEAL FOR BIG OR SMALL APIARISTS The benefits of the Roller uncapper is that is a time saver for both the bee keeper and the bees. The roller uncapper barely damages the comb giving the bees a quick turn around once the sticky is reinserted into the hive. The Roller uncapper works withall sizes of Langstroth frames, including Full depth, ideals and halves. The roller uncapper can uncap 30 frames in under 5 minutes. Heavily built design weighing in at 4.5kg and made from heavy duty nylon and each roller is cut out of a single solid bar of aluminium. Measures in at 555mm wide 195mm deep and 75mm high. Simple spring loaded design using a buy anywhere o ring. The Roller uncapper can be mounted on most uncapping trays (Fittings or trays not included) There is no heat, electricity or	American standards. New product promotion.	1	1	0	
UF17	Gear uncapping fork	@Benefitbee	Material: Oak varnish + 430 stainless steel, single product weight 223g, inner box: 24*8.5*5.2cm, total length 22.7cm, handle part 15cm, width 3cm, thickness 2cm, uncapping fork part width 7.5cm	Patent No.: 202530353251.7	1	60	0	

UF01	Uncapping fork (18 needles)	© Benefit bee	Needle material:SUS304, Handle material:Plastic, Needle thick:2.0mm, Color: red, yellow, green, Needle: straight, curved	1	400		Please confirm the color, straight or curved?
UF02	Uncapping fork (21 needles)	QD contribute	Needle material:SUS304, Handle material:Plastic, Needle thick::1.6mm , Color: red, yellow, green, Needle: straight, curved, rake	1	400	0	Please confirm the color, straight or curved?
UF03	Uncapping fork	(6) Benefitbee	Needle material:SUS304, Handle material:Aluminum&wooden, Needle thick:1.6mm	1	100	0	Please confirm straight or curved?
UF04	Uncapping roller	Benefitze	Needle material:SUS201, Size: 230*65mm	1	60	0	
UF05	Uncapping roller(Plas tic handle)	Ø Benefitbee	Weight:220g, Material:PP "Handle: 100PCS/CTN GW:16.05kg 45*29*22cm Wheel: CTN:61*33*42cm 200PCS/CTN GW:18.45kg"	1	100	0	

UF05-2	Uncapping roller(Wood en handle)	Benefitbee	Weight:240g, Material:PP "Handle: CTN:35*33*32cm 100PCS/CTN GW:15.35kg Wheel: CTN:61*33*43cm 200PCS/CTN GW:18.4kg"	1	100	0	
UF06	Uncapping roller(Euro pean)	© Benefitbee*	Size:28.5x16.5x8cm Weight:265g Material:pp	1	24	0	
UF07	Uncapping fork (20 needles)	Benefitibes	Colour:Yellow, Needle material:SUS304, Handle material:Plastic	1	200	0	
UF08	Uncapping fork (21 needles)	@Benefitbee	Material:PP & SUS304, needle thickness:1.6mm, lengthe:55mm, Plastic Bright surface, Weight:85g	1	240	0	Please confirm the color
UF10	Uncapping rake	Benefities And Andrews	Surface treatment: galvanized, Material: galvanized iron, wooden handle	1000	0	0	

UF11-2	Uncapping fork (18 needles)	& Benefitbee	Material: 304 stainless steel needle, handle; PP Length: 225mm Weight: 130g The width of the steel fork is 76mm, the steel needle is curved, and there are holes at the bottom of the handle.	1000	160	0	
UF13-1	Uncapping fork	@Benefitbee*	Material:SUS304 handle:Rubber wood or eucalyptus length:24.2cm, width:7.5cm, thickness:2cm handle length: 5.3cm	1	80	0	
UF13-1A	Uncapping fork(Adjust ment)	@Benefitbee*	Material:SUS304 handle:Rubber wood or eucalyptus	1	80	0	
UF13-1AP	Uncapping fork(Adjust ment Plastic handle)	© Benefitbee	Material:SUS304 handle:Plastic length:24.2cm, width:7.5cm, thickness:2cm handle length: 5.3cm	1	80	0	
UF13-1P	Uncapping fork(Plasti c handle)	& Berefitbee	Material:SUS304 handle:Plastic length:24.2cm, width:7.5cm, thickness:2cm handle length: 5.3cm	1	80	0	

UF13-2	Uncapping fork(L)	@Benefitbee*	Material:SUS304 handle:Plastic handle and wooden handle are optional width:13cm	1	60	0	
UF13-2A	Uncapping fork(L Adjustment)	© Benefitbee	Material:SUS304 handle:Plastic handle and wooden handle are optional width:13cm	1	60	0	
UF13-3	Uncapping fork(Double -ended needle)	© Benefitbee	Material:SUS304 handle:Plastic handle and wooden handle are optional width:7.5cm	1	80	0	
UF13-3A	Uncapping fork(Double -ended needle Adjustment	© Benefitbee	Material:SUS304 handle:Plastic handle and wooden handle are optional width:7.5cm	1	80	0	
UF13-3AP	Uncapping fork(Adjust able Plastic handle)	© Benefitbee	Material:SUS304 handle:Plastic width:7.5cm	1	80	0	

UF13-3P	Uncapping fork(Double -ended needle Plastic handle)	@Benefitbee*	Material:SUS304 handle:Plastic width:7.5cm	1	80	0	
UF14	Uncapping roller (4")	@Benefitbee	Roller length:10cm, 15cm, 20cm, and 25cm (other size can be customized also) Roller diameter 7.2cm Teeth length 1.2cm, Unlike the ordinary roller structure, there is no need for screws or snaps on the crossbar. The roller does not slip during the rotation process, and the length of the roller can be customized.	1	50	0	Please confirm the size
UF14-2	Uncapping roller (6")	@ Benefitbee*	Roller length:15cm(other size can be customized also) Roller diameter 7.2cm Teeth length 1.2cm, Unlike the ordinary roller structure, there is no need for screws or snaps on the crossbar. The roller does not slip during the rotation process, and the length of the roller can be customized.	1	50	0	Please confirm the size
UF14-3	Uncapping roller (8")	@Benefitbee	Roller length:20cm(other size can be customized also) Roller diameter 7.2cm Teeth length 1.2cm, Unlike the ordinary roller structure, there is no need for screws or snaps on the crossbar. The roller does not slip during the rotation process, and the length of the roller can be customized.	1	100	0	Please confirm the size

UF14-4	Uncapping roller (10")	₩ Senefitbee	Roller length:25cm (other size can be customized also) Roller diameter 7.2cm Teeth length 1.2cm, Unlike the ordinary roller structure, there is no need for screws or snaps on the crossbar. The roller does not slip during the rotation process, and the length of the roller can be customized.		1	20	0	Please confirm the size
UF15	Uncapping fork (17 needles)	@ Benefities	Needle material:SUS304, Handle material:Plastic, Needle thick:2.0mm		1	400	0	
FG13	Frame gripper (South America)	@Benefitbee	Material: stainless steel 2CR13, size: 27*6*11, weight: 320g, Surface treatment: red paint 4pcs/brown box G.W.:1.35kg Size:33*16*6cm	South American standards.	1	40	0	
FG18	BB Frame grip(201 Stainless)(Patent)	(i) Benefitbee	Product material: 201 CN Patent No.ZL 2022 3 0265800.1	New product recommendation	1	40	0	
FG18-2	Frame grip (with beehive tool)	@Benefitbee	Total length: 18.2cm Weight: 344g Body size: 14.5*13cm, The widest part of the scraper head is 4cm, material: 201 + beech handle	New product recommendation	1	40	0	

FG01	Frame gripper (Stainless	& Benefities	Size:130mm*130mm, Thickness:1.8mm, Surface Treatment:Mirror polish and Sanding, Material:SUS2CR13	1	100	0	
FG02	Frame gripper (Iron)	⊕ Benefitber	Weight:195g Size:130mm*90mm Thickness:2.0mm Surface Treatment:Metal plating Material:Iron	1	100	0	
FG03	Frame gripper(wit h bee tool)	⊕ Benefither	Size:270m*130mm*105mm, Shovel:35mm, Thickness:2.8mm, Weight:295g Surface Treatment:Electrolytic polishing Material:2CR13	1	48	0	
FG03-2	Frame gripper(wit h bee tool)	@Benefitbee	Total length: 23cm Weight: 296g Body size: 12.8*12.5cm The widest part of the scraper head is 1.6cm. Material: cast iron, thickness: 0.4cm	1000	48	0	
FG04	Frame gripper(sho rt clip)	& Benefitbed	Size:130*140mm ,Material:Galvanized iron	1	64	0	

FG05	Frame gripper(Lon g clip)	Ø Benefitbee	Size:130*140mm, Material:Galvanized iron	1	40	0	
	Frame gripper	@Benefitbee	Material:Galvanized iron, Thickness:3mm	1	60	0	
FG07	Frame gripper(Woo den handle)	Benefities	Material:SUS201+Beech wood handle,Thickness:27mm, Product weight: 0.235g	1	60	0	
FG07-2	Frame gripper(Pla stic handle)	@Benefitbee	Material:SUS201+PP Plastic handle,Thickness:3mm, Product weight: 0.228g	1	50	0	
FG07-4	Plastic Frame gripper		Length: 14cm, Weight: 81g, The widest part of the shovel head is 5.5cm, material: PP	1000	100	0	

		⊗ Benefitsee					
FG08	Frame gripper(Fre nch)		Material:SUS201	1	60	0	
FG08-2	Frame gripper(Fre nch)	@Benefitbee	Clamping width: 14mm Product material: 410 stainless steel material thickness: 2.0mm	1	60	0	
FG09	Frame grip(Europe an Style)	Benefither	Material:SUS201	1	40	0	
FG10	Frame gripper(wit h bee tool)	© Benefitbee'	Material:Galvanized iron	1	64	0	
FG11	Frame gripper(Iro n)	Benefities	Material:Galvanized iron	1	50	0	

FG12	Frame gripper (Aluminum)	(Benefitber	Material: Aluminum	1	50	0	
FG14	Honey comb	Benefitad	Material:SUS201	1	160	0	
FG15	Electric bee taking- off machine	20,7m0 s s4 10mm bring fo, y gav aljument	1. Voltage: 20V, Frequency: 1200- 1500-1800, speed:0-2700 round/minute. 2. the frame holder range: width:2530mm, Thickness ≤22 mm 3. The lithium battery: 2000mAH Standard: (single battery)	1	5	()	Please confirm the plug
FG15-2	Electric bee taking- off machine		Jitter frequency :600-2000BPM Rated voltage: 20V Clamping range: width 25-30mm, thickness ≤22mm Battery capacity :2000MAH, one brushless motor, High efficiency, low energy consumption, durable, standard with two batteries.	1	5	0	
FG16	Frame grip(Stainl ess)		bayonet: 2cm, thickness: 0.8mm, material: stainless steel	1	64	0	

FG17	Frame grip(Stainl ess)	(¿) Denefitible	Product material: 201 Product size: 14.2*4.8*14cm Opening size: 2.5x3.7cm product weight: 209g		1	50	0	
FG17-2	Frame grip(Stainl ess)	@Derefitze	Product material: 201 Product size: 21*6.5*25cm opening size: 2.5x3.7cm product weight: 308g		1	40	0	
BR01	Bee brushes(Dou ble rows horsehair)	(i) Benefitiae	Handle:47cm, Brush width:7.5cm, Brush material:Horsehair, Handle material:Pine	The handle comes with a shovel, making it convenient for beekeepers to retrieve frames. Use soft horsehair. Very friendly to bees and will not harm them.	1	150	0	
BR02	BB Bee brushes(Sin gle row plastic)	(i) Benefither	Length: 450mm, Weight: 169g, Material: plastic CN Patent No. ZL 2019 3 0551034.3	The handle comes with a shovel, making it convenient for beekeepers to retrieve frames. Use soft plastic wool. Very friendly to bees and will not harm them.	1	100	0	
BR03	Bee brushes(Sin gle row Plastic)	(a) Benefitbee		American standards. Use soft plastic bristles and beech wood handles without scarring. Very friendly to bees and will not harm them.	1	200	0	

BR11	BB Beebrushes(Double rows bristles)		200PCS/CTN Handle:450mm Brush width:7cm Weight:160g	Great design that can help beekeepers easily retrieve frames. Using soft plastic bristles and chicken wing wood handles, there are no scars. Very friendly to bees and will not harm them.	1	100	0	
BR13	Bee brush(Beech double row plastic wool)		Handle material: beech wood handle sprayed with varnish, plastic sharpened wire mechanically implanted. Plastic hair length:6.5cm, handle length: 45cm, widest part:3.5cm, weight:170g.	European standard, using soft plastic bristles and beech wood handles without scarring. Very friendly to bees and will not harm them. The tail hair can better clear bees.	1	100	0	
BR14	Bee brush (Beech double-row horsetail hair with scraper at the tail)	© Benefitbee	Wooden handle material: beech wood handle sprayed with varnish, horsetail mechanical hair transplantation. Horsetail length:6.6cm, handle length: 35.5cm, scraper length:4cm, thickness:0.3cm, widest part:3cm, weight: 210g.	European standard, using soft plastic bristles and beech wood handles without scarring. Very friendly to bees and will not harm them. The tail hair can better clear bees. The handle comes with a tool that can help beekeepers clean their beehives and retri	1	100	0	
BR04	Bee brushes(Fou r rows horsehair)		Handle:40cm rush width:21cm Brush material:Horsehair Handle material:Pine		1	250	0	

BR05	Bee brushes(Dou ble rows bristles)	© Benefities	Handle:40cm, Brush width:2.1cm, Weight:80g, Brush material:Bristles, Handle material:Pine	1	500	0	
BR06	Bee brushes(Dou ble rows horsehair)	(i) Benefitber	Handle:40cm, Brush width:2.1cm, Weight:42g, Brush material:Horsehair, Handle material:Pine	1	500	0	
BR07	Bee brushes(sin gle rows horsehair)	@Benefitbee	Handle:40cm, Brush width:2.1cm, Weight:70g, Brush material:Horsehair, Handle material:Plastic	1	600	0	
BR08	Electirc bee taking- off machine	@ Benefitbee*	Rated power:150W, Voltage:12V	1	1	0	
BR09	Bee brushes(Thr ee rows bristles)	@Benefitbee*	Handle:40cm, Brush width:7.5cm, Weight:100g, Brush material:Bristles, Handle material:Pine	1	320	0	

BR10	Bee brushes(Thr ee rows plastic)	@Benefitbee*	Handle:40cm, Brush width:8cm Weight:95g, Brush material:Plastic Handle material:Pine		1	320	0	
FT01	Double strainer (Φ24cm)	@Benefitbee	Size: Φ240mm, Mesh material:SUS304, Filter screen height:65mm, Upper layer:12 mesh, Under layer:25 mesh	Seamless. No residual honey in the crevices. Easy to clean.	1	10	0	
FT01-2	Double strainer (Φ24cm)	Benefitae	Size: Φ240mm, Height:110mm; Mesh material:SUS304, Filter screen height:65mm, Upper layer:16 mesh, Under layer:40 mesh	Seamless. No residual honey in the crevices. Easy to clean.	1	10	0	
FT01-3	Double strainer (Φ24cm) (Patent)	Benefitbee	Diameter: 24cm, Height: 15.3cm, Upper layer: 16 mesh, Down layer: 40 mesh. Material: SUS304 mesh, SUS201 extented holder CN Patent No.ZL 202230834949.7	Patent Product: CN Patent No. ZL 202230834949.7 New product promotion, with a raised bottom. The contact area with honey is larger. The filtering efficiency is higher.	1	10	0	
FT01B	Double strainer (large Φ 32cm)	@Benefitbee*	Size: Φ320mm, Mesh material:SUS304, Filter screen height:65mm, Upper layer:12 mesh, Under layer:25 mesh	Seamless. No residual honey in the crevices. Easy to clean. Increase the amount. Bottom with support bracket.	1	10	0	

		@Benefit bee*						
FT11	Double strainer (34MM)		Size:40x240x120mm Mesh material:SUS304 Upper layer:16 mesh Under layer:40 mesh	Seamless. No residual honey in the crevices. Easy to clean. Circular arc shape. More suitable for honey filtration.	1	10	0	
FT02	Double strainer(Ny lon)	Benefitber	Size: Φ240mm*60mm, Mesh material:Nylon, Case material:Nylon, Upper layer:16 mesh, Under layer:40 mesh		1	20	0	
FT02-2	White plastic double layer honey strainer		Size: 335*85mm Material: PP+nylon net, upper mesh: 16 mesh, lower mesh: 30 mesh Weight: 310g CTN: 78*40*85cm 20 PCS/CTN NW: 6.2kg GW: 8kg The upper mesh hole is 0.1cm, and the bottom mesh hole is 0.05cm.		1	20	0	
FT03	Double strainer (PP)	@Benefitbee*	uper layer Size:Φ295mm		1	20	0	
FT04	Double strainer(AB S)		Size: Φ230mm, Mesh material: ABS, Weight: 676g, single layer height: 8cm, double layer height: 14.8cm		1000	10	0	

FT05	Honey strainer	Ø Benefitibee	Size: Φ255mm, Material:SUS201	1	50	0	
FT05-2	Honey strainer	Benefitue	Size: Φ255mm, Material:SUS201	1	100	0	
FT06	Honey strainer	Benefities	Size: Φ230mm, Material:SUS201 Under layer:40 mesh	1	50	0	
FT07-3	Honey filter (0.3 mm square mesh ø33cm))	(g) terrefix ber	Material:Nylon, 0.3 mm square mesh ø33cm	1	200	0	
FT08	Honey filter (Thick style)	@Benefitbee	Size:35X23cm , Material:Nylon	1	240	0	

FT08-2	Honey filter		Size:50X35cm, Material:Nylon	1	240	0	
FT09	Uncapping tray	© Benefitbee'	Surface Treatment: Sanding, Material: SUS201, size: 470*432*100mm	1	1	0	
FT09B	Plastic uncapping tub	@Benefitbee*	Material:PP, Usage:Use with Uncapping tray Product size 540*420*300mm	1	3	0	
FT10	Uncapping tray	@Benefitbee	Surface Treatment:Mirror polishing, Material:SUS201	1	1	0	
FT13	Honey comb holder uncapping tray	(i) Benefitbee	Size:stainless steel disc 600*400*95mm plastic box: external dimension:600x400x175mm internal, dimensions:550*365*160mm Mesh material:SUS201+PP 1pc/brown box	1	1	0	

FT14	Uncapping tray	@ Benefitbed	Size:stainless steel disc 600*400*150mm plastic box: external dimension 600x400x230mm internal dimensions 550*365*220mm Mesh material:SUS201+PP	1	1	0	
FT15	Honey filter (1 mm square mesh .ø33cm.leng th 47cm)	@ Benefittee	Material:Nylon, 201 Stainless steel ring, ø33cm ,1 mm square mesh,length 47cm.	1	120	0	
FT15-2	Honey filter (0.3mm square mesh.ø33cm. length 36cm)	@ Desertitude	Material:Nylon, 201 Stainless steel ring, ø33cm ,0.3mm square mesh,length 36cm.	1	200	0	
FT15-3	Honey filter (0.2 mm square mesh ø33cm))	@ Benefitue	Material:Nylon, 201 Stainless steel ring, ø33cm ,0.2 mm square mesh,length 36cm.	1	200	0	
FT16	Honey filter (1 mm square mesh ø45cm))	@Berefittee	Material:Nylon, 201 Stainless steel ring, ø45cm ,1 mm square mesh length 47cm	1	260	0	

	1	(i) Benefitbee					
FT16-2	Honey filter (0.3 mm square mesh ø45cm))		Material:Nylon, 201 Stainless steel ring, ø45cm ,0.3 mm square mesh length 36cm	1	260	0	
FT16-3	Honey filter (0.2 mm square meshø45cm)	@ Derefitue	Material:Nylon, 201 Stainless steel ring, ø45cm , 0.2 mm square mesh length 36cm	1	260	0	
FT17	Uncapping tray for honey flow	@Benefitbee	Material: 201 stainless steel product size: 455x320x40mm thickness: 1.0mm Support thickness: 2.0mm, Weight: 1.3kg	1	10	0	
FT18	Honey filter (304 stainless steel)	@ Benefitbee	1. The wall thickness of stainless steel is 0.8MM 2. The middle hole diameter is between 4.0 and 5.0. 3. The hole spacing is 3.0mm. 4. The overall shape keeps the taper, and the taper is between 48 degrees and 49 degrees. 5. The diameter of the top of the product is 178mm, the diameter of the bottom is 44.5mm, and the height is 150mm. Material: 201 stainless steel	1	80	0	

FT19	Stand for Strainer Ø30cm	© Bronefit bee	Material: 201 Stainless Steel Diameter 30cm, Height: 50cm Stainless Steel Band Thickness: 0.2cm Weight: 1600g Made of stainless steel legs and stainless steel screws and stainless steel straps! Fits any size bucket from 32cm to 60cm in diameter They can also be placed on smaller buckets, but won't be as secure.		1	10	0	
FT19-2	Stand for Strainer Ø45cm	© Benefit bee	Material: 201 Stainless Steel Diameter 45cm, Height: 50cm Stainless Steel Band Thickness: 0.2cm Weight: 1700g Made of stainless steel legs and stainless steel screws and stainless steel straps! Fits any size bucket from 45cm to 90cm in diameter They can also be placed on smaller buckets, but won't be as secure.		100	10	0	
ТW70-В	Thermo regulated decrystaliz ation honey tank (304 stainless stee honey gate)	@ Benefitbee	Material:SUS201 Honey volume: 70L Remark: It melts the wax through the bottom heating plate 1500W	Equipped with 304 stainless steel honey gate.	1	1	0	Default with SS304 gate
WB01	Square steam wax melting pot	@Benefitbee	Machine's parameter: - Material: SUS304 - Total height: 820 mm Tank dimensions: - Lenght - 580 mm Width - 420 mm Height - 610 mm Diameter of the drain - 25mm Steam generator: Power supply 230V / 50 Hz, Power 1800W, Water capacity 4L		1	1	0	110V US plug is not available, separate transformer costs USD18/pc.

WB02	Round steam wax melting pot	@Benefitbee	Machine's parameter: - Material: SUS304 - Total height: 720mm -Diameter:530mm - Diameter of the drain - 25mm Steam generator: Power supply 230V / 50 Hz, Power 1800W, Water capacity 4L	1	1	0	110V US plug is not available, separate transformer costs USD18/pc.
WB03	Steam wax melter	@ Benefitbee	Voltage/Frequency:220-240V~50HZ Input power: 1850W-2200W Capacity:3L/max, Working Time:45min, Black Tube Length:3.0m , With Black plate Imports Temperature Control VDE plug 1.5m Rubber cable(H05RN-F 3G1.0mm²) Packing in mail Box CE GS EMC ROHS	100	4	0	
WB03-2	Steam wax melter	@Benefitbee	Voltage/Frequency: 220- 240V~50/60Hz Input Power: 1850-2200W Boiler Capacity: 4.5L/max Steam Timer: 70 min Plate Size: 28x20cm Colorbox Size: 32x26x31 cm Quantityin: 20/40' 20:1016pcs/40:2200pcs CE GS EMC ROHS	1	4	0	
WB05	Square wax melting machine (30kg)	@Benefitbee	Material: 304 stainless steel product size: 96*46*84cm The capacity is 50L the thickness of the stainless steel is 0.2mm, and the interlayer can be filled with about 16L of water or heat transfer oil.	1	1	0	

WB06	Honey low- temperature dryer (200kg)	@Benefitbee*	product size: 120*90*140cm Material: 304 stainless steel (Export fumigation-free wooden box)	1	1	0	
WB08	Wax Melting Pot	@Benefitbee	Quick heat conduction, gentle melting, backflow groove design on both sides to facilitate backflow, extended silicone handle, can withstand high temperatures of about 200 degrees. Capacity: 400ML Material: 201 stainless steel	1	100	0	
WB10	Solar Plastic Frame Wax Melter	@Benefitbee	Size 690*435*270mm Material: 201 stainless steel + PP Weight: 5.5kg Plastic barrel outer diameter: 62*42*26cm, inner diameter: 57*39*25, cm, CTN: 70*45*29cm 1 PCS/CTN NW:5.5kg GW:6kg	1	1	0	
WB11	Solar stainless steel Frame Wax Melter	@ Benefitbee	Size: 678*388*230mm Material: 201 stainless steel, there are handles on both sides. Weight: 7.92kg Stainless steel barrel outer diameter: 61.4*37.5*22cm, inner diameter: 61.2*36.8*21.8cm CTN: 69*40*25cm 1 PCS/CTN NW: 7.92kg GW: 8.5kg	1	1	0	

WB12	304 stainless steel double layer honey melting bucket (24L)	& Benefitbee STREAM TON S. A. Silvan	Input 110-230V (UK, US, AU, EU plug optional); Power: 2000W, adjustable temperature range, 35- 100°C, 304SS material, barrel thickness 0.8mm, inner barrel diameter 277mm, outer barrel diameter 317mm height 515mm, capacity 24L (honey capacity about 35kg), sloping bottom, welded 304 stainless steel honey outlet	360	1	0	
WB12-2	304 stainless steel double layer honey melting bucket (44L)	Benefitbee MATCHEAT SECOND	Input 110-230V (UK, US, AU, EU plug optional); Power: 2000W, Adjustable temperature range, 35- 100℃, 304SS material, barrel thickness 0.8mm, inner barrel diameter 353mm, outer barrel diameter 393mm, height 558mm, capacity 44L (honey capacity about 62kg), sloping bottom, welded 304 stainless steel honey outlet	225	1	0	
WB12-3	304 stainless steel double- layer honey melting bucket (85L)	Senefitbee Out washing	Input 110-230V (UK, US, AU, EU plug optional) Power: 2000W, adjustable temperature range, 35-100°C, 304 material, barrel thickness 0.8mm, inner barrel diameter 467mm, outer barrel diameter 507mm, height 610mm, capacity 85L (honey capacity about 120kg), sloping bottom, welded 304 stainless steel honey outlet	140	1	0	

WB12-4	304 stainless steel double layer honey melting bucket (114L)	Denefitbee outline documents of the control of the	Input 110-230V (UK, US, AU, EU plug optional) Power: 2000W; Adjustable temperature range, 35-100°C, 304SS material, barrel thickness 0.8mm, inner barrel diameter 512mm, outer barrel diameter 552mm, height 666mm, capacity 114L (honey capacity about 160kg), sloping bottom, welded 304 stainless steel honey outlet		120	1	0	
HF01	Honey filling machine	Benefitbee	Filling head specification: 20mm, Filling height: 0~40cm adjustable, Water pipe material: PVC steel wire hose, Water pipe specification: Inner diameter 20* outer diameter 25mm, inlet pipe length: 1.5m, outlet pipe length: 0.5m, host size: 28*26*19cm, package size: 40*35*35cm, package weight: 14kg. Automatic peeling: Automatic startand stop: Automatic deceleration: Automatic reset: Automatic reset: Automatic storage: Power off memory: Automatic learning: Belay adjustable: Hand release detection: Automatic storage Automatic learning: Hand release detection: Automatic storage	A popular small honey filling machine in the market.	1	1	()	Please confirm the plugs?

HF01-2	Honey filling machine		Product parameters Product number: CSY-L15 Rated voltage: AC220V 50Hz Rated power: 200W Maximum flow rate: 15L/min Applicable capacity: 20g-10Kg Filling error: <2-5g Filling height: 0-40cm可调 Total Weight: 12.5kg Product Size: 26cm*27cm*20cm Package dimensions: 35cm*35cm*35cm Automatic peeling: Automatic startand stop: Automatic deceleration: Automatic reset: Automatic reset: Automatic storage: Power off memory: Automatic learning: Understand release detection: Hand release detection:	A popular small honey filling machine in the market.	1	1	0	Please confirm the plugs?
HF02-3X	Honey filter	© Benefitbee	Sheet metal color: gray Product size: 360*200*150mm Pumping Amount (kg honey/h)~ 900 kg/h Fittings 2x 2" BS hose connection Materials: Massive Plastic Rotation Speed: 180 RPM Length: 26.5cm Width: 14.5 cm Voltage: 110-230 V/24V Pumping Amount (L/h) 700 L/h Filter mesh number: 100 mesh Liquid outlet connector: 32mm Pipe, 1. Outer diameter 40*32*4, quantity 2, length 1 meter	A popular small honey filling machine in the market.	1	1	0	Please confirm the plugs?

HF02-4X	Honey filling machine	@Benefitbee	Rated voltage DC12V AC110VAC220 Rated power 60W ~ 120W Product Size 420mm x 287mm x 165mm Package size 400*400*250-1 Conveying flow Example: 500g 300 bottles /H 1000g 220 bottles /H, manual control start/stop Machine Weight 8KG Gross weight 9KG Applicable range Fluid 34 to 42 Baume Applicable liquid temperature 15 to 70 ° C Filling requirements below 42 Baume and ambient temperature above 15 ° C	A popular small honey filling machine in the market.	1	1	0	Please confirm the plugs?
HF02-5X	Honey filling machine	@ Benefitbee	Small intelligent honey pot machine, not need the compressor air pump, not need to turn the barrel, it can be pumped after inserting the pipe. It is suitable for 38~43 Beaume degree liquid honey canning, bottling weight range of 100~5000 grams can be set freely, manual/automatic two modes, 500 grams bottle take 8 seconds, support 220V household electricity, 12V battery connection (universal), can be canned in the field, each equipment can canned 2 tons of honey every day. Clean and hygienic, low noise and convenient.	A popular small honey filling machine in the market.	1	1	0	Please confirm the plugs?

HF02-6X	Honey filling and filtering machine	@ Benefitbee	Small intelligent honey pot machine, not need the compressor air pump, not need to turn the barrel, it can be pumped after inserting the pipe. It is suitable for 38°43 Beaume degree liquid honey canning, bottling weight range of 100°5000 grams can be set freely, manual/automatic two modes, 500 grams bottle take 8 seconds, support 220V household electricity, 12V battery connection (universal), can be canned in the field, each equipment can canned 2 tons of honey every day. Clean and hygienic, low noise and convenient.	A popular small honey filling machine in the market.	1	1	0	Please confirm the plugs?
HF02-7X	Double head multi- function honey filling machine	@ Benefit bee		A popular small honey filling machine in the market.	1	1	0	Please confirm the plugs? Packing method: Fumigation-free wooden box

HF03	Honey filling machine	304款 桶容积 33升 ^{装蜂蜜80-94} 斤 速度5-7瓶/分钟	Specification: 1, Working temperature: 15-120°C 2, Speed: 80g/second, 5.0kg/minute 3, Filling range: 50g-2500g 4, Solution tank: 33L, 47kg honey5, Driving voltage: 12V Solenoid voltage: 12V6, Service life: >200 thousand times 7, Working pressure: 0.3-0.8MP8, Power:5w 9, Weight: 13kg (Material: 202 stainless steel) / 15kg (Material: 304 stainless steel) 550 Watt, 8 Litre air compressor self prepared.		1	1	0	Do you need a gas pump?
HF04	Hand pressure filling machine (10L)	@Benefitbee	Manual filling, Product size: 27*27*70 cm, Hopper capacity: 10L, Filling nozzle diameter: 4mm/8mm, Filling range: 5-50ml, Filling times: 5-15 times, Product weight: 10KG, Packaging weight: 14Kg, Packaging size: 33*36*76cm		1	1	0	
HF08X-3	Large pump DC turntable	Street party to the day of the street party to	Material: stainless steel, 855*670*635mm (excluding funnel), control mode: PLC control, start and stop mode: pedal, flow rate: 10L/min, expansion equipment: turntable, liquid inlet method: extraction/funnel, equipment power:about 400W, display: 5-inch touch screen, turntable load: 50KG, turntable diameter: 650mm, applicable viscosity: 1000CP-180000CP, applicable ambient humidity: <70%RH.	It is a DC turntable. The turntable will keep turning. When the infrared switch senses the bottle, it will stop and fill it. After filling, it will continue to turn.	1	1	0	

HF08X-4	Large pump servo turntable	England and Assembly Cartifle A Autophing Constitute Small pump hand Swall pump constitutes 3 A shall pump hand	Material: stainless steel, 855*670*635mm (excluding funnel), control mode: PLC control, start and stop mode: foot pedal, flow rate: 10L/min, expansion equipment: turntable, liquid inlet method: extraction/funnel type, display: 5-inch touch screen, turntable diameter: 650mm, applicable viscosity: 1000CP-180000CP, applicable ambient humidity: <70%RH.	It is a servo turntable with fixed angle filling. Customers can set the number of holes in the system according to the holes of the tooling, and then the machine will rotate at a fixed angle according to the number of holes. This is suitable for filling unstable, irregular and small bottles.	1	1	0	
HF09X-3	Small pump DC turntable	Sensitive Engowner and England Continues State Upon a head State Up	Material: stainless steel, 850mn*600mm*635mm (excluding funnel), control mode: PLC control, start and stop mode: pedal, flow rate: 6L/min, expansion equipment: turntable, equipment power: about 400W, liquid inlet method: extraction/funnel type, display: 5-inch touch screen, turntable load: 10KG, turntable diameter: 600mm, applicable viscosity: 1000CP- 180000CP, applicable ambient humidity: <70%RH.	DC turntable, the turntable will keep turning, and when the infrared switch senses the bottle, it will stop and then fill, and continue to rotate after filling is completed	1	1	0	

HF09X-4	Small pump servo turntable	Benefitbee 13 Augustus Strate 13 Augustus Strate 13 Augustus Strate 13 Augustus Strate 14 Augustus Strate 15 Augustus St	Material: stainless steel, 850mn*600mm*635mm (excluding funnel), control mode: PLC control, start and stop mode: pedal, flow rate: 6L/min, expansion equipment: turntable, equipment power: about 400W, liquid inlet method: extraction/funnel type, display: 5-inch touch screen, turntable load: 10KG, turntable diameter: 600mm, applicable viscosity: 1000CP- 180000CP, applicable ambient humidity: <70%RH.	It is a servo turntable with fixed angle filling. Customers can set the number of holes in the system according to the holes of the tooling, and then the machine will rotate at a fixed angle according to the number of holes. This is suitable for filling unstable, irregular and small bottles.	1	1	0	
CL01	Beehive shovel	© Benefit bec'	Length:205mmShovel:105mm*80mm Thickness:1.8mm, Handle:100mm, Surfa ce Treatment:Zincing		500	180	0	
CL01-2	Beehive shovel	⊕ Benefitbee	Length:200mm, Shovel:105mm*80mm Handle:95mm*22mm, Surface Treatment:Mirror polish Material:SUS430, Thickness:1.8mm		1	200	0	
CL02	Excluder cleaner	© Benefitbee*	Toal L:19cm, shovel L:6.3cm, shovel W:3.1cm, handle L:12.5cm, Φ 2.9cm, Surface Treatment:Mirror polish, Material:SUS430, thickness:1.5mm		1	120	0	

		& Benefitbee"					
CL02-2	Excluder cleaner		Material:SUS304, Thickness:1.5mm, (Customizable:Double-sided teeth&Plastic Handle)	1	176	0	
CL02-3	Excluder cleaner(Pla stic handle)	(i) Benefitbee	Toal L:19cm, shovel L:6.3cm, shovel W:3.1cm, handle L:12.5cm, Φ 2.9cm, Surface Treatment:Mirror polish, Material:PP & SUS430, thickness:1.5mm	1	120	0	
CL02-4	Excluder cleaner(Pla stic)		Size:12.5*7.5x*4.8cm Material:Plastic	1	500	0	
CL02-6	Excluder cleaner(Woo den handle)	@Benefitbee	The total length is 20cm, the length of the scraper head is 6.4cm, the width head is 3.1cm on one side, and it is curved. The handle is 12.5cm long and 2.9cm in diameter. Surface treatment: The scraper head is mirror-finished. The handle is not painted. Material: stainless steel.	1000	120	0	
CL03	Frame cleaner	₩ Benefition	Material:Galvanized iron, Thickness:3mm	1	200	0	

CL04	Honey scraper knife with shovel		Length 16.7cm, width 12.1cm, height 2.1cm, weight 252g, thickness 0.31cm, material: 201 stainless steel	1000	100	0	
CL05	Beewax scraper	@ Benefitied	Material:SUS201	1	400	0	
CL06	Frame cleaner		Length: 270mm needle length: 150mm handle length: 120mm weight: 85g material: 201 stainless steel handle:solid wood	1	200	0	
CL06-2	Frame cleaner	⊕ Benefitbee*	Material: 201 stainless steel weight :89g size: 23.7*3.1*0.6cm	1	250	0	
CL07	Pollen grip	Benefitias	Material:SUS304	1	1300	0	

CL08	Royal jelly cleaner	@ Benefitbee*	Material:PP	1	1500	0	
CL08-2	Royal jelly cleaner	@Benefitbee*	Material:Plastic length:15cm	1	1500	0	
	Royal jelly cleaner (50pcs/box	Ø Benefitbae	Material:bamboo 50只/box,weight:201g	1	120	0	
CL08-4	Royal jelly cleaner	Benefitbee'	Material:Plastic	1	200	0	
CL08-5	royal jelly pen	(§Benefitbee*	Length: 95mm, Width: 82mm, Weight: 28g, Material: PP/food grade	1	200	0	

	Royal jelly cleaner(9- CT)	© Benefitbee'	Length: 95mm, Width: 82mm, Weight: 30g, Material: PP/food grade	1	200	0	
CL09	Honey scraper	(i) Benefitbee*	Material: PP Size:22*13*1.8cm Weight: 137g	1	100	0	
CL09-2	Honey scraper	(多) 前班	Material: silicone spatula Size:34.5x7.5cm Weight: 123g	1	100	0	
CL09-3	Honey scraper	@Benefitbee	Product size: 23x12.5cm weight: 64g	1	250	0	
CL10	Excluder cleaner(Pla stic)	Ø Benefitbee¹	weight:31g, 9 teeth, material:PP size:13*4.5*1.5cm	2000	300	0	

CL13	Cleaning rake, stainless steel	@Benefitbee	Product length: 67.7cm, long pole length 60.3cm, scraper head length: 11.6cm, bend angle 90 degrees, scraper head in triangular shape, tip welded to the top of the long pole, material: 201. Weight: 291g.	300	30	0	
BT01	Beehive tie strap	100	Surface Treatment:galvanized Buckle width:33mm Buckle thickness:1.2mm Rope material:Polypropylene Rope length:5M Rope width:25mm Colour:Customized	1	50	0	
BT01-2	Beehive tie strap (With hook)	300	Surface Treatment:Galvanized Buckle width:33mm Buckle thickness:1.2mm Rope material:Polypropylene Rope length:4.6M Rope width:25mm Colour:Customized Max weight availabel:200kgs	1	42	0	
BT02	Beehive tie strap (Australian	Benefitiad	Material:Galvanized iron Length:5m, 10 teeth. Thickness: Iron shell 2.5mm.Iron core 5.0mm.Iron sheet 0.4mm. Weight:650g	1	25	0	
BT02-2	Beehive tie strap (Australian Nylon)	@ Benefitibed	Material:Galvanized iron Length:5meters Thickness: Iron shell 2.5mm.Iron core 5.0mm. Weight:600g	1	20	0	

BT02-4	Beehive tie strap (Australian	@Benefitbee	Material:Galvanized iron Length:5meters ,Weight:600g ,10 teeth,Thickness of iron case: 2.5	1	25	0	
втоз	Beehive tie strap(BIG)	@ Benefitbee*	Rope material:Polypropylene Rope length:10M	50	10	0	
BT04	Beehive tie strap (Australian	@ Benefitbee*	5M yellow polyester braid strap, breaking force 1 ton (tested) Rope width:26mm	1	100	0	
BT06	Beehive tie strap	@Benefitbee*	1.2m green Polypropylene strap, breaking force 300kg , rope width:25mm	1	240	0	
BT07	Beehive tie strap (US)		10mm SUS201,3M blue polyester braided tape, breaking force 200kg(test)	1	50	0	

BT08	Beehive tie strap (Euro)	@Benefitbee*	10mm SUS201, 5M yellow polyester braid strap, breaking force 1 ton (tested)	1	60	0	
ВТ09	Beehive tie strap (304)	@Benefitber	Material: SUS304, strap: 3 meters, black polyester tape with UV primer, ultraviolet-proof	1	60	0	
BG01CG	Bee gloves(Grad e sheepskin, G rade A sheepskin)	Benefitibes	Material:Golden sheepskin & Canvas, Size:L, XL, XXL, Length:480mm- 520mm	1	200	0	Please confirm the size
BG01CW	Bee gloves(Whit e A sheepskin)	@ Benefitibal	Material:White sheepskin & Canvas canvas, Size:L, XL, XXL, Length:480mm- 520mm	1	200	0	Please confirm the size
BG01PG	Bee gloves(Gold en sheepskin, G rade A sheepskin)	& Benefitbee*	Material:Golden sheepskin & + Polyester cotton, Size:L, XL, XXL, Length:480mm- 520mm	1	200	0	Please confirm the size

BG01PW	Bee gloves(Whit e sheepskin, G rade A sheepskin)	& Benefities	Material:White sheepskin & Polyester cotton, Size:L, XL, XXL, Length:480mm-520mm	1	200	0	Please confirm the size
BG02	Bee gloves(With mesh, Grade A sheepskin)	Benefities	Material:White sheepskin & Polyester cotton or canvas, Size:L, XL, XXL, Length:480mm-520mm, Colour:yellow, white	1	200	0	Please confirm the size
BG03	Bee gloves(Brea thable, Grad e A sheepskin)	@ Benefitibed	Material:Golden sheepskin + High breathable mesh+Polyester cotton Size:L, XL, XXL Length:480mm-520mm Colour:yellow, white	1	200	0	Please confirm the size
BG04	Bee gloves(Brea thable, Grad e A sheepskin)	@ Benefitzed	Material:White sheepskin + High breathable mesh+Polyester cotton, Size:L, XL, XXL, Length:480mm- 520mm		200	0	Please confirm the size
BG05	Bee gloves(Brea thable, Grad e A sheepskin)	@Benefitbee	Material:Golden sheepskin + High breathable mesh+Canvas, Size:L, XL, XXL, Length:4 80mm-520mm	1	200	0	Please confirm the size

BG06	Bee gloves (Mesh, Grade A sheepskin)	⊕ Benefitbee [*]	Material: three - layer breathable mesh cloth and sheepskin	1	200	0	Please confirm the size
BG07	Bee gloves(Euro ,Grade A sheepskin)	@Benefithee	Material:White sheepskin +Polyester cotton, Size:L, XL, XXL, Length:480mm- 520mm	1	200	0	Please confirm the size
BG08	Bee gloves (Euro, Grade A sheepskin)	@Benefitbee	Material:White sheepskin +Polyester cotton, Size:L, XL, XXL, Length:480mm- 520mm	1	200	0	Please confirm the size
BG09	Bee gloves(Whit e sheepskin breathable, Grade A sheepskin)	@ Benefitbee	Material:White sheepskin +Polyester cotton, Size:L, XL, XXL, Length:480mm- 520mm	1	200	0	Please confirm the size
BG10	Rain boots	SSCM	Size 39-45 Textile material Height: 3cm Tube height:38cm Material PVC+ beef tendon sole, anti-hit, anti-puncture, insulation and corrosion resistant	1	20	0	Please confirm the size

BG11	Bee gloves(Yell ow sheepskin breathable, Grade A sheepskin)	@Benefitbee	Material:sheepskin +Polyester cotton, Size:S, M, L, XL, XXL, Length:48 Omm-520mm	1	200	0	Please confirm the size
BG12	Bee gloves(Yell ow sheepskin ,Grade A sheepskin))	@Benefitbee	Material:sheepskin +Polyester+Leatherette cotton, Size:S, M, L, XL, XXL, Length:48 Omm-520mm	100	200	0	Please confirm the size
BG13	Bee gloves(Whit e/Yellow sheepskin)	@Benefitbee	Material: White sheepskin or yellow sheepskin Size: S M L XL XXL	200	200	0	Please confirm the size
BG14	Rubber canvas bee gloves	@Benefitbee	Material: Rubber and canvas, size: S M L XL	200	200	0	Please confirm the size
BG15	Cow leather beekeeping gloves	(i) Benefitbee	Cowhide + canvas Product length is 47cm, finger length is 18.5cm, cuff length is 28.5cm, cuff width is 10cm, customizable sizes: L, XL, XXL.	200	200	0	Please confirm the size

BG16	Cow beekeeping gloves	@ Benefitbee	Cowhide + canvas + breathable mesh Product length is 47cm, finger length is 18.5cm, cuff length is 28.5cm, cuff width is 10cm, customizable sizes: L, XL, XXL.	200	200	0	Please confirm the size
BG17	White cowhide leather beekeeping gloves	@Benefitbee	Material: White cowhide leather gloves, ribbed cuffs, length: 30cm, threaded part length: 10cm, glove length: 20cm. Size: L, XL, XXL	200	200	0	Please confirm the size
BG18	Yellow cowhide leather beekeeping gloves	@Benefitbee	Material: yellow cowhide leather, ribbed cuffs, Size: L, XL, XXL length: 43.5cm, threaded part length: 8cm, glove length 36cm.	200	200	0	Please confirm the size
BS01	Bee suit (Cotton round cap)	@Benefitbee*	Size:S, ML, XL, XXL, XXXL, Material:100 %Cotton, Color: white, apricot, yellow,	1	25	0	Please confirm the color, size
BS01-2	Bee suit (Polyester cotton)		Size:S, M, L, XL, XXL, XXXL, Material:Po lyester cotton, Color: white, apricot, yellow,	1	30	0	Please confirm the color, size

BS01-S	Bee suit(Childr en)	@ Benefitbee	Size:1.1m、1.2m、1.3m、1.4m、1.5m, Material:Cotton	1	30	0	Please confirm the color, size
BS04	Bee suit(wasp)	Sealing this house, and the sealing of the sealing	material: oxford fabric outer layer+ thickened PU inner layer. Stereo mask, with a fan on the mouth, 10 ventilated holes, 3 fans for ventilation without being stuffy. Lengthened zipper + Velcro double-layer protection, easy to put on and take off and avoid the bees getting in.	1	1	0	Please confirm the color, size
BS05	Bee suit	@ Benefitbee"	Size:S, ML, XL, XXL, XXXL Material:Cotton Color: white, apricot, yellow	1	20	0	Please confirm the color, size
BS06	Bee jacket	@Benefitbee*	Size:S, ML, XL, XXL, XXXL, Material:Cot ton, Color: white, apricot, yellow	1	25	0	Please confirm the color, size
BS07	Bee jacket(vent ilate)	Benefitbee	Size:S, ML, XL, XXL, XXXL, Material:Cot ton & ventilate mesh Hat: round or astronaut	1	15	0	Please confirm the color, size

BS08	Bee suit(Breath able)	@Benefitbee	Size:S, ML, XL, XXL, XXXL, Material:Cot ton & breathable mesh Hat: round or astronaut	1	10	0	Please confirm the color, size
BS09	Bee suit(Breath able)	Benefitibes Color:	Size:S, ML, XL, XXL, XXXL, Material:Cot ton & breathable mesh Color: white, green, yellow	1	30	0	Please confirm the color, size
BS09-2	Bee jacket(Brea thable)	@Benefitbee	Size:S, ML, XL, XXL, XXXL Material:Cotton & breathable mesh Color: white, green, yellow	1	30	0	Please confirm the color, size
BS10	Bee jacket	@Benefitbee*	Material:polyester & breathable mesh	1	30	0	Please confirm the color, size
BS11	Bee jacket	@Benefitbee"	Material: polyester, The hat can be parted, With veil and zipper	1	30	0	Please confirm the color, size

BS12	Bee jacket	© Benefitbee Color:	Size:Free size, Material:Polyester, Color: white, pink, blue, camouflage	1	60	0	Please confirm the color, size
BS13	Bee jacket	© Benefitbee	Size:L, XL, XXL, XXXL, Material: Cotton	1	40	0	
BS14	Sleeveless apron	@ Benefitbed HONEY	Material: flax Features: waterproof and oil-proof size: 68x55cm	1	150	0	
BS14-2	Sleeveless apron	Honey Far Your health	Material: flax Features: waterproof and oil-proof size: 68x55cm	1	150	0	
BS14-3	Sleeveless apron	(Berefithee	Material: flax Features: waterproof and oil-proof size: 68x55cm	1	150	0	

BS15	American half-length round cap anti-bee suit (polyester flat)		Material:polyester M L XL XXL	1	50	0	
BS16	European round hat bee jacket (with zipper)	Color:	Material: 100% cotton, gram weight: 150g, color: white, yellow, green, pink, blue.	200	25	0	Please confirm the color, size
BS16-2	European astronaut hat bee jacket(with zipper)	Benefitbee	Material: 100% cotton, gram weight: 150g, color: white, yellow, green,, pink,, blue.	200	25	0	Please confirm the color, size
BS16-3	European astronaut hat bee jacket(camo uflage with zipper)	@Benefitber	Material: 100% cotton, gram weight: 180g	200	25	0	
BS17	European round hat bee jacket (without zipper)	Color:	Material: 100% cotton, gram weight: 150g, color: white, yellow, green,, pink,, blue.	200	25	0	

BS18	European astronaut hat overall beesuit	Benefitbee	Material: 100% cotton, gram weight: 150g, color: white, yellow, green,, pink,, blue.	200	20	0	
BS19	European bee pants	Benefitb	Material: 100% cotton, gram weight: 150g, color: white, yellow, green,, pink,, blue.	200	25	0	
ВНО1	Bee hat	Benefitbee'	Size:Free size	1	50	0	
BH01-2	Bee hat	Benefitbee*	Size:Free size	1	50	0	
BH02	Bee hat	© Benefitbee'	Size:Free size Material:Cotton Color: white, yellow, camouflage	1	50	0	

ВН03	Bee hat	@Benefitbee*	Size:Free size Material:Cotton Color: white, yellow, camouflage	1	50	0	
ВН04	Bee hat (5 colours)	@Benefitbee*	Material:straw plaited,colour:Brown, green, white, off-white, beige	1	50	0	
BH04-2	Bee hat (3 colours)	Benefitze	Material:PP, colour:Brown, khaki, green	1	50	0	
ВН05	Square veil without helmet	@ Benefitbee*	Material:50% cotton & 50% synthetic blend cloth	1	100	0	
ВН06	Square veil	© Benefities	Material:cotton &Nylon veil	1	70	0	

		(Benefitbee					
вно7	Square veil		Material:cotton &Nylon veil	1	80	0	
ВН08	Bee hat	@ Benefitbee*	Size:Free size Material:Cotton	1	200	0	
ВН08-2	Camouflage double layer bee hat		Hat circumference size: 55-58cm, hat brim length: 9cm. Fabric: Taslan.	1	200	0	
ВН09	Bee hat	@ Benefitbee*	Size:Free size Material:Polyester	1	250	0	
ВН10	Bee hat	© Benefitbee	"Size:Free size Material:Cotton"	200	200	0	

BH11	Bee hat	© Benefitbee	"Size:Free size Material:Cotton"	200	200	0	
QC01	Queen cages	@Benefitbee*	Plastic queen cage(The larva not longer need to be transferred)	1	2000	0	
QC01-2	cap feeder for queen cage	@Benefitbee'	material:PP 500pcs / package	1	15	0	
QC02	Queen cages	Benefities	Plastic queen cage(Extension type) Color: white, yellow	1	2700	0	
QC03	Queen cages	Benefities	Plastic queen cage	1	1600	0	

QC04	Queen cages		Plastic queen cage size: 8*3.5cm	1	1600	0	
QC04-2	EU Yellow queen cage(second -gen)	@Benefitbee	Size: 8.1*4.5cm, material: PP. Weight: 10g.	5000	1600	0	
QC05	Queen cages		Plastic queen cage size: 9.5*4.1*1.5	1	1000	0	
QC06	Marking cages		Material:PS&PP Weight:60g, Color: red, blue, white	1	600		Please confirm the color?
QC07	Marking cages		Material: PP Single product size: diameter 4.5cm, height 7cm. Weight 30g	1	576	0	

QC09	Marking cages	⊗ Benefities	Queen marker	1	170	0	
QC09-2	Marking cages	@Benefitbee	Queen marker, Material: Glass tube	1	200	0	
QC11	Marking cages	@Benefitbee	55*45*90MM 67g	1	200	0	
QC12	Queen catcher (PC)	Ø Benefittee	Material:PC	1	1200	0	
QC13	Queen catcher (Iron)	Ø Benelitbad	Material:Iron	1	630	0	

QC14	Queen catcher (Stainless	@ Benefitiaes	Material:SUS201 size: 7*5cm	1	600	0	
QC15	Queen cages	Ø Benefitbee	Bamboo queen bee cage	1	800	0	
QC16	Queen cages	⊗ Benefitae	Bamboo queen bee cage	1	2000	0	
QC17	Queen catcher	Thomas Amond	Height:40mm Needle dia:1mm Weight:24g Material:SUS304&Plastic colour:yellow, white	1	600	0	Please confirm the color
QC18	Queen catcher	& Benefitbee*	Material:PP	1	1000	0	

QC19	Marking cages	CERTIFICATION OF THE PARTY OF T	Material:PP	1	5000	0	
QC20	Queen rearing cages	Ø Benefitbele	Material:PP	1	2000	0	
QC21	Queen rearing cages (500PC S/BAG)	© Benelitue	Material:Plastic(500PCS/BAG)	1	20	0	
QC21-2	Queen rearing cages (250PC S/BAG)		Material:Plastic(250PCS/BAG)	1	20	0	
QC23	Queen catcher	@ Benefitbee*	Material: PP Size: 10.8*6.7*2.5cm	1	500	0	

		⊗ Benefitbee*					
QC24	Queen catcher		Weight: 37g Material: PP		250	0	
QC25	Queen catcher	@ Benefitbee*	Material: ABS	1	500	0	
QC26	Queen catcher	© Benefitbee*	Length: 7.2CM Width:5.1CM Height:2.2CM Space distance:4.0CM	1	500	0	
QC27	Wasp trap	@Benefitbee*	Material:PP	1	24	0	
QC27-2	Wasp trap	@Benefitbee*	Size: 203*203*150mm Material: PP Weight: 210g CTN: 42*42*70cm 60 PCS/CTN NW: 12.6kg GW: 14kg	1	60	0	

		& Benefitbee					
QC28	Wasp trap		Diameter: 225mm Height: 150mm Weight: 316g Material: plastic	1	40	0	
QC29	Wasp trap	© Benefitbee*	Material: PP	1	48	0	
QC30	Wasp trap	@ Benefitbee'	Material: PP Each pc packed in box seperately	1	48	0	
QC31	Wasp trap	© Benefitbee'	Material: PP	1	45	0	
QC32	Wasp trap	© Berrefished	Material: PP	1	50	0	

		⊗ Benefitbee'					
QC33	Swarm catcher		Material: polyester-mixed cotton	1	100	0	
QC34	Swarm catcher (with telescopic rod)	@ Benefitbee*	Material: polyester-mixed cotton Bee net: CTN:52*45*27cm GW:12.5kg 100PCS/CTN Handle: CTN:1.5m GW:17.5kg 50PCS/CTN	1	50	0	
QC35	Queen cages	@ Benefitbee*	Weight: 38g Material: PP Size: 70*87mm	1	600	0	
QC36	Bee collecting cage	Benefitor	Material:Bamboo, Diameter 24cm, height 21cm	1	30	0	
QC36-2	Bee collecting cage	(Benefitbee	Material:Bamboo, Diameter 25cm, inner depth 26.5cm, handle length 10cm	1	3	0	

QC37	Queen control box (1FRAME)	@Benefitbee*	Material:ABS Product size: 485*50*240mm Aperture: 3.9mm	1	25	0	Length 490mm, please confirm whether it is suitable for your beehive
QC37-2	Queen control box (2FRAME)	@Benefitbee*	Material:ABS Product size: 485*90*240mm Aperture: 3.9mm	1	25		Length 490mm, please confirm whether it is suitable for your beehive
QC37-3	Queen control box (1 FRAME)	@Benefitbee	Size:48.5x5x24cm, Weight:1.4kg, Material:201 stainless steel	1	10		Length 490mm, please confirm whether it is suitable for your beehive
QC39	Queen catcher	(i) Benefitbee	14.8*13*1.1cm weight:40g material: ABS	1	200	0	
QC40	Queen catcher		Size: 13.5x10.5x1.5cm Material: PP Weight: 20g Can be fixed on the honeycomb quickly and save time to catch the queen bee. Simple structure, efficient use. Control egg-laying.	1	300	0	

QC41	Wasp trap for plastic bottle	@Benefitbee	Diameter: 1cm How to use: Use a knife to cut a cross on two-thirds part of the plastic bottle. Install the trap to the cross part. This is the foot of the wasp. Remove the bottle cap, make a small hole on it, and hang a lure in the bottle. Hang the traps near the apiary Convenient and efficient trap tool	1	2000	0	
QC42	Swarm catcher(Eur o)	@Benefitbee*	Material: polyester-mixed cotton Weight:640g	1	20	0	
QC42-3	Telescopic stainless steel handle: 40- 150cm	@Benefitbee	Stainless steel catcher shortened by 40 cm, pole longth 150 cm, Net diameter 28 cm, Aperture: 2 mm, Net depth 50 cm	1	100	0	
QC43	Marking cages	GBenefitbee	Weight: 5g Material: PP Size: 20*61mm	1	1500	0	

QC44	JZBZ queen bee protection box	©treefiber	size: 21x6x7.5cm, weight: 100g	1	60	0	
QC44-2	JZBZ queen bee protection box	Benefitbee	Material:PP 20pcs Queen cages+1pcs JZBZ queen bee protection box	1	60	0	
QC45	Marking cages	@Benefitbee	Material: PP Size:7.2*4*2.3	1	576	0	
QC46	Skep straw hive(3PCS)	@Beselfibed	Material: haulm Size (medium and large) diameter x height 38x38cm 32x34cm 25x35cm Knitted by hand, measurement error of 2-5cm is allowed.	1	1	0	
QC46-2	Skep Straw beehive (38cm)	@Benefitbee	Material: Hay(Large) Diameter:38 cm, Height:38cm Single weight: 0.86KG 24pcs/fiber bag, 20.7KG Size: 125*88*28cm.	1	24		Hand-woven, allow for measurement error

QC46-3	Skep Straw beehive (32cm)	@Benefitbee	Material: Hay(Medium) Diameter: 32 cm Height: 34cm Single weight: 0.7KG 24 pcs/fiber bag, 16.8KG Size: 115*85*28cm.	1	24		Hand-woven, allow for measurement error
QC46-4	Skep Straw beehive (25cm)	@Benefitbee	Material: Hay(small) Diameter: 25cm Height: 35cm Single weight: 0.65kg 24 pcs/fiber bag, 16KG Size: 100*80*28cm.	1	24		Hand-woven, allow for measurement error
QC49	Queen catcher	© Eccefitbe	Material:PP	1	200	0	
QC50	Queen catcher	(in the state of t	Material: composite plate +201 stainless steel product size: 8.9*6.1*1cm	1	800	0	
QC51	Queen catcher	(i) Benefither	Material:PP+ABS Grip size:11*2.5cm Dome diameter:6cm weight: 20g	1	500	0	

QC52	Queen catcher	Benefitbee	Material:SUS304+ Product size: H37*Φ50mm Weight: 27g	1	500	0	
QC53	Wooden Queen cage	@Benefitbee	Total length: 13.5cm Weight: 53g It has holes on both sides and is equipped with a entrance. The two holes in the middle are fixed with steel mesh. Material: wood.	1000	0	0	
QC53-2	Queen cage (wooden)	@Benefitbee	Total length: 13.5cm Weight: 64g, attached with entrance, the middle round hole is fixed with steel mesh, material: wood.	1000	0	0	
QC54	Queen catcher	@Benefitbee	weight: 291g, Product length, width and height; 13.5x10.5x1.5cm Material: PP Advantage: It can be quickly inserted into the honeycomb to trap the queen bee, saving manual catching time, simple structure and efficient Use it to trap the queen bee within the range of the queen control cover to avoid laying eggs.	1000	250	0	

QC55	Wasp trap(PP)	@Benefitbee	Diameter 10.5cm, height 14.8cm, weight: 41g, material: PP. Black cap, yellow bottle body, two inlets.	2000	24	0	
QC56	Queen cage (Europe)	@Benefitbee	Size: 83*42*13 mm Material: PP Weight: 8g CTN: 46*46*56cm 1600 PCS/CTN NW: 12.8kg GW: 14.3kg	1	1600	0	
QC57	Multifuncti onal queen cage (steel mesh)	@Benefitbee	Size: 7*3.8*2.5cm, Weight: 18g. The front white panel and the black accessories on the side can be opened.	5000	0	0	
QC58	Multifuncti onal queen cage(New)	@Benefitbee	Size: 7*3.8*2.5cm, Weight: 17g. The front white panel and the black accessories on the side can be opened.	5000	0	0	
QB01	Grafiting tool(Alumin ium)	@ Benefiture	Length:170mm Handle:127mm Needle dia:2mm Weight:18g Material:Aluminium&SUS304	1	1000	0	

QB01-2	Grafiting tool(Stainl ess steel)		Length:190mm Needle dia:3mm Weight:7g Material:SUS304	1	3000	0	
QB01-3	Grafiting tool(Stainl ess steel European style)	Benefitad	Length:190mm Needle dia:4mm Weight:10g Material:SUS304	1	2000	0	
QB01-4	Grafiting tool(Plasti	Ø Benefitzer	Material:PP&Ox horn	1	11500	0	
QB01-5	Grafiting tool(Plasti	Benefitzer	Material:Bamboo&Qx horn	1	11500	0	
QB01-6	Grafiting tool(Plasti c)2PCS/BOX	Benefitbee*	Specification: 2 pcs/box Box size: 11.8x3.9x1cm Weight:12.5g Material:Bamboo&Shofar	1	200	0	

QB01-7	Grafiting tool(Plasti		Weight: 6g length:13.5cm Material: pp 40pcs/bag	1	5000	0	
QB01-8	Grafiting tool(Stainl ess steel European style)	() Senefitbee'	Length:190mm Needle dia:4mm Weight:10g Material:SUS304	1	3000	0	
QB01-9	Grafiting tool(fit for both right and left hands, tip 0.5mm) (Pate nt)	@Benefitbee	tip diameter:0.5mm Weight:35g Material:SUS420 CN Patent No.ZL 2022 3 0510174.8	1	500	0	
QB02	Head band magnifier		Magnification times:1.2X ,1.8X ,2.5X ,3.5X. Material:ABS & organic glass Battery: 2×AAA(1.5V)	1	24	0	
QB02-2	Head band magnifier(n ot included)		Magnification times:1.2X ,1.8X ,2.5X ,3.5X., Material:ABS & organic glass, Battery: 2×AAA(1.5V)	1	36	0	

	Desktop magnifying(not included)	© Benefitbee*	Size: 20.0 * 5.0 * 20.0 cm Product material: metal, plastic, acrylic lens Package: PP bag, foam, giftbox Packing information: 24 / box, 51.5 * 48 * 42CM, 22 / 20KG Magnification: 2X (large lens), 5X (small lens) Effective diameter: 130mm (large lens), 22mm (small lens) (mm) Material Plastic, metal, acrylic	1	24	0	
QB02-4	Head band magnifier(n ot included)		Magnification times:1.2X,1.8X,2.5X,3.5X.,Material:ABS & organic glass,Battery:2×AAA(1.5V)	1	24	0	
QB03	Grafting support	@Benefitbee*	Material:SUS201	1	10	0	
QB04	Queen rearing box		Material:ABS, Surface Treatment: polished Weight:155g Size: 15*13*4cm	1	128	0	

		& Benefitbee"					
QB04-10	Queen cell(1000PC S/BAG)	13007-745	Material:P,1000cell/bag	1	70	0	
QB04-12	Queen rearing box	Benefitbee	1 breeding comb 1 insertion aid 20 roller cage 50 smooth cell support 50 ribbed cell support 115 queen cells 115 insert cells	1	20	0	
QB04-13	Single row royal jelly bar (33 holes)	Benefitbee	Material:pp	1	1080	0	
QB04-14	Single row royal jelly bar (63 holes)	@Benefitbee	Material:pp	1	540	0	
QB04-15	Complete Queen Rearing Kit	Genefitbee UUUUUUU UUUUUU UUUUUU UUUUUU UUUUU	60PCS/CTN	1	60	0	

QB04-16	Queen rearing box	@Benefitbee	Weight: 133g Size: 12*4*12cm Material: PP.	1	55	0	
QB04-2	Queen cell(1000PC S/BAG)	Benefitbee	Material:PP, (1000PCS/BAG)	1	60	0	
QB04-3	Queen cell cup(1000PCS /BAG)	⊗ Benefitbed	Material:PP ,Match with Item ,(1000PCS/BAG),Matching with Item No.QB04-4	1	15	0	
QB04-4	Plastic frame spacer		Material:PP, Matching with Item No.QB04-3	1	700	0	
QB04-5	Queen cell cup(1000PCS /BAG)	Ø Benefitbee	Material:PP(1000PCS/BAG)	1	20	0	

		(Benefitbee €					
QB04-6	JZ BZ base mount (1000pcs/bag		Height: 16.7mm Width: 19mm Weight: 1.2g Material: plastic	1	12	0	
QB04-7	JZ BZ base mount cell cups (1000pcs/bag	© Benefitze	Height: 16mm Width: 12mm Weight: 0.9g Material: Plastic Color: black, yellow, blue, orange, green. The default color is yellow, other colors start at 50000	1	16	0	
QB04-7B	Queen cell bar	() Benefitber	"Material:pp Weight:30g"	1	1000	0	
QB04-7C	JZBZ Plastic Royal Jelly Frame	@Berefibee	"JZBZ Plastic Royal Jelly Frame Material: PP Product size: 23*4.6 cm Product weight: 31g	1	560	0	
QB04-8	Push-In Cell Cups (1000pcs/bag	@ Benefitbee	Height: 12mm Width: 14mm Weight: 0.35g Material: plastic	1	20	0	

		⊗ Benefitbee					
QB04-9	Holder for queen cell		Material:pp	5000	3000	0	
QB05	Birth control tweezer		Material:PP	1	1000	0	
QB06	Mellifera queen breeding equipmment		Material: pp Queen rearing kit include: 4 pcs Larva Rearing Frame, 60 pcs Royal Jelly Cup Sheets, 120 pcs Larva Rearing Cell Sheets, 10 pcs Royal Jelly Frame, 2 pcs Frame Cage	1	1	0	
QB06-2	Mellifera royal jelly frame	@ Benefitized	Material: pp	1	20	0	
QB06-3	Impregnated Mellifera larva breeding frame	(a) Benefitized	Material: pp frame	1	20	0	

QB06-4	Mellifera adjustable bottom row	© Benefitbee'	Material: pp	1	2000	0	
QB06-5	Mellifera queen cage	@ Benefitbee*	Material: pp	1	25	0	
QB06-6	Mellifera impregnatio n queen stripe	⊕ Benefitbee*	Material: pp		2000	0	
QB07	Marking pen (1 PCS)	@ Benefitiad	Mitsubishi: PC-5M Color:Red, Green, Blue, Yellow, White	1	1000	0	Please confirm the color
QB08	Queen marking pen (1 PCS)	(g Benefited	Non-toxic, tasteless, quick- drying, no harm to bees, neutral packaging, Color:Red,Green,Blue,Yellow,White	1	400	0	Please confirm the color

QB09	Marking pen (1 PCS)	South Control of the	Non-toxic, tasteless, quick-drying, no harm to bees, neutral packaging, Color:Mitsubishi: PC-5M Color:Red, Green, Blue, Yellow, White	1	1000	0	Please confirm the color?
QB10	Marker pen (Mitsubishi paint pen PX-20)	© Benefitbee	The length of the marker pen is 142mm, the diameter is 15mm, and the tip specification is 2.2-2.8MM. There are five colors for options: red, white, green, blue, and yellow.	1	576	0	Please confirm the color?
QB11	Marker pen (Mitsubishi paint pen PX-21)	Benefitbee	The length of the marker pen is 133mm, the diameter is 11mm, the tip specification is 0.8-1.2MM, and the colors are red, white, green, blue, and yellow for option.	1	576	0	Please confirm the color?
QB38	Cell cup silicone mould	@Benefitbee*	new environmental silicone, non- toxic and environmental, with a temperature resistance of 40 to 230℃. Size:10x5x1.4cm, weight: 80g, MOQ:200pcs	1	200	0	
QB38-2	Cell cup silicone mould	(ØBenefitbee)	new environmental silicone, non- toxic and environmental, with a temperature resistance of 40 to 230°C. Size:10x9.5x1.9cm, weight: 80g, MOQ:200pcs	1	130	0	

QB39	Scissor	(§ Berefiber	Material: Stainless Steel,	1	200	0	
QB42	queen shipper		Material: PP Product size: 420x35x15mm Weight: 60g	1	520	0	
QB43	BB Queen incubator (Patent)		Input voltage: DC 12v Heating temperature: 36 °C Can put Wangtai cup: 54pcs CN Patent No. ZL 2022 2 0476207.6	1	12	0	
QB45	Queen Bee Marking Oil		color: yellow, red, green, white and blue for option.	1	12	0	
OT01	Multi- function claw hammer	Benefities	Multi-function claw hammer	1	80	0	

		& Benefitbee"					
0T02	18 function combined knife card		Material:galvanized iron	1	200	0	
0Т03	Sprayer (2L)	© Breefiber	Size:320mm*130mm Weight:310g Volume:2000ml Material:PE	1	20	0	
OT04	Outdoor beehive burglar monitor	© Benefitbee*	Suitable for 2G cameras: GPRS MMS SMTP SMS. Trigger time:1.0s, 12MPFull HD; Interval shooting Detection angle; 90 degrees; Lens angle 60°; 36 pieces; 940nm LED light; 2.0 inch display; 8 AA battery, without SD card, Accessories: USB cable x1 lace	1	12	0	
0T04-2	Outdoor beehive burglar monitor	Benefitbee'	4G camera; suitable for WCDMA CDMA2000, MMS, SMTP, FTP, SMS, TIMELAPSE, FDD-LTE, TD-LTE; Trigger time:0.5s, 16MP; Full HD; Interval shooting; Detection angle:120°, GPSLens angle: 90 degrees 24 pieces; 940nm LED light; 2.0 inch display; 8 AA battery; Can transfer full size photos and 5-30s short video; N.W.: 0.32kg	1	12	0	

OT04-3	Monitor solar power	@Benefitbee [*]	Output voltage:6 v -9 v Maximum output current:800 ma Solar panel power:0.4 w, Lithium ion polymer battery interior:1500 ma, AC adapter voltage and current:5v和300mA。White box:170x115x80mm supports x1 Power Adapter x1 Charging Cable x1 Output line x1 Lace x1	1	12	0	
0Т90	Powerful magnet waist clip	@Benefitber	Product dimensions: width 66mm, height: 72mm, thickness: 22mm. Weight 123g	1	50	0	
Ј31	Honey heating pot		Material:SUS304, Weight:585g, Volume:1.5L Height: 13cm Packing:1pc/white box G.W.:0.585kgs 22*16.5*16cm	1	12	0	
Ј32	Honey heating pot	©Berefitbee	Material:SUS304, Size: 10*21*12.5cm	1	60	0	

QT010	Spoons (Wood en)		Material: Beech, Length: 16cm, Other lengths can be customized.	1	1600	0	
QT010-2	Spoons (PP)	@ Benefibee	Material:PP	1	800	0	
QT010-3	Spoons (SUS3 04)		Material: all 304 stainless steel (food grade) weight: 93g, specification: 15.6x2.0cm	1	200	0	
QT010-4	Spoons (SUS3 04)		Length: 20*2.3cm, weight: 15g material:stainless steel	1	500	0	
QT010-5	Spoons (SUS3 04)	Ø Benefitbee	Material: all 304 stainless steel (food grade) weight: 93g, specification: 15.6x2.0cm	1	200	0	

QT010-6	Spoons (SUS3 04)	& Benefitbee	Material: all 304 stainless steel (food grade) weight: 93g, specification: 15.6x2.0cm	1	200	0	
QT010-7	Dual- purpose honey stick(silic one wrapped stainless steel)	@Benefitbee	Material:silicone wrapped stainless stee weight: 93g, specification: 25*2.6cm Customizable colors, minimum order quantity 1000pcs	1	100	0	
QT41	Honey refractomet er tester	@ Benefitbee*	Measuring Range: 58-92Brix 38-43 Be° (Baume) 12-27 Water Division: 0.5 Brix 0.5 Be° (Baume) 1 Water Accuracy: ±0.5 Brix ±0.5 Be° (Baume) ±1 Water Automatic Temperature Compensation (ATC) Length: 140mm Weight: 230g	1	50	0	
QT41-3	Digital honey refractomet er (new style)	Benefither	Brix S01 0.0-90.0% Water S02 38.0%-5.0% Be S0333.0-48.0 Refractive Index S04 1.3330-1.5177nD Size: 121*58*25mm	1	24	0	
QT41-4	Digital honey refractomet er	©terefiber	Measuring accuracy: ±0.5°C, automatic temperature compensation: 5°C-40°C measurement response time: 0.3ml power supply: 2xAAA battery battery life 5000 reading size: 145x67x8mm net weight: 185g	1	25	0	

QT45	Hand labeler	Sentilaes (Material:PP	1	72	0	
LILIDA	Plastic honey spoon		Leghth: 155mm Weight: 4g Material: plastic	1	2000	0	
	Honey dispenser jar	⊗ Benefitae	Material:Acrylic Capacity:200ml Size:83mm*100mm*150mm	1	60	0	
	Bee venom acquisition instrument	Benefitbee	One single output acquisition controller, one power grid, 3500mah large-capacity lithium battery, 5V2A charger, wooden frame	1	1	0	

QT69X2-AB	Tool box/tool set box, dual layers	& Benefitbee	A) Extended replaceable screw driver 3.5 meter measuring tape Hex key kit Hammer Screw driver head Flat nose pliers (B) 3 inch flat head screwdriver/ 3 inch Phillips screwdriver 5 inch flat head screwdriver/ 5 inch Phillips screwdriver Expander bolt kit Monkey spanner Cutter Size:303X217X102MM weight: 1.4kg	1	1	0	
QT69X3-ABC	Tool box/tool set box, 3 layers	© Benefitbee	(A) Extended replaceable screw driver 3.5 meter measuring tape Hex key kit Hammer Screw driver head Flat nose pliers (B) 3 inch flat head screwdriver/ 3 inch Phillips screwdriver 5 inch flat head screwdriver/ 5 inch Phillips screwdriver Expander bolt kit Monkey spanner Cutter Size:303X217X102MM weight: 1.4kg (D) 6 partition The free-moving partition can adjust the size of the grid at will. Screws, nuts, nails, expansion tubes, and various small accessories can be better stored. Size:303x217x73MM Weight: 0.9KG	1	1	0	

OT69Y3-ARD	Tool box/tool set box,3 layers	₩ Benefitbee	(A) Extended replaceable screw driver 3.5 meter measuring tape Hex key kit Hammer Screw driver head Flat nose pliers (B) 3 inch flat head screwdriver/ 3 inch Phillips screwdriver 5 inch flat head screwdriver/ 5 inch Phillips screwdriver Expander bolt kit Monkey spanner Cutter Size:303X217X102MM weight: 1.4kg (D) 6 partition The free-moving partition can adjust the size of the grid at will. Screws, nuts, nails, expansion tubes, and various small accessories can be better stored. Size:303x217x73MM Weight: 0.9KG		1	1	0	
------------	---	--------------	--	--	---	---	---	--

QT69X4- ABCD	Tool box/tool set box, 4 layers with cover	@Benefitbee'	(A) Extended replaceable screw driver 3.5 meter measuring tape Hex key kit Hammer Screw driver head Flat nose pliers (B) 3 inch flat head screwdriver/ 3 inch Phillips screwdriver 5 inch flat head screwdriver/ 5 inch Phillips screwdriver Expander bolt kit Monkey spanner Cutter Size:303X217X102MM weight: 1.4kg (C) Power adapter 12v electric drill Charging base Hardware box (Included 1/4 Socket*3 6.35*25mm screwdrive head*16 S2 air srewdriver head S2 extended pole Cobalt drill Size: 303X217X102MM Weight: 2KG		1	1	0	
-----------------	--	--------------	--	--	---	---	---	--

QT69X4- ABCE	Tool box/tool set box, 4 layers with cover	@ Benefitbee	(A) Extended replaceable screw driver 3.5 meter measuring tape Hex key kit Hammer Screw driver head Flat nose pliers (B) 3 inch flat head screwdriver/ 3 inch Phillips screwdriver 5 inch flat head screwdriver/ 5 inch Phillips screwdriver Expander bolt kit Monkey spanner Cutter Size:303X217X102MM weight: 1.4kg (C) Power adapter 12v electric drill Charging base Hardware box (Included 1/4 Socket*3 6.35*25mm screwdrive head*16 S2 air srewdriver head S2 extended pole Cobalt drill Size: 303X217X102MM Weight: 2KG	1	1	0	
QT74	Thermo&humi dity meter	Benefitbee* TEMPENTURE LOOK HAMBOTT HTG-1	Specification: temperature measurement range: -50°C $+70^{\circ}\text{C}$ Measurement accuracy: $+/-1^{\circ}\text{C}$ Temperature resolution: 0.1°C Humidity measurement range: $10^{\circ}\text{RH}-99^{\circ}\text{RH}$ Humidity measurement accuracy: $+/-5^{\circ}\text{RH}$ Humidity resolution: 1°C Battery: AAA 1.5°C Overall dimension: $100*92*23$ mm	1	150	0	

QT74-2	Digital	& Benefitbee	The product is packed in a white box with no words. Neutral packing I. function overview: 1. The LCD display 2. External dimension: 48*28.6*15.2mm (small error in measurement) 3. LCD size:35.7*16.8mm (small error in measurement) 4. Weight: 25g (excluding battery) 5. Humidity display 6. Humidity display 6. Humidity measurement range is 20% ~ 90% 7. Humidity display resolution 1% 8. Humidity sampling cycle: 10 seconds (1 minute) 9. Accuracy of humidity measurement is ±5% 10. Rated voltage dc1.5v (2 AG13 button batteries) 11. Temperature measurement range -50 to 70 12. Accuracy of temperature measurement ±1 degree (at room temperature)	1	250	0	
QT77	Liquid Propolis Scale Dispenser	@Benefitbee*	12PCS/CNT	1	12	0	
QT78	Liquid Propolis Scale Dispenser	@Benefithee	Dc 12V to AC 110V, voltage 400W and 800W	1	10	0	

QT80	Honey jar linen bag		Material: Linen Product size: 25*9*15cm	300	50	0	
QT80-2	Honey linen bag	(i) Benefitbee	Weight: 140g, material: jute cloth, size: 25*13.5*22cm, LOGO can be customized.	100	50	0	
QT81	Plastic- coated pushpin		Material: plastic, metal Specification: 10 * 10 mm Packing: 100 PCS/transparent plastic box (68*54*24mm) Weight: about 36g Color: 12 monochrome optional	1	100	0	
QT85	Beeswax cube silicone mold	@Benefitbee	Wax block size/weight made out of this mold: 14.2*8.4*4.6 cm /500g Beeswax cube silicone mold size of product: 19.5*16.5 *5 cm Material: Silicone Wax block weight: 460-520g	1	20	0	
QT85-2	Beeswax cube silicone mold (five grids)	@Benefitbee	Material: Silicone, outer diameter: 18.6×9.8×2.3cm, single inner size: 8.1×2.8×2cm, single weight: 288g. Wax block weight: 46-52g	1	50	0	

QT87	Honey color photometer	& Benefitbee	HI96785 Honey color photometer Measurement range: 0-150 mm Pfund(Bufonte) resolution 1mm Pfund(Bufonte) accuracy @25°C (77° F) ±2mm Pfundao 80mm Pfund Optical system: narrow band interference filter, silicon photocell, tungsten lamp @ 420 nm, 525nm Method standard: direct colorimetric method Power mode: 1x9V battery Automatic shutdown: In measurement mode, automatic shutdown after 10 minutes of measurement mode, or in calibration mode, after one hour of no use Applicable environment: 0-50 °C (32 to 122°F); RH-max95%(no condensation) Size Weight: Host size: 192x104x69 mm (7.6x4.1x2.7"), host weight: 320g(11.3oz.)	1	25	0	
QT88	Manual nail gun	@ Benefitbee	Product size:18*12.5*8CM Single product weight: 0.5KG, nail length: 4-6-8 (mm), nail shoulder width: 25mm. Fixed lines, box binding, advertising installation, etc.	1	60	0	

PC09-3	BB Oxalic acid heater(upgr aded)(Paten t)	@Benefitbee	Connectthevaporizerto220V/110Vpowe rsource. It will take approximately 1 minutes to reach preset temperature. The red sequence readout will display 280 when ready. in the white lids (recess sideup)placetheappropriateamountof OA. Invert the vaporizer. Take the white lid containing the OA and push it onto the bowl (becareful the vaporizer bowl is very HoT!) Place the still inverted vaporizer stem (with lid attached) into the drilled hole then turn the vaporizer right side up and tap thelid. The acid willfallintothe bowland start to vaporize. This will take approximately 20 seconds You need to seal any openings during and 10 minutes after vaporization. voltage: 110V-230v Power: 250w Appearance Patent No. :202030435142.7 Utility Model Patent No. :202120820132.4	Patent product: Appearance Patent No. :202030435142.7 Utility Model Patent No. :202120820132.4 Plastic box packaging. Wear a fireproof cover. Equipped with a stainless steel medicine dispenser. Thicken the wires. The temperature is more precise. Heating is faster.	1	10	0	
PC26	Oxalic Acid & Glycerine REFILL	Benefitbee	- 2kg Glycerine - 2kg Oxalic Acid (OA) - 2 bundles of 86 Beequip Strips. (172 total)	Food grade oxalic acid.	50	1	0	
PC01	Oxalic acid heater	@Benefitbe	handle: wooden ,meterial: stainless steel & aluminum voltage:12 v,temperature : 160° - 190°		1	30	0	

PC02	Formic acid dispenser	© Benefitbee*	Material:pp+Plastic, size: 220*220mm	1	60	0	
PC04	Smoke mite eliminating machine	@ Benefitbee*	Weight:3.9KG	1	1	0	
PC05	Acarid fumigator	Benefition	Material:SUS304, cylinder diameter 7cm, wall thickness 0.6mm, height 15cm, lid diameter 7.5cm.	1	60	0	
PC06	Black beetle trap	& Benefitbee*	Material:PP ,Size: 22.5cm,weight: 9g	1	800	0	
PC07	Plastic beetle trap		Material:PP ,Size: 17.5cm,weight:	1	1400	0	

		& Benefitbee"					
PC08	Beetle trap		material: pp, size: 9.3x7.70.8cm, weight: 18g	1	500	0	
PC09	Oxalic acid heater	@Benefitbee	voltage: 12V	1	50	0	
PC09-2	BB Oxalic acid heater(simp le version) (Pa tent)	@Benefitbee'	voltage: 110/220V Power: 250w Maximum temperature : 220-240°C 1pc/brown box/51*16*12CM 约1.6kgs Material:Copper+Plastic+wooden handle CN Patent No. ZL 2020 3 0435142.7	1	10	0	
PC09-4	Oxalic acid Vaporizer	@Benefitbee	Use insulating sleeves for smoke exhaust vents. The power cord is extended to 2.2 m to connect the equipment by using the battery. The maximum output current is not less than 20A. Working voltage: 12V	1	32	0	

PC09-5	Handheld oxalic acid vaporizer	Control Benefitbee	Material: 316 stainless steel Weight: 1.8kg CTN: 43*35*51cm 5 PCS/CTN NW:9kg GW:13.8kg 110v US & 220v EU plugs available HDled Color display, innovative PID thermostatic controller, precise temperature control system. More stable and efficient, faster evaporator, Avoids the conversion of oxalic acid into formic acid; For different beehive structures, several different bends available. The copper tube makes it easier for beekeepers to remove mites; Equipped with simple cleaning tools throughout the process and a special shock— absorbing tool box.	1	5	0	
PC10	Formic acid dispenser	@ Benefithee	Ф: 11.5cm H:2.8cm Material:PP+foam weight:60g	1	250	0	
PC11	Formic acid dispenser	@ Benefitbee*	ф:17cm H:4.5cm Material:PP, weight: 160g	1000	100	0	

		(a) Benefitbee					
	Formic acid dispenser		Material:PP Size:255*255mm	1	70	0	
PC13	Mite smoker		Standard configuration: 2 AA batteries (battery not included in the factory) 1pc/white inner box	1	40	0	
PC13-2	Mite Smoke fumigator (rechargeab le)	@ Benefitbee	Material: PP + stainless steel 201, the longest product is 32cm, the cylindrical diameter of the separated part is: 5.6cm, the length is 10.5cm; there is a four-blade fan inside, the product weight is 305g. Comes with a power cord.	1	40	0	
PC14	Aluminium beetle trap	@Benefitbee*		1	300	0	
PC15	plastic beetle trap	@Bosefixed		1	1000	0	

PC16	Varroa Check	₩ Benefitbee	Product size: 15*10cm, product weight: 150g, material: PP	1	50	0	Please confirm if your country has intellectual property protection for this product. Our company is not responsible for intellectual property rights.
PC16-2	CO ₂ Mite shaker bottle	Co' Dispenser	1. CO2 anaesthesia detection device for detecting mites in hives without harming bees 2. not equipped with CO2 anesthetic cylinder, please consult if you need to match 3. The middle layer is stainless steel mesh Size: 103*103*154 mm Material: Glass Weight: 318g CTN: 72*40*54cm 20 PCS/CTN NW: 6.54kg GW: 10.5kg	1	20	0	
PC16-3	European Varroa mite shaker bottle	Benefitbee	Size: 105*105*272 mm Material: PC Weight: 278g CTN: 56*45*47cm 40 PCS/CTN NW: 11.1kg GW: 13kg Individually packaged	1	40	0	
PC17	Smoke mite eliminating machine	@cereffibe		1	1	0	

PC17-2	Smoke mite eliminating machine	© Besefitbed	1. Unscrew the metal connector from the pump (you don't need to follow this step if the connector is already installed on the white liquid tank). 2. Turn over the connector, and place the fine parts filter into the slot. 3. Turn over the fogger and insert the connector to the pump. (It is better to insert the filter in this position, to prevent filter from falling out) 4. Screw the connector with the filter into the pump. Now it is ready for use.	1	1	0	
PC18	Stainless steel varroa fumigato	@ Benefitbe	voltage: 12V	1	20	0	
PC21	Propane burning oxalic acid atomizer	@ Benefitbee	Through the method of oxalic acid sublimation fumigating beehive fullness, with the evaporation of oxalic acid, killing beehive bee mites, the most effective tool to treat Varroa mites. Productivity: 100 swarms killed every 25 minutes. Volume after packing: 35CM*12CM*25CM Weight after packing: 1.48KG	1	10	0	

PC22	Hand-held propane burning oxalic acid atomizer	@Benefitbee	Rapid elimination of mites Productivity: 100 swarms killed every 25 minutes. Volume after packing: 46CM*11CM*15CM Weight after packing: 1.26KG Note: For transportation safety reasons, the accessories do not include air valves, air hose and gas cylinders, but you can purchase such accessories at your local supermarket or outdoor camping store.	1	10	0	
PC23	Lithium electric oxalic acid atomizer		The amount of solid oxalic acid plus hydrate used per treatment should be between 0.8 g and 2.4 g. Simple operation, no further training required. The complete set of main accessories are: 1: One atomizing machine. 2: 4 oxalic acid crucible. 3: 2 lithium batteries. 4: 1 home charger, input: 100-240v AC 0.6A; Output :21v DC 1a. 5: 1 set of car charger. 6: 5 language instructions: German, French, English, Russian, Spanish.	1	5	0	
PC24	Formic acid mite dispenser	(¿) Benefitbee	Product weight: 47g, capacity: 200ML, size: 19.5*7.7*2.5cm, material: PP, maximum length: 21.58cm.	3000	1000	0	

		Benefitbee					
PC25	Oxalic Acid Dosage Syringe for Beekeeping		Single product weight: 120g, capacity 1000ml, size: 9*9*36cm,	1	20	0	
PC27	Oxalic Acid Vaporizer Varroa Mites Treatment	@ Benefitbee	Place the copper tube located on the front of the machine into the hive, lightly pressing the frontof the machine plate against the outer wall of the hive. (Either through the 7mm hole drilled in theback of the hive or through the entrance). Release the machine to hold it by itself, but never lean onit! The brass outlet tube is strong enough to support the self-weight of the vaporizer. 1pc/brown box/26*12.7*21cm	100	10	0	Is a battery adapter required? DeWALT or makita? Due to the difficulty in transporting batteries, the quotation does not include batteries.
PC28	Self priming filter gas mask	@ Benefitbee	size :16.5cm * 11.2cm * 13cm weight : 547g	50	32	0	
PC30	Formic acid vaporizer(P lastic suspended frame)	Benefitbee	Product size: 20.5*2.5*8cm Weight: 60g, Material: PP 1. The evaporation system is made of food grade polypropylene with good acid resistance. 2. The vessel is designed to hold the acid until the reserve space is emptied, creating a constant level in the evaporation section via the evaporation wick.	100	100	0	

PC31	European Varroa mite shaker bottle	& Benefitbee*	Diameter: 67mm, Material: PP Weight: 278g CTN: 44*37*50cm 40 PCS/CTN NW: 11.1kg GW: 13kg	200	40	0	
BM22	Varroa mite-killer	Benefitbee'	Content: 50mg/pcs Usage and dose: each standard group (10 spleen bee) using a 1/4 of the way corner or hang on bee nest door in sert the pill. Specification: 50mg *20 strips/bag	1	200	0	
BM22-1	Varroa mite-killer	Benefitbee	Content: 50mg/pcs Usage and dose: each standard group (10 spleen bee) using a 1/4 of the way corner or hang on bee nest door in sert the pill. Specification: 50mg *20 strips/bag	1	200	0	
BM22-2	Varroa mite-killer	Benefitbee'	Content: 50mg/pcs Usage and dose: each standard group (10 spleen bee) using a 1/4 of the way corner or hang on bee nest door in sert the pill. Specification: 50mg *20 strips/bag	1	200	0	
BM22-3	Bee mite killer(Flum ethrin strip)	Benefitbee'	Weight: 55g 20 strips/bag	1	200	0	

BM22-4	Bee mite killer	© Benefitbee	Weight: 52g	1	200	0	
BM25-1	Golden mite-killer		Content: 50mg/pcs Usage and dose: Hanging the strips with diagonal direction in bee hive, or inserting the strips into hive door. One piece for weaker colony and two pieces for stronger colony generally.	1	200	0	
BM25-2	Golden mite-killer		Content: 50mg/pcs Usage and dose: Hanging the strips with diagonal direction in bee hive, or inserting the strips into hive door. One piece for weaker colony and two pieces for stronger colony generally.	1	200	0	
BM26	Prosperous mite-killer	The Paris	Content: 50mg/pcs Usage and dose: each standard group (10 spleen bee) using a 1/4 of the way corner or hang on bee nest door in sert the pill. Specification: 60mg *20 strips/bag	1	200	0	
BM41	Amitraz aerosol (Zhenxing	Benefitbee	550ml	1	30	0	

BM42	Formic acid aerosol (Zhenxing	MANLIK!	550ml	1	30	0	
BM43	Varroa mite-killer (10pcs)	© Benefit bes	Active Ingredient : Fluvalinate40-50mg strip	1	100	0	
BM43-2	Varroa mite-killer (20pcs)	@ Benefit ben	Active Ingredient : Fluvalinate40-50mg strip	1	100	0	
BM45	Fluvalinate Strips Specificati on: 10 strips	© Perellike	Active Ingredient : Fluvalinate40-50mg strip	1	500	0	
BM45-2	Fluvalinate Strips Specificati on: 20 strips	(Benefitbee)	Active Ingredient : Fluvalinate40-50mg strip	1	500	0	

BM46	Fluvalinate Strips Specificati on: 10 strips/bag	© Re-neft thee	Active Ingredient : Fluvalinate40-50mg strip	1	500	0	
BM46-2	Fluvalinate Strips Specificati on: 20 strips/bag	@Benefitbee	Active Ingredient : Fluvalinate40-50mg strip	1	400	0	
BM47	MANPULIKE Main Ingredient: Taufluvalin ateSpecific ation: 10 strips/bag	O Breefi ber	Active Ingredient : Fluvalinate40-50mg strip	1	500	0	
BM47-2	MANPULIKE Main Ingredient: Taufluvalin ateSpecific ation: 20 strips/bag	(Benefitbee)	Active Ingredient : Fluvalinate40-50mg strip	1	400	0	
BM48	Manjing - Flumethrin Strips Specificati on: 10 strips/bag	Benefitbee	Flumethrin 3.6mg/strip	1	500	0	

BM48-2	Manjing - Flumethrin Strips Specificati on: 20 strips/bag	& Ecretiber Address of the Control o	Flumethrin 3.6mg/strip	1	400	0	
BM49	Mavrilk - Fluvalinate Strips Specificati on: 20 strips/bag	Receittee day of the second se	Fluvalinate 50mg/strip	1	400	0	
BM50	Manhao pro- Fluvalinate StripsSpeci fication: 40*2 strips/bag	Consenting to the state of the	Fluvalinate 50mg/strip	1	300	0	
BM51	Man Jie - Formic Acid Aerosol	We notificate	Formic Acid	1	56	0	
BM52	Miticide - Amitraz Solution Aerosol	(giberne titude) ADE 1 PREMIS (CARDING) CHARLA (GV)	Amitraz	1	56	0	

I KW53 I	e liquid 100ml)	Benefitbee'	instructions for the Use of Magic Bee-hiring Water JINHAINA This product is refined from more than 20 precious Chinese medicines mixed with quee bee pheromone. It can send out strong information to lure bees within 1 kilometer into your hive. This product is an adjuvant drug to induce bees. It is based on the traditional method of bee harvesting to provide the product with the success rate of bee harvesting. It requires that the bee trapper must have mature experience of bee harvesting and control the environment of bee harvesting. Temperature, water source, wind direction, season and region all determine the success rate of bee harvesting. [Method of Use] 1. Dry the beehives and bee barrels that are ready to spray bee water. Inside, place an old spleen with honey water, and clean up the interior. It must be u old beehives. 2. Spray the mixture of honey and pollen on the wall of the beehive		1	100	0	
----------	--------------------	-------------	---	--	---	-----	---	--

BM54	Bee trap lure (30ml)	Renefitbee AVAILABLE POSITION Invases claims of bit action two PARTICLES CONTROL OF THE AUTHOR BY THE STATE OF THE AUTHOR DOCATED THE STATE OF THE AUTHOR DOCAT	Product size: 10.4cm * 3.1cm * 3.1cm Specifications: 30ml HOW TO USE IT ① beehive door and surrounding area. If you are using an old box, please apply this product to the If you are using a new beehive with an unpleasant smell. ② wall and apply it evenly We need to use this product to smear all parts of the inner It is best to lure bees in the bee-splitting period. the success rate is much higher. The product can only increase the success rate of bee trapping, it does not mean that the product can be100% successful in trapping bees.	1	300	0	
BM55	Bee bait (60ml)	Benefitbee AVAILABLE POSITION Incomes there or alterdary const Incomes the or alterdary const Incomes there or alterdary const Incomes the or alterdary const	Product size: 14cm * 5.5cm * 3.5cm Specifications: 60ml HOW TO USE IT ① beehive door and surrounding area. If you are using an old box, please apply this product to the If you are using a new beehive with an unpleasant smell. ② wall and apply it evenly We need to use this product to smear all parts of the inner It is best to lure bees in the bee-splitting period. the success rate is much higher. The product can only increase the success rate of bee trapping, it does not mean that the product can be100% successful in trapping bees.	1	230	0	

		@Benefitbee'					
BW01	Beeswax grade A		Pure beeswax content: 30%	1	25		Please tell us about purity and use
BW02	Beeswax grade B	@ Benefitbee*	Pure beeswax content: 50%	1	25		Please tell us about purity and use
BW03	Beeswax grade B	@ Benefitbee*	Pure beeswax content: 80%	1	25		Please tell us about purity and use
BW04	Beeswax grade C	@ Benefitbee*	Pure beeswax content: 100%	1	25		Please tell us about purity and use
BW05	Pure beeswax	© Benefitbee*	Pure beeswax	1	25	0	Please tell us about purity and use

HAP08-2	Honey heating coils (280mm)	@Benefitbee	Material:304 Stainless steel, waterproof, height: 1 meter, power: 400W, voltage: 220V-230V, distribution line 1.5 to 2.0) meters, tube diameter: 40mm, temperature adjustment range: 0 to 85 degrees. Bottom diameter: 280mm.	New product recommendation	1	2	0	
HAP08-3	Honey heating coils (330mm)	@Benefitbee	Material:304 Stainless steel, waterproof, height: 1 meter, power: 550W, voltage: 220V-230V, distribution line 1.5 to 2.0) meters, tube diameter: 40mm, temperature adjustment range: 0 to 85 degrees. Bottom diameter: 330mm.	New product recommendation	1	2	0	
HAP08-4	Honey heating coils (420mm)	@Benefitbee	Material:304 Stainless steel, waterproof, height: 1 meter, power: 940W, voltage: 220V-230V, distribution line 1.5 to 2.0) meters, tube diameter: 40mm, temperature adjustment range: 0 to 85 degrees. Bottom diameter: 420mm.	New product recommendation	1	2	0	
HA18L-C	18 liters plastic honey pail (America style)	@Benefitbee	Material: PP, Capacity: 18L, Top cover diameter: 300mm Diameter of barrel mouth: 288mm Diameter of bottom: 266mm Height: 360mm Body circumference: 854mm Label height: 235mm		1	20	0	Do you need open a hole? Do you need Honey Gates?
HA20L-A	20 liters plastic honey pail (zipper lid	Ø Benefitbee'	Material:PP Capacity:20 liters Dia:300 Height:380 (Not including honey gate)		1	20	0	Do you need open a hole? Do you need Honey Gates?

HA20L-B	20 liters plastic honey pail with thickened body	@Benefitbee	Material: PP, Capacity: 20L, Top cover diameter: 315mm Diameter of barrel mouth: 295mm Diameter of bottom: 267mm Height: 375mm Body circumference: 875mm Label height: 259mm	1	20	0	Do you need open a hole? Do you need Honey Gates?
HA20L-C	20 liters plastic honey pail (America style)	@ Benefitbee	Material: PP, Capacity: 20L, Top cover diameter: 300mm Diameter of barrel mouth: 288mm Diameter of bottom: 264mm Height: 380mm Body circumference: 858mm Label height: 255mm	1	20	0	Do you need open a hole? Do you need Honey Gates?
HAP01	Pail opener	(Banelitae	Material:PP,Color: Red, yellow,suitable for 3-25L plastic pail	1	230	0	
НАРО2	Honey tank support		Material:SUS201	1	50	0	
HAP02-2	Honey tank support	@ Benefitibas	Material:SUS201	1	40	0	

	1	A	†		1		1
HAP02-3	Honey Pail Support	⊗ Benefitbed	Material: Engineering plastic	1	100	0	
HAP02-4	Honey tank support	@Benefitbee*	Material:SUS304, Weight: 570g, Size:28x12cm	1	50	0	
НАРОЗ	Plastic frame scraper	@ Benefitbee*	material: pp size: 33x14x2cm weight: 468g	1	60	0	
HAP04	30CM Honay tank stand	@Benefitbee	Height: 50cm, diameter: 30cm Height: 50cm, diameter: 35cm Height: 50cm, diameter: 40cm Height: 50cm, diameter: 45cm Height: 50cm, diameter: 50cm Height: 50cm, diameter: 52cm Material: 201, no magnetic Foldable design, bearing capacity: 60kg Both sides can be used to support the barrel. One side is 14.5cm above the ground and the other - 8.5cm	1	15	0	

1	1	1	_	 		i -	ı — — — — — — — — — — — — — — — — — — —	
			Height: 50cm, diameter: 30cm					
			Height: 50cm, diameter: 35cm					
		& Benefit bee	Height: 50cm, diameter: 40cm					
		- P - 10	Height: 50cm, diameter: 45cm					
			Height: 50cm, diameter: 50cm					
	0504.11		Height: 50cm, diameter: 52cm					
HAP04-35	35CM Honay		Material: 201, no magnetic		1	15	0	
	tank stand		Foldable design, bearing capacity:					
			60kg					
			Both sides can be used to support					
			the barrel.					
			One side is 14.5cm above the					
			ground and the other - 8.5cm					
			Height: 50cm, diameter: 30cm					
			Height: 50cm, diameter: 35cm					
		& Benefitbee	Height: 50cm, diameter: 40cm					

			Height: 50cm, diameter: 45cm					
			Height: 50cm, diameter: 50cm					
114704 40	40CM Honay		Height: 50cm, diameter: 52cm			1.5		
HAP04-40	tank stand		Material: 201, no magnetic		1	15	0	
			Foldable design, bearing capacity:					
			60kg					
			Both sides can be used to support					
			the barrel.					
			One side is 14.5cm above the					
			ground and the other - 8.5cm					
			Height: 50cm, diameter: 30cm					
			Height: 50cm, diameter: 35cm					
		Benefitbee	Height: 50cm, diameter: 40cm					
		. 0 .	Height: 50cm, diameter: 45cm					
			Height: 50cm, diameter: 50cm					
	45004 11		Height: 50cm, diameter: 52cm					
HAP04-45	45CM Honay		Material: 201, no magnetic		1	15	0	
	tank stand		Foldable design, bearing capacity:		_	_	_	
			60kg					
			Both sides can be used to support					
			the barrel.					
			One side is 14.5cm above the					
		ground and the other - 8.5cm						
	L	<u> </u>	Iground and the other of Jell					

HAP04-50	50CM Honay tank stand	@Benefitbee	Height: 50cm, diameter: 30cm Height: 50cm, diameter: 35cm Height: 50cm, diameter: 40cm Height: 50cm, diameter: 45cm Height: 50cm, diameter: 50cm Height: 50cm, diameter: 52cm Material: 201, no magnetic Foldable design, bearing capacity: 60kg Both sides can be used to support the barrel. One side is 14.5cm above the ground and the other - 8.5cm	1	15	0	
HAP04-52	52CM Honay tank stand	@Berefitbee	Height: 50cm, diameter: 30cm Height: 50cm, diameter: 35cm Height: 50cm, diameter: 40cm Height: 50cm, diameter: 45cm Height: 50cm, diameter: 50cm Height: 50cm, diameter: 52cm Material: 201, no magnetic Foldable design, bearing capacity: 60kg Both sides can be used to support the barrel. One side is 14.5cm above the ground and the other - 8.5cm	1	15	0	
НАРО5	Honay tank stand (ø32*35cm	@ Berefitbee	Diameter 32cm, Height 35cm. Packing: 1pc/inner carton (90*65*395)mm; 6pcs/outer box (195*145*410mm) Material: 201 T=2.0mm single side wire drawing	1	6	0	
НАР05-2	Honay tank stand (ø41*35cm	(i) Benefitbee	Diameter 41cm, Height 35cm. Packing: 1pc/inner carton (90*65*395)mm; 6pcs/outer box (195*145*410mm) Material: 201 T=2.0mm single side wire drawing	1	6	0	

HAP05-3	Honay tank stand (ø47*35cm	(i) Benefitbee	Diameter 47cm, Height 35cm. Packing: 1pc/inner carton (90*65*395)mm; 6pcs/outer box (195*145*480mm) Material: 201 T=2.0mm single side wire drawing	1	6	0	
НАРО6	Honey melting blanket	© Benefitbee	Size:103*31cm Electric:80-220V Average power:160W NW:1.5KG GW:2KG one pc/box HS:6301300000	1	10	0	
НАРО7	Honey Mixer	@Benefitbe	Total length: 610mm spiral outer diameter 80mm Straight rod diameter: 10mm, spiral diameter 6mm, spiral height 250mm Material: 304 stainless steel	1	20	0	
HAP07-2	Honey Mixer	© Benefitbe	Total length: 600mm Material: 304 stainless steel Bar diameter: 10mm Spiral diameter: 100mm The wall thickness of the spiral disk is 1.2mm The position of the two spiral discs can be adjusted, and the inner nut is fixed	1	30	0	
HAP07-3	Honey Mixer	(¿Benefitbee	Total length: 500mm Material: 304 stainless steel Bar diameter: 10mm Spiral diameter: 95mm Spiral height 104mm	1	30	0	

НАРО7-М	Electric Mixer	Benefitbee Anti-sign handle Four-value. F	Power: 1800 W all copper, rated voltage: 230 V frequency; 50HZ, speed: 0-1100 RPM/MIN, M14 insert screw coupling	1	4	0	
НАРО8	Honey straining heater	Benefitbee	Honey straining heater 550W for ø 32 cm strainers. Does straining honey annoy you too? The heating spiral makes it easy to filter even cold or crystallized honey and it can also be used to liquefy honey as well. You can adjust the temperature between 30 - 85 °C. Since honey is liquified at about 35-40 °C, the heating coil has to be adjusted to a temperature higher than this. Operation at higher temperatures is possible without damaging the honey, because it will leave the system as soon as it is liquified at about 42°C/107.6°F. Especially with crystallized honey it is. We recommend that you adjust the temperatur between 45-50 °C. Technicals details: Voltage: 230V Power 550W Current (A) 2,4	1	10	0	
НАРО9	Silicone heating pad Drum electric heat pad for 5 gallon, 800 W - (860*200mm)	S-Gallon Drum	Voltage: European, American and Australian plugs are optional 110V-230V Material: Silicone Weight: 0.9kg Size: 860*200mm Watts: 800 Diameter: 10-3/8in (263mm) Fit: 5 gallon drum	1	20	0	Please confirm the Voltage: European, American and Australian plugs are optional 110V- 230V

HAP09-2	Silicone heating pad Drum electric heat pad for 55 gallon, 1200 W - (1740*125mm	and I	Voltage: European, American and Australian plugs are optional 110V-230V Material: Silicone Weight: 0.96kg Size: 1740*125mm Watts: 1200 Diameter: 21-3/4in (554mm) Fit: 55 gallon drum	1	10	0	European, American and Australian plugs are optional 110V-230V
HB100-A	100kg honey pail with flat cover(Plast ic honey gate)		Material:SUS201, Honey volume: 78L, Bucket body thickness:0.8MM, Diameter:45cm, Heig ht:50cm Processing technology:Seamless welding &polishing, (Not including honey gate)	1	5	0	Default with plastic gate
HB150-A	150kg honey pail with flat cover(Plast ic honey gate)		Material:SUS201, Honey volume:114L, Bucket body thickness:0.8MM, Diameter:50cm, Heig ht:60cm Processing technology:Seamless welding &polishing, (Not including honey gate)	1	3	()	Default with plastic gate
HB20-A	20KGhoney pail with flat cover(Plast ic honey gate)	@Benefitbee	Material:SUS201, Honey volume: 15L, Bucket body thickness:0.8MM, Diameter:25cm, Heig ht:30cm Processing technology:Seamless welding &polishing, (Not including honey gate)	1	1	0	Default with plastic gate
HB200-A	200kg honey pail with flat cover(Plast ic honey gate)		Material:SUS201, Honey volume: 154L, Bucket body thickness:0.8MM, Diameter:60cm, Heig ht:60cm Processing technology:Seamless welding &polishing, (Not including honey gate)	1	3		Default with plastic gate

НВ25-А	25KGhoney pail with flat cover(Plast ic honey gate)	© Benefit bee	Material:SUS201, Honey volume: 20L, Bucket body thickness:0.8MM, Diameter:30cm, Heig ht:30cm Processing technology:Seamless welding &polishing, (Not including honey gate)	1	12	()	Default with plastic gate
НВ50-А	50KGhoney pail with flat cover(Plast ic honey gate)	@Renefit bed	Material:SUS201, Honey volume: 38L, Bucket body thickness:0.8MM, Diameter:35cm, Heig ht:40cm Processing technology:Seamless welding &polishing, (Not including honey gate)	1	8	0	Default with plastic gate
НВ75-А	75KGhoney pail with flat cover(Plast ic honey gate)	@Renefit bed	Material:SUS201, Honey volume: 56L, Bucket body thickness:0.8MM, Diameter:40cm, Heig ht:45cm Processing technology:Seamless welding &polishing, (Not including honey gate)	1	6	(1)	Default with plastic gate
	50L Honey pail with filter	Benefities	Material:SUS201, Honey volume: 50L, Product size: 37*47cm(Default with plastic gate)	1	1	0	
HC70-201	70L Honey pail with filter	Benefities	Material:SUS201, Honey volume: 70L, Product size: 37*65cm(Default with plastic gate)	1	1	0	

HD70	Decrystaliz ation honey tank	@Benefitbee	Diameter * height: 45*45cm, actual capacity: about 70L, about 106kg honey, The highest temperature is 100°C Material:SUS201 Capacity:70L Remark:It melts the wax by heating water round the bucket(double-layer bucket) and also with the heating plate on the bottom	1	1	0	
HD90	Decrystaliz ation honey tank	Benefitbee	Material:SUS201 Capacity:90L Remark:It melts the wax by heating water round the bucket(double- layer bucket) and also with the heating plate on the bottom about 125kg honey diameter * height: 45*57cm, Power 1500w	1	1	0	
HQO1	Stainless steel bucket	@ Benefitbee	Capacity: 4L 8L 10L 12L 16L 20L for optional. Material: 201 stainless steel	1	40	0	please confirm the capacity of the bucket you order
TW70-A	Thermo regulated decrystaliz ation honey tank	₩ Banelitae	Material:SUS201 Honey volume: 70L Remark: It melts the wax through the bottom heating plate 1800W	1	1	0	

HG01	Honey gate	© benefither	Thread outer diameter :45mm (For honey extractor hole), Material:ABS(White/Orange/Ye 11ow/Green/Red)	1	200	0	Please confim the color?
HG02	Honey gate (Yellow)	@ Benefitibed	Thread outer diameter :45mm (For honey extractor hole) Material:Nylon	1	200	0	
HG03	Honey gate(White)	⊗ Benefitzed	Thread outer diameter :48mm (For honey extractor hole), Material:Nylon	1	200	0	
HG04	Honey gate(Europe an style)	@Benefitbee	Thread outer diameter :44mm (For honey extractor hole), Material:PP	1	200	0	
HG05	Honey gate(Europe an style Plastic white)	@Benefitbee*	Thread outer diameter :48mm Material:PP	2000	100	0	

HG06	Honey gate(Stainl ess)		Thread outer diameter :45mm (For honey extractor hole), Material:SUS304, Weight:487g	1	50	0	
HG07	Honey gate(Stainl ess)	© Benefitbee	Thread outer diameter :45mm (For honey extractor hole), Material:SUS304, Weight:487g	1	30	0	
HG08	Honey gate(Europe an style nylon)	@Benefitbee	φ: 45cm, Material:Nylon	1	160	0	
HG09	Honey gate(Push type)	@Benefitbee	Material: ABS, diameter: 48mm, weight: 290g	1	50	0	
HG10	Honey gate	@ Benefitbee*	material: polyvinyl formate outer diameter:58cm inner diameter:46cm weight:209g	2000	200	0	

HG11	Honey gate(Europe an styleStainl ess steel)	@Benefitbee*	material: SUS304, diameter:48cm weight:408g	1	30	0	
HG12	Honey gate (304)	@Benefitbee*	A solid, stainless steel, self closing, no-drip valve, threads. Rising plunger valve. Will fit tanks with 1' male thread outlet directly with no adapters. 1. Installation method: G3/4 internal thread connection 2. Stop time: 1-2S 3. Filling speed: 1 L/min 4. Applicable materials: liquid, paste (without particulate matter) 5. Dimensions: 269*87*146 mm 6. Outer package size: 312*103*66 mm 7. Equipment weight: 840g 8. Packing type: carton	1	20	0	
HG13	Honey gate(White ABS)	& Benefitbee	Size (large); 14.5*8*7cm, inner diameter: 5cm, hole diameter: 5.6cm, weight: 124g, Size (small); 13*6.6*5.8cm, inner diameter: 4cm, hole diameter: 4.5 cm, weight: 93g, Material: high quality ABS	2000	200	0	
HG14	Honey gate(Stainl ess)	@Benefitbee	Material: 304 stainless steel, Outer diameter: 47mm, inner diameter: 43mm, weight 309g	500	50	0	

G-42	Crooked bear glass bottle	& Benefitbee	Product size: 9.2*11.5*5.8cm, 300ML, diameter 8.5, height 11.7, single product weight: 324g. outer diameter is 6.2CM. Material: quartz sand, sodium carbonate, limestone and other natural minerals as the main raw materials.	1	36	0	
G02-6	Honey jar(250ml)	@ Benefitbee	Material: soda-lime glass, weight: 132g, capacity: 250ml, Size: width 65mm, height 94mm, shape: round.	1	120	0	
G02-7	glass bottle (pudding cork)	@ Benefitbee	Material: soda-lime glass, weight: 115.8g, capacity: 100ml, Size: width 56mm, height 65.8mm, bottle mouth diameter: 51.6mm, appearance: Square.	1	140	0	
G09-1	honey glass bottle(180m 1)	@Benefitbee*	Diameter 5.2cm height 8.5cm side 6.2cm	1	120	0	
G09-2	honey glass bottle(380m 1)	@Benefitbee	Diameter 6.5cm height 10cm side 8cm	1	72	0	

G09-3	honey glass bottle(730m	Benefitbee	Diameter7.5cm height 12cm side 10cm	1	45	0	
G12-2	Boston Round Dropper bottle with plastic cap	Solution of the state of the st	Capacity: 5ml、 10ml,、 15ml,、 20ml,、 30ml、 50ml、 100ml	1	765	0	
G12-3	Propolis bottle with plastic cap	200 mm 20	Capacity: 5ml、 10ml,、15ml,、20ml,、30ml、 50ml、100ml 5ml0.9USD 10ml单价0.1USD 15ML 0.11USD 20ml0.12usd 30ml 0.14usd 50ml 0.16usd 100ml 0.19USD	1	765	0	
G12-4	Spray bottle	Benefitbee	Capacity: 5ml、 10ml,、 15ml,、 20ml,、 30ml、 50ml、 100ml	1	765	0	
G12-5	Cosmetics Packing Jars		Capacity: 5g、10g 15g 20g 30g 50g 60g 100g	1	288	0	

G13	honey glass bottle(380m 1)	& Benefitbee	Caliber: 69.5mm Height: 104mm Weight: 200g	1	12	0	
G14	honey glass bottle(770m 1)	@Benefitbee	Caliber: 80mm height: 137mm product weight: 350g	1	12	0	
G19-1- M001971	honey glass bottle (237g)	© Benefitbee	M001971 237g 140*85*57.5mm	1	0	0	
G19-2- M011311	honey glass bottle (325g)	(2) Benefitbee	M011311 325g 167*100*67.5mm	1	0	0	
G19-3- M011341GC	honey glass bottle (223g)	(A) Benefitbee	M011341GC 223g 141*84*53mm	1	0	0	

G19-4- M001981	honey glass bottle (378g)	@ Benefitbee	m001981 378g 176*107.5*65	1	0	0	
G19-4- MOMOO1951	honey glass bottle (136g)	& Benefitbee	M001951 136g 115*48*68mm	1	0	0	
	Soda lime glass bottle(shor t)	@Benefitbee	Soda lime glass, diameter:5.5cm, height: 5.2cm. Content: 60ml. weight: 106g.	1	1200	0	
GP07	Soda lime glass bottle (high)	@Benefitbee	Soda lime glass, diameter: 6.2cm, height: 8.1cm. Content: 150ml. weight: 110g.	1	1200	0	
GP08	candle glass bottle	@Benefitbee	Height: 9CM, diameter: 7.2CM Capacity: 250ML. Matte black, single product weight: 210g.	1	105	0	

GP09	Glass bottle (60ml)	@Benefitbee	Material: soda-lime glass, weight: 65g, capacity: 60ml, product size: width 56mm, height 53mm, shape: hexagonal,		1000	216	0	
GP10	Glass bottle (60ml)		Material: soda-lime glass, weight: 90g, capacity: 60ml, product size: width 55mm, height 73mm, shape: round,		1	162	0	
GP11	Honey bottle dispenser (70mm)	@Benefitbee	Lid material: stainless steel, diameter 70mm, black, The nozzle is black, plastic, the length from the nozzle to the pressing part is 73mm, The total height is 193mm, and it is equipped with a 70mm diameter honey bottle (500ml glass bottle).		1	100	0	PS:Does not include honey bottles with a diameter of 70mm.
GP11-2	Honey bottle dispenser (86mm)	Ø Benefitbee	Lid material: stainless steel, diameter 86mm, black, The nozzle is black, plastic, the length from the nozzle to the pressing part is 73mm, The total height is 193mm, and it is equipped with a 86mm diameter honey bottle (1000ml glass bottle).		1	100	0	PS:Does not include honey bottles with a diameter of 86mm.
ZT06	Wax press (stainless steel mesh 304)	(i) Benefitbee	Material: Stainless steel 304,	New product recommendation	30	1	0	

ZT07	Polished wax press (304Stainle ss steel)	@Benefitbee	Size: 460*370*895mm Material: Stainless steel Weight: 13.68kg Handle length: 46*3cm, tank outer diameter: 26cm, inner diameter: 25cm, height: 35.3cm, hand crank length: 65cm, CTN: 51*43*96cm 1 PCS/CTN NW: 13.68kg GW: 15.5kg	New product recommendation	30	1	0	
ZT08	Red paint wax press	@ Benefitbee	Size 460*370*650mm Material: Stainless steel Weight: 13.58kg Handle length: 36*3cm, tank outer diameter 28.5cm, inner diameter: 25.5cm, hand crank length: 43.5cm CTN: 44*43*70cm 1 PCS/CTN NW: 13.58kg GW: 15.2kg The bottom is a tripod. Ergonomic handle, no noise, outlet with heightened edge, T-handle, trapezoidal screw rod	New product recommendation	30	1	0	
ZS01	Stainless steel wax press	Ø Benefitae	Material :SUS201, Diameter of wax press:26.5cm, Height of wax press:49cm		1	1	0	
ZS01-2	Stainless steel wax press with splash collar	(A) Banefithee	Material :SUS201, Diameter of wax press:26.5cm, Height of wax press:49cm		1	1	0	

ZS02	Stainless steel wax press	€ Benefitbee	Material :Stainless steel (SUS201), Diameter of wax press:26.5cm, Height of wax press: 49cm	1	1	0	
ZS02-2	Stainless steel wax press with splash collar	@ Benefit bed	Material :SUS201, Diameter of wax press:26.5cm, Height of wax press:49cm	1	1	0	
ZT04	Stainless steel wax press		Material :SUS201, Diameter of wax press:26.5cm, Height of wax press:57cm	1	1	0	
ZT05	Stainless steel wax press	(i) Benefitbee	Material:SUS201 Color: Silver Gross weight: 25 KG Material: 201 stainless steel Capacity: 10L Inner barrel: 33*38cm External tank: 40*40cm Size: 49.5*39.5cm Mesh diameter: 0.6cm	1	1	0	
FM01	Fully automatic beeswax machine	Benefitbed	Roller size: 170*350mm (Stock size 350mm), Power supply:380V/220V Powder:3kw, Speed:3/min, Roller diameter: 200mm, Cooling mode:water cooling, Output capacity: 50-60kg/hour Machine dimension: 260*95*140cm	1	1	0	Please confirm the Nest room diameter?

FM01-2	Fully automatic beeswax machine	₩ Benefitibed	Roller size: 170*750mm (Stock size 750mm), Power supply:380V/220V Powder:3kw, Speed:3/min, Roller diameter: 200mm, Cooling mode:water cooling, Output capacity: 50-60kg/hour Machine dimension: 260*95*140cm	1	1		Please confirm the Nest room diameter?
FM02-1	Manual beeswax embossing machine	Ø Banelitae	Material: aluminum alloy, Cell size: 5.4mm or 4.9mm, Roller length: 195mm, Cylinder diameter: 86mm	1	1	0	Please confirm the Nest room diameter?
FM02-1D	Electrical beeswax embossing machine	€ Benefitide	Material: aluminum alloy, Cell size: 5.4mm or 4.9mm, Roller length: 195mm, Cylinder diameter: 86mm, Power supply:220V Power(kw):0.75kw Speed:40/min	1	1		Please confirm the Nest room diameter?
FM02-2	Manual beeswax embossing machine	@ Benefitae	Material: aluminum alloy ,Cell size:5.4mm or 4.9mm,Roller length: 250mm ,Cylinder diameter: 86mm	1	1		Please confirm the Nest room diameter?
FM02-2D	Electrical beeswax embossing machine		Material: aluminum alloy, Cell size:5.4mm or 4.9mm, Roller length: 250mm, Cylinder diameter: 86mm, Powersupply:220V Power(kw):0.75kw, Speed:40/min	1	1		Please confirm the Nest room diameter?

		⊗ Benefitbee'					
FM02-3	Manual beeswax embossing machine		Material: aluminum alloy, Cell size: 5.4mm or 4.9mm, Roller length: 310mm, Cylinder diameter: 86mm	1	1		Please confirm the Nest room diameter?
FM02-3D	Electrical beeswax embossing machine (86X310)		Material: aluminum alloy, Cell size:5.4mm or 4.9mm, Roller length: 310mm, Cylinder diameter: 86mm, Power supply :220V Power(kw):0.75kw, Speed:40/min	1	1	0	Please confirm the Nest room diameter?
FM02-4D	Electrical beeswax embossing machine	© tendfiber	Material: aluminum alloy, Cell size:5.4mm or 4.9mm, Roller length: 450mm, Cylinder diameter: 86mm, Power supply :220V Power(kw):0.75kw, Speed:40/min	1	1		Please confirm the Nest room diameter?
FM03-1	Manual beeswax embossing machine(par allel)	@ Benefitues	Material: aluminum alloy, Cell size:5.4mm or 4.9mm, Roller length: 310mm, Cylinder diameter: 86mm Packing method: wooden box (multi- layer board meets export standards)	1	1		Please confirm the cell size? 5.4mm or 4.9mm?
FM03-2	Manual beeswax embossing machine(par allel)	Ø Benefities	Material: aluminum alloy, Cell size:5.4mm or 4.9mm,Roller length: 350mm, Cylinder diameter: 86mm	1	1		Please confirm the Nest room diameter?

		⊗ Benefitbee				
FM03-3	Manual beeswax embossing machine(par allel)		Material: aluminum alloy, Cell size:5.4mm or 4.9mm, Roller length: 500mm, Cylinder diameter: 86mm	1	1	Please confirm the Nest room diameter?
FM03-4	Manual beeswax embossing machine(par allel)	Benefities	Material: aluminum alloy, Cell size:5.4mm or 4.9mm, Roller length: 350mm, Cylinder diameter: 170mm	1	1	Please confirm the Nest room diameter?
FM03-5	Manual beeswax embossing machine(par allel)	Benefitiee	Material: aluminum alloy, Cell size:5.4mm or 4.9mm, Roller length: 500mm, Cylinder diameter: 170mm	1	1	Please confirm the Nest room diameter?
FM03-6	Manual beeswax embossing machine	© Benefitbee*	Material: aluminum alloy, Cell size: 5.4mm or 4.9mm, Roller length: 450mm, Cylinder diameter: 86mm	1	1	Please confirm the Nest room diameter?
FMO4	Beeswax embossing machine	© Benefitbee'	Material: alumunium alloy ,Cell size: 4.9mm for Apis Cerana or 5.4mm for Apis Mellifera ,Size:420mm*220mm,195mm*395mm,200m m*350mm,Due to customers measurements	1	1	Please confirm the Nest room diameter?

		@Benefitbee*					
FM05-1	Manual beeswax flat sheet machine		Material: stainless steel, Roller length: 310mm , Cylinder diameter: 75mm	1	1	0	
FM05-1D	Electrical beeswax flat sheet machine	© Benefitbee'	Materail: stainless steel, Roller length:310mm, Cylinder diameter: 75mm, Powersupply:220V, Power(kw):0. 75kw, Speed:40/min	1	1	0	Please confirm the Nest room diameter?
FM05-2	Manual beeswax flat sheet machine	€ Benefitzee	Material: stainless steel, Roller length: 350mm, Cylinder diameter: 75mm	1	1	0	
FM05-2D	Electrical beeswax flat sheet machine	& Benefitbee'	Materail: stainless steel, Roller length:350mm, Cylinder diameter: 75mm, Power(kw):0.75kw, Speed:40/min	1	1	0	Please confirm the Nest room diameter?
FM05-3	Manual beeswax flat sheet machine	© Benefitbee'	Material: stainless steel, Roller length: 500mm , Cylinder diameter: 75mm	1	1	0	

FM05-3D	Electrical beeswax flat sheet machine	& Benefitbee	Calender: Drum length: 500mm; Barrel diameter: 75mm; Weight:45kg Nest base machine: Drum length: 500mm; Barrel diameter: 86mm; Room diameter: 5.1 mm; Weight: 55kg; Voltage: 220V; Motor power: 1500 watts; Total weight: 125kg; Power: 1500 watts	1	1	0	Please confirm the Nest room diameter?
FM06	Comb silicone mold	@ Benefitbee	size:40x22cm, 420x22, 440x300. hole size: 5.4mmblue/red/black/white	1	20	0	Please confirm the comb diameter?
FM07	European beeswax embossing machine	(i) Benefitbee		1	1	0	Please confirm the Nest room diameter?
FM08	Updated Beeswax sheet machine	(i) benafithee	Size:415x220mm, Material: Silica gel+Aluminun	1	1		Please confirm the comb diameter, 4.9 or 5.4mm?

ME01	Inseminatio n equipment	© Benefitbee	Artificial Insemination Instrument for Queen Bees: 1 pcs Dorsal hook: 1 pcs Abdominal hook: 1 pcs Probe: 1 pcs Micro syringe (100 µ 1): 1 pcs Syringe needle: 1 pcs Ensnare room: 1 pcs Anesthesia room: 1 pcs Piston	1	1	0	
ME01-2	Inseminatio n equipment (Anesthesia bottle)	© Benefitbee	One Artificial Insemination Instrument Of Queen Bee (VE- QBAII-H1.4): Including one Instrument Body, one Abdominal Hook, one Tail Clip, one Spiral Micro Syringe (1000 µ L), one Induction Room, one Anesthesia Room, three Special Needle for Queen Bee's Insemination, one Protective Box and an Instruction Manual. One Anesthesia System Of Queen Bee: one high-pressure 304 steel cylinder, one bubble recorder, one base, one valve, one hose One Special Microscope One Luminescent Lamp	1	1	0	

ME01-3	Inseminatio n equipment microscope	@Barrefitbee	One Artificial Insemination Instrument Of Queen Bee (VE-QBAII-H1.4): Including one Instrument Body , one Abdominal Hook , one Tail Clip , one Spiral Micro Syringe (1000 µ L) , one Induction Room , one Anesthesia Room , three Special Needle for Queen Bee's Insemination , one Protective Box and an Instruction Manual . One Anesthesia System Of Queen Bee : one high-pressure 304 steel cylinder, one bubble recorder, one base, one valve, one hose One Three-eye Microscope One CCD Electronic Eyepiece One CCD Connector One Displayer One Luminescent Lamp	1	1	0	
ME03	0.5 ton original flavor reflux concentrato	© Benefitbee	Size: 80*50*165cm Power: 7KW Material: food contact part SUS304	1	1	0	
мЕ03-В	1 ton original flavor reflux concentrato	© Benefitbee	Size: 80*50*165cm Power: 7KW Material: food contact part SUS304	1	1	0	

ME16	Pollen dryer	© Benefitbee*	Size: 73*66*147cm Drying Rate: 3-5kg/hour Vacuum pump power: 2KW Capacity: 20kg Dry layer number: 9 layers	1	1	0	
ME20	Automatic spleen- cutter	@Benefitbee*	Size: 156x98x146 CM 200KG	1	1	0	
ME22	Honey and wax separating machine	@ Benefitbee*	Voltage:220V-380V power: 1.5kw-1.1kw Screw speed 30 revolutions per minute Screw diameter: 100mm Wax Extruding amount: 30kg/hour Size: 1100x450x900	1	1	0	
ME24	Hand push type honey pumping&sha king machine	Benefitbe	Honey extractorcan be customized according to customer's requirement. Picture is 4 frames self-turning honey extractor. Manual honey extractor (4 frame) 1540x600x1030mm (LWH), 78kg, 0.87KW, 220V Manual honey extractor (4 fram eself-turning) 1650x800x1120mm (LWH) 100KG, 0.93kw, 220V 50HZ	1	0	0	

ME26	Frame support with filter tank	@ Benefitbee*	Material: Frame & lid:stainless steel 201, other parts SUS304 Size: 94.5x56.5x98.5cm	1	1	0	
ME27	Beewax Melter	© Benefitbee'	85x71x30cm 1pcs weight_26.7kg Material:wooden+glass+Stainless Steel(304) 1mm thick	1	1	0	
ME38	Semi- automatic cutting machine	@ Benefitbee*		1	0	0	
ME40	Handheld branding machine	(Benefitbee		1	10	0	
ME41	Pollen dryer	@Benefitbee*	The rated voltage 220v Rated power 800W Rated frequency 60/50Hz Temperature range 35-75 ° C The layer number of trays 6 layer	1	1	0	

ME42	Pouch Packaging machine for Honey	Benefitbee	Measuring Scope: 1 - 100 g (3- 100 ml) Bag Size: L: 30-170mm W:30-100mm Packing Speed: 30 - 60 bags/min Dimension(L*W*H): 900*1100*1590mm Weight:400 kg Total Power:220V /50Hz/1.4kw Capacity: 220L	1	1	0	
ME43	Automatic Honey Spoon Packaging Machine	@Benefitbee	Power supply voltage (V/Hz): AC 220/50 Heat seal power (W):3300 Sealing speed 1000-1200 cups/hour (depending on the material and filling amount) Filling accuracy < 1g (depending on material) Temperature control range 0-400°C Cover material: PE PP PET/PE Overall dimensions: 1500×1500×1600mm (L×W×H) Net weight (kg):300	1	1	0	
ME44	Beehive Frame Making Machine	(¿Benefitbee	Product name: Beehive Frame Making Machine Voltage: Single phase 220V 50Hz Power: 1.1kw Suitable for: Langstroth beehive frame Accessories: 5 knives, 1 drill Overall size: 59*35*31cm Weight: 30KG	1	1	0	
ME45	Electric honey pump	@Benefitbee	Power: 2000W curve pump, material: 304 stainless steel, voltage: 220V, speed: 30000r/min, flow: 30-100L/min. Rated lift: 9m, tube length 93mm, total length 137cm, honey outlet diameter 3.2cm, honey inlet diameter 5.4cm, the length of the tube can be customized at will.	1	2	0	

		Ø Benefitbee'					
MEP04	Inseminatio n equipment (Anesthesia bottle)	Strate Manager	44x19x19 weight 4.5kg	1	1	0	
MEP05	Inseminatio n equipment microscope	@Benefitbe	44x19x19 weight 4.5kg	1	1	0	
PF02	Rape pollen	© Benefitbee'	1KG/BAG	1	20	0	
PF04	Mixed pollen	Ø Benefitbee*	1KG/BAG	1	20	0	
PF05	Sunflower pollen	& Benefitbee*	1KG/BAG	1	20	0	

PF06	Buckwheat pollen	@Benefitbee	1KG/BAG	1	20	0	
AG009	Bee brooch	€ Benefitbee'	Material:Environmental alloy with rhinestone	10	500	0	
AG015	Bee brooch	& Benefitbee'	Material:Environmental alloy;Yellow acrylic;yellow rhinestone &red rhinestone	1	500	0	
AG041	Bee brooch	& Benefitbee'	Material:Environmental alloy with KC gold and Rhinestone	1	500	0	
AG050	Bee brooch	© Benefitbee	Material:Environmental alloy with KC gold and Rhinestone	1	500	0	

AG062	Bee brooch	@ Benefitbee*	Material:Environmental zinc alloy with ancient silver and shell	1	500	0	
AG080	Bee brooch	Benefitbee*	Material:Environmental alloy with KC gold; and painting oil	1	500	0	
AG091	Bee brooch	Benefitbee'	Material:Environmental alloy; Rhinestone and glass	1	500	0	
AG130	Bee brooch	© Benefitbee*	Material:Environmental Zinc alloy with ancient silver and Rhineston	1	500	0	
AG132	Bee brooch	© Benefitbee*	Material:Environmental Zinc alloy with KC gold; Rhinestone and painting oil	1	500	0	

AG134	Bee brooch		Material:Environmental Zinc alloy with KC gold; Rhinestone and painting oil	1	500	0	
AG149	Bee brooch	© Benefitbee*	Material:Environmental alloy with KC gold; Rhinestone and painting oil	1	500	0	
AG152	Bee brooch	@ Benefitbee*	Material:Environmental alloy with KC gold; Rhinestone and painting oil	1	500	0	
AG158	Bee brooch	@ Benefitbee*	Material:Environmental alloy with KC gold; Rhinestone and painting oil	1	500	0	
AG177	Bee brooch	& Benefitbee*	Material:Environmental alloy with KC gold; Rhinestone and painting oil	1	500	0	

AG178	Bee brooch	@ Benefitbee*	Material:Environmental alloy with KC gold; Rhinestone and painting oil	1	500	0	
AG182	Bee brooch	© Benefitbee*	Material:Environmental alloy with ancient gold; Rhinestone and painting oil	1	500	0	
AG192	Bee brooch	© Benefitbee*	Material:Environmental alloy with KC gold; Rhinestone and painting oil	1	500	0	
AG200	Bee brooch	@ Benefitbee*	Material:Environmental alloy with KC gold; Rhinestone and glass	1	500	0	
AG202	Bee brooch	@ Benefitbee*	Material:Environmental alloy with KC gold; Rhinestone and pearl	1	500	0	

		⊕ Benefitbee					
AG215	Bee brooch		Material:Environmental alloy with ancient silver and Rhinestone	1	500	0	
AG216	Bee brooch	@ Benefitbee*	Material:Environmental alloy with ancient silver and Rhinestone	1	500	0	
AL084	Bee brooch	@ Benefitbee*	Material:Environmental alloy and KC gold	1	500	0	
AL214	Bee brooch	@ Benefitbee*	Material:Environmental alloy with ancient silver and Rhinestone	1	500	0	
AL219	Bee brooch	Benefitbee*	Material:Environmental alloy with KC gold and painting oil	1	500	0	

AL242	Bee brooch	G Benefitbee*	Material:Environmental alloy with Ancient silver and Rhinestone	1	500	0	
AL267	Bee brooch	© Benefitbee*	Material:Environmental alloy with K gold, Rhinestone, painting oil	1	500	0	
AL297	Bee brooch	© Benefitbee*	Material:Environmental alloy with Ancient silver, painting oil	1	500	0	
AL320	Bee brooch	@ Benefitbee*	Material:Environmental alloy with Painting oil	1	500	0	
AL356	Bee brooch	@ Benefitbee*	Material:Environmental alloy;KC Gold and Rhinestone	1	500	0	

AL358	Bee brooch	Benefitbee*	Material:Environmental alloy;KC Gold and Rhinestone	1	500	0	
BNC-001	Fortune Bee	(Benefitbee*	Material: Plastic & Resin Technique: Plated Color: Golden Size: 17*17*28cm	1	1	0	
BNC-002	LED Smoker Keychain44t h Apimondia Apiculture bronze medal for Artistic Exhibition		Material:Plastic Diameter:2.5cm Color:Silver use 3pcs of LR44 button of batteries(no include)	1	500	0	
BNC-003	Bee Keychain	@Benefitbee"	Material:Rubber Diameter:2.5cm	1	1000	0	
BNC-004	Trash can	@Benefitbee	HS:3926400000 Material: Resin A single size:65*46*30cm	1	1	0	

BNC-007	Motobike bee with clock Gold medal on 44th Apimondia		Material:Resin	1	6	0	
BNC-009	Bees lifting up honey	@Benefitbee*	Material: Resin HS Code:392640000 size: 25*11*20cm	1	6	0	
BNC-011	Sweetbee	@Benefitbee	When press ,she can sing 3 songs Material:Textile & Fabric Size:50cm high	1	24	0	
BNC-012	Whole set Bottle holder	©Benefitbee	Material:Resin 1 set(3 designs)	1	6	0	
BNC-013	Bee money container	@Benefitbee*	Material:Resin Size:10*10*17cm	1	48	0	

		& Benefitbee"					
BNC-014	Umbrella with ears and a whistle		Fabric:waterproof cloth Frame:metal Ribs: Zinc-plated Iron Ribs Handle: Auto open plastic handle with A whistle	1	100	0	
BNC-015	Umbrella of bee and flower	@Benefitbee	Fabric:Plastic Ribs:Black Metal Open:Auto Open	1	100	0	
BNC-016	Bee pen holder	@Benefitbee	Material:Resin Size:9*5*12cm	1	52	0	
BNC-017	Bee pen holder	@Benefitbee*	Material:Resin Size:9.5*4.5*13cm	1	48	0	
BNC-018	Trash can	Ben times	SIZE:43*30*55	1	1	0	

		⊗ Benefitbee					
BNC-019	Trash can		SIZE:43*30*55	1	1	0	
BNC-020	Guard bee (1.5M)	© Benefitbe		1	1	0	木架包装
	Lawn Music Box	@Benefitbee*	Material:Resin Size:28*42*52cm	1	1	0	
BNC-023	Greedy bear (1.5m)	@ Benefitbee	Material:Resin size: 1.5m	1	1	0	
BNC-024	Lovely bee (height: 1.2m)	**Benefitbee **Guiner* **Sen	Material: FRP size: 1.2m	1	1	0	

		(§ Benefit bee	1				
BNC-025	Lovely bee (height: 1.2m)	- flatter 4 - RW 5 1/20 - 46/53/120	Material: FRP size: 1.2m	1	1	0	
BNC-026	Lovely bee (height: 1.2m)	Benefitbee	Material: FRP size: 1.2m	1	1	0	
BNC-027	Lovely bee (height: 1.2m)	PRINTER TO 47 116	Material: FRP size: 1.2m	1	1	0	
BNC-029	Simulation model bee	@Benefitbee*	Material:Resin+PVC(wings) Size:36*24*14cm	1	24	0	
BNC-038	Resin model simulation bee	@Benefitbee*	Material:Resin Size:56*48*42cm Net weight:4.8kg Safe packing	1	0	0	

BNC-040	11 designs bee models (11PCS/SET)	© Berefitbee	Material:Resin Size:45cm height each design Weight:1.8kg/pc 1 set include 11 designs	1	5	0	
BNC-042	Bee singer Loudspeaker	@ Benefitbee"	Material:Resin Size:76cm height Gross weight: 5.535kg SD/TF card ,can connect with phone and computer	1	0	0	
BNC-045	Bee helicopter toy	@Benefitbee*	Material:Plastic Size:15*22*11.5cm Type:Helicopter Power:Battery	1	0	0	
BNC-047	Cartoon bee	@Benefitbee*	Material:Soft plush Adult size	1	1	0	
BNC-049	Solar Swing bee In the sunlight, leaves can swing	& Benefitbee"	Material:ABS Plastic Size:10*6.5*11.5cm	1	240	0	

BNC-051	Cartoon bee	any basesy family	Material:Plush Size:30cm/40cm	1	15	0	
	Bee mascot keychain	© Benefitbee	Material:Rubber Diameter:2.5cm 6pcs/set	30	0	0	
BNC-053	Electric simulation bee model	@Benefitbee*	Material:TPE Height: 5m/4m /3 m When use electric,can shake head,body & wings ,also can make a "buzz"sound	1	0	0	
BNC-053-9	simulation bee model	@Benefitbee	Material: TPE, Length: 60cm, Three pieces per set	1	1	0	
BNC-056	Bee mascot inflatable gas model- Fengxiaobao (Can OEM)	@Benefitbee*	Height:8m Material:PVC Type:inflatable bee	1	0	0	

BNC-057	Outdoor Large inflatable gas model - Fengxiaoya (Can OEM)	@Benefitbee*	Height:8m Material:PVC Type:inflatable bee	1	0	0	
BNC-058	Bee mascot model	@Benefitbee*	Material: Resin Size:1.2m height Weight:20kg	1	0	0	
BNC-059	Outdoor adversting inflatable bee gas model	@Benefitbee	Height:2.2m Material:PVC NW:5kg GW:6.5kg	1	0	0	
BNC-060	Barrel heater		Material:Stainless Steel Diameter:40cm Max weight:80kgs Electric:220V/200W Temperature:60℃ Net weight:2.5kgs	1	100	0	
BNC-066	Iron bee gardener	@Benefitbee	(4 designs/set)	1	0	0	

BNC-068	Bee shape thermometer	@Benefitbee*	Material:Resin	1	0	0	
BNC-073	Bee anatomical model	@Benefitbee*	Material:Resin Size: 60*60*13 cm Package: 65*46*20cm Weight: 4.3KG	1	0	0	
BNC-076	Bee development model (Silver Medal for artistic display on 45th Apimondia)	@Benefitbee*	Size: 82.5*26*17cm	1	1	0	
BNC-077	Sweet Honeybee Carrier	@Benefitbee	Size: 38*14*28cm	1	0	0	
BNC-085	Iittle bee backpack	@ Berefitbee	Size: 32*24*11cm Material: Oxford cloth	1	5	0	

BNC-086	little bee notebook	@Benefitbee	Cover material: imitation leather Binding: perfect binding Inner material: double-adhesive paper Weight of inner paper: 80 (g) Inner paper size: 105*165mm Printing LOGO: Yes	1	40	0	
BNC-088	Children Ride On Motorcycle	O Company of the comp	Newest Plastic Kids Electric Battery Motorcycle with Three Wheels	1	2	0	
BP01	3D picture	Benefitbee		1	0	0	Without wood frame
BP02	3D picture	G Benefitbee'		1	0	0	Without wood frame
BP03	3D picture	Benefitbee`		1	0	0	Without wood frame

BP04	3D picture	& Benefitbee*	1	0	0	Without wood frame
BP05	3D picture	© Benefitbee'	1	0	0	Without wood frame
BP06	3D picture	@ Benefitbee*	1	0	0	Without wood frame
BP07	3D picture		1	0	0	Without wood frame
BP08	3D picture	& Benefitbee'	1	0	0	Without wood frame

						
ВР09	3D picture		1	0	0	Without wood frame
BP10	3D picture	@ Benefitbee*	1	0	0	Without wood frame
BP11	3D picture	Benefitbee*	1	0	0	Without wood frame
BP12	3D picture	@ Benefitbee*	1	0	0	Without wood frame
BP13	3D picture	@ Benefitbee*	1	0	0	Without wood frame

BSC002	Bee Accessories	€ Benefitbee	Material: 925 silver	1	0	0	
BSC009	Bee Accessories	Ø Benefitbee'	Material: 925 silver+Platinum plated+Zircon+Dripping oil	1	0	0	
BSC067	Bee Accessories	Benefitbee'	Material:925 silver+Plated Platinum +Plated gold+Zircon	1	0	0	
SCB043	Bee Accessories	© Benefit bee	Material:925 silver+0xidation+Zircon+Glass	1	0	0	
SCB061	Bee Accessories	© Benefitbee	Material:925 silver+0xidation+Dripping oil+Zircon	1	0	0	

SCB104	Bee Accessories	© Benefitbee	Material:925 silver+0xidation+Zircon	1	0	0	
SCC046	Bee Accessories	© Benefitbee	Material :925 silver + zircon	1	0	0	
SCC1073	Bee Accessories	@ Benefitbee	Style: Honey comb; Material:925 silver+0xidation+Zircon+Glass beads	1	0	0	
SCC1102	Bee Accessories	© Benefitbee	Material: 925 silver +Oxidation+ Dripping Oil	1	0	0	
SCC1125	Bee Accessories	Penefitbee	Material: 925 silver+Platinum plated+Plated gold+Zircon	1	0	0	

SCC410	Bee Accessories	(→ Benefitbee	Material:925 silver +Oxidation+glass	1	0	0	
SCC500	Bee Accessories		Style:Charming hive ; Material:925 silver + Oxidation+Dripping oil +Zircon	1	0	0	
SCC654	Bee Accessories	@ Benefitbee	Style: Bee house Material: 925 silver +Oxidation+Zircon	1	0	0	
SCC779	Bee Accessories	© Benefitbee'	Style:honeycomb; Material:925silver+Oxidation+dripp ing oil	1	0	0	
SCC821	Bee Accessories	@ Benefitbee	Style:Bee story; Material:925 silver+Oxidation+Zircon	1	0	0	

SCC831	Bee Accessories	@ Benefitbee	Style: Bee Queen; Material:925 silver+Plated gold+Zircon	1	0	0	
SCC870	Bee Accessories	Ø Benefitbee¹	Style: Hive honey love; Material:925 silver+Plated Platinum +Zircon	1	0	0	
SCC879	Bee Accessories	© Benefitbee	Style:honey comb; Material: 925 silver+Oxidation+Zircon	1	0	0	
SCE149	Bee Accessories	© Benefit bee	Material: 925 silver+Oxidation+Zircon	1	0	0	
SCE315	Bee Accessories	© Benefitbee	Style: Hardworking bees; Material: 925 silver+Oxidation+Dripping Oil+Zircon	1	0	0	

SCE344	Bee Accessories	© Benefitbee'	Material: 925 silver+Oxidation +Zircon	1	0	0	
SCE370	Bee Accessories	@ Benefitbed	Style: Bees' Blessing;925 silver+Platinum plated+Zircon	1	0	0	
SCE484	Bee Accessories	© Benefitbee	Material:925 silver+oxidation+Zircon	1	0	0	
SCN191	Bee Accessories	Ø Benefitbee de la company de	Material:925 silver+oxidation+Zircon	1	0	0	
SCN202	Bee Accessories	© Benefit bee	Material: 925 silver+Oxidation+Dripping Oil+Zircon	1	0	0	

SCN216	Bee Accessories	© Benefitbee'	Material: 925 silver+0xidation+Dripping Oil+Zircon	1	0	0	停产
SCN221	Bee Accessories	(s) Benefitbee	Material: 925 silver+0xidation+Zircon	1	0	0	
SCN242	Bee Accessories	© Benefit bee	Material: 925 silver+Platinum plated+Zircon	1	0	0	
SCR025	Bee Accessories	© Benefitbee	Material: 925 silver+0xidation+zircon	1	0	0	
SCR086	Bee Accessories	© Benefitbee	Material: 925 silver+0xidation+zircon	1	0	0	

SCR292	Bee Accessories	@ Benefit bee	Material: 925 silver+0xidation+zircon	1	0	0	
SCR329	Bee Accessories	© Benefitbee	Material: 925 silver+Oxidation+Dripping oil+zircon	1	0	0	
SCR334	Bee Accessories	© Benefitbee	Material: 925 silver+Oxidation+zircon	1	0	0	
SCR348	Bee Accessories	© Benefitbee	Material: 925 silver+0xidation+zircon	1	0	0	
SCR391	Bee Accessories	⊘ Benefitbee	Material: 925 silver+0xidation+zircon	1	0	0	

SCR422	Bee Accessories	© Benefitbee de la company de	Material: 925 silver+0xidation+zircon		1	0	0	
SCR433	Bee Accessories	Ø Benefitbee¹	Material:925 silver+Platinum plated+Zircon		1	0	0	
SCX103	Bee Accessories	© Benefitbee'	Material:925 silver+ Plated gold+Zircon		1	0	0	
RC001-1	BB Resin craftwork(P atent)	(g) tenefitive	15*21cm (width * height) product weight;580g	Patent Product: CN Patent No. ZL 2020 3 0805732.4 A popular bee handicraft ornament.	1	24	0	
RC001-2	BB Resin craftwork(P atent)	(phendibe	15*21cm (width * height) product weight;580g	Patent Product: CN Patent No. ZL 2020 3 0805732.4 A popular bee handicraft ornament.	1	24	0	

RC001-3	BB Resin craftwork(P atent)	@breef itee	Material: Resin product size: 15*19cm (width * height) product weight;580g CN Patent No. ZL 2020 3 0805732.4	Patent Product: CN Patent No. ZL 2020 3 0805732.4 A popular bee handicraft ornament.	1	24	0	
RC001-4	BB Resin craftwork(P atent)	© Constitue	Material: Resin product size: 15*21cm (width * height) product weight;580g CN Patent No.ZL 2020 3 0805732.4	Patent Product: CN Patent No. ZL 2020 3 0805732.4 A popular bee handicraft ornament.	1	24	0	
RC001-5	BB Resin craftwork(P atent)	© Description	Material: Resin product size: 15*21cm (width * height) product weight;580g CN Patent No.ZL 2020 3 0805732.4	Patent Product: CN Patent No. ZL 2020 3 0805732.4 A popular bee handicraft ornament.	1	24	0	
RC001-6	BB Resin craftwork(P atent)	@deve filter	Material: Resin product size: 15*21cm (width * height) product weight;580g CN Patent No.ZL 2020 3 0805732.4	Patent Product: CN Patent No. ZL 2020 3 0805732.4 A popular bee handicraft ornament.	1	24	0	
RC006	Mini double hive model crafts	@Benefitbee	105g 68*82*84MM	New product, A popular bee handicraft ornament.	1	100	0	

RC007	Mini beehive model crafts(Pate nt)	@Benefitbee		New product, A popular bee handicraft ornament.	1	100	0	
RC008	Mini three- layer beehive model crafts(Pate nt)	Benefitbee		New product, A popular bee handicraft ornament.	1	50	0	
RC002	BB Resin craftwork	© Benefitber	Material: Resin product size: 10*16cm (width * height) product weight;400g		1	24	0	
RC003	BB Resin craftwork	(Dierefibee) Sheet Tooth	Material: Resin product size: 8.5*7.5cm (width * height) product weight;165g		1	72	0	
RC004	Resin craftwork	(§ Benefitbee	Material: Resin product size: 10*15cm (width * height) product weight;375g		1	24	0	

RC005	BB Resin craftwork (Patent)	@ Benefitber	Material: Resin product size: 5*11cm (width * height) product weight;108g CN Patent No.ZL 2020 3 0688284.4	1	50	0	
	Candle silicone mold	7.50k a.scribby	Mould Size: Diameter 5.5cm Height 8cm Mould Weight: 130g Product Size: 4.5*7.5cm Product Weight: 140g	1	100	0	
RS1-1020	Candle silicone mold	Son Son Itom	Mould Size: Diameter 7.5cm Height 8.5cm Mould Weight: 231g Product Size: Diameter 7cm Height 8cm Product Weight: 260g	1	100	0	
RS1-1034	bee hive honeycomb mould	3.60M 5.20M 5.20M 5.70M 2214gl 390gl	Mold size: 7*7*6cm Mold weight: 214g Product size: 5.5*5.5*5cm Product weight: 227g	1	100	0	
RS1-1035	Bee Honeycomb Cylindrical Candle Mould	Ecrelibee	Mould Size: Diameter 6.9cm Height 9.4cm Mould Weight: 212g Product Size: Diameter 5.7cm Height 8cm Product Weight: 118g	1	100	0	

RS1-1036	Candle silicone mold	9.200 8.60M S.10M S.10M III4gi	Mold size: 6.1*9.2cm(171g) Finished size: 5.1*8.6cm Candle weight: 118g	1	100	0	
	Candle Silicone Mold	6 CM 7,1CM 5,3 CM (60g) 75,5 CM (237g)	Mold size: diameter 7.5cm height 7.1cm mold weight: 237g product size: diameter 5.3cm height 6cm product weight: 89g	1	100	0	
RS1-1071	Candle silicone mold		Mould Size: Diameter 6.3cm Height 3.8cm Mould Weight: 69g Product Size: Diameter 4.9cm Height 3.1cm Product Weight: 44g	1	100	0	
	Candle silicone mold	10.5CM 13.5CM	Mould Size: Diameter 7.8cm Height 11.5cm Mould Weight: 430g Product Size: Diameter 6.5cm Height 10.5cm Product Weight: 135g	1	100	0	
RS1-1159	Candle silicone mold	17.4CM	Mould Size: Diameter 5.6cm Height 17.4cm Mould Weight: 359g Product Size: Diameter 3.5cm Height 16.5cm Product Weight: 105g	1	50	0	

RS1-1161	Candle silicone mold	9.5on	Mould Size: Diameter 5cm Height 11cm Mould Weight: 176g Product Size: Diameter 4.2cm Height 9.5cm Product Weight: 87g	1	100	0	
RS1-1162	Candle silicone mold	9.7CH 11.2CH	Mould Size: Diameter 6cm Height 11.2cm Mould Weight: 185g Product Size: Diameter 4.1cm Height 9.7cm Product Weight: 86g	1	100	0	
RS1-1164	Candle silicone mold	2.3	Mold size: 8*4.5*7.1cm Mold weight: 69g Product size: 7.3*3.9*6.8 Product weight: 64g	1	100	0	
RS1-1165	Candle silicone mold	1.70	Mold size: 7.2*4.2*5.5cm Mold weight: 40g Product size: 6.5*3.8*4.6 Product weight: 36g	1	100	0	
RS1-1167	Candle silicone mold		Mould Size: Diameter 5.8cm Height: 5.3cm Mould Weight: 101g Product Size: Diameter 4.5cm Height: 4.7cm Product Weight: 100g	1	160	0	

RS1-1169	Candle silicone mold	12 on 12.5 on 7.4 cm (345.7g)	Mold size: 7.4*7.4*12.5cm Mold weight: 345.7g Product size: 6*6**12cm Product weight: 280g	1	50	0	
RS1-1171	Candle silicone mold	Benefitbee	Mold size:11*11*10.5cm(478g) Finished size:10*10cm	1	100	0	
RS1-1249	Candle silicone mold	5.7 CM 1284 (200g)	Mold size: 6.7*789cm(244g) Finished size: 5.3*5.7*8.3cm Candle weight: 100g	1	50	0	
RS1-1282	Candle silicone mold		Mold size: 9.8*8.1cm(155g) Finished size: 9*7.5cm Candle weight: 160g	1	100	0	
RS1-1513	Candle silicone mold	IN Benefither Is pour voyager et voyage pour vivre II Yavevs'' NVIATING TAYADIN LIGO. II DU II D	Mold size: 11.2*6cm(173g) Finished size: 10.2*5.2cm Candle weight: 180g	1	80	0	

RS1-1514	Candle silicone mold		Mold size: 8.6*5.8cm(129g) Finished size: 7.584.7cm Candle weight: 119g	1	100	0	
RS1-1701	Candle silicone mold		Mold size: 8.5*7*12.5cm (175g) Finished size: 6.484.4*11.2cm Candle weight: 100g	1	100	0	
RS1-1702	Candle silicone mold		Mold size: 10.6*6.6*11.3cm(194g) Finished size: 9*5.4* 10.5cm Candle weight: 170g	1	100	0	
	Candle silicone mold		Mold size: 4.2*18.8cm (203g) Finished size: 2.5*18.3cm Candle weight: 230g	1	50	0	
RS1-1721	Candle silicone mold	8	Mold size: 4.2*19.6cm (231g) Finished size: 2.2*19cm Candle weight: 270g	1	50	0	

RS1-1770	Candle silicone mold	75 Benefitbee 8 8 8m 8 8 8m 1259gl (156g)	Mold size: 7*9.9cm (250g) Finished size: 5.3*9cm Candle weight: 260g	1	50	0	
RS1-2007	Candle silicone mold	(52g)	Mold size: 3.8*22cm (227g) Finished size: 2.7*21cm Candle weight: 52g	1	100	0	
RS1-2011	Candle silicone mold	(414g) (63g)	Mold size: 5.26*20.6cm (414g) Finished size: 3.9*20cm Candle weight: 83g	1	50	0	
RS1-2039	Candle silicone mold	(136q) (136q)	Mold size: 17*15cm (984g) Finished product size: 15.5*14cm Candle weight: 120g	1	18	0	
RS1-2040	Candle silicone mold	13 bn 13 km 13 km 1742g) (1256g)	Mold size: 15*17cm (742g) Finished size: 13.5*15.3cm Candle weight: 128g	1	18	0	

RS1-2043	Candle silicone mold	9. 5ort	Mold size: 6*9.5cm (168g) Finished size: 5.1*8.5cm Candle weight: 188g	1	100	0	
RS1-2044	Candle silicone mold	y.con C dor	Mold size: 7.4*20.6cm (287g) Finished size: 5.6*9.6cm Candle weight: 215g	1	50	0	
RS1-2045	Candle silicone mold	9. 5ort	Mold size: 6*9.5cm (168g) Finished size: 5.1*8.5cm Candle weight: 190g	1	50	0	
RS1-2046	Candle silicone mold	10 km	Mold size: 8.9*11.8cm (323g) Finished size: 7.5*10.3cm Candle weight: 385g	1	50	0	
RS1-2197	Candle silicone mold	10mm	Mold size: 62*137mm (340g) Finished product size: 57*133mm Candle weight: 126g	1	50	0	

RS1-2262	Candle silicone mold	Such Asch Such 1940	Mold size: 5.3*9.5cm (154g) Finished product size: 4*8.6cm Candle weight: 150g	1	100	0	
RS1-2272	Candle silicone mold	6.5cm 9.7cm (16Mg) (18Mg)	Mold size: 6.9*8.2cm (148g) Finished product size: 5.7*7.9cm Candle weight: 150g	1	72	0	
RS1-2273	Candle silicone mold	8.8cm 8.4cm 5.7cm 4.4cm (155g) (130g)	Mold size: 5.7*8.8cm (170g) Finished product size: 4.4*8.4cm Candle weight: 120g	1	100	0	
RS1-2274	Candle silicone mold	Com Sign (roty)	Mold size: 7.4*6cm (141g) Finished product size: 6.1*5.2cm Candle weight: 146g	1	100	0	
RS1-2275	Candle silicone mold	5.2cm 5.2cm 6.1cm (1a1g) (98g)	Mold size: 7.7*5.8cm (141g) Finished product size: 6.5*5.4cm Candle weight: 148g	1	100	0	

RS1-2295	Candle silicone mold	14.8cm	Mold size: 73*148mm (448g) Finished product size: 60*138mm Candle: 200g	1	50	0	
RS1-2459	Candle silicone mold	No.	Mold size: 109*43*98mm (288g) Finished product size: 96*32*92mm Candle: 174g	1	50	0	
RS1-2501	Candle silicone mold	,com	Mold size: 85*55*108mm (240g) Finished product size: 76*43*100mm Candle: 155g	1	50	0	
RS1-2502	Candle silicone mold	J.W.	Mold size: 75*105mm (318g) Finished product size: 63*93mm Candle: 190g	1	50	0	
RS1-2503	Candle silicone mold	1180	Mold size: 83*105mm (350g) Finished product size: 68*97mm Candle: 220g	1	50	0	

RS1-2504	Candle silicone mold	MANN - 1935 J JC-19 - CNNA -	Mold size: 90*108mm (225g) Finished product size: 85*95mm Candle: 386g	1	50	0	
RS1-2529	Candle silicone mold	GBenefitbee	Mold size: 60*108mm (231g) Finished product size: 52*100mm Candle: 106g	1	50	0	
RS1-2540	Candle silicone mold	© Benefitbee	Mold size: 70*117mm (339g) Finished product size: 55*113mm Candle: 115g	1	50	0	
RS1-2639	Candle silicone mold	Disco Sites	Mold size: 70*135mm (240g) Finished product size: 58*130mm Candle weight: 260g	1	50	0	
RS1-2640	Candle silicone mold	Benefitbee	Mold size: 57*112mm (161g) Finished product size: 43*106mm Candle weight: 169g	1	100	0	

RS1-2641	Candle silicone mold	Sur	Mold size: 64*96mm (183g) Finished product size: 48*90mm Candle weight: 194g	1	80	0	
RS1-2642	Candle silicone mold	Some State S	Mold size: 62*57*110mm (139g) Finished product size: 48*47*90mm Candle weight: 145g	1	100	0	
RS1-2643	Candle silicone mold	© Benefitbee	Mold size: 76*76mm (176g) Finished product size: 67*72mm Candle weight: 156g	1	100	0	
	Wick Holder Wax Mop	(j) Benefitbee	The product specification is 12.5×2.5mm. The price of the product is a pack of 100. This product is 100 in a small ziplock bag.	1	200	0	

RS1-4002	Three hole wick holder	@Benefitbee thus	Product name: Three-hole wick holder Product material: stainless steel Product size: width 2.5 cm diameter 10 cm Product weight: 13.5 grams Quantity: 2000pcs/box If the purchase quantity is less than one box, it will be shipped in a ziplock bag as shown above	1	2000	0	
RS1-4003	Pure cotton wick	@Benefitbee	Product volume weight is about 140 grams, 34 plus dense smokeless cotton wicks , Length: 90-100m	1	100	0	
	Candle silicone mold	© Benefitbee	Mould: Length 8.5cm Width 7.5cm Height 14.0cm Mould Weight: 338g Finished Product: Diameter 6.5cm Height 13.0cm Product Weight; 122g	1	50	0	
RS1-459	Candle silicone mold	Benefitibee	Mould: Length 7.4cm Width 6.8cm Height 10.8cm Mould Weight: 237g Finished Product: Diameter 5.8cm Height 9.8cm Candle Weight: 49g	1	50	0	

RS1-891	Candle silicone mold	102.T	Mould: Diameter 7cm High 8cm Mould Weight: 159g Finished Product: Diameter 5cm High 7cm Product Weight: 135g	1	100	0	
RS1-930	Candle silicone mold	6 ICMUILE S.3CM (1968	Mold size: 65*61cm Mold weight: 111g Finished size: 55*55cm Candle weight: 120g	1	100	0	
RS1-973	Candle silicone mold		Mold size: diameter 8cm, height 7.6cm, mold weight: 267g, product size: diameter 5.5cm, height 6.4cm product weight: 132g	1	50	0	
RS1-989	Candle silicone mold		Mold size: 13.9*6.2*6.3cm mold weight; 380g product size; 13.7*5.1cm product weight: 89g	1	50	0	
RS1-994	Candle silicone mold	181CM	Mould size: 7.2*7.2*18.5cm Mould weight: 480g Product size: 6*6*18.1cm	1	40	0	

	1	₽ Benefitbee	1				
BC001	beeswax candle		Product weight: 220g a box, product size: diameter * height 40*16mm beeswax content: 40%	50	60	0	
BC002	beeswax candle	(a) Benefitbee	Product weight: 64g a box(2 PCS/box), product size: diameter * height 20*190mm beeswax content: 40%	50	100	0	
BC003	beeswax candle	@Benefitbee	Product weight: 115g a box(2 PCS/box), product size: diameter * height 45*65mm beeswax content: 40%	50	90	0	
BC004	beeswax candle	@ Benefitbee	Product weight: 118g a box(2 PCS/box), product size: diameter * height 40*95mm beeswax content: 40%	50	90	0	
BC005	beeswax candle	(i) Benefitbee	Product weight: 64g a box(2 PCS/box), product size: diameter * height 27*100mm beeswax content: 40%	50	100	0	

		₿ Benefitbee'					
BC006	beeswax candle		Product weight: 250g , product size: Length * width * height 60*60*76mm beeswax content: 40%	50	48	0	
BC007	beeswax candle		Product weight: 315g , product size: diameter * height 65*100mm beeswax content: 40%	50	32	0	
BC008	beeswax candle	CHUMON	Product weight: 268g , product size: diameter * height 65*82mm beeswax content: 40%	50	48	0	
BC009	beeswax candle	Ø Benefitbee	Product weight: 321g , product size: diameter * height 65*100mm beeswax content: 40%	50	32	0	
BC010	beeswax candle		Product weight: 725g , product size: diameter * height 100*100mm beeswax content: 40%	50	18	0	

		Benefitbee'					
BC011	beeswax candle		Product weight: 122g , product size: diameter * height 65*82mm beeswax content: 40%	50	122	0	
BC012	beeswax candle	@Benefitbee	Product weight: 118g , product size: diameter * height 55*70mm beeswax content: 40%	50	90	0	
BC013	beeswax candle	@Benefitbee	Product weight: 252g , product size: Length * width * height 60*60*76mm beeswax content: 40%	50	48	0	
BC014	beeswax candle	Benefitbee	Product weight: 158g , product size: diameter * height 40*104mm beeswax content: 40%	50	75	0	
BC015	beeswax candle	Benefitbee	Product weight: 625g , product size: diameter * height 88*100mm beeswax content: 40%	50	24	0	

	beeswax candle	@Benefitbee	Product weight: 984g , product size: diameter * height 130*80mm beeswax content: 40%	100	18	0	
	beeswax candle	@ Benefitbee	Product weight:525g , product size: diameter * height 82*95mm beeswax content: 40%	50	18	0	
I IHOI	Insect house	() Benefit bet	size :27*10*37cm	1	25	0	
1 1HO2	Insect house	@ Benefitbee	size :8x5.2x9cm	1	50	0	