

BENEFITBEE PRODUCT CATALOGUE


Item No.	Commodity	Picture	Product description	Selling points	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
----------	-----------	---------	---------------------	----------------	-----------	-------------------	-----------------	--------



PRODUCT CATALOG

www.benefitbee.com
 +86 755 89697771
info@benefitbee.com
 +86 755 89697772

FL 5, Building 6, Liantang Industrial Zone, 48 Kangzheng Road, Danzhotou.
 Nanwan Street Office, Longgang District, Shenzhen, China 518114



COMPANY DESCRIPTION

● FACTORY

Benefitbee owns hardware, plastic and wooden-ware factory to produce around 1300 beekeeping tools with competitive price and quality.



chilean



Greece



Australia



Canada



Africa

EXHIBITION ●

Every exhibition is a stage for us to show our strength to the world. With our rich experience and professional skills, we have won countless praises and cooperation opportunities in exhibitions in various countries.

● PRODUCT SHOWROOM

Our showroom usually welcomes customers and partners from all over the world, who come here to learn about our products and establish deep cooperative relationships with us.



WHY CHOOSE US?



PROFESSIONAL

As a leading solution provider for beekeeping, Benefitbee has been a supplier of beekeeping tools for 15 years.



INVENTORY CAPACITY

Our regular inventory amount reaches \$2,000,000 to keep leading time of 90% products within 7-15 days.



FACTORY

Benefitbee owns hardware, plastic and wooden-ware factory to produce around 1300 beekeeping tools with competitive price and quality.



PATENTS




We own R&D team to invest more than USD 15,000 on R&D with nearly 100 patented products.









CONFIDENTIAL

Benefitbee always keeps confidential for every customer's OEM and ODM business.

H21	BB Langstroth plastic beehive (1 layer) (Patent)		Material: HDPE, standard Langstroth 10 frames, 1 layer, size: 455*440*500mm, suitable for length 483mm frames, insulating filling layer, heat insulation CN Patent No. ZL 202030732914.3, (unassembled)	Patent product: Chinese patent number ZL 202030732914.3 Made using blow molding technology, suitable for outdoor HDPE new plastic materials, seamless, UV resistant, anti-oxidation, filled with polyurethane, high temperature and cold resistant. Equipped with a top feeder, the lid has holes, and you don't need to open the lid to add bee feed. Can raise two groups of bees. The base has a pollen trap function and is equipped with a large capacity pollen container. Equipped with frame support poles.	100	1	0	
H21-2	BB Langstroth plastic beehive (2 layers) (Patent)		BB plastic beehive (double layers), Material: HDPE, Standard configuration: 1*large cover (yellow), 1*feeder (yellow) 1*deep box 245 (white), 1*super box 168 (white) 1*base (yellow), 1*plastic queen excluder, 2*stainless steel frame holders, 1*rotating entrance and thermometer and hygrometer, stainless steel buckles and screws. 2*large and small PVC partitions, 2*base insulation boards (unassembled)	Patent product: Chinese patent number ZL 202030732914.3 Made using blow molding technology, suitable for outdoor HDPE new plastic materials, seamless, UV resistant, anti-oxidation, filled with polyurethane, high temperature and cold resistant. Equipped with a top feeder, the lid has holes, and you don't need to open the lid to add bee feed. Can raise two groups of bees. The base has a pollen trap function and is equipped with a large capacity pollen container. Equipped with frame support poles.	100	1	0	
H21-3	BB Dadant plastic beehive (1 layer) (Patent)		Material: HDPE, standard dadant 10 frames, 1 layer, size: 575*440*525mm, suitable for length 470*300 frames, insulating filling layer, heat insulation CN Patent No. ZL 202030732914.3, (unassembled)	Polyester amine filling provides excellent thermal insulation and a robust, durable structure.	1	1	0	

H21-4	BB Dadant plastic beehive (2 layers) (Patent)		BB plastic beehive (Dadant double layer), Material: HDPE, Standard configuration: 1*large cover (yellow), 1*feeder (yellow) 1*deep box 330 (white), 1*super box 190(white) 1*base (yellow), 1*plastic queen excluder, 2*stainless steel frame holders, 1*rotating entrance and thermometer and hygrometer, stainless steel buckles and screws. 2*large and small PVC partitions, 2*base insulation boards (unassembled)	Polyester amine filling provides excellent thermal insulation and a robust, durable structure.	1	1	0	
H21-D	BB Dadant plastic beehive (deep box)		Material: HDPE, standard Dadant10-frame, outer diameter: 540*438*330mm, inner diameter: 472x365x308mm, suitable for frames 470*300mm, foam filling layer, heat insulation. standard: bulk, white, rotating entrance and thermometer, stainless steel connector and screws	Polyester amine filling provides excellent thermal insulation and a robust, durable structure.	1	6	0	
H21-L	BB Langstroth plastic beehive (deep box)		Material: HDPE, standard Langstroth 10-frame, outer diameter: 540*438*262mm, inner diameter: 485x365x240mm, suitable for frames 483*232mm, foam filling layer, heat insulation. standard: bulk, white, rotating entrance and thermometer, stainless steel connector and screws	Polyester amine filling provides excellent thermal insulation and a robust, durable structure.	1	6	0	
H21-DS	BB Dadant plastic beehive (super box)		Material: HDPE, standard Langstroth 10-frame, outer diameter: 540*438*190mm, inner diameter: 472*365*168mm, suitable for frames 470*159mm, foam filling layer, heat insulation. Standard: Bulk, white, rotating entrance with thermometer and hygrometer, stainless steel connector and screws.	Patent Product: CN Patent No. ZL 202030732914.3 Made by blow molding process, suitable for outdoor HDPE new plastic material, seamless, UV resistant, anti-oxidation, filled with polyurethane, high temperature resistant, cold resistant, with frame support	1	6	0	
H21-S	BB Langstroth plastic beehive (super box)		Material: HDPE, standard Langstroth 10-frame, outer diameter: 540*438mm, inner diameter: 485x365mm, suitable for frames 483*159mm, foam filling layer, heat insulation. Standard: Bulk, white, rotating entrance with thermometer and hygrometer, stainless steel connector and screws.	Patent Product: CN Patent No. ZL 202030732914.3 Made by blow molding process, suitable for outdoor HDPE new plastic material, seamless, UV resistant, anti-oxidation, filled with polyurethane, high temperature resistant, cold resistant, with frame support	1	6	0	
H21-B	BB Plastic beehive bottom		Material:HDPE, Product weight: 3.06KG, Outer diameter: 575*440*125mm, Inner diameter: 365*470mm, Suitable for standard Langstroth10 frame. Standard: yellow, plastic drawer, 2 pollen trap board, 1 Sliding entrance, 2 *Replacement insulationPVCplate, 2* Stainless steel connector and screws.	Patent Product: CN Patent No. ZL 202030732914.3 HDPE new plastic material suitable for outdoor use, UV resistant, anti-oxidation, with pollen trap function, large capacity pollen container, can be used for wooden Langstroth standard beehives	1	5	0	


H21-C	BB Plastic beehive roof		Material:HDPE Product weight: 2.28KG, Outer diameter: 540*435*110mm, Inner diameter: 510*410mm, Suitable for standard Langstroth10 frame. Insulation filling layer, thermal insulation. standard: 1* yellow, hole cover.	Patent Product: CN Patent No. ZL 202030732914.3 Made by blow molding process, suitable for outdoor HDPE new plastic material, seamless, UV resistant, anti-oxidation, filled with polyurethane, high temperature resistant, cold resistant, can be used for standard beehives	1	5	0	
H27	EPS Langstroth 1 layer beehive (120kg/m³ density) (Patent)		Material:EPS, density:120kg/m³. Langstroth deep box size 483*232mm, US Dadant deep box size 470*300mm, JUMBO Dadant deep box size 480*285mm. Standard configuration: 1* deep box, 1*Yellow big cover, 1* Feeder, 1*Yellow plastic or EPS base, 1set/box.	Patent product: Design patent number: ZL 2023 3 0432538. 10 Utility model patent number: ZL 2023 2 1819424.1 150kg/m³ high-density EPS production. Plastic and EPS are integrally formed, making them more sturdy. High temperature resistance, deformation resistance, UV resistance, light weight, long service life, detachable, saving transportation. Equipped with a top feeder, the lid has holes, and you don't need to open the lid to add bee feed. You can choose a plastic base with a pollen trap or an EPS base with a tray.	1	1	0	Please choose to configure a plastic base or an EPS base?
H27-2	EPS Langstroth 2 layers beehive (120kg/m³ density) (Patent)		Material:EPS, density:110kg/m³, Langstroth deep box size 483*232mm, Langstroth super box size 483*159mm; US Dadant deep box size 470*300mm, US Dadant super box size 470*159mm; JUMBO Dadant deep box size 480*285mm. Standard configuration: 1*deep box, 1*super box, 1*Plastic queen excluder, 1* Yellow big cover, 1*Feeder, 1*Yellow plastic or EPS base, 1set/box.	Patent product: Design patent number: ZL 2023 3 0432538. 10 Utility model patent number: ZL 2023 2 1819424.1 150kg/m³ high-density EPS production. Plastic and EPS are integrally formed, making them more sturdy. High temperature resistance, deformation resistance, UV resistance, light weight, long service life, detachable, saving transportation. Equipped with a top feeder, the lid has holes, and you don't need to open the lid to add bee feed. You can choose a plastic base with a pollen trap or an EPS base with a tray.	1	1	0	Please choose to configure a plastic base or an EPS base?
H27-L	EPS Langstroth bee hive (deep box)		Material:EPS, density:120kg/m³, 1*deep box. Langstroth deep box outer size: 542*440*268mm, inner diameter size: 485*360*245mm; Suitble for 483**232mm frames. CN Patent No. ZL 2023 3 0432538. X	Patent product: Design patent number: ZL 2023 3 0432538. X Utility model patent number: ZL 2023 2 1819424.1 150kg/m³ high-density EPS production. High temperature resistance, deformation resistance, lighter weight, longer usage time, detachable to save transp	1	5	0	

H27-B	EPS Beehive bottom		Material:EPS, density:120kg/m ³ , Outer dimensions: 587.5*440*117mm, suitable for foam and plastic boxes. 1*Basedrawe, 1*Stainless Steel Mesh, 1*Entrance	Patent product: Design patent number: ZL 2023 3 0432538. X Utility model patent number: ZL 2023 2 1819424.1	1	1	0	
H27-D	EPS Dadant bee hive(deep box)		Material:EPS, density:120kg/m ³ , 1*deep box. JUMBO Dadant deep box, outer size:540*440*321mm Suitabel for Gemany Dadant standard frame size:480*285mm CN Patent No.ZL 2023 3 0432538.X	Patent product: Design patent number: ZL 2023 3 0432538. X Utility model patent number: ZL 2023 2 1819424.1 150kg/m ³ high-density EPS production. High temperature resistance, deformation resistance, lighter weight, longer usage time, detachable to save transp	1	1	0	
H27-S	EPS Langstroth bee hive(super box)		Material:EPS, density:120kg/m ³ , Suitable with Dadant and Langstroth's super box, Super box size: 542*440*195mm, inner diameter size: 485*360*185mm; suitable for length 483*159mm frames CN Patent No.ZL 2023 3 0432538.X	Patent product: Design patent number: ZL 2023 3 0432538. X Utility model patent number: ZL 2023 2 1819424.1 150kg/m ³ high-density EPS production. High temperature resistance, deformation resistance, lighter weight, longer usage time, detachable to save transp	1	5	0	please confirm which style beehive you want?
H10-2	BB queen mating/nuc box (120kg/m ³ density) (Patent)		Size:24x15x17cm, material:EPS Standard: 4 frames, 1 plastic feeder, 1 floating net, 1 PVC transparent observation film, plastic hive door + breathable bottom board, foam density 120kg/m ³ CN Patent No.ZL 2021 3 0233864.9	Patent Product: CN Patent No. ZL 2021 3 0233864.9 120kg/m ³ high-density, food grade plastic	1	24	0	
H10-3	BB Plastic queen mating/nuc box (HDPE) (Patent)		Size:25.4x15.3x17.1cm, material:HDPE Standard: 4 frames, 1 plastic feeder, 1 floating net, 1 PVC transparent observation film, plastic hive door + breathable bottom board, the beehive body can be added, Box ring color optional: blue, green EU Patent No.008737472-0001 CN Patent No.ZL ZL 2021 3 0289413.7	Patent product: Chinese patent number ZL ZL 2021 3 0289413.7 Made using blow molding technology, a new type of plastic material Seamless, UV resistant, antioxidant, insect resistant, long-lasting, customizable polyurethane filling. Super boxes can be stacked and customized in any color.	1	18	0	Please confirm the color?
H10-3B	BB Plastic queen mating/nuc super box (Patent)		Size:12x15x17cm, material:HDPE Standard: 6 frames, plastic hive door, Box ring color optional: blue, green, red EU Patent No.008737472-0001 CN Patent No.ZL ZL 2021 3 0289413.7	Patent product: Chinese patent number ZL ZL 2021 3 0289413.7 Made using blow molding technology, a new type of plastic material Seamless, UV resistant, antioxidant, insect resistant, long-lasting, customizable polyurethane filling. Super boxes can be stacked and customized in any color.	1	18	0	Please confirm the color?



H10-4	BB queen mating/nuc box (120kg/m ³ density) (Patent)		Size:24x15x17cm, material:EPS Standard: 3 frames, 1 plastic feeder, 1 floating net, 1 PVC transparent observation film, plastic hive door + round plastic ventilators(5.5CM), foam density 120g CN Patent No.ZL 2021 3 0823334.X	Patent Product: CN Patent No. ZL 2021 3 0823334. X 120g high-density, food grade plastic, detachable bottom	1	24	0	
H10-7	BB Langstroth queen mating/nuc box (120 kg/m ³ density) (Patent)		Size:530x285x408mm, material:EPS, Weight :3Kg Foam density:120kg/m ³ it is suitable for frame size:483*232mm CN Patent No.ZL 2023 3 0378671.1 1pc/color box/54*29.5*26CM unassembled package	Patent Product: CN Patent No. ZL 2023 3 0378671.1 120kg/m ³ high-density, food grade plastic with top feeder, detachable to save transportation space, easy to assemble, capable of raising two queen bees	1	1	0	Please confirm that this product will not be sold in the UK and Ireland.
H10-7A	Beehive super box (Langstroth)		Product Size: 530x285x265mm Material: EPS Weight: 1.2kg Density: 120kg/m ³ Suitable for frames with length of 480 - 490mm	Made of high-density EPS with a density of 120kg/m ³ . It delivers far better thermal insulation than wooden hives, featuring moisture-proof, anti-corrosion and moth-resistant properties for long-lasting, worry-free outdoor use. Double queen separated rearing design for one hive, compatible with standard 480 - 490mm brood frames. The built-in partition separates two queens inside one box to avoid mutual disturbance and accelerate colony expansion efficiently. Edges wrapped with yellow plastic trim to strengthen the box against drops and impacts, preventing damage during transportation and outdoor placement.	1	5	0	Please confirm that this product will not be sold in the UK and Ireland.
H10-9A	Beehive super box		Product Size: 530*285*265mm Material: EPS Weight: 1.6kg Density: 120kg/m ³	Constructed from high-density EPS of 120kg/m ³ . It provides superior thermal insulation compared to wooden hives, moisture-proof, anti-corrosive and insect-resistant, durable and hassle-free for outdoor application. Compatible with standard British/Dutch brood frames of 434mm in length. The built-in divider allows separated rearing of two queens in one hive without mutual disturbance, supporting efficient colony expansion. The side inserts can be removed to fit Langstroth frames, delivering excellent universal compatibility. All edges are wrapped with yellow plastic edging, which reinforces the hive box against drops and collisions to	1	5	0	Please confirm that this product will not be sold in the UK and Ireland.

H10-8	BB Dadant queen mating/nuc box (120 kg/m ³ density) (Patent)		Size: 530*285*490mm Density 120kg/m ³ Material: EPS suitble with the Frame: 470*300mm CN Patent No.ZL 2023 3 0378671.1	Patent Product:CN Patent No. ZL 2023 3 0378671.1 120kg/m ³ high-density, food grade plastic with top feeder, detachable to save transportation space, easy to assemble, capable of raising two queen bees	1	1	0	
H10-9	BB spaarkast/simplex queen mating/nuc box (120 kg/m ³ density) (Patent)		Size: 530*285*408mm Density 120kg/m ³ Material: EPS suitble with the Frame: spaarkast/simplex:435*300mm or National frames:431*300mm CN Patent No.ZL 2023 3 0378671.1	Patent Product:CN Patent No. ZL 2023 3 0378671.1 120kg/m ³ high-density, food grade plastic with top feeder, detachable to save transportation space, easy to assemble, capable of raising two queen bees	1	1	0	Please confirm that this product will not be sold in the UK, Ireland, or the Netherlands.
H10-10	Double queen mating/nuc box		Product outer diameter: 32.8*13*11.2CM, Material: Foam, Standard configuration: 4 nest frames, 1 floating net, 2 PVC transparent observation sheets, plastic nest doors on both sides + two breathable bottom plates, foam density 120g Weight: 398g. The box body uses foam material for thermal insulation and thermal insulation performance is wood3.5times, The thermal insulation performance can make the micro-bee colony more resistant to the heat, The product is mini, light and easy to use in cold spring and cold autumn climate conditions. Suitable for Chinese and Italian bees, professional queen breeding, and pet beekeeping, etc.		1	10	0	
H18	BB double-deck nuc box/queen mating box (Patent)		Size:Length:34cm Width:16cm Height:36.5cm Standard including Lid, Feeder, Super box, Deep box Accessories: 16pcs plastic frame 2pcs syrup excluder 4pcs plastic entrance panel(red and yellow each 2pcs) 2pcs round entrance sheet 2pcs square entrance sheet 1pc bottom board 1pc queen excluder 2pc PVC foam clapboard Material:EPS Invention patent NO: 201910754536.5 Appearance patent NO:201930438030.4 Utility model patent NO: 201921324972.0	Patent product: Invention patent NO: 201910754536.5 Appearance patent NO:201930438030.4 Utility model patent NO: 201921324972.0 120kg/m ³ density, food grade plastic, capable of raising multiple queen bees. With Top Feeder	1	12	0	
H18-2	BB nuc box/queen mating box (120kg/m ³ density) (Patent)		34*16*23.2cm Standard including Lid, Feeder, Deep box Accessories: 8pcs plastic frame 2pcs syrup excluder 2pcs plastic entrance panel(red and yellow each 1pc) 1pcs round entrance sheet 1pcs square entrance sheet 1pc bottom board 1pc PVC foam clapboard Material:EPS Invention patent NO: 201910754536.5 Appearance patent NO:201930438030.4 Utility model patent NO: 201921324972.0	Patent product: Invention patent NO: 201910754536.5 Appearance patent NO:201930438030.4 Utility model patent NO: 201921324972.0 120kg/m ³ density, food grade plastic, capable of raising multiple queen bees. With Top Feeder	1	12	0	

H18-3	BB Plus Queen Mating Deep Nuc (only Super box) (Patent)		Standard including: Super box Accessories: 8pcs plastic frame 2pcs syrup excluder 2pcs plastic entrance panel (red and yellow each 1pc) 1pcs round entrance sheet 1pcs square entrance sheet 1pc bottom board 1pc PVC foam clapboard Material: EPS Invention patent NO: 201910754536.5 Appearance patent NO: 201930438030.4 Utility model patent NO: 201921324972.0	Patent product: Invention patent NO: 201910754536.5 Appearance patent NO: 201930438030.4 Utility model patent NO: 201921324972.0 120kg/m³ density, food grade plastic, capable of raising multiple queen bees. With Top Feeder	1	12	0	Patented products with LOGO, please confirm whether it is acceptable?
H01	Langstroth Beehive (US style)		Size: 10Frames, other Frames can be customized Configuration: With 1 large iron cover, 1 inner cover (marked with oval holes), 1 super box (505 * 413 * 168), 1 deep box (505 * 413 * 245), 1 bottom. Material: splicing board, New Zealand pine, can be customized Pinus sylvestris pine, fir knotted splicing board (with scars), Packaging: Bulk, can be customized assembly, painting, wax cooking, single board	No scabs, smooth surface, beautiful texture, no scars or holes	1	1	0	Please confirm the material? Is scarring allowed? Do you need single board? Do you need to spray wax? Do you need assembly? Do you need to paint? Do you need a carton pack?
H02	Langstroth Beehive (Australia style)		Size: 10Frames, other Frames can be customized Configuration: with 1 large iron cover, 1 super box (505 * 405 * 145), 1 deep box (505 * 405 * 245), 1 bottom. Material: splicing board, New Zealand pine, can be customized Pinus sylvestris pine, fir knotted splicing board (with scars), Packaging: Bulk, can be customized assembly, painting, wax cooking, single board	No scabs, smooth surface, beautiful texture, no scars or holes	1	2	0	Please confirm the material? Is scarring allowed? Do you need single board? Do you need to spray wax? Do you need assembly? Do you need to paint? Do you need a carton pack? Does the cover need a vent hole?
H02-2	Langstroth Beehive (Australia style) (Waxed+ painted)		Size: 10Frames, other Frames can be customized Configuration: with 1 large iron cover, 1 super box (505 * 405 * 145), 1 deep box (505 * 405 * 245), 1 bottom. Material: splicing board, New Zealand pine		50	2	0	Please confirm the material? Is scarring allowed? Do you need single board? Do you need to spray wax? Do you need assembly? Do you need to paint? Do you need a carton pack? Does the cover need a vent hole?
H03	Italy Beehive		10frames: Deep hive body size: L515mm*W425mm*H294mm (thickness 25mm), shallow super size: L515mm*W425mm*H168mm (thickness 25mm) Material: New Zealand Pine wood (splicing wood) unassemble packing	No scabs, smooth surface, beautiful texture, no scars or holes	100	2	0	1. if need a single board, the price will be added USD0.50/pc 2. if need cooking wax, the price will be added \$0.60/pc 3. if need spray paint, the price will be added \$2.00/pc 4. if need assemble package, the price will be added \$0.50/pc

H04	Langstroth queen nuc box (5 frames)		Size: 5Frames, other Frames can be customized Configuration:with 1 large iron cover, 1 deep box, 1 bottom. Material: splicing board, New Zealand pine, can be customized Pinus sylvestris pine, fir knotted splicing board (with scars), Packaging: Bulk, can be customized assembly, painting, wax cooking, single board	No scabs, smooth surface, beautiful texture, no scars or holes	1	2	0	Please confirm whether it is assembled? What are the requirements? Material? Is it a single board? The length, width and thickness of the Box? Spray paint? Cooking wax?
H04-2	5er Zander Ableger		Size: 5Frames, other Frames can be customized Configuration:with 1 large iron cover, 1 deep box, 1 feeder (wax boiling) Material: splicing board, New Zealand pine	No scabs, smooth surface, beautiful texture, no scars or holes	10	1	0	
H05	Flow hive(without plastic frames)		Size: 10Frames Configuration: With 1 large cover, 1 inner cover (marked with oval holes), 1 super box (505 * 413 * 245), 1 deep box (505 * 413 * 245), 1 bottom. Material: splicing board, fir knotted splicing board (with scars), Packaging: wax cooking, painting,Bulk, can be customized assembly		1	1	0	Please confirm whether it is assembled? What are the requirements? Material? Is it a single board? The length, width and thickness of the Box? Spray paint? Cooking wax?
H05-2	New flow hive (with plastic frames)		Material: boiled fir wood, configuration: 1* large cover, 1* inner cover (marked with oval holes), 1* deep box (505*413*245), 1*super box (505 * 413 * 245), 1 *base, 1* queen excluder, 7* auto flowing beehive frames for super box. Material: splicing board, fir splicing board (with scars), packaging: wax paper packaging, color box packaging, bulk, customizable assembly		1	1	0	
H05-3	Mini flow hive (with plastic frames)		Configuration: 1*large cover, 1* inner cover (marked with oval holes), 1* deep box (285*255*260), 1* super box (285*255*260), 1* base, 1* queen excluder, 4* auto flowing beehive frames for super box, 6 frames with beeswax foundation for deep box. Material: boiled fir wood, splicing board, fir splicing board (with scars)		1	1	0	
H06	Nuc bee box (Calcium plastic)		Material:Calcium plastic Size: 54*21*28cm Size: any specifications can be customized		1	25	0	
H06-2	Nuc bee box (Calcium plastic)		Material:Calcium plastic Size: any specifications can be customized		1	25	0	

H06-4	Nuc bee box (Kraft linerboard)		Material: kraft paper, wax coated, suitable for Langstroth frame 483*448*232mm		1	25	0	
H06-5	Nuc box Mesh Transport Bag		Size: 1*0.6M		1	100	0	
H07	Dutch beehive		Material: Red cedar, Product size: 515*468*470mm 1 bottomboard. 1 broodbox (472*423*230mm) 1 honey box (472*423*150mm) 1 cover Plate. With hole in the middle 1 roof with aluminium Plate. Included distance strips made of aluminium. Distance strips for 10 frames Hive. And assembled frames inside.		1	1	0	
H08	Langstroth plastic beehive (Dou ble layer)		Material: PP, hive without frame, hive ring size:490x370x260cm hive ring slot:10cm suitable length:490 & 483 frames plastic bottom size:540x440x55cm , large plastic lid size:550x470x80cm, \$3 extra with thermometer, large lid size 30mm;Insulation filling layer, heat insulation		1	1	0	
H09	Insulation Langstroth beehive		Material: Insulation board, Standard configuration: 1pcs 245mm box with bottom plate, 2pcs 168mm super boxes, 1pcs lid, 1pcs metal excluder, and 1pcs metal nest door		100	1	0	
H10	Queen bee mating/nuc box (50kg/m³ density)		Size:24x15x17cm, material:EPS		1	24	0	
H10B	Queen bee mating/nuc box (Double layer) (50kg/m³ density)		Size:24x15x29.5cm material:EPS		50	16	0	
H10-5	Queen mating/nuc box (120kg/m³ density) German Style		Size:27x21.5x17cm, material:EPS Product weight :380g Standard: 4 frames, 1 PVC transparent observation film, plastic hive door + round plastic ventilators(5.5CM), foam density 120kg/m³	High density, superior thermal insulation, higher structural strength, strong stability, and less prone to aging.	1	10	0	

H10-A	BB Plastic frame for nuc box		material:PP used with H10 & H18 & H10-3 Top bar:11.5cm Side bar:10.5cm		1	200	0	
H10-F	BB Plastic frame for nuc box (integrated)		material:PP Size: 11.5*10cm used with H10 & H10-2 & H10-3 &H10-4		1	600	0	
H11	UK National beehive		Material: American red cedar, quotation standard: 1 base, 1 bottom box (245 * 460 * 460MM) , 2 super box ring (145 * 460 * 460MM) , 1 auxiliary cover, 1 metal cover.	The material is lightweight and tough, with outstanding durability, eliminating the need for frequent replacements.	100	2	0	
H12	UK WBC beehive		Material:Red cedar	The material is lightweight and tough, with outstanding durability, eliminating the need for frequent replacements.	100	1	0	
H13	Japan style beehive		Material:China pine		100	2	0	
H14	Kenya hive(with top bar)		Material: Chinese Fir with knot splicing board Hive size: Length =127mm Width =57mm Height =85.8mm Beam (length 49.5cm wide 3.8cm thick 1.9cm) Nest door (length =19cm, width =3.8cm)		50	1	0	
H17	Observation Portable Bee Hive		Material: pine + acrylic,Size: 24*5.8*23cm 1PC/brown inner box(27*27*8CM)		1	24	0	
H19	Bee package/bee bus (Patent)		Size:LWH: 366*197*259mm Material: PP CN Patent No. ZL 2020 3 0137781.5		1	10	0	


H19-3	Bee package		Product Dimensions (Cage Bees): 36*19*24.5 cm, Material: Polypropylene Feeder Bucket Dimensions: 10*10*14 cm, Material: Galvanized		1	20	0	
H19-2	BB Bee package division feeder		Material: Tinplate size; Diameter x height 10*14cm		1	10	0	
H20-2	Plastic Langstroth beehive (2 layers)		Product size: 595*450*675mm Packing size: 600*510*350mm Material: PE+ foam filling product net weight: 16.5kg plus packing net weight: 18kg		1	1	0	
H20-D	Plastic Langstroth beehive (deep box)		Material: PE+ Foam padding Product weight: 4.04KG, outer diameter: 530*450*260mm, inner diameter: 490*370mm.		1	5	0	
H20-B	Plastic Langstroth beehive bottom		Material: PE, Outer diameter: 590*440*95mm, Inner diameter: 490*375mm, Product weight: 2.32KG.		1	5	0	
H22	Langstroth Beehive Kit (1 deep box+1 super box)		Langstroth Beehive 10 Frames Standard : 1 large iron cover, 1 inner cover (marked with oval holes), 1 super box (505 * 413 * 168), 1 deep box (505 * 413 * 245), 1 bottom board. 10pcs wax sprayed black foundations (425x210) / 10pcs wax sprayed yellow foundations (425x141) / 10pcs first-class pine big frames (Pinus sylvestris without scab 483x232) / 10pcs first-class pine small frames (Pinus sylvestris without scab 483x159) / one excluder (510x410) / one package of stainless steel nails / one instruction manual Material: Chinese Fir with knot splicing board, the beehive is boiled twice with stone wax, the first step is boiled for about 3.5 mins,		1	1	0	




H22-2	Langstroth Beehive Kit (2 deep box+1 super box)		Langstroth Beehive 10 Frames Standar : 1 large iron cover, 1 inner cover (marked with oval holes), 1 super box (505 * 413 * 168), 2 deep box (505 * 413 * 245), 1 bottom board. 20pcs wax sprayed black foundations (425x210) / 10pcs wax sprayed yellow foundations (425x141) / 10pcs first-class pine big frames (Pinus sylvestris without scab 483x232) / 20pcs first-class pine small frames (Pinus sylvestris without scab 483x159) / one excluder (510x410) / one package of stainless steel nails / one instruction manual Material: Chinese Fir with knot splicing board, the beehive is boiled twice with stone wax, the first step is boiled for about 3.5 mins,		1	1	0	
H22-3	Langstroth Beehive Kit (2 deep box+2 super box)		Langstroth Beehive Kit (2 deep box+2 super box) 1 large iron cover, 1 inner cover (marked with oval holes), 2 super box (505 * 413 * 168), 2 deep box (505 * 413 * 245), 1 bottom board. 20pcs wax sprayed black foundations (425x210) / 20pcs wax sprayed yellow foundations (425x141) / 20pcs first-class pine big frames (Pinus sylvestris without scab 483x232) / 20pcs first-class pine small frames (Pinus sylvestris without scab 483x159) / one excluder (510x410) / one package of stainless steel nails / one instruction manual Material: Chinese Fir with knot splicing board, the beehive is boiled twice with stone wax, the first step is boiled for about 3.5 mins, after cooling, the second step is dipped in wax for 5-10 seconds.		1	1	0	
H22-4	Langstroth Beehive Kit (1 deep box+4 super box)		Langstroth Beehive Kit (1 deep box+4 super box) 1 inner cover (marked with oval holes), 4 super box (505 * 413 * 168), 1 deep box (505 * 413 * 245), 1 bottom board. Material: Chinese Fir with knot splicing board, the beehive is boiled twice with stone wax, the first step is boiled for about 3.5 mins, after cooling, the second step is dipped in wax for 5-10 seconds.		1	1	0	
H24	10er_Dadant Beehive		New Zealand pine without knot, three layers, deep box 509*429*293*22, super box 509*429*149*22, bottom 509*426*70, cover 509*426*35	No scabs, smooth surface, beautiful texture, no scars or holes	100	1	0	
H25	10er_Zander Beehive		New Zealand pine without knot, three layers, deep box 509*429*293*22, bottom 509*426*70, cover 509*426*35	No scabs, smooth surface, beautiful texture, no scars or holes	100	1	0	


H26	Kenya beehive		Size: 10Frames, other Frames can be customized Configuration: With 1 large iron cover, 1 inner cover (marked with oval holes), 1 super box (505 * 413 * 168), 1 deep box (505 * 413 * 245), 1 bottom. Material: fir knotted splicing board (with scars), Packaging: Bulk, can be customized assembly, painting, wax cooking, single board		100	1	0	Please confirm the material? Is scarring allowed? Do you need single board? Do you need to spray wax? Do you need assembly? Do you need to paint? Do you need a carton pack?
H28	5-Frame Swarm Catcher Beehive		Product Description: Material: PP (polypropylene) + UV stabilizer + ABS Metal Components: 201 stainless steel + 304 stainless steel screws Weight: Approximately 2.95 kg External Dimensions: 562 (L) × 243 (W) × 440 (H) mm Max Frame Size: Length:49cm Height:30cm Internal Volume: 48 L Frame Capacity: 5 1pc/inner/56*24*44cm/3kgs Patent No.:202530320946.5	1. Versatile Compatibility: Sliding adjustment allows one box to accommodate all mainstream frames. Revolutionary Design: A built-in sliding frame mounting system allows for flexible length adjustment, perfectly compatibility with nearly all commercially available frame sizes, including Langstroth, Dadant, UK, and National. (Frame length adjustment ranges from 490 to 320mm.) 2. Extremely Simple Operation: No tools required; simply slide the box for precise alignment. It can be used for swarming, temporary swarm transfer, or as a backup hive, truly achieving "one box for all." 3. Ultra-Long Lifespan:	100	5	0	
H29	Wall-mounted Indoor beehive		Material: PVC board + acrylic surface, thickness 1.0mm; Inner dimensions: 44.5*25.3cm; Outer dimensions: diagonal length 58cm, side length 29cm, height 18cm; Accessories: Beehive*1, positioning sticker*1, small partition*1, bee guide tube*1, packing foam box*1, foundation frame 3, mounting nails*1 pack, covering cloth*1, baffles*2, frame fixer*2, honeycomb box*6	1. Appearance and Installation: The unique hexagonal wall-mounted design combines practicality with artistry, creating a unique indoor landscape. Ready to install and use upon receipt. 2. Viewing and Interaction: The highly transparent acrylic panel allows for clear observation of bee activities and a close-up experience. 3. Operational Ease: The stainless steel hinged panel with wide-angle opening and telescopic rails makes managing a bee colony easy; customizable packages are available. 4. Honey Harvesting: Capable of producing six boxes of honeycomb and hanging three frames, allowing for easy access	10	1	0	Default configuration of 5.3mm foundations



H30	5-frame plastic turnover box		Material: PP Product Dimensions: 58 × 28.5 × 28.5 cm (Length × Width × Height) 1. Compatible with various hive frames: Langstroth: 483*448*232; British: 432*357*216; Dadant: 470*435*160; Small plastic hive frame: 263*222*232 (needs to be shortened by 10mm before use). 2. Feeding without opening the hive: You can feed through the feeding ports at both ends using a common beverage bottle without opening the hive lid.	Full Frame Compatibility: Works with mainstream hive frame sizes including Langstroth, British and Dadant types. Hive-Free Feeding: Feeding can be achieved with a regular beverage bottle plus dual-end feeding ports, eliminating the need to open the hive and disturb the bee colony. Adjustable Ventilation: Lateral ventilation is regulated via side panel switches, adapting to the environment as needed. Efficient Stacking: Supports two stacking methods—vertical stacking and crossed grid stacking—for easier transportation; ventilation flaps can be adjusted simultaneously while stacking. Convenient Entrance: Sliding-door bee entrance	1	10	0	
H31	Wasp trap box		Material: PP Product Size: 33*24*14.5 cm Product Weight: 550 g		100	6	0	
HP02-3	BB Plastic multifunction beehive inner cover (Patent)		Material: ABS. Product size: 35.5X 1.3 X 50.5cm(8 boxes) 40.5X 1.3 X 50.5cm(10 boxes) Optional size in free term CN Patent No.ZL 2020 3 0275110.5	Made from brand new materials, it has high strength and good toughness, and is resistant to impact, pressure and deformation.	1	20	0	Benefitbee patented product
HP09-4	Australia Metal Beehive Tray		Material: galvanized sheet Product size: 111.5*82.5*7.9cm, Product weight: 24kg	Load capacity 1000KG. No solder joints, not easy to rust, durable. Used for Australian standard beehives. You can customize any size.	50	1	0	
HP09-5	Australia Metal Pallet		Bottom frame material: galvanized sheet Product size: 103*83*14.5cm, inner size 102*82cm can hold four bottom box rings Product weight: 19.2KG	Load capacity 1000KG. Food grade stainless steel, no solder joints, not easy to rust, durable. Used for Australian standard beehives. You can customize any size.	50	1	0	
HP01	Beehive cover		Material:New Zealand pine (Langstroth\Australia\8frames\10frames can be chosen) ,Ventilated hole could be customized.		1	5	0	Please confirm the size


HP02	Beehive inner cover		Material:New Zealand pine (8frames\10frames can be chosen)		1	10	0	Please confirm the size? Punching method?
HP02-4	Beehive inner cover (galvanized sheet)		Material: Unscarred pine + galvanized sheet (0.1mm thickness) Weld 4 galvanized runners Wooden frame width 2cm, thickness 2.5cm		100	6	0	Please confirm the size? Punching method?
HP03	Beehive box		Material:New Zealand pine (Splicing wood) 20mm(board thick) unassembled package		1	5	0	Please confirm the size and thickness?Do you need to paint? Do I need to cook wax? Do you need a single board?
HP04	Beehive bottom		Material:New Zealand pine+ Plywood (8frames\10frames can be chosen)		1	10	0	Please confirm the size and material?
HP05	Beehive bottom(Australia style)		Material:New Zealand pine (8frames\10frames can be chosen)		1	5	0	Please confirm the bottom drawer style
HP05-2	Beehive bottom(Australia style)		Material:New Zealand pine (8frames\10frames can be chosen)		50	2	0	
HP05-3	Beehive bottom(Australia style)		Material:New Zealand pine (8frames\10frames can be chosen) Surface treatment: spray paint		50	5	0	
HP06	Beehive plastic stand(10frames)		Material:PP Assembled size: 575*420*34mm		1	5	0	


HP06-2	Beehive plastic stand(8frames)		Material:PP		1	5	0	
HP06-4	Anti-ant beehive stand		material: stainless steel 201,customizable;		1	20	0	Can be made in any size, please confirm the size of your beehive base
HP25	Super Lifter Hive Super Lifter		Standard Version For 2-Tier Beehives Cut 90% lifting effort, effectively protect your waist. It helps you easily open beehives and take off hive supers with ease. Easy installation fits your existing beehives perfectly. Adopts lever principle to separate brood box and super effortlessly, saving heavy physical labor. Gently reset supers without crushing bees. Wide compatibility: works with Flow Hive, Langstroth, British, Dadant and other common beehive types. Suitable for deep, medium and shallow hive supers universally.		1	1	0	
HP26	Crown Board		Material: Red Cedar Product Dimensions: 460×460×16 mm		1	10	0	
HP06-5	Anti-ant beehive stand		material: galvanized iron,customizable;		100	1	0	Can be made in any size, please confirm the size of your beehive base
HP06-6	African beehive stand(1 piece)		Material: 201 stainless steel, steel thickness 3.0mm, steel pipe inner diameter 68*38mm, bracket leg steel thickness 1.5mm, bracket adjustable height 17-50.5cm, spacing between wooden strips: 31cm. Suitable for 4.5*6.5cm thick wood strips 1 piece/box Gross weight: 9KG, Net weight: 8.56KG	The length of the wooden strips can be freely matched, 1-5 sets of beehives can be placed, and the height can be freely adjusted	1	4	0	

HP06-7	Adjustable metal beehive stand(1 piece)	 	Material: galvanized iron. Adjustable height: 39.5cm, minimum height is 33cm, Distance between the two sides of the bottom frame is 47.5cm. The width of the wooden strip is the outer dimension: 4.5cm, inner dimension: 3.7cm, the width of both sides, the width of the wooden strip and the distance between the two wooden strips can be adjusted.	Patent No. : 202530333494.4	1	4	0	
HP25-2	Super Lifter Hive Super Lifter	 	Premium Version, fits 2/3/4-tier beehives Super Lifter Hive Jack Save 90% lifting strength and protect your waist. Easily open beehives and remove hive supers. Simple to install on your existing beehives. Leverage principle enables easy separation of brood box and super, greatly cutting physical workload. Place back supers smoothly to prevent injuring bees. Widely compatible with Flow Hive, Langstroth Hive, British Hive, Dadant Hive and more. Ideal for deep, medium and shallow hive supers.		1	1	0	
HP26-2	BROOD SIDE		Material: Red Cedar Product Dimensions: 428x202x19 mm		1	20	0	
HP26-3	BOTTOM CROSS RAIL		Material: Red Cedar Product Dimensions: 460x25 mm		1	100	0	
HP26-4	TOP CROSS RAIL		Material: Red Cedar Product Dimensions: 460x25x38 mm		1	100	0	
HP26-5	SUPER SIDE		Material: Red Cedar Product Dimensions: 428x126x19 mm		1	100	0	
HP08	Stainless mite tray(8 frames)	 	Material: 410 stainless steel, size: 40x30x2cm, weight: 380g, G. W. : 42kg		1	110	0	




HP08-2	Stainless mite tray (10 frames)		Material: 410 stainless steel, size: 45x35x2cm, weight: 520g		1	80	0	
HP08-3	PS mite tray (47x32.5*1.5cm)		Material: PS, weight: 340g, size: 47*32.5*1.5cm	Made from brand new materials, it has high strength and good toughness, and is resistant to impact, pressure and deformation.	1	50	0	
HP08-4	PS mite tray (47*35.3*1.5cm)		Material: PS, weight: 397g, size: 47*35.5*1.5cm	Made from brand new materials, it has high strength and good toughness, and is resistant to impact, pressure and deformation.	1	50	0	
HP08-5	PS mite tray (47*41*0.9cm)		Material: PS, weight: 420g, size: 47*41*0.9cm	Made from brand new materials, it has high strength and good toughness, and is resistant to impact, pressure and deformation.	1	50	0	
HP08-6	PS mite tray (40.8*35.3*1.5cm)		Material: PS, weight: 397g, size: 40.8*35.3*1.5cm	Made from brand new materials, it has high strength and good toughness, and is resistant to impact, pressure and deformation.	1	50	0	
HP08-7	PS mite tray (46.5*35.5*1.5cm)		Material: PS, weight: 397g, size: 46.5*35.5*1.5cm	Made from brand new materials, it has high strength and good toughness, and is resistant to impact, pressure and deformation.	1	50	0	
HP09	EZY Pallet		Product size: 1230*1135*130mm, Iron tube size: 30*50*1.5mm, foot Iron tube size: 100*100*1.5mm (left and right) / 100*50*1.5mm (middle) yellow paint Add solder joints and add 3 steel pipes		50	1	0	
HP09-2	Hive Pallet		Product size: 1120*820*130mm, Iron tube size: 30*50*1.5mm, foot steel tube size: 100*100*1.5mm (left and right) / 100*50*1.5mm (middle)		50	1	0	

HP09-3	Pallet		Product size: 1020*820*130mm, Iron plate: 1020*820*1.2mm, Iron pipe size: 30*50*1.5mm, foot Iron pipe size: 80*80*1.5mm Yellow paint		50	1	0	
HP12	Beehive risers		4 bars, included entrance reducer, disassembled		50	200	0	Please provide the size you need?
HP13	Beehive cleats		Size:70*38cm		50	80	0	
HP14	Beehive rims		4 bars, with hole (22mm) and ventilated mesh, disassembled		50	10	0	Please provide the size you need?
HP16	Hive cart (10 frames)		Material 201 stainless steel thickness 2mm. Product size: outer size: 524x424mm; inner size: 520*420mm Caster: 4 inch rubber, size can be customized.	With a super strong load-bearing capacity of 400kg, it is labor-saving, convenient, rust-proof, and easy to clean.	20	1	0	
HP16-2	Hive cart (8 frames)		Material 201 stainless steel thickness 2mm. Product size: outer size: 524x369mm; inner size: 520*365mm Caster: 4 inch rubber, size can be customized.	With a super strong load-bearing capacity of 400kg, it is labor-saving, convenient, rust-proof, and easy to clean.	20	1	0	
HP19	BB Plastic Entrance Reducer		Material: PP Size: 365*40mm	Made from brand new materials, it has high strength and good toughness, and is resistant to impact, pressure and deformation.	1	200	0	
HP20	BB Pollen tray (8L)		Material: PP Size: 463x370x63mm Capacity: 8L	Made from brand new materials, it has high strength and good toughness, and is resistant to impact, pressure and deformation.	1	0	0	


HA01	Beehive entrance		Material:Iron,Size:480*35mm/450*35mm/400*35mm/380*35mm/375*35mm/350*35mm/300*35mm/250*35mm/220*35mm/180*35mm/160*35mm		200	500	0	Please confirm the length
HA02	Beehive entrance		Material:Iron,Size:480*35mm/450*35mm/400*35mm/380*35mm/375*35mm/350*35mm/300*35mm/250*35mm/220*35mm/180*35mm/160*35mm GW:25.65kg 180mm 700pcs/ctn GW:21.75kg 33*20*11cm 375mm 400pcs/ctn GW:23kg 40*22*8cm 450mm 400pcs/ctn 47*25*10cm		200	400	0	Please confirm the length
HA03	Adjustable entrance		Material:Galvanized iron		1	300	0	
HA04	Beehive entrance (Iron plating)		Material:Iron plating,Thickness:0.4mm Size: 390*65mmsuitable for 10 frames hive, 335*65mm for 8 frames.Default 390mm length		1	100	0	
HA04-3	Beehive entrance (stainless steel)		Surface treatment: Galvanized product size: Length x width 165*27mm 200*27mm 250*27mm 300*27mm 350*27mm 375*27mm Material: Iron, thickness: 0.7mm 200PCS/CTN NW:8.6kg GW:10kg		300	200	0	
HA04-4	Beehive entrance		Material; Iron length: 30cm hole diameter: 10mm		1	200	0	
HA04-B	Beehive entrance (stainless steel)		Material:stainless steel,Material:Iron plating,Thickness:0.4mm Size: 390*65mmsuitable for 10 frames hive, 335*65mm for 8 frames.Default 390mm length		50	100	0	
HA05	Plastic beehive entrance (Yellow)		Material:pp,Size: 432mm*50mm, Weight:84g	Made from brand new materials, it has high strength and good toughness, and is resistant to impact, pressure and deformation.	1	200	0	

HA06	Plastic beehive entrance		Material:PP,weight: 42g, Size: 31.5x4cm for Australian and American langstroth 8 frame hive , 37 x4cm for Australian and American langstroth 10 frame hive, 45x4cm for Dadant 10 frame hive 31.5cm 400pcs/ctn GW:16.7kg 72*31*50cm 37cm 350pcs/ctn GW:16.6kg 72*31*50cm 45cm 300pcs/ctn GW:16.5kg 72*31*50cm	Made from brand new materials, it has high strength and good toughness, and is resistant to impact, pressure and deformation.	1	300	0	Please confirm the size?
HA06-2	Plastic beehive entrance		size: 37 x4cm (Australian and Longstroth 10-frame beehive) Weight: 74g, material: pp	Made from brand new materials, it has high strength and good toughness, and is resistant to impact, pressure and deformation.	3000	0	0	
HA06-3	Plastic beehive entrance		size: 28*3.5cm, (Australian and Longstroth 8-frame beehive), weight: 41g, material: pp	Made from brand new materials, it has high strength and good toughness, and is resistant to impact, pressure and deformation.	3000	0	0	
HA07	Plastic beehive entrance		Material:PP,Size:189*30cm	Made from brand new materials, it has high strength and good toughness, and is resistant to impact, pressure and deformation.	1	1000	0	
HA09	Beehive entrance (12.5CM)		Diameter:125mm,Thickness:0.45mm, Material:Galvanized iron		1	200	0	
HA09-2	Stainless beehive entrance (6.8CM)		Diameter:68mm Thickness:0.8mm Material:stainless steel 201		1	1000	0	
HA09-3	Plastic beehive entrance (5CM)		Diameter:50mm		1	10000	0	
HA09-4	Plastic beehive rotate entrance (6.8CM)		Material:Plastic Color: yellow, blue, green, purple, red, white Size: 6.8mm	Made from brand new materials, it has high strength and good toughness, and is resistant to impact, pressure and deformation.	1	2500	0	Please confirm the color



HA09-5	Plastic beehive rotate entrance (8CM)		Material: Plastic, Color: yellow, blue, green, purple, red Size: 80mm	Made from brand new materials, it has high strength and good toughness, and is resistant to impact, pressure and deformation.	1	1200	0	Please confirm the color
HA09-6	Plastic beehive entrance (5CM)		Material: PP, weight: 3g	Made from brand new materials, it has high strength and good toughness, and is resistant to impact, pressure and deformation.	1	10000	0	Please confirm the color
HA09-6B	Plastic beehive entrance (Stainless steel 5CM)		Material: 201 Stainless steel, weight: 9.5g		1	1000	0	
HA09-7	Plastic beehive entrance (12.5CM)		Material: PP, weight: 15g	Made from brand new materials, it has high strength and good toughness, and is resistant to impact, pressure and deformation.	1	1000	0	Please confirm the color
HA09-8	Plastic beehive entrance (5.5CM)		Diameter: 50mm	Made from brand new materials, it has high strength and good toughness, and is resistant to impact, pressure and deformation.	1	2000	0	Please confirm the color
HA09-9	Plastic ventilators (5.5CM)		Diameter: 50mm	Made from brand new materials, it has high strength and good toughness, and is resistant to impact, pressure and deformation.	1	2000	0	Please confirm the color
HA09B	Beehive entrance (12.5CM)		Diameter: 125mm Thickness: 0.45mm Material: stainless steel 201		1	200	0	
HA13	Nuc box plastic bottom plate		Material: PP	Made from brand new materials, it has high strength and good toughness, and is resistant to impact, pressure and deformation.	1	1120	0	

HA14	10 frame spacer		Size:370*31mm, Thickness:0.3mm, Material:Galvanized iron,Weight:35g		1	500	0	
HA14-2	Frame spacer (8 frame)		Size:370*33mm, Material:Galvanized iron, Weight:30g		1	1000	0	
HA14-3	Frame spacer (10 frame)		375X21 (Galvanized iron)		1	1000	0	
HA14-4	Frame spacer (10 frame)		450X21 (Galvanized iron)		1	1000	0	
HA14-5	Frame spacer (10 frame or 8 frame)		9 holes length: 369mm (suitable for 10 frames hive) 7 holes length: 312mm (suitable for 8 frames hive)		50	450	0	
HA14-6	Frame spacer (9 frame)		Frame fixator (9 holes), product size: 372*30mm, weight: 60g, material: 201 stainless steel.		1000	0	0	
HA14-7	Frame spacer (11 frames)		Frame fixator (11 holes), product size: 445*30mm, Weight:72g, material: 201 stainless steel.		100	0	0	
HA15	Galvanized iron frames runners		Size:375*12mm/450*12mm, Material:Galvanized iron,Weight:29g		1	1000	0	




HA17	Spring Fastener (20pcs/ Bag)		Material:SUS201 20pcs/ Bag With 60 self-tapping screws		1	50	0	
HA17-2	Spring Fastener (20pcs/ Bag)		Material: SUS201, specification: 17.8x6cm, line diameter: 3mm, weight: 14g, With 60 self-tapping screws		1	50	0	The line diameter 4.0mm is usually used in Australia.
HA17-3	Spring Fastener (line diameter 4mm, 20pcs/ Bag)		Material: Galvanized iron, specification: 17.8x6cm, line diameter: 4mm, weight: 20g, With 60 self-tapping screws		50	50	0	The line diameter 4.0mm is usually used in Australia.
HA19	Bee Hive Insulation Wrap		Size: 500*270 500*430 Aluminum coating plus pearl cotton. Uses: In hot weather, it can refract strong light and reflect heat sources to achieve a cooling effect on the beehive; in cold weather, the pearl cotton in the middle of the double-layer aluminum film can achieve a heat preservation effect on the beehive.		100	150	0	
HA20	Beehive angle clamp		Size:7 *3mm, Weight: 26g, material: galvanized iron		1	600	0	
HA21	Beehive connector		Length:65mm Material:Galvanized iron Weight:88g		1	200	0	
HA22-2	Beehive handle		Size:110mm*90mm Handle dia:7mm Material:Galvanized iron Weight:95g		1	200	0	
HA22-3	Beehive handle		Size:120mm*90mm Material:Stainless Steel& surface white zinc plating treatment		1	100	0	

HA22-4	Beehive handle (Galvanized zinc plating iron)		Size:110mm*75mm Material:Galvanized zinc plating iron. Surface:white		100	100	0	
HA23	Anti bee robber gate (8 holes)		Length:415mm Width:85mm Material:Galvanized iron		1	50	0	
HA23-2	Anti bee robber gate (7holes)		Length:382mm Width:85mm Material:Galvanized iron		1	50	0	
HA24	Bee escape		Material:Iron		1	450	0	
HA25	8 ways bee escape (Diameter: 25.8cm)		Material:ABS, Weight:86g , Diameter: 25.8cm	Made from brand new materials, it has high strength and good toughness, and is resistant to impact, pressure and deformation.	1	100	0	
HA25-2	16 ways bee escape (Diameter: 25cm)		Material:ABS, Weight:95g, (Diameter: 25cm)	Made from brand new materials, it has high strength and good toughness, and is resistant to impact, pressure and deformation.	1	100	0	Please confirm the color
HA26	Bee escape		Material:ABS, Weight:95g, Size:12*1.1cm	Made from brand new materials, it has high strength and good toughness, and is resistant to impact, pressure and deformation.	1	100	0	
HA26-2	Bee escape (SUS201)		Material: SUS201, diameter:12cm		1	200	0	



HA27	Bee escape (Large)		Material:ABS:size:38x12.2cm	Made from brand new materials, it has high strength and good toughness, and is resistant to impact, pressure and deformation.	1	140	0	
HA28	Bee escape		Material:ABS Size: 110*43mm	Made from brand new materials, it has high strength and good toughness, and is resistant to impact, pressure and deformation.	1	2500	0	
HA29	Bee escape		Material:PP	Made from brand new materials, it has high strength and good toughness, and is resistant to impact, pressure and deformation.	1	450	0	
HA30	Plastic bee escape		Material:PP	Made from brand new materials, it has high strength and good toughness, and is resistant to impact, pressure and deformation.	1	1600	0	
HA31	Plastic bee escape		Material:PP	Made from brand new materials, it has high strength and good toughness, and is resistant to impact, pressure and deformation.	1	3000	0	
HA32	Beehive Number mark		Material:ABS	Made from brand new materials, it has high strength and good toughness, and is resistant to impact, pressure and deformation.	1	720	0	
HA32-2	Beehive Number mark		Material: PP, Color: red, yellow, blue, green, black, white, gray	Made from brand new materials, it has high strength and good toughness, and is resistant to impact, pressure and deformation.	1	600	0	Please confirm the color?
HA32-3	Beehive Number mark		Material: PP	Made from brand new materials, it has high strength and good toughness, and is resistant to impact, pressure and deformation.	1	500	0	Pls confirm which color you need

HA32-4	Beehive number mark (100pcs/Bag)		Material: ABS Weight: about 90g size: about 3.5 cm Hole diameter: about 4mm	Made from brand new materials, it has high strength and good toughness, and is resistant to impact, pressure and deformation.	1	80	0	
HA33	Plastic beehive fixator (snap fastener)		Material: ABS, 2pcs/set	Made from brand new materials, it has high strength and good toughness, and is resistant to impact, pressure and deformation.	1	500	0	
HA34	Frame support		Material: SUS201 Hanging beehive contact surface width 25.5mm, fit for beehive thickness 20-25mm Size: 46*6*2.6cm		1	40	0	
HA34-2	Frame support (2pcs/set)		Length: 215mm Width: 150mm Weight: 350g Material: stainless steel Material: SUS201 Hanging beehive contact surface width 25.5mm, fit for beehive thickness 20-25mm		1	40	0	
HA34-3	Frame support		Material: SUS201 Opening width: 22mm, please note if other sizes are needed The cantilever is 20cm and can be hung with 8 frames, inside widths is 455mm outside width is 465mm		1	40	0	
HA34-5	Frame support (new)		Thickness: 0.8cm, center outer diameter: 25cm, center inner diameter: 33.5cm, wrapped wire: 9cm, width outer diameter: 39.2cm, width inner diameter: 38cm. Inner void: 4cm. Weight: 383g. Material: 201 stainless steel		300	40	0	
HA34-6	Frame support		Product size: 17*14*1.8cm, beehive frame holder size: 2cm/0.8in product weight: 32g, packaging: OPP packaging, 6 pcs/OPP bag, material: ABS. color: green, balck. Suitable for the beehive with the thickness of 2cm.		1	300	0	
HA34-7	Frame support		Material: stainless steel, product size: 22.5*9*3cm, product weight: 138g, OPP packaging, color: yellow, dark bule, green and balck. Suitable for the beehive with the thickness of 2cm.		1	100	0	

HA44	Stainless steel mesh		Material: stainless steel 304, diamond shape mesh Aperture: 3*4mm Wire diameter: 0.5mm size can be customized; can be permeable plate, etc.		1	100	0	
HA45	Galvanized hive cover (Thickness: 0.5mm)		Product internal longitude: 32x32x5cm 52.5x42.5x6cm 57x57x6cm Material: galvanized iron, size can be customized		300	5	0	
HA46	Ant proof stand (201 stainless steel)		Product size: L82*W82*H67mm, product weight: 100g, material: 201 stainless steel		1	150	0	
HA47	Hive Carrier		Material: galvanized iron, Weight: 2.4kg Constructed of heavy duty steel tubing Helps you move hives and supers with ease Easy to assemble and disassemble for storage Designed for easy operation. The inner diameter of the product is 47.5cm, suitable for beehives with a width of less than 47.5cm		1	5	0	
HA48	Galvanized iron nail		Box nails- 2-1/4 inch long, loose filled, electro galvanized (50 LB/CTN)		1	23	0	
HA48-2	Galvanized iron nail		Frame nails- 1-1/4 inch long, loose filled, electro galvanized (50 LB/23kgs/CTN) PS:Unit price based on a carton		1	23	0	
HA49-1	Hive transfer connector-Shape "W"		Material: galvanized iron		1	400	0	
HA49-2	Hive transfer connector-Shape "U"		Material: galvanized iron			360	0	


HA51	Beehive ventilator (European)		Product material: PP; Product size: 54*54*35mm Diameter: 29mm, Colors: yellow/red/green/white/blue. Use: for beekeeping, to prevent the queen from escaping.	1. Compared with ordinary anti-escape tablets, there is no powder and no bee blocking. 2. The drone can be released in the non-bee season to save feed. Made from brand new materials, it has high strength and good toughness, and is resistant to impact, pressure and deformation.	1	1000	0	
HA54	European Style Stainless Steel Stretch Hive Door (150*24.5mm)		Material: 304 Stainless Steel Product size: 150*24.5mm		1	300	0	
HA54-2	European Style Stainless Steel Stretch Hive Door (300*24.5mm)		Material: 304 Stainless Steel Product size: 300*24.5mm		1	300	0	
HA54-3	European Style Stainless Steel Stretch Hive Door (400*24.5mm)		Material: 304 Stainless Steel Product size: 400*24.5mm		1	300	0	
GSP04	Comb Frame (Without comb box)		Material: ABS, Product size: 483*232mm PS: The standard package only comes with a frame, without a honey cassette. (Comb honey cassette--GSP04-2). The frame is recommended for use with 8 honey cassettes.		1	10	0	Patented products with LOGO, please confirm whether it is acceptable?
GSP04-2	Comb box (300g)		Material: PC, honey capacity :300g	Made from brand new materials, it has high strength and good toughness, and is resistant to impact, pressure and deformation.	1	100	0	
GSP04-4	Comb box (300g)		Material: PS. Product weight: 25.8g.	Made from brand new materials, it has high strength and good toughness, and is resistant to impact, pressure and deformation.	1	100	0	
F06	BB Plastic frame 483*232mm		Material:ABS, Size:483*232mm Appearance patent No:201830101118.2 cell size: 5.4mm	Patent Product: Appearance Patent No. 20183011118.2 New ABS plastic material, high temperature resistance, deformation resistance, seamless, no beetle hiding.	1	20	0	

F06-2	BB Plastic frame 483*175mm		Material:PS, Size:483*175mm Appearance patent No:201830101118. 2	Patent Product: Appearance Patent No. 20183011118. 2 New ABS plastic material, high temperature resistance, deformation resistance, seamless, no beetle hiding.	1	20	0	Please confirm the color, Patented products with LOGO, please confirm whether it is acceptable?
F06-3	BB Plastic frame 483*159mm		Material:PS, Size:483*159mm Appearance patent No:201830101118. 2	Patent Product: Appearance Patent No. 20183011118. 2 New ABS plastic material, high temperature resistance, deformation resistance, seamless, no beetle hiding.	1	20	0	Please confirm the color, Patented products with LOGO, please confirm whether it is acceptable?
F25	BB Comb production frame 483*159*42mm		Size:483*159*42mm Material: ABS Weight: 235g Remark: Each one fits with 8 nesting honey boxes, Without honey comb Cassettes. Utility model patent No.:02030368092. 5 Appearance patent No.:202030783832. 1	Patent product: Utility model patent number: 02030368092. five Design patent number: 202030783832. one New ABS material, high temperature resistant, deformation resistant, easy to assemble, no need for nails, can be used for beeswax foundations after threading metal wires, and can also be used for plastic foundations. It can be assembled into comb honey boxes to produce comb honey	1	40	0	
F25B	BB Comb production frame (including 16 pcs comb box)		Size:483*159*42mm Material: ABS Weight: 235g Remark: Each one fits with 8 nesting honey boxes, including 16pcs honey comb Cassettes and cover. Utility model patent No.:02030368092. 5 Appearance patent No.:202030783832. 1	Patent product: Utility model patent number: 02030368092. five Design patent number: 202030783832. one New ABS material, high temperature resistant, deformation resistant, easy to assemble, no need for nails, can be used for beeswax foundations after threading metal wires, and can also be used for plastic foundations. It can be assembled into comb honey boxes to produce comb honey. Food grade new plastic with honeycomb shaped bottom. Bees are more receptive and build nests quickly.	1	12	0	
F25-2	BB Combhoney production frame 483X227X42mm		Size: 483X227X42mm Material: ABS Weight: 260g Remark: Each one fits with 12 nesting honey boxes, Without honey comb Cassettes. Utility model patent No.:202030368092. 5 Appearance patent No.:202030783832. 1	Patent product: Utility model patent number: 02030368092. five Design patent number: 202030783832. one New ABS material, high temperature resistant, deformation resistant, easy to assemble, no need for nails, can be used for beeswax foundations after threading metal wires, and can also be used for plastic foundations. It can be assembled into comb honey boxes to produce comb honey	1	20	0	


F25-3	BB comb box 250g		Size: 106.5*68*36 mm Material: PS Utility model patent No:202030368092. 5 Appearance patent No:202030783832. 1	Patent product: Utility model patent No.:02030368092. 5 Appearance patent No.:202030783832. 1 Food grade new plastic with honeycomb shaped bottom. Bees are more receptive and build nests quickly.	1	200	0	
F25-2B	BB Comb production frame (including 24 pcs comb box)		Size: 483X227X42mm Material: ABS Weight: 260g Remark: Each one fits with 12 nesting honey boxes, including 24 pcs honey comb Cassettes. Utility model patent No.:202030368092. 5 Appearance patent No.:202030783832. 1 1sets/brown box/49.5*23.5*8cm	Patent product: Utility model patent number: 02030368092. five Design patent number: 202030783832. one New ABS material, high temperature resistant, deformation resistant, easy to assemble, no need for nails, can be used for beeswax foundations after threading metal wires, and can also be used for plastic foundations. It can be assembled into comb honey boxes to produce comb honey. Food grade new plastic with honeycomb shaped bottom. Bees are more receptive and build nests quickly.	1	9	0	
F30	No-wire embedder frame (Langstroth 483*125)		Material: PP+GF size: 483*125*35mm	Patent product: EU Patent Number: 015059532-0001 Chinese Patent No.: 202430201938.4 US Patent No. 29943480 Australian Patent: 202413445 Complete specifications, food grade PP material, can be boiled in water, resistant to deformation, and can be reused. Suitable for beeswax foundations and plastic foundations.	1	20	0	
F30-2	No-wire embedder frame (Langstroth 483*145)		Material: PP+GF size: 483*145*35mm	Patent product: EU Patent Number: 015059532-0001 Chinese Patent No.: 202430201938.4 US Patent No. 29943480 Australian Patent: 202413445 Complete specifications, food grade PP material, can be boiled in water, resistant to deformation, and can be reused. Suitable for beeswax foundations and plastic foundations.	1	20	0	

F30-3	No-wire embedder frame (Langstroth 483*160)		Material: PP+GF size: 483*160*35mm	Patent product: EU Patent Number: 015059532-0001 Chinese Patent No.: 202430201938.4 US Patent No. 29943480 Australian Patent: 202413445 Complete specifications, food grade PP material, can be boiled in water, resistant to deformation, and can be reused. Suitable for beeswax foundations and plastic foundations.	1	20	0	
F30-4	No-wire embedder frame (Langstroth 483*175)		Material: PP+GF size: 483*175*35mm	Patent product: EU Patent Number: 015059532-0001 Chinese Patent No.: 202430201938.4 US Patent No. 29943480 Australian Patent: 202413445 Complete specifications, food grade PP material, can be boiled in water, resistant to deformation, and can be reused. Suitable for beeswax foundations and plastic foundations.	1	20	0	
F30-5	No-wire embedder frame (Langstroth 483*230)		Material: PP+GF size: 483*230*35mm	Patent product: EU Patent Number: 015059532-0001 Chinese Patent No.: 202430201938.4 US Patent No. 29943480 Australian Patent: 202413445 Complete specifications, food grade PP material, can be boiled in water, resistant to deformation, and can be reused. Suitable for beeswax foundations and plastic foundations.	1	20	0	
F30-6	No-wire embedder frame (Langstroth 483*300)		Material: PP+GF size: 483*300*35mm	Patent product: EU Patent Number: 015059532-0001 Chinese Patent No.: 202430201938.4 US Patent No. 29943480 Australian Patent: 202413445 Complete specifications, food grade PP material, can be boiled in water, resistant to deformation, and can be reused. Suitable for beeswax foundations and plastic foundations.	1	20	0	


F30-7	No-wire embedder frame (Dadant 470*125)		Material: PP+GF size: 470*125*35mm	Patent product: EU Patent Number: 015059532-0001 Chinese Patent No.: 202430201938.4 US Patent No. 29943480 Australian Patent: 202413445 Complete specifications, food grade PP material, can be boiled in water, resistant to deformation, and can be reused. Suitable for beeswax foundations and plastic foundations.	1	20	0	
F30-8	No-wire embedder frame (Dadant 470*145)		Material: PP+GF size: 470*145*35mm	Patent product: EU Patent Number: 015059532-0001 Chinese Patent No.: 202430201938.4 US Patent No. 29943480 Australian Patent: 202413445 Complete specifications, food grade PP material, can be boiled in water, resistant to deformation, and can be reused. Suitable for beeswax foundations and plastic foundations.	1	20	0	
F30-9	No-wire embedder frame (Dadant 470*160)		Material: PP+GF size: 470*160*35mm	Patent product: EU Patent Number: 015059532-0001 Chinese Patent No.: 202430201938.4 US Patent No. 29943480 Australian Patent: 202413445 Complete specifications, food grade PP material, can be boiled in water, resistant to deformation, and can be reused. Suitable for beeswax foundations and plastic foundations.	1	20	0	
F30-10	No-wire embedder frame (Dadant 470*175)		Material: PP+GF size: 470*175*35mm	Patent product: EU Patent Number: 015059532-0001 Chinese Patent No.: 202430201938.4 US Patent No. 29943480 Australian Patent: 202413445 Complete specifications, food grade PP material, can be boiled in water, resistant to deformation, and can be reused. Suitable for beeswax foundations and plastic foundations.	1	20	0	


F30-11	No-wire embedder frame (Dadant 470*230)		Material: PP+GF size: 470*230*35mm	Patent product: EU Patent Number: 015059532-0001 Chinese Patent No.: 202430201938.4 US Patent No. 29943480 Australian Patent: 202413445 Complete specifications, food grade PP material, can be boiled in water, resistant to deformation, and can be reused. Suitable for beeswax foundations and plastic foundations.	1	20	0	
F30-12	No-wire embedder frame (Dadant 470*300)		Material: PP+GF size: 470*300*35mm	Patent product: EU Patent Number: 015059532-0001 Chinese Patent No.: 202430201938.4 US Patent No. 29943480 Australian Patent: 202413445 Complete specifications, food grade PP material, can be boiled in water, resistant to deformation, and can be reused. Suitable for beeswax foundations and plastic foundations.	1	20	0	
F01	Unassembled wooden frame		New Zealand pine without knot, 4 holes are punched in side bar. Size: 483*232/159/136*36mm, other size could be customized		1	100	0	Please confirm the size? Do side beam need to drilled holes? Does the bottom beam need to be slotted?
F02	Assembled wooden frame		New Zealand pine without knot, Side bar without holes. Size: 483*232/159/136*36mm, other size could be customized		1	20	0	Please confirm the size? Do side beam need to drilled holes? Does the bottom beam need to be slotted?Do you need copper eyes?
F02-2	Assembled wooden frame with plastic foundation		New Zealand pine without knot, Side bar without holes.fixed with black plastic foundation. Size: 483*232/159/136*36mm, other size could be customized		100	20	0	Is the plastic foundation waxed? Do you need food grade plastics?
F03	Wired wooden frame		New Zealand pine without knot, SUS 201, copper-plating eyelet. Size: 483*232/159/136*36mm, other size could be customized		100	20	0	Please confirm the size? Does the bottom beam need to be slotted?
F04	Wired wooden frame with beeswax foundation		New Zealand pine without knot, SUS 201, 30% beeswax foundation sheet, copper-plating eyelet. Size: 483*232/159/136*36mm, other size could be customized		200	20	0	Please confirm the size? Does the bottom beam need to be slotted?

F31-9	Plastic dadant frame (470*160)		Product size: 470*160*35.5mm Cell size:5.4mm	Food grade PS material, can be boiled in water, high temperature resistant, deformation resistant, and can be reused repeatedly. Deeper nests allow bees to quickly build their nests.	1	50	0	
F31-12	Plastic dadant frame (470*300)		Product size:470*300*35.5mm Cell size:5.4mm	Food grade PS material, can be boiled in water, high temperature resistant, deformation resistant, and can be reused re	1	20	0	
F07	Plastic frame 483*232mm		Material:PS, Size:483*232mm		1	50	0	Please confirm the color
F07-2	Plastic frame 483*175mm		Material:ABS, Size:483*175mm		1	50	0	Please confirm the color
F07-3	Plastic frame 483*159mm		Material:ABS, Size:483*159mm		1	50	0	Please confirm the color
F07-4	Plastic frame 483*136mm		Material:ABS, Size:483*136mm		1	50	0	Please confirm the color
F07-5	Plastic frame 483*125mm		Material:ABS, Size:483*125mm		1	50	0	Please confirm the color
F08	Flow hive frames (1PC)		Material:ABS 7 pcs of frames for a set; Price is for one piece of frames.		1	7	0	The price is 1 frame

F09	Plastic frame (Without foundation)		Material:PP, Size:485*235*28mm		1	20	0	
F10	250g Comb frame		Material:ABS Size:483*240*448mm	Made from brand new materials, it has high strength and good toughness, and is resistant to impact, pressure and deformation.	1	40	0	
F10B	Comb box 250g		Material:PS, Volume:250g Internal Dimensions:9.5*6.5*3.5cm Exterior Demensions:10.4*7.2*4.2cm	Made from brand new materials, it has high strength and good toughness, and is resistant to impact, pressure and deformation.	1	150	0	
F11	500g Comb frame		Material:ps Material:ABS Size:483*228*448mm	Made from brand new materials, it has high strength and good toughness, and is resistant to impact, pressure and deformation.	1	40	0	
F11B	Comb box 500g		Material:PS, Volume:500g Internal Dimensions:13.2*9*3cm Exterior Demensions:14.1*9.9*4.4cm	Made from brand new materials, it has high strength and good toughness, and is resistant to impact, pressure and deformation.	1	100	0	
F12	Comb frame		Material:pp	Made from brand new materials, it has high strength and good toughness, and is resistant to impact, pressure and deformation.	1	36	0	
F12B	Heart-shaped Comb frame		Material:ps	Made from brand new materials, it has high strength and good toughness, and is resistant to impact, pressure and deformation.	1	144	0	
F13	Plastic frame spacer		Material:PP		1	500	0	

F14	Frame spacer (9 frame)		Material:ABS, Suitable for use in Langstroth 10 frames beehive, ranging 9 frames	Made from brand new materials, it has high strength and good toughness, and is resistant to impact, pressure and deformation.	1	260	0	
F14-2	Frame spacer (7 frame)		Material:ABS, Suitable for use in Langstroth 8 frames beehive, ranging 7 frames	Made from brand new materials, it has high strength and good toughness, and is resistant to impact, pressure and deformation.	1	220	0	
F14-3	Frame spacer (8 frame)		Material:ABS, Suitable for use in Langstroth 10 frame beehive, ranging 8 frames	Made from brand new materials, it has high strength and good toughness, and is resistant to impact, pressure and deformation.	1	260	0	
F14-4	Stainless steel frame spacer (9 frame)		Material:SUS201, size:39x6cm		1	100	0	
F15	Frame spacer		Material:PP, Weight:5.5g	Made from brand new materials, it has high strength and good toughness, and is resistant to impact, pressure and deformation.	1	4000	0	
F16	Plastic frame (small)		Weight: 18g, material: PP, frame size: 8.5*6.5cm. Suitable for 159mm frames of Langstroth super box, the capacity of 10 frames.	Made from brand new materials, it has high strength and good toughness, and is resistant to impact, pressure and deformation.	5000	0	0	
F16-2	Plastic frame		Weight: 27g, material: PP, frame size: 13*10.5cm. Suitable for 159mm frames of Langstroth super box, the capacity of 4 frames.	Made from brand new materials, it has high strength and good toughness, and is resistant to impact, pressure and deformation.	5000	0	0	
F18	Queen bee rearing frame (With cage)		Material: New Zealand pine without knot/Size:customized Default 483*232mm size, pine material Without foundation, included 24 queen, cagesnot include cell cup.		1	19	0	

F19	Plastic frame for mating nuc box		Size: 25*3.5*16.1cm ,Material: ABS,Weight: 79g	Made from brand new materials, it has high strength and good toughness, and is resistant to impact, pressure and deformation.	1000	100	0	
F21	Comb cutter (Large)		Size:10.5*10.5*4.7cm,Material:stainless steel,Weight:208g		1	60	0	
F22	Comb cutter (smaller)		Size:9.2*9.2*4.7cm,Material:stainless steel,Weight:182g		1	88	0	
F23	BB Plastic frame (unasssembled)		Material: ABS, Size: 483 * 232mm, 483 * 159mm	Made from brand new materials, it has high strength and good toughness, and is resistant to impact, pressure and deformation.	1	100	0	Please confirm color, size
F26	Frame saver		size :8.5x2cm Material :201 stainless steel weight :13g thickness: 1.0mm		1	500	0	
F27	Bee bread frame		Size: 105*95*15 mm Material: PP weight :58g	Made from brand new materials, it has high strength and good toughness, and is resistant to impact, pressure and deformation.	1	400	0	
F28	Bee bread pressing machine		Material: Painted Iron Size: 20x16cm weight :2.8kg		1	1	0	
F28-2	Bee bread press		Size: 105*95*15 mm Material: ABS	Made from brand new materials, it has high strength and good toughness, and is resistant to impact, pressure and deformation.	1	100	0	

F29	Frames turnover box (not including the frames)		Material: PP. Product weight: 3.3KG, product outer size: 62*45*34.5cm, inner size: 54.5*38.7*32.2cm. PS: It does not include the frames(can fit 8 frames,two layers).	Made of food-grade PP+ABS material, with a sturdy structure, strong load-bearing capacity, and compatible with various nesting frames. The movable support design offers high flexibility.	10	1	0	Kindly remind that the box can not be stacked for package and shipping.Do you accept stuffing inside to reduce the total volume and save freight?
WT01	Economy wire embedder		Length:145mm, Weight:31g, Material:Wooden&Galvanized iron		1	1000	0	
WT01-10	Wire embedder		Material:Wooden&SUS201		1	150	0	
WT01-11	Wire embedder (US)		Material:PP &Gavanized Iron		1	150	0	
WT01-12	Wire embedder		Voltage:12V Power:40W		1	60	0	
WT01-13	Wire embedder		size: 66*25*75cm NPUT:AC2205060Hz DC12-24 OUTPUT:DC24V		1	1	0	Do you need an air pump? Please confirm the plug?
WT01-2	Wire embedder		Length:230mm, Weight:62g, Material:Wooden, Galvanized iron &Red copper		1	250	0	
WT01-3	Wire embedder		Length:237mm Weight:48g, Material:Plastic&Galvanized iron &Red copper		1	500	0	

WT01-4	Wire embedder (Spur)		Material:Wooden&Copper		1	300	0	
WT01-4B	Wire embedder (Manual Copper Head Roller)		The length of the product is 22.6cm, the length of the wooden handle is 10.5cm, the length of the pole is 10.8cm, and the length of the copper head is 4.8cm. Product weight: 85g, material: wooden handle, copper head.		1000	300	0	
WT01-5	Wire embedder		Rated power:30W, Material:Copper, plugs (Customized)		1	100	0	Please confirm the plug
WT01-6	BB wire embedder		Rated power:30W, Material:Copper, plugs (Customized)		1	100	0	Please confirm the plug
WT01-7	Wire embedder		Length:230mm, Weight:62g, Material:Wooden, Galvanized iron		1	500	0	
WT01-8	Wire embedder		INPUT:AC2205060Hz DC12-24 OUTPUT:DC24V Step 1 Turn on the power, put the frame (the wire has in the frame) on the product. Notice: The contact point of the machine and frame should be the end of the wire and the other end of the wire. The dot means contact point Step 2 Put the comb foundation on the wire Step 3 Put the up-pressing board on the comb foundation, press it and step on the pedal. the light will flash. Step 4 When the light stop flashes, wait for another one second, the operations complete.		1	1	0	Please confirm the plug
WT01-9	Wire embedder		Input DC 110-220V output 9V power 40W plugs (Customized)		1	20	0	Please confirm the plug

WT01-9B	Adjustable voltage frame wire embedder		Size: 13*6*3.5, Output voltage: adjustable from 3-36V Power: 72W Current: 2A temperature control range:1-180℃		1	100	0	Please confirm the plug
WT02	Wire crimper		Material: Plastic &Zinc plated	Made from brand new materials, it has high strength and good toughness, and is resistant to impact, pressure and deformation.	1	200	0	
WT02-2	Wire crimper (copper gears)		Material: Plastic and copper gears	Made from brand new materials, it has high strength and good toughness, and is resistant to impact, pressure and deformation.	1	300	0	
WT02-3B	BB Wire crimper (Stainless)		Material:SUS304&Iron wheel Size:13.5*5.7*2.3cm(thick)		1	80	0	
WT02-4	Wire crimper (Stainless)		Material:SUS304&Iron wheel		1	100	0	
WT02-6	Wire crimper (Stainless)		Material: USU201+ iron galvanized (gear), product weight: 163g, product size: L148*W60*H28mm		1	100	0	
WT02-7	Wire crimper (Colored zinc plated)		Size: 195*85*40 mm Material: Iron with colored zinc Weight: 320g CTN: 45*29*22cm 50 PCS/CTN NW: 16kg GW: 16.5kg		1	50	0	
WT03	Wire cutter		Material:Iron		1	200	0	

WT03-2	Wire spool holder		Material:iron		1	50	0	
WT03-3	Wire spool holder		Material:galvanized sheet		1	40	0	
WT04	Wire pliers		Material:High-carbon steel		1	200	0	
WT05	Awl		Material:SUS201		1	480	0	
WT05-2	Awl		Material:SUS201		1	400	0	
WT05-3	Awl		Material:SUS304		1	500	0	
WT06	Bee Frame Eyelet Puncher		Material:Wooden&SUS201		1	34	0	
WT06-2	Hole punch		Material:IRON		1	20	0	


WT06-3	Eu Hole Puch		Weight:4.9kg dimension: 75*350*480mm Packing dimension: 75*350*270mm(Folding arm package)		100	5	0	
WT07	Frame threading rack		Material:IRON Product dimensions: 61*26*5cm		1	14	0	
WT07-2	Frame threading rack		Material:IRON		1	14	0	
WT08	Beeswax septum knife		Disc diameter : 66mm,thickness : 19mm, length : 120mm, weight : 74g		1	125	0	
WT10-1	Galvanized wire (250G)		Material:Galvanized iron Wire diameter:Customized		1	40	0	Please confirm the wire diameter
WT10-2	Galvanized wire (500G)		Material:Galvanized iron Wire diameter:Customized		1	40	0	Please confirm the wire diameter
WT10-3	Galvanized wire (1000G)		Material:Galvanized iron Wire diameter:Customized		1	20	0	Please confirm the wire diameter,0.4mm or 0.55mm?
WT11-1	201Stainless wire 0.25kg/roll		Material:SUS201,Wire diameter:Customized		1	40	0	Please confirm the wire diameter

WT11-2	201Stainless wire 0.5kg/roll		Material:SUS201,Wire diameter:Customized		1	40	0	Please confirm the wire diameter
WT11-3	201Stainless wire 1kg/roll		Material:SUS201,Wire diameter:Customized		1	20	0	Please confirm the wire diameter
WT12-1	304Stainless wire 0.25kg/roll		Material:SUS304,Wire diameter:Customized	With an 8% nickel content, it has better ductility and is less prone to breakage during stretching.	1	40	0	Please confirm the wire diameter
WT12-2	304Stainless steel wire 0.5kg/roll		Material:SUS304,Wire diameter:Customized	With an 8% nickel content, it has better ductility and is less prone to breakage during stretching.	1	40	0	Please confirm the wire diameter
WT12-3	304Stainless steel wire 1kg/roll		Material:SUS304,Wire diameter:Customized	With an 8% nickel content, it has better ductility and is less prone to breakage during stretching.	1	20	0	Please confirm the wire diameter
WT13	Pure copper eyelets (1KG/BAG)		Material:pure copper Size:4.5*4.5*2.5mm or 6.5*5*3mm (Other sizes can be customized)		1	25	0	Please confirm the size?
WT14	Iron eyelets (1KG/BAG)		Material:Iron Size:4.5*4.5*2.5mm or 6.5*5*3mm (Other sizes can be customized)		1	25	0	Please confirm the size?
WT15	304 stainless steel eyelets (1KG/BAG)		Material: 304 stainless steel Size:6.5*5*3mm (Other sizes can be customized)		1	25	0	


WT16	Foundation clip nail (1000pcs/bag)		Material:Iron width:0.55cm, length:2.55cm, opening:0.25cm; 1000pcs/bag, 0.9kg/bag		1	10	0	
EC02-5	SUS304 US style queen excluder (4 edges rimmed)		Material: SUS304, wire diameter: 1.9mm, clearance: 4.2mm, size: can be customized	304 stainless steel material, not easy to rust, finely polished, no solder joints	100	20	0	Please confirm the size? There are solder joints on the edges, which are normal quality standards.
EC04	Australian style excluder (4 edges rimmed)		Material: galvanized iron, wire diameter: 1.9mm, clearance: 4.2mm, size: can be customized	Australian standard, precise clearance, sturdy, not easily deformed	100	20	0	Please confirm the size?
EC06	Plastic queen excluder (Arc)		Material: PP, clearance: 4.2MM, Size:510*410mm/460*460mm/435*435mm/506*406mm/506*353mm/500*500mm/470*410/500*430mm/540*440mm	Made from brand new materials, it has high strength and good toughness, and is resistant to impact, pressure and deformation.	1	50	0	Please confirm the size?
EC09-2	Propolis collector (New Zealand style)		Material:PP size: 500*400mm	New Zealand standard, new plastic material, deformation resistant	1	50	0	
EC10	European style excluder (no edges rimmed)		Material:Galvanized iron , wire diameter: 1.9mm, clearance: 4.2mm, size: can be customized	European standard, electroplating is better, stronger, and less prone to deformation	100	30	0	Please confirm the size?
EC12	Painting metal queen excluder		Material: galvanized iron wire, wire diameter: 1.9mm, gap: 4.2mm, size: customizable, surface painted	High temperature baking paint, longer use time, customizable in any color	100	20	0	
EC01-1	US style queen excluder (no edges rimmed)		Material: galvanized iron, wire diameter: 1.9mm, clearance: 4.2mm, 4 Edges without rimmed, size: can be customized	The individual galvanizing process for the iron wire eliminates acid residue, making the product less prone to corrosion and rust.	1	30	0	Please confirm the size?




EC01-2	US style queen excluder (2 edges rimmed)		Material: Galvanized iron, wire diameter: 1.9mm, clearance: 4.2mm, size: can be customized	The individual galvanizing process for the iron wire eliminates acid residue, making the product less prone to corrosion and rust.	1	20	0	Please confirm the size?
EC01-3	US style queen excluder (4 edges rimmed)		Material: galvanized iron, wire diameter: 1.9mm, clearance: 4.2mm, size: can be customized	The individual galvanizing process for the iron wire eliminates acid residue, making the product less prone to corrosion and rust.	1	20	0	Please confirm the size?
EC01-4	US style queen excluder (4 edges wooden)		Material: galvanized iron, wire diameter: 1.9mm, clearance: 4.2mm, size: can be customized	The individual galvanizing process for the iron wire eliminates acid residue, making the product less prone to corrosion and rust.	200	25	0	Please provide the size? Please note that this product contains galvanized metal components and natural wood parts. Wood may slowly release moisture due to changes in temperature and humidity. Prolonged close contact in enclosed conditions may lead to corrosion of the galvanized layer, which could cause rust spots and affect the product's appearance and service life. We provide this notice for all products that
EC01-5	US style queen excluder (4 wide edges rimmed)		Material: Galvanized iron, wire diameter: 1.9mm, clearance: 4.2mm, size: can be customized	The individual galvanizing process for the iron wire eliminates acid residue, making the product less prone to corrosion and rust.	100	20	0	Please confirm the size?
EC01-6	US style queen excluder (th readed, with 2 wide rims and 2 narrow rims)		Material: galvanized iron, wire diameter: 2.0mm, clearance: 4.15mm, Long rim: 35mm Short rim: 25mm size: can be customized	The individual galvanizing process for the iron wire eliminates acid residue, making the product less prone to corrosion and rust.	100	20	0	Please confirm the size?
EC02	SS304 US style queen excluder (no edges rimmed)		Material: SS304, wire diameter: 1.9mm, clearance: 4.2mm, size: can be customized		1	20	0	Please confirm the size? There are solder joints on the edges, which are normal quality standards.

EC02-2	SS304 US style queen excluder (2 edges rimmed)		Material: SS304, wire diameter: 1.9mm, clearance: 4.2mm, size: can be customized		1	20	0	Please confirm the size? There are solder joints on the edges, which are normal quality standards.
EC02-3	SS304 US style queen excluder (4 edges rimmed)		Material: SS304, wire diameter: 1.9mm, clearance: 4.2mm, size: can be customized		1	20	0	Please confirm the size? There are solder joints on the edges, which are normal quality standards.
EC02-4	SS304 US style queen excluder (4 edges rimmed)		Material: SS304, wire diameter: 1.9mm, clearance: 4.2mm, size: can be customized		200	20	0	Please confirm the size? There are solder joints on the edges, which are normal quality standards.
EC02B	SUS201 US style queen excluder (no edges rimmed)		Material: SUS201, wire diameter: 1.9mm, clearance: 4.2mm, size: can be customized		1	20	0	
EC02B-2	SUS201 US style queen excluder (2 edges rimmed)		Material: SUS201, wire diameter: 1.9mm, clearance: 4.2mm, size: can be customized		1	20	0	Please confirm the size? There are solder joints on the edges, which are normal quality standards.
EC02B-3	SUS201 US style queen excluder (4 edges rimmed)		Material: SUS201, wire diameter: 1.9mm, clearance: 4.2mm, size: can be customized		1	20	0	Please confirm the size? There are solder joints on the edges, which are normal quality standards.
EC02B-4	SS201 US style queen excluder (4 edges rimmed)		Material: SS201, wire diameter: 1.9mm, clearance: 4.2mm, size: can be customized		1	20	0	Please confirm the size? There are solder joints on the edges, which are normal quality standards.
EC02B-5	SS201 US style queen excluder (4 edges rimmed)		Material: SS201, wire diameter: 1.9mm, clearance: 4.2mm, size: can be customized		100	20	0	Please confirm the size? There are solder joints on the edges, which are normal quality standards.



EC03	Aluminium queen excluder		Material: aluminum, clearance: 4.2MM, size: can be customized Mini oder QTY need 200pcs each size		100	50	0	Please confirm the size?
EC05	Plastic queen excluder		Material: PP, clearance: 4.2MM, size:510*410mm/510*360mm/506*406mm/506*353mm/500*500mm/460*460mm/510*420mm/500*425mm/510*425mm/485*400mm/435*435mm/470*410mm/500*450mm/510*360mm/506*360mm/500*430mm/501*351mm/478*378mm	Made from brand new materials, it has high strength and good toughness, and is resistant to impact, pressure and deformation.	1	100	0	Please confirm the size?
EC07	Bamboo planar queen excluder		Material: bamboo		100	25	0	
EC07-3	Korean bamboo queen excluder		Material: bamboo		100	50	0	
EC08	Plastic queen vertical excluder		Material:ABS Size: 490*260mm		1	40	0	
EC08-2	Plastic planar queen excluder		Material:ABS size:510*410mm		1	30	0	Please confirm the size?
EC09-1	Propolis collector		Material:PP Product size: 500*400mm		1	50	0	Please confirm the size?
EC09-3	Propolis collector		Material:PVC Aperture 1.5*1.5mm, Single weight: 45g size: Can be customized to any size		100	500	0	Please confirm the size?

EC09-4	Propolis collector		Size: 51*42*0.2cm, weight: 244g. It is made of plastic and can be rolled.	Made from brand new materials, it has high strength and good toughness, and is resistant to impact, pressure and deformation.	1000	50	0	Please confirm the size?
CF03	Plastic foundation		Room cell:5.3mm, Weight:140g, Material:PS, Size:425*280mm/425*212mm/425*212mm/425*161mm/425*157mm/425*141mm/425*125mm/425*121mm/425*115mm, Technology:Injection molding, any colour	New plastic materials (non recycled materials) are more friendly to honey, resistant to high temperatures, deformation, and have a deeper diameter, making them easier for bees to accept. There will be no drones.	1	200	0	Please confirm the size? Color?
CF06	Plastic foundation (Ventilated)		Weight:96g, Material:ABS, Size:425*212mm/425*141mm, Color: yellow	New plastic materials (non recycled materials) are more friendly to honey, resistant to high temperatures and deformation, and bees can communicate on both sides to build nests faster.	1	100	0	
CF01	Beewax foundation		Unit price is based on pure beeswax content: 30%. Other Pure content (40%~100%) for beeswax can be customized room diameter:4.75~5.4mm(customized) Packing:30pcs/inner box 10inner boxes(300pcs)/ctn		1	25	0	Please confirm the pure beeswax content? size? Single weight? Nest room diameter?
FD13	BB Top feeder (Australia style 3.5L) (Patent)		Material: ABS+PS, Weight: 1004g, size: 505*405mm, CN Patent No.ZL 2019 3 0629685.X.	Patent product: Chinese patent number ZL 2019 3 062968.5X New ABS plastic material, non polluting to bee food, resistant to deformation, large capacity, suitable for standard Langstroth beehives. Bees have an upward habit, which can make them more willing to eat. It also facilitates beekeepers to inspect and increase feed without disturbing bees.	1	20	0	
FD13-2	BB Top feeder (US style 4.5L) (Patent)		Material: ABS+PS, Weight: 1150g, size: 505*405mm, CN Patent No.ZL 2019 3 0629684.5	Patent product: Chinese patent number ZL 2019 3 062968.5X New ABS plastic material, non polluting to bee food, resistant to deformation, large capacity, suitable for standard Langstroth beehives. Bees have an upward habit, which can make them more willing to eat. It also facilitates beekeepers to inspect and increase feed without disturbing bees.	1	10	0	






FD13B	BB Top feeder (Australia 8frames 2.5L) (Patent)		Material: ABS,size:506*353mm Water capacity: 2.5L Weight: 1000g CN Patent No.ZL 2019 3 0629685.X.	Patent product: Chinese patent number ZL 2019 3 062968.5X New ABS plastic material, non polluting to bee food, resistant to deformation, large capacity, suitable for standard 8frames Langstroth beehives. Bees have an upward habit, which can make them more willing to eat. It also facilitates beekeepers to inspect and increase feed without disturbing bees.	1	20	0	
FD29	Langstroth Wet and dry top feeder(500*405*49mm)		Put pollen feed in the hexagonal hole, and put sugar water in the other side. Product size: 500*405*49mm Material: ABS+PP, Feed capacity: 1.5L, Syrup capacity: 2.4L	Patent product: US Patent No. 29/960738 EU Patent No. 015070340-0001 Chinese Patent No. : 02430379666.7 New food grade PP plastic material, no pollution to bee food, anti deformation, large capacity, can be fed with pollen and sugar water at the same time, equipped with a lid to prevent other bee colonies and bird flocks from stealing food. It can facilitate beekeepers to inspect and increase bee food.	100	10	0	
FD29-2	Langstroth Wet and dry top feeder(500*410*49mm)		Put pollen feed in the hexagonal hole, and put sugar water in the other side. Product size: 500*410*49mm Material: ABS+PP, Feed capacity: 1.5L, Syrup capacity: 2.4L	Patent product: US Patent No. 29/960738 EU Patent No. 015070340-0001 Chinese Patent No. : 02430379666.7 New food grade PP plastic material, no pollution to bee food, anti deformation, large capacity, can be fed with pollen and sugar water at the same time, equipped with a lid to prevent other bee colonies and bird flocks from stealing food. It can facilitate beekeepers to inspect and increase bee food.	100	10	0	
FD29-3	Dadant Wet and dry top feeder(500*420*49mm)		Put pollen feed in the hexagonal hole, and put sugar water in the other side. Product size: 500*420*49mm Material: ABS+PP, Feed capacity: 1.5L, Syrup capacity: 2.4L	Patent product: US Patent No. 29/960738 EU Patent No. 015070340-0001 Chinese Patent No. : 02430379666.7 New food grade PP plastic material, no pollution to bee food, anti deformation, large capacity, can be fed with pollen and sugar water at the same time, equipped with a lid to prevent other bee colonies and bird flocks from stealing food. It can facilitate beekeepers to inspect and increase bee food.	100	10	0	





FD01W	Frame feeder (Langstroth1 /1 6L, wood cover)		Material:PP, Size:483*80*230mm, Volume:6L, Weight:850g, langstroth	Made from brand new materials, it has high strength and good toughness, and is resistant to impact, pressure and deformation.	1	25	0	
FD02	Frame feeder (Langstroth1 /1 6L)		Material:PP, Size:483*80*230mm, Volume:6L, Weight:850g, langstroth cover and ladder can be unassembled.	Made from brand new materials, it has high strength and good toughness, and is resistant to impact, pressure and deformation.	1	30	0	
FD01-3	Frame feeder (Langstroth1 /1 6L)		Material: PP Lid: Yellow Ladder: White Bucket Body: Black Size: 483*80*230mm Capacity: 6kg	Made from brand new materials, it has high strength and good toughness, and is resistant to impact, pressure and deformation.	1	30	0	
FD02-2C	Frame feeder		Material: PP Lid: Yellow Ladder: White Bucket Body: Black Size: 483*50*230mm Capacity: 4kg	Made from brand new materials, it has high strength and good toughness, and is resistant to impact, pressure and deformation.	1	30	0	
FD02-2	Division feeder (4L)		Material:PP, Size:483*55*220mm, Volume:4L, Weight:620g, langstroth two options of color, black or yellow.	Made from brand new materials, it has high strength and good toughness, and is resistant to impact, pressure and deformation.	1	30	0	
FD02-2W	Wooden cover US feeder (4L)		Material: PP barrel + pine cover + PP ladder Capacity: 4L	Made from brand new materials, it has high strength and good toughness, and is resistant to impact, pressure and deformation.	1	18	0	
FD02-3	Division feeder (0.5L)		Material:PP, Size:233*120*25mm, Volume:0.5L, Weight:114g	Made from brand new materials, it has high strength and good toughness, and is resistant to impact, pressure and deformation.	1	140	0	
FD02-4	European black bee feeder		Size 483*53*225mm Material: PP Capacity: 4kg Weight: 644g CTN: 50*33*55cm 30 PCS/CTN NW: 19.32kg GW: 20.3kg	Made from brand new materials, it has high strength and good toughness, and is resistant to impact, pressure and deformation.	1	30	0	

FD03	Division feeder (0.75L)		Material:PP, Volume:0.75kg Product size: total length 490mm width 40mm height 35mm		1	750	0	Please confirm if the length of 490CM is suitable for your local market?
FD03-2	Division feeder (1.5L)		Material:PP, Volume:1.5L Product size: total length 490mm width 63mm height 55mm		1	200	0	Please confirm if the length of 490CM is suitable for your local market?
FD03-3	Division feeder (3L)		Material:PP, Volume:3L Product size: total length 490mm width 77mm height 108mm		1	100	0	Please confirm if the length of 490CM is suitable for your local market?
FD03-4	Division feeder (1L)		Material:PP, Volume:1L Product size: total length 490mm width 50mm height 70mm		1	170	0	Please confirm if the length of 490CM is suitable for your local market?
FD03-5	Division feeder (0.6L)		Material:PP, Volume:0.6L Product size: total length 490mm width 35mm height 30mm		1	600	0	Please confirm if the length of 490CM is suitable for your local market?
FD03-6	Division feeder (1.6L)		Material:PP, Volume:1.6L Product size: total length 490mm width 56mm height 54mm		1	250	0	Please confirm if the length of 490CM is suitable for your local market?
FD04	Entrance feeder (0.5L)		Material:PP	Made from brand new materials, it has high strength and good toughness, and is resistant to impact, pressure and deformation.	1	200	0	
FD05	Bottle feeder		Material:PP size: 16cm	Made from brand new materials, it has high strength and good toughness, and is resistant to impact, pressure and deformation.	1	800	0	

FD02-5	Langstroth feeder (1.5L)		Material: PP. Product weight: 320g.	Made from brand new materials, it has high strength and good toughness, and is resistant to impact, pressure and deformation.	1	50	0	
FD06	Division feeder (4L)		Material: Wooden, Size: 483*35*240mm, Volume: 6kg		200	12	0	
FD07	Top feeder (ABS cover 6L)		Material: ABS, Volume: 6L Size: 39*33*7.5cm	Made from brand new materials, it has high strength and good toughness, and is resistant to impact, pressure and deformation.	1	10	0	
FD07B	Top feeder (PS cover 6L)		Material: PS+ABS, Volume: 6L Size: 390x330x75mm	Made with brand new materials, the transparent cap design allows you to observe the bees feeding without disturbing them.	1	10	0	
FD08	PP Top feeder (2L)		Material: PP Size: 260X55mm, Weight: 274g, Water capacity: 2L	Made from brand new materials, it has high strength and good toughness, and is resistant to impact, pressure and deformation.	1	50	0	
FD08-3	Top feeder (1.3L)		Material: PP+PS, Size: 210X55mm Weight: 163g, Water capacity: 1.3L 1pc/inner box	Made from brand new materials, it has high strength and good toughness, and is resistant to impact, pressure and deformation.	1	40	0	
FD08-4	Top feeder (1.7L)		Material: PP+PS Size: 217X85mm, Weight: 281g, Water capacity: 1.7L	Made from brand new materials, it has high strength and good toughness, and is resistant to impact, pressure and deformation.	1	54	0	
FD09	Pollen feeder		Material: PP Size: 490X445*23mm, Weight: 500g		1	40	0	

FD10	Bottle feeder		Handle length:10cm,Weight:0.02kg		1	700	0	
FD11	Entrance feeder (1.5L)		Material:PP+ABS, Volume:1.5L	Made from brand new materials, it has high strength and good toughness, and is resistant to impact, pressure and deformation.	1	50	0	
FD12	Boardman feeder		Material: PP&Aluminum 1pc/pp bag	Made from brand new materials, it has high strength and good toughness, and is resistant to impact, pressure and deformation.	1	240	0	
FD14	Top feeder		Weight: 340g		1000	20	0	
FD15	Entrance feeder (1L)		Material:PP, Volume:750ML	Made from brand new materials, it has high strength and good toughness, and is resistant to impact, pressure and deformation.	1	100	0	
FD17	Entrance feeder (500ML)		Material:PP, Volume:500ML	Made from brand new materials, it has high strength and good toughness, and is resistant to impact, pressure and deformation.	1	140	0	
FD18	Top feeder (1.6L)		Material:HIPS+PS, size:18.5*18.5*5.5cm, weight: 260g	Made from brand new materials, it has high strength and good toughness, and is resistant to impact, pressure and deformation.	1	60	0	
FD21	Boardman feeder		Material: PP Weight: 28g suitable for 75 caliber glass bottles, no glass bottles		1000	200	0	

FD22	Boardman feeder (Pine + Galvanized Iron)		Material: Pine + Galvanized Iron Product weight: 350 g Product size: L170*W113*H35mm		1	60	0	
FD23	Wood Feeder		any dimension/size can be customized.		100	0	0	please advise the dimension you need.
FD24	Bee feeder		Outer diameter: 48*2.8*22.5cm, The height is 24.5cm. Inner diameter: 43.8**3*18.5cm, Material: PP. Weight: 522g.		1000	30	0	
FD25	Bee feeder (white)		Outer diameter: 47*29.5*3.1cm, Inner diameter: 43*2.2*29.3cm, Weight: 612g, Material: PP.		1000	30	0	
FD26	Bee feeder (white)		Weight: 397g Size: 383*210*35mm Material: PP.		1000	30	0	
FD28	Floating bee island		Material: PP, product size: 220x180x3mm (large size, weight: 54g), 180x150x3mm (small size, 37g), color can be customized.		100	100	0	
FD30	Floating Bee Ladder		Material: PP, product size: 18x7x1.2cm, product weight: 12g, OPP packaging		2000	400	0	
FD31	Plastic Bee Top Feeder		Outer diameter size: 510*413*60mm, inner diameter size: 40*33*5cm, double-sided single hole size: 6.5*0.7cm Material: PP Weight: 1150g CTN: 52*43*62cm 10 PCS/CTN NW: 11.5kg GW: 13.5kg		1	10	0	


FD32	Silicone hexagonal water feeder		Material: Silicone Product Size: 16142 cm Product Weight: 101 g Compatible with 2.75/3.38 inch bottles (two bottle sizes are universal) Made of 100% silicone Deep and shallow hexagonal grooves Honey-safe drainage design		100	120	0	
PT01	Pollen trap		Material:ABS+PP,Weight:430g Product size: 390*9.3*135mm 1pc/brown box/40*15*12.5cm/0.55kg	Made from brand new materials, it has high strength and good toughness, and is resistant to impact, pressure and deformation.	1	20	0	
PT02	Pollen trap		Material:ABS,Weight: 507g Product size:310*145*193mm Packing:1pc/brown box/31.5*18*12/0.70kgs hole size:4mm	Made from brand new materials, it has high strength and good toughness, and is resistant to impact, pressure and deformation.	1	20	0	
PT04	Pollen trap		Material:PP 40cm* 2.8cm		1	840	0	
PT07	Pollen trap		Material:ABS size: 30x14.5cm	Made from brand new materials, it has high strength and good toughness, and is resistant to impact, pressure and deformation.	1000	100	0	
PT08	Pollen trap		Material:PP+ABS size: 30x14.5x13cm Weight: 480g		2000	20	0	
PT09	Pollen trap		size: 32x12x11.5cm Material: ABS+PP_Painted Iron Weight: 620g		2000	20	0	
HE01	Extractor(2 frames plastic manual)		Material: PP,Measure of frame rack:420mm*260mm Size:70*Dia:40CM/27.5*15.75Inch 1PC/brown box		1	1	0	


HE02-2	Extractor(2 frames transparent manual)		Material: Acrylic, Measure of frame rack:45*26cm		1	1	0	
HE02-3	Extractor(3 frames transparent manual)		Material: Acrylic, Measure of frame rack:45*26cm		1	1	0	
HE03-2	Extractor(Economy 2 frames manual)		Material: SUS201 Measure of frame rack:45*26cm		1	1	0	
HE04-2	Extractor(Economy 2 frames manual)		Material: SUS201 Measure of frame rack:45*26cm		1	1	0	
HE05-2	Extractor(2 frames manual reversible)		Material: SUS201, with legs and plastic honey gate, Measure of frame rack:45*26cm		1	1	0	
HE05-3	Extractor(3 frames manual reversible)		Material: SUS201, with legs and plastic honey gate, Measure of frame rack:420mm*260mm		1	1	0	
HE05-4	Extractor(4 frames manual reversible)		Inner frame size:42x26cm, barrel diameter: 67*72cm, Gross Weight:32kg, net weight:28kg, Carton packaging:70*70*91cm, Material:201bucket, 304Inner frame. Standard iron plastic-sprayed legs and plastic honey outlet. 180° Track rotation, self-turning and honey extraction.		1	1	0	
HE06-12E	Extractor(12 frames electric)		Inner frame size:42x26cm, barrel diameter: 77*71cm, Gross Weight:77kg, net weight:56kg, Wooden box packaging:81*81*105cm, Material:201bucket, 304Inner frame. Standard iron plastic-sprayed legs and stainless steel honey outlet. Motor power 55W, 220V		1	1	0	Please confirm the plug

HE06-2	Extractor(2 frames manual)		Inner frame size:42x26cm, barrel diameter: 38*62cm , Gross Weight:12.4kg, net weight:10.8kg, Carton packaging: 41*41*77cm Material: 201 barrel, 304 inner frame. Standard iron plastic-sprayed legs and plastic honey outlet.		1	1	0	
HE06-20E	Extractor(20 frames electric)		Power supply:220V(110V customized on-demand), Motor:550watts, Material: SUS201, Weight:68.5kg, Speed control, Frequency Converters, three-phase, Measure of frame rack:45*26cm		1	1	0	Please confirm the plug
HE06-24E	Extractor(24 frames electric)		Inner frame size:42x26cm, barrel diameter:95*75cm, Gross Weight:115kg, net weight:76kg, Wooden box packaging: 98*98*115cm, Material:201bucket, 304Inner frame. Standard iron plastic-sprayed legs and stainless steel honey outlet. Motor power550W		1	1	0	Please confirm the plug
HE06-2E	Extractor(2 frames electric)		Inner frame size:42x26cm, barrel diameter: 38*62cm, Gross Weight:17.9kg, net weight:16kg, Carton packaging: 41*41*91cm, Material:201bucket, 304Inner frame. Standard iron plastic-sprayed legs and plastic honey outlet. Motor120W		1	1	0	Please confirm the plug
HE06-3	Extractor(3 frames manual)		Inner frame size: 42x26cm, barrel diameter: 38*62cm, gross weight: 13.6kg, net weight: 11.8kg, carton packaging: 41*41*77cm, material: 201 barrel, 304 inner frame. Standard iron spray-coated legs and plastic honey outlet.		1	1	0	
HE06-3E	Extractor(3 frames electric)		Inner frame size:42x26cm, barrel diameter: 38*62cm, Gross Weight:17.5kg, net weight:16.2kg, Carton packaging: 41*41*91cm, Material:201bucket, 304Inner frame. Standard iron plastic-sprayed legs and plastic honey outlet. Motor120W		1	1	0	Please confirm the plug
HE06-4	Extractor(4 frames manual)		Inner frame size:42x26cm, barrel diameter: 48*62cm, Gross Weight:17.4kg, net weight:15kg, Carton packaging: 52*52*77cm, Material:201bucket, 304Inner frame. Standard iron plastic-sprayed legs and plastic honey outlet.		1	1	0	
HE06-4E	Extractor(4 frames electric)		Inner frame size:42x26cm, barrel diameter: 48*62 cm, Gross Weight: 22.3kg, Net weight: 19.5kg, Carton packaging: 52*52*91cm, Material:201bucket, 304Inner frame. Standard iron plastic-sprayed legs and plastic honey outlet. Motor120W		1	1	0	Please confirm the plug

HE06-6	Extractor(6 frames manual)		Inner frame size:42x26cm, barrel diameter: 67*62cm, Gross Weight: 32kg,Net weight: 28kg, Carton packaging: 70*70*80cm, Material:201bucket,304Inner frame. Standard iron plastic-sprayed legs and plastic honey outlet.		1	1	0	
HE06-6E	Extractor(6 frames electirc)		Inner frame size:42x26cm, barrel diameter: 67*62cm, Gross Weight:41kg,net weight:37kg, Carton packaging: 70*70*92cm, Material:201bucket,304Inner frame. Standard iron plastic-sprayed legs and plastic honey outlet. Motor power180W		1	1	0	Please confirm the plug
HE06-6EM	Extractor(T hree use 6 frames electirc)		Inner frame size:42x26cm, barrel diameter: 67*62cm, Gross Weight:49kg,net weight:45kg, Carton packaging:71*71*104cm, Material:201bucket,304Inner frame. Standard iron plastic-sprayed legs and plastic honey outlet.		1	1	0	Please confirm the plug
HE06-8	Extractor(8 frames manual)		Inner frame size:42x26cm, barrel diameter: 67*62cm, Gross Weight: 33kg,Net weight: 29kg, Carton packaging: 70*70*80cm, Material:201bucket,304Inner frame. Standard iron plastic-sprayed legs and plastic honey outlet.		1	1	0	
HE06-8E	Extractor(8 frames electirc)		Inner frame size:42x26cm, barrel diameter: 67*62cm, Gross Weight:43kg,net weight:38kg, Carton packaging: 70*70*80cm, Material:201bucket,304Inner frame. Standard iron plastic-sprayed legs,plastic honey outlet. Motor power370W		1	1	0	Please confirm the plug
HE06-8EL	Extractor(8 frames electirc)		Inner frame size:42x26cm, barrel diameter: 67*62cm, Gross Weight:43kg,net weight:37.5kg, Carton packaging: 70*70*92cm, Material:201bucket,304Inner frame. Standard iron plastic-sprayed legs and plastic honey outlet. Motor power180W		1	1	0	Please confirm the plug
HE07-4	Extractor(4 frames electirc CE)		Power supply:220V(110V customized on-demand), Motor:140watts, Material: SUS201, Weight:29kg, Speed control, singel-phase, Measure of frame rack:45*26cm		1	1	0	
HE12-2	Extractor(2 frames manual brake)		Barrel height: 62CM, diameter:38CM, total height: 110cm, inner frame material : sus304, barrel bodymaterial : sus201 rack:45*26cm		1	1	0	

HE12-3	Extractor(3 frames manual brake)		Barrel height: 62CM, diameter:38CM, total height: 110cm, inner frame material : sus304, barrel bodymaterial : sus201 rack:45*26cm		1	1	0	
HE15	Comb extractor		Power: 25W. Rated voltage: DC5V, Battery capacity: 2000mah*2; Battery voltage:5v; Charging interface: type-c, Capacity: 1.5L; Material:ABS+PC; Product size: 160*160*240mm Patent No: 202530324944.3		20	1	0	
HE12-4	Extractor(4 frames manual brake)		Barrel height: 62CM, diameter:47CM, total height: 110cm, inner frame material : sus304, barrel bodymaterial : sus201 rack:45*26cm		1	1	0	
HEPJ01	2/3 frame manual gear assembly		The gear assembly specifications of the 2 frames and 3 frames are the same, 4 frames have other specifications but with the same price.		1	20	0	
HEPJ01-2	4 frame manual gear assembly		The gear assembly specifications of the 2 frames and 3 frames are the same.		1	20	0	
HEPJ02	2/3 frame manual gear assembly + beam		The gear assembly specifications of the 2 frames and 3 frames are the same.		1	20	0	
HEPJ02-2	4 frame manual gear assembly + beam		The gear assembly specifications of the 2 frames and 3 frames are the same.		1	20	0	
HEPJ03	6/8 frame manual gear assembly				1	0	0	


HEPJ04	6/8 frame manual gear assembly + beam				1	20	0	
HEPJ16	Handle				1	50	0	
S01	Dome Bee Smoker (Euro M)		Material:SUS201, Size:26CM*Φ10CM, Collector box:PVC, Can be equipped with inner tank barrel+cover: 0.3mm tripod fuel support+bellow bracket: 0.5mm cover connector: 0.8mm	Produced according to European standards. The fireproof cover is encrypted to prevent burns to hands, the buckle zipper of the bellows is used to prevent loss, better springs and leather are used to increase air flow and improve service life, better hinge connection covers are used, and advanced welding and surface treatment processes are employed.	1	20	0	if you need add an inner tank more,item#SP03 will be suitable.
S01-L	BB Smoker (Euro L)		Material:SUS201, Size:30CM*Φ10CM, Collector box:PVC, Can be equipped with inner tank barrel+cover: 0.3mm tripod fuel support+bellow bracket: 0.5mm cover connector: 0.8mm	Produced according to European standards. The fireproof cover is encrypted to prevent burns to hands, the buckle zipper of the bellows is used to prevent loss, better springs and leather are used to increase air flow and improve service life, better hinge connection covers are used, and advanced welding and surface treatment processes are employed.	1	20	0	if you need add an inner tank more,item#SP03 will be suitable.
S02	BB Smoker (US M)		Material:SUS201, Size:29CM*Φ10CM, Collector box:PVC, Can be equipped with inner tank barrel+cover: 0.3mm tripod fuel support+bellow bracket: 0.5mm cover connector: 0.8mm	Produced according to American standards. The fireproof cover is encrypted to prevent burns to hands, the buckle zipper of the bellows is used to prevent loss, better springs and leather are used to increase air flow and improve service life, better hinge connection covers are used, and advanced welding and surface treatment processes are employed.	1	20	0	if you need add an inner tank more,item#SP03 will be suitable.


S02-L	BB Smoker (US L)		Material:SUS201, Size:32CM*Φ10CM, Collector box:PVC, Can be equipped with inner tank barrel+cover: 0.3mm tripod fuel support+bellow bracket: 0.5mm cover connector: 0.8mm	Produced according to American standards. The fireproof cover is encrypted to prevent burns to hands, the buckle zipper of the bellows is used to prevent loss, better springs and leather are used to increase air flow and improve service life, better hinge connection covers are used, and advanced welding and surface treatment processes are employed.	1	20	0	if you need add an inner tank more, item#SP03 will be suitable.
S03	BB Smoker (thick)		Material:SUS201, Size:29CM*Φ10CM, Collector box:PVC barrel+cover: 0.3mm tripod fuel support+bellow bracket: 0.8mm cover connector: 0.8mm	Produced according to American standards. The stainless steel plate is thickened, and the bellows can accommodate Hive tools. Better springs and leather are used to increase air flow and improve service life. Better hinge connection covers are used, and advanced welding and surface treatment processes are employed.	1	20	0	
S04	Smoker (Australian style M)		Material:SUS201, Size:29CM*Φ10CM, Collector box:PVC	Made to Australian standards. Use thicker stainless steel plates. Use better springs and leather materials. The product is more sturdy. The air volume is higher. Better quality. The craftsmanship is more exquisite.	1	20	0	
S14	Smoker (South America)		Material:PVC leather +SUS201, Size:43*25cm (closed transition) Φ15cm	Made to South American standards. Use thicker stainless steel plates. Use better springs and leather materials. The product is more sturdy. The air volume is higher. Better quality. The craftsmanship is more exquisite.	2000	3	0	
S04-L	Smoker (Australian style L)		Material:SUS201, Size:32CM*Φ10CM, Collector box:PVC	Made to Australian standards. Use thicker stainless steel plates. Use better springs and leather materials. The product is more sturdy. The air volume is higher. Better quality. The craftsmanship is more exquisite.	1	20	0	
S08	Kid Smoker		Material:SUS201, Size:18CM*Φ6.5CM, Collector box:PU	Mini smokers. Suitable for children. A popular product at the exhibition.	1	40	0	



S12	BB Benefitbee electric smoker (Patent)		Material:PC+SUS201, Size:13.7*29*27 cm CN Patent No. ZL 2020 3 0576923.8 1pc/brown box/30*15*32cm/1.2kgs	Patent product: Chinese patent number ZL 2020 3 0576923.8 Benefittbee independently develops and designs. The bottom of the barrel is equipped with a selection door, which can facilitate the cleaning of fuel residue. The air volume can be adjusted. Can be charged and has a long usage time. Adopt better welding and surface treatment processes.	1	20	0	
S12-2	BB smoker handle		Material:ABS+3pcs 5A batteries	Patent Product: CN Patent No. ZL 2020 3 0576923.8	1	20	0	
S13	Smoker(American style M)		Material:Flame retardant PVC leather +SUS201, Size:28*29*13cm Φ 10.5cm	Made to American standards. Use thicker stainless steel plates. Use better springs and leather materials. The product is more sturdy. The air volume is higher. Better quality. The craftsmanship is more exquisite.	1	20	0	
S13-L	Smoker(American style L)		Material:Flame retardant PVC leather +SUS201, Size:34*29*13cm Φ 10.5cm	Made to American standards. Use thicker stainless steel plates. Use better springs and leather materials. The product is more sturdy. The air volume is higher. Better quality. The craftsmanship is more exquisite.	1	10	0	
S15	Smoker(European style)		Material:PVC leather +SUS201, Size:Height * Width 24*21cm (closed transition) Φ 10cm	Produced according to European standards. Use thicker stainless steel plates. Use better springs and leather materials. The product is more sturdy. The air volume is higher. Better quality. The craftsmanship is more exquisite.	1	20	0	
S17-L	Smoker(Italian style L)		Material:SUS201, Size:Size:30cm*Φ 10cm, Collector box:PVC, Heat insulation net: stainless steel with plating colorful zinc barrel+cover: 0.3mm tripod fuel support+bellow bracket: 0.5mm cover connector: 0.8mm Can be equipped with inner tank	Produced according to European standards. Use thicker stainless steel plates. Use better springs and leather materials. The product is more sturdy. The air volume is higher. Better quality. The craftsmanship is more exquisite.	100	18	0	
S17-M	Smoker(Italian style M)		Material:SUS201, Size:Size:Size:26cm*Φ 10cm, Collector box:PVC, Heat insulation net: stainless steel with plating colorful zinc barrel+cover: 0.3mm tripod fuel support+bellow bracket: 0.5mm cover connector: 0.8mm Can be equipped with inner tank	Produced according to European standards. Use thicker stainless steel plates. Use better springs and leather materials. The product is more sturdy. The air volume is higher. Better quality. The craftsmanship is more exquisite.	100	18	0	



S17-S	Smoker (Italian style S)		Material:SUS201, Size:Size:20CM*Φ7.5CM, Collector box:PVC, Heat insulation net: stainless steel with plating colorful zinc barrel+cover: 0.3mm tripod fuel support+bellow bracket: 0.5mm cover connector: 0.8mm Can be equipped with inner tank	Produced according to European standards. Use thicker stainless steel plates. Use better springs and leather materials. The product is more sturdy. The air volume is higher. Better quality. The craftsmanship is more exquisite.	100	18	0	
S05	Smoker (Economic M)		Material:SUS201, Size:24CM*Φ10CM, Collector box:Cowhide, Can be packed with inner box		1	15	0	if you need add an inner tank more, item#SP03 will be suitable.
S05-BS	Smoker (Economic XS)		Material:SUS201, Size:20CM*Φ7.5CM, Collector box:super fiber, Can be equipped with inner tank		1	20	0	if you need add an inner tank more, item#SP03-S will be suitable.
S05-L	Smoker (Economic L)		Material:SUS201, Size:29CM*Φ10CM, Collector box:Cowhide, Can be equipped with inner tank		1	10	0	if you need add an inner tank more, item#SP03 will be suitable.
S05-S	Smoker (Economic S)		Material:SUS201, Size:21CM*Φ8.5CM, Collector box:Cowhide, Can be equipped with inner tank		1	15	0	if you need add an inner tank more, item#SP03-S will be suitable.
S06	Smoker (Economic M)		Material:SUS201, Size:28CM*Φ10CM, Collector box:Cowhide, Can be equipped with inner holder		1	15	0	Please confirm if you need an Inner tank?
S06-L	Smoker (Economic L)		Material:SUS201, Size:32CM*Φ10CM, Collector box:Cowhide		1	10	0	if you need add an inner tank more, item#SP03 will be suitable.
S06-S	Smoker (Economic S)		Material:SUS201, Size:26CM*Φ8.5CM, Collector box:Cowhide		1	15	0	if you need add an inner tank more, item#SP03-S will be suitable.

S07	Smoker (Galvanized M)		Material:Galvanized iron, Size:28CM*Φ10CM, Collector box:Cowhide, Can be equipped with inner tank		1	15	0	if you need add an inner tank more, item#SP03 will be suitable.
S07-L	Smoker (Galvanized L)		Material:Galvanized iron, Size:31CM*Φ10CM, Collector box:Cowhide, Can be equipped with inner tank		1	10	0	if you need add an inner tank more, item#SP03 will be suitable.
S07-S	Smoker (Galvanized s)		Material:Galvanized iron, Size:26CM*Φ8.5CM, Collector box:Cowhide, Can be equipped with inner tank		1	15	0	if you need add an inner tank more, item#SP03-S will be suitable.
S09	Smoker (Electric US)		Material:SUS201, Size:28CM*Φ10CM		1	15	0	
S09-2	Smoker (Electric Euro)		Material:SUS201, Size:26CM*Φ10CM		1	15	0	
S09-3	Smoker (Electric Euro)		No battery, available in black or blue		1	100	0	
S10	Smoker (copper)		Material:copper, Size:26CM*8.5CM		1	20	0	
S11	Manual Smoker		weight:1.6kg; size: L:330mm, W:130mm, H:400mm;		1	4	0	

S11-2	Manual Smoker		weight:1.6kg; size: L:330mm, W:130mm, H:400mm;		1	4	0	
S16	Smoker (Euro pean style)		Material:PVC leather +SUS201 Size:Height * Width 24*21cm (closed transition) Φ10cm, Match with AA battery(not include in package)		50	20	0	
SP01-5	Smoker gas box		Material: PVC yellow gas box, box size: length: 19.3cm, width 12.7cm, Single item weight: 659g, The components consist of vaporizer, tank, resistance, USB cable, and silicone seal.	No fuel required. It uses e-liquid. More convenient to carry. More friendly to bees. Safer for the environment.	500	30	0	
SP01	Smoker box (Cow leather)		Material:Cow leather &Veneer case		1	100	0	
SP06	Smoker Buddy box (This product does not include smoker)		Product size: 24.5x15.4x37.5cm Material: handle and bow are iron chrome plated, barrel body 201 stainless steel double-sided wire drawing, product weight: 2.8kg, thickness: 0.8mm. 15pcs/CTN, 43.55KG , 95*40*79cm	Benefetbee original. When you need to drive to inspect the bee farm, you can put smokers in this stainless steel box, which has fire and smoke prevention functions.	100	15	0	
SP01-2	Smoker box (PU)		Material:Micro leather &Veneer case	Aluminum strip edging + stainless steel nail fixing prevents rusting	1	60	0	
SP01-3	Smoker box (PVC)		Material:PU &Veneer case		1	60	0	
SP02	Smoker box (Plastic)		Material:Plastic	Made from brand new materials, it has high strength and good toughness, and is resistant to impact, pressure and deformation.	1	60	0	

SP03	inner burn shelf (M)		Material:Iron		1	100	0	
SP03-S	inner burn shelf (S)		Material:Iron		1	100	0	
SP04	inner burn shelf		Material:Iron:SUS201		1	500	0	
SP05	Smoker fuel		54pcs/bag		1	100	0	
SP05-2	Smoker fuel (jute)		size:12x320cm Density: 43 x44 Material:jute weight : 92g		1	200	0	
SP05-3	Smoker Wood Fuel Pellets		Size: 190*140*40 mm; Material: Wood Pellets; Weight: 500g CTN:53*23*25cm 20 PCS/CTN NW:10kg GW:10.5kg		1	20	0	
T01-C	Hive tool (Large+Mirror) (thermal treatment, Hardness > 50°)		length :305mm, width: 50mm, height: 35mm, weight :235g, surface treatment: mirror light, material :2CR13 thickness :2.6-2.7mm.	Mirror light makes the surface of the product brighter. The edge is rounded and won't hurt your hands. High temperature quenching, with a hardness of up to 55 degrees.	1	60	0	
T01-D	Hive tool (Large+Mirror) (thermal treatment, Hardness > 50°)		length :255mm, width: 40mm, surface treatment: mirror light, material :2CR13 thickness :2.6-2.7mm.	Mirror light makes the surface of the product brighter. High temperature quenching, with a hardness of up to 55 degrees. Can tighten hexagonal screws of different specifications	1	100	0	

T01-P	Hive tool (mirror polished with rubber handle)		total length 235mm thickness: 2.5mm Weight: 178g Widest point: 40mm Surface treatment: mirror light material: stainless steel 2CR13	Mirror light, rubber handle, more comfortable to use. The surface of the product is brighter. High temperature quenching, with a hardness of up to 55 degrees.	1	100	0	
T15B	BB Multifunctional hive tool (Patent)		Length: 267mm, weight: 300g, surface treatment: mirror luster color wooden handle, material: 2CR13, handle: colorwood, product size: 29*19*5.5cm CN Patent No. ZL 2015 3 0043392.5	Patent Product: CN Patent No. ZL 2015 3 0043392.5 Mirror light, colorful wood handle, more comfortable to use, and the product surface is brighter. High temperature quenching, with a hardness of up to 55 degrees. There are 7 functions.	1	64	0	
T24	Hive tool (thermal treatment, Hardness > 50°)		Length: 245mm, Weight: 147g, Surface Treatment: mirror splishing, Material: 2CR13	Mirror light makes the surface of the product brighter. The edge is rounded and won't hurt your hands. High temperature quenching, with a hardness of up to 55 degrees.	1	100	0	
T25	Hive tool (thermal treatment, Hardness > 50°)		Length: 310mm, Weight: 115g, Surface Treatment: mirror splishing, Material: 2CR13	Mirror light makes the surface of the product brighter. The edge is rounded and won't hurt your hands. High temperature quenching, with a hardness of up to 55 degrees.	1	120	0	
T01	Hive tool (thermal treatment, Hardness > 50°)		Length: 260mm, Weight: 164g Widest Point: 40mm, Surface Treatment: Sanding Material: 2CR13 Thickness: 2.8mm, (Customized: Length: 240mm, Thickness: 2.5mm)	Hardened by quenching, achieving a hardness of 45-50 degrees, it is not easily deformed, and the edges will not hurt hands when hand-polished.	1	100	0	
T01-2	Hive tool (thermal treatment, Hardness > 50°)		Length: 260mm, Weight: 170g, Widest Point: 40mm, Surface Treatment: Sanding and high temperature paint, Material: 2CR13 Thickness: 2.8mm	Hardened by quenching, achieving a hardness of 45-50 degrees, it is not easily deformed, and the edges will not hurt hands when hand-polished.	1	100	0	
T01-3	Hive tool (thermal treatment, Hardness > 50°)		Length: 260mm, Weight: 170g Widest Point: 40mm, Surface Treatment: Sanding and high temperature paint Material: 2CR13 Thickness: 2.8mm (Customized: Length: 240mm Weight: 160g)	Hardened by quenching, achieving a hardness of 45-50 degrees, it is not easily deformed, and the edges will not hurt hands when hand-polished.	1	100	0	
T01-R	Hive tool (Curved hook) thermal treatment, Hardness > 50°		Length: 228mm Widest Point: 42mm Surface Treatment: Sanding Material: 2CR13 Thickness: 2.5mm	Hardened by quenching, achieving a hardness of 45-50 degrees, it is not easily deformed, and the edges will not hurt hands when hand-polished.	1	120	0	


T01-S	Hive tool (Color can be customized) thermal treatment, Hardness > 50°		Length:240mm, Weight:133g Widest Point:40mm, Surface Treatment:Sanding and high temperature paint, Material:2CR13 Thickness:2.5mm	Hardened by quenching, achieving a hardness of 45-50 degrees, it is not easily deformed, and the edges will not hurt hands when hand-polished.	1	100	0	
T01-SP	Hive tool (half pink)		Length:240mm, Weight:145g Widest Point:40mm, Surface Treatment:Sanding and high temperature paint, Material:2CR13 Thickness:2.5mm (Color can be customized) thermal treatment, Hardness >50°)	Hardened by quenching, achieving a hardness of 45-50 degrees, it is not easily deformed, and the edges will not hurt hands when hand-polished.	1	100	0	
T02	Hive tool (Wooden handle) thermal treatment, Hardness > 50°		Length:200mm Widest Point:47mm Thickness:2.0mm Handle:105mm*25mm*15mm Surface Treatment:Sanding Material:2CR13 Weight:108g	Hardened by quenching, achieving a hardness of 45-50 degrees, it is not easily deformed, and the edges will not hurt hands when hand-polished.	1	100	0	
T02-L	Hive tool (Wooden handle) thermal treatment, Hardness > 50°		Length:310mm, Thickness 3.0mm , The widest point:51mm Handle:165mm*35mm*24mm, weight: 307g	Hardened by quenching, achieving a hardness of 45-50 degrees, making it resistant to deformation. Hand-polished edges that won't hurt hands, with a mirror finish.	1	50	0	
T02-P	Hive tool (Plastic handle) thermal treatment, Hardness > 50°		Length:200mm, Widest Point:47mm Thickness:2.0mm, Handle:105mm*25mm*15mm Surface Treatment:Sanding Material:2CR13, Weight:108g	Hardened by quenching, achieving a hardness of 45-50 degrees, it is not easily deformed, and the edges will not hurt hands when hand-polished.	1	100	0	
T03	Hive tool Thickness:3.8mm (thermal treatment, Hardness > 50°)		Length:285mm, Weight:135g Shovel:35mm, Surface Treatment:Sanding Material:2CR13 Thickness:3.8mm	Hardened by quenching, achieving a hardness of 45-50 degrees, it is not easily deformed, and the edges will not hurt hands when hand-polished.	1	100	0	
T03-2	Hive tool (thermal treatment, Hardness > 50°)		Length:285mm, Weight:135g Shovel:35mm, Surface Treatment:High temperature paint, Material:2CR13 Thickness:2.8mm	Hardened by quenching, achieving a hardness of 45-50 degrees, it is not easily deformed, and the edges will not hurt hands when hand-polished.	1	100	0	
T03-T	Hive tool Thickness:2.8mm (thermal treatment, Hardness > 50°)		Length:285mm, Weight:125g Shovel:35mm, Surface Treatment:Sanding Material:2CR13 Thickness:2.8mm	Hardened by quenching, achieving a hardness of 45-50 degrees, it is not easily deformed, and the edges will not hurt hands when hand-polished.	1	100	0	

T04	Hive tool Thickness:2.8mm (thermal treatment, Hardness>50°)		Length:270mm, Weight:145g Shovel: 45mm, Surface Treatment:Sanding and high temperature paint Material:2CR13 Thickness:2.8mm	Hardened by quenching, achieving a hardness of 45-50 degrees, it is not easily deformed, and the edges will not hurt hands when hand-polished.	1	100	0	
T04-T	Hive tool Thickness:2.5mm (thermal treatment, Hardness >50°)		Length:270mm, Weight:130g Shovel:45mm, Surface Treatment:Sanding and high temperature paint Material:2CR13 Thickness:2.5mm	Hardened by quenching, achieving a hardness of 45-50 degrees, it is not easily deformed, and the edges will not hurt hands when hand-polished.	1	100	0	
T04-TP	Hive tool Thickness:2.5mm (thermal treatment, Hardness >50°)		Length:270mm, Weight:130g Shovel:45mm, Surface Treatment:Sanding and high temperature paint Material:2CR13 Thickness:2.5mm	Hardened by quenching, achieving a hardness of 45-50 degrees, it is not easily deformed, and the edges will not hurt hands when hand-polished.	1	100	0	
T05	Hive tool (thermal treatment, Hardness >50°)		Length:260mm, Weight:184g Widest Point:85mm, Surface Treatment:Sanding, Material:2CR13 Thickness:2.8mm	Hardened by quenching, achieving a hardness of 45-50 degrees, it is not easily deformed, and the edges will not hurt hands when hand-polished.	1	80	0	
T06	Hive tool (thermal treatment, Hardness>50°)		Length:210mm, Weight:148g, Widest Point:75mm, Surface Treatment:Sanding Material:2CR13, Thickness:3.0mm (Stiffeners can be customized)	Hardened by quenching, achieving a hardness of 45-50 degrees, it is not easily deformed, and the edges will not hurt hands when hand-polished.	1	80	0	
T07	Hive tool (thermal treatment, Hardness >50°)		Length:240mm, Weight:140g, Shovel:30mm, Surface Treatment:High temperature paint, Material:2CR13 Thickness:3.0mm	Hardened by quenching, achieving a hardness of 45-50 degrees, it is not easily deformed, and the edges will not hurt hands when hand-polished.	1	100	0	
T08	Hive tool (thermal treatment, Hardness >50°)		Length:255mm, Weight:183g Surface Treatment:Sanding Material:2CR13 Thickness:3.0mm	Hardened by quenching, achieving a hardness of 45-50 degrees, it is not easily deformed, and the edges will not hurt hands when hand-polished.	1	100	0	
T09	Hive tool (thermal treatment, Hardness >50°)		Length:230mm, Thickness:23mm, Width:35mm, Weight:400g, Material:stainless steel, Precision casting		1	60	0	


T10	Hive tool (thermal treatment, Hardness > 50°)		Length:188mm Widest Point:27mm Surface Treatment:Sanding Material:2CR13 Thickness:3mm	Hardened by quenching, achieving a hardness of 45-50 degrees, it is not easily deformed, and the edges will not hurt hands when hand-polished.	1	200	0	
T11	Hive tool (thermal treatment, Hardness > 50°)		Length:228mm Shovel:43.66mm, Surface Treatment:High temperature paint , Material:2CR13, Thickness:4.33mm	Hardened by quenching, achieving a hardness of 45-50 degrees, it is not easily deformed, and the edges will not hurt hands when hand-polished.	1	80	0	
T12	Hive tool (Small) (thermal treatment, Hardness > 50°)		Length:157mm, Weight:72g , Surface Treatment:Sanding, Material:2CR13	Hardened by quenching, achieving a hardness of 45-50 degrees, it is not easily deformed, and the edges will not hurt hands when hand-polished.	1	320	0	
T13	Hive tool (Extra long) thermal treatment, Hardness > 50°		Length:388mm, Weight:220g, Thickness : 3.0mm, Surface Treatment:Sanding, Material:2CR13	Hardened by quenching, achieving a hardness of 45-50 degrees, it is not easily deformed, and the edges will not hurt hands when hand-polished.	1	80	0	
T14	Hive tool (Extra long)		Surface Treatment:mirror splishing&Spray paint, Material:2CR13, Size: 323mm	Hardened by quenching, achieving a hardness of 45-50 degrees, it is not easily deformed, and the edges will not hurt hands when hand-polished.	1	80	0	
T15-2	BB Multifunction hive tool (Patent)		Length:267mm, Weight:300g, Surface Treatment:Sanding, Material:2CR13 CN Patent No. ZL 2015 3 0043392.5	Hardened by quenching, achieving a hardness of 45-50 degrees, it is not easily deformed, and the edges will not hurt hands when hand-polished.	1	40	0	
T16	Hive tool		Length:285mm, Weight:164g Widest Point:40mm, Surface Treatment:Sanding Material:2CR13 Thickness:2.8mm	Hardened by quenching, achieving a hardness of 45-50 degrees, it is not easily deformed, and the edges will not hurt hands when hand-polished.	1	100	0	
T17	Hive tool (thermal treatment, Hardness > 50°)		Length:195mm, Weight:90g, Surface Treatment:Sanding Material:2CR13 & Wooden handle	Hardened by quenching, achieving a hardness of 45-50 degrees, it is not easily deformed, and the edges will not hurt hands when hand-polished.	1	160	0	

T17-2	Hive tool (thermal treatment, Hardness > 50°)		Material:2CR13 & Wooden handle, Surface Treatment:Spray paint, Length:195mm, Weight:83g	Hardened by quenching, achieving a hardness of 45-50 degrees, it is not easily deformed, and the edges will not hurt hands when hand-polished.	1	160	0	
T18	Hive tool (thermal treatment, Hardness > 50°)		Size: Long26cm Widest Point:5.2cm, weight: 112g, thickness: 0.25cm material:stainless steel 2CR13	Hardened by quenching, achieving a hardness of 45-50 degrees, it is not easily deformed, and the edges will not hurt hands when hand-polished.	1	100	0	
T19	Hive tool (thermal treatment, Hardness > 50°)		Length:202mm, Weight:120g, Surface Treatment:Sanding Material:2CR13	Hardened by quenching, achieving a hardness of 45-50 degrees, it is not easily deformed, and the edges will not hurt hands when hand-polished.	1	100	0	
T20	Hive tool (thermal treatment, Hardness > 50°)		Length:310mm, Weight:65g, Surface Treatment:mirror splishing, Material:2CR13	Hardened by quenching, achieving a hardness of 45-50 degrees, it is not easily deformed, and the edges will not hurt hands when hand-polished.	1	200	0	
T21	Hive tool (Galvanized) thermal treatment, Hardness > 50°		Size:21.8x3.3x2.5cm, Weight: 125g, thickness: 42mm, Material: Galvanized steel structure	Hardened by quenching, achieving a hardness of 45-50 degrees, it is not easily deformed, and the edges will not hurt hands when hand-polished.	1	200	0	
T22	Hive tool (thermal treatment, Hardness > 50°)		Length:22CM, width:3.1CM, thickness: 2.4mm weight: 112g, thickness:0.25CM, material: stainless steel 2CR13	Hardened by quenching, achieving a hardness of 45-50 degrees, it is not easily deformed, and the edges will not hurt hands when hand-polished.	1	160	0	
T23	Hive tool (thermal treatment, Hardness > 50°)		Length:26. cm, width:6cm, thickness:2.5mm weight: 112g, material: stainless steel 2CR13	Hardened by quenching, achieving a hardness of 45-50 degrees, making it resistant to deformation. Hand-polished edges that won't hurt hands, with a mirror finish.	1	160	0	
T26	Scraper knife		Material:2CR13 Overall length: 24cm, head length: 12cm, thickness: 0.2cm, head width: 5.3cm, handle length: 12cm.	Hardened by quenching, achieving a hardness of 45-50 degrees, it is not easily deformed, and the edges will not hurt hands when hand-polished.	1	100	0	


T26-2	Scraper knife		Product length 36.5cm, Handle length 19cm, scraper body dimensions: length 17.5cm, width 8.3cm, thickness 0.2cm, single product weight: 296g, surface treatment: sanding. material: stainless steel 304	Made of 304 stainless steel, it meets food safety standards. The edges of the shovel are polished smooth without burrs to prevent hand injuries.	1	100	0	
T26-3	Scraper knife		Product length 24cm, Handle length 10cm, scraper body dimensions: length 14cm, width 8.3cm, thickness 0.3cm, surface treatment: sanded Product weight: 293g, material: stainless steel 304.	Made of 304 stainless steel, it meets food safety standards. The edges of the shovel are polished smooth without burrs to prevent hand injuries.	1	100	0	
T28	Hive tool (small) (thermal treatment, Hardness > 50°)		Length 250mm, width of head 57mm, thickness 3.0mm, weight 154g, material: stainless steel 2CR13, Surface Treatment: Sanding	Hardened by quenching, achieving a hardness of 45-50 degrees, it is not easily deformed, and the edges will not hurt hands when hand-polished.	1	100	0	
T29	Hive tool (large) (thermal treatment, Hardness > 50°)		Length 330mm, width of head 57mm, thickness 3.0mm, weight: 203g, material: stainless steel 2CR13, Surface Treatment: Sanding	Hardened by quenching, achieving a hardness of 45-50 degrees, it is not easily deformed, and the edges will not hurt hands when hand-polished.	1	80	0	
T32	Flat scraper (Black paint, short and thin)		Product length 18.5cm, Width 3cm, thickness 0.3cm, surface treatment: spray paint (black) product weight: 129g, material: cast iron, grinding length on both sides 0.9cm.	High temperature baking paint, the surface of the product is more upscale. The edge is rounded and won't hurt your hands. High temperature quenching, spring steel, with higher hardness, reaching up to 65 degrees.	2000	100	0	
T33	Small curved tail scraper (black paint)		Total length: 16cm, The widest point: 3.7cm, thickness 0.3cm, product weight: 82g, surface treatment, Material: cast iron, painted black.	High temperature baking paint, the surface of the product is more upscale. The edge is rounded and won't hurt your hands. High temperature quenching, spring steel, with higher hardness, reaching up to 65 degrees.	2000	100	0	
T34	Stainless Steel Scraper		Material: 2CR13 stainless steel + sapele wood handle Craft: Mirror-polished blade, full handle sanded Overall length: 20.7 cm Handle length: 11 cm Handle thickness: 1.9 cm Blade length: 9.7 cm Blade thickness: 2.7 mm		1	80	0	

K10-B	Ultrathin alligator clip knife		Material:SUS304&Beech Handle:130mm*35mm*25mm thickness: 2.0mm Blade size: 2x40x230mm Operating voltage: 12 V Operating temperature: 70-110° C Power: 65W Weight: 350g Heating time to operating temperature: 30-40 seconds Wire length: 2 meters Single-sided lower grind 1pc/white box/42*4*8cm/0.35kgs	Low pressure heating element, safer and sharper to use, is a popular product in the European market.	1	25	0	
K10-E	Clip uncapping knife		Length:440mm , Thickness:7.0mm , Weight:600g Blade:250mm*50mm Handel:145mm*30mm*40mm Material:SUS304&Beech , Wire length:1.5M (Length can be customized) Max temperature:150~190℃, Surface Treatment:Mirror polish and Sanding, Voltage:12V Power:300W	Low pressure heating element, safer and sharper to use, is a popular product in the European market.	1	25	0	
K10-Y	BB uncapping knife (with thermo regulator) (Patent)		Temperature Range: 0-180℃ adjustable, Constant heating plate control, Max Output Power: 800W, Input Voltage: 110V-230V, Can switch Celsius and Fahrenheit by short press switch button, Can turn ON or OFF by long press switch button, Plus or Minus 5 unit each by press "+" or "-" button Blade length 25cm CN Patent No. ZL 2020 3 0295900.X 1pc/color box/52*7*7cm	The temperature can be adjusted. Precision processing of solder joints, no leakage. Use safely. Surface treatment is glossy.	1	25	0	
K21	Electric uncapping knife (Plugs:, American, Australian; Other specs can be customized) Blade: serrated		Length:515mm, Thickness:7.0mm, Weight:550g Blade:325mm*50mm Material:SUS304&Beech , Wire length:1.5M (Length can be customized), Max temperature:150~190℃ Surface Treatment:Mirror polish and Sanding Plugs:, American, Australian (Other specs can be customized) Voltage:110-220V Power:300W	European standards. The blade is serrated. Unapplying is more convenient. Advanced welding machines are used to tightly seal the welds. No leakage, safe to use.	1	25	0	Please confirm the plug?
K01	Uncapping knife (Thickness:1.5mm) thermal treatment, Hardness>50°		Length:300mm, Weight:95-105g, Blade:140mm*29mm, Handle:125mm, Surface Treatment:Mirror polish, Material:2CR13, Thickness (Customized):1.0mm&1.2mm	Hardened by quenching, achieving a hardness of 45-50 degrees, making it resistant to deformation and suitable for hand polishing.	1	100	0	
K02	Uncapping knife (Blade: flat edge) thermal treatment, Hardness>50°		Length:395mm, Weight:150g, Blade:285mm*35mm, Handle:105mm*22mm*15mm, Surface Treatment:Mirror surface, Material:2CR13	Hardened by quenching, achieving a hardness of 45-50 degrees, making it resistant to deformation and suitable for hand polishing.	1	100	0	
K02-2	Uncapping knife (Blade:serrated) thermal treatment, Hardness>50°		Length:395mm, Weight:150g, Blade:285mm*35mm, Handle:105mm*22mm*15mm, Surface Treatment:Mirror surface, Material:2CR13	Hardened by quenching, achieving a hardness of 45-50 degrees, making it resistant to deformation and suitable for hand polishing.	1	100	0	

K03	Uncapping knife (Blade: flat edge)) thermal treatment, Hardness> 50°	 	Length:395mm, Blade:285mm*35mm, Handle:105mm*22mm*15mm, Surface Treatment:Sanding, Material:2CR13	Hardened by quenching, achieving a hardness of 45-50 degrees, making it resistant to deformation; hand-polished and mirror-finished.	1	100	0	
K03-2	Uncapping knife (Blade:serrated)) thermal treatment, Hardness> 50°	 	Length:395mm, Blade:285mm*35mm, Handle:105mm*22mm*15mm, Surface Treatment:Sanding, Material:2CR13	Hardened by quenching, achieving a hardness of 45-50 degrees, making it resistant to deformation. Hand-polished edges that won't hurt hands, with a mirror finish.	1	100	0	
K04	Uncapping knife (thermal treatment, Hardness> 50°)	 	Weight:128g Blade :230mmX35mm Handle:105mmX22mm Surface treatment: sanded, flat edge. Material: Stainless steel 2CR13. Red grinding wood, aluminum nails	Hardened by quenching, achieving a hardness of 45-50 degrees, making it resistant to deformation and suitable for hand polishing.	1	100	0	
K05	Uncapping knife (thermal treatment, Hardness> 50°)	 	Length: 323mm, Weight: 126g	Hardened by quenching, achieving a hardness of 45-50 degrees, making it resistant to deformation and suitable for hand polishing.	1	120	0	
K05-2	Uncapping knife (thermal treatment, Hardness> 50°)	 	Length: 345mm, Weight: 147g handle length:115MM; Single-sided lower grind	Hardened by quenching, achieving a hardness of 45-50 degrees, making it resistant to deformation and suitable for hand polishing.	1	120	0	
K06	Uncapping knife (thermal treatment, Hardness> 50°)	 	Lenth:420mm , weight:190-210g, blade length:280mm, blade width:45mm, handle size:125mmX30mmX18mm (Blade: customizable serrated or flat edge)	Hardened by quenching, achieving a hardness of 45-50 degrees, making it resistant to deformation and suitable for hand polishing.	1	80	0	
K07	Uncapping knife (thermal treatment, Hardness> 50°)	 	Length:395mm , Weight:126g, Blade:280mm*35mm, Handle:115mm, Surface Treatment:Mirror polish, Material:2CR13 Thickness:1.2mm	Hardened by quenching, achieving a hardness of 45-50 degrees, making it resistant to deformation and suitable for hand polishing.	1	266	0	
K08	Uncapping knife (thermal treatment, Hardness> 50°)	 	Length:415mm, Weight:107g, Blade:300mm*37mm , Handle:115mm, Surface Treatment:Mirror polish, Material:2CR13 Thickness:1.0mm	Hardened by quenching, achieving a hardness of 45-50 degrees, making it resistant to deformation and suitable for hand polishing.	1000	250	0	


K09	Uncapping knife (thermal treatment, Hardness> 50°)		Length:335mm, Blade:225mm*30mm, Handle:100mm*20mm, Surface Treatment:Mirror polish Material:2CR13 Thickness:0.6mm	Hardened by quenching, achieving a hardness of 45-50 degrees, making it resistant to deformation and suitable for hand polishing.	1	300	0	
K10	Uncapping knife (Sanding Plugs:, American, Australian; Other specs can be customized)		Length:440mm, Thickness:7.0mm, Weight:585g Blade:250mm*50mm Handle:145mm*30mm*40mm Material:SUS304&Beech, Wire length:1.5M (Length can be customized), Max temperature:150~190°C, Surface Treatment:Mirror polish and Sanding Plugs:, American, Australian (Other specs can be customized) Voltage:110-220V Power:300W 1pc/inner box:50*7.5*7cm	Made of 304 stainless steel, it meets food safety standards.	1	25	0	Please confirm the plug?
K10-T	Uncapping knife (with thermo regulator)		Length:440mm, Thickness:7.0mm, Weight:590g Blade:250mm*50mm, Handle:145mm*30mm*40mm Material:SUS304&Beech, Wire length:1.5M (Length can be customized) Max temperature:150~190°C, Surface Treatment:Mirror polish and Sanding Plugs:, American, Australian (Other specs can be customized) Voltage:110&220V Optional Power:300W 1pc/brown box: 51*8*7 G.W.: 0.6kg	Made of 304 stainless steel, it meets food safety standards. It features a knob for temperature control and is easy to operate.	1	25	0	Please confirm the plug?
K10-TS	Uncapping knife (with thermo regulator)		Maximum temperature of 180 degrees, Minimum temperature 50 degrees, on off keys represents switch; HEAT light represents electric knife heating, SET key represents adjusting temperature 1pc/brown inner box;		1	25	0	Please confirm the plug?
K11	Uncapping knife (thermal treatment, Hardness> 50°)		Thickness:1.2mm, Surface Treatment:Mirror polish. Material:SUS2CR13&ABS	Hardened by quenching, achieving a hardness of 45-50 degrees, making it resistant to deformation and suitable for hand polishing.	1	140	0	
K11-2	Uncapping knife (patent) thermal treatment, Hardness> 50°		Length:40mm Thickness: 1.2mm Weight:120g Surface Treatment:Sanding Material:2CR13	Hardened by quenching, achieving a hardness of 45-50 degrees, making it resistant to deformation and suitable for hand polishing.	1	140	0	
K12	Uncapping knife (thermal treatment, Hardness> 50°)		material:Tungsten steel solid wood length: 415mm weight: 231g		1	150	0	

K13-L	Uncapping knife (Large) thermal treatment, Hardness>50°		Length:340mm , Weight:76g, Thickness:1mm, Blade:30mm, Surface Treatment:Mirror, Material:2CR13, Optional: Double side serrated & Double side flat surface	Hardened by quenching, achieving a hardness of 45-50 degrees, making it resistant to deformation and suitable for hand polishing.	1	200	0	
K13-S	Uncapping knife (thermal treatment, Hardness>50°)		Length:260mm, Weight:57g, Thickness:1mm, Blade:28mm, Surface Treatment:Mirror, Material:2CR13, Optional: Double side serrated & Double side flat surface Wooden Handle	Hardened by quenching, achieving a hardness of 45-50 degrees, making it resistant to deformation and suitable for hand polishing.	1	200	0	
K14	Frame clean knife (thermal treatment, Hardness>50°)		Surface Treatment: Sanding&Sharp blade Material: 2CR13&Wooden handle	Hardened by quenching, achieving a hardness of 45-50 degrees, making it resistant to deformation and suitable for hand polishing.	1	460	0	
K15	Uncapping knife (thermal treatment, Hardness>50°)		Length: 420mm Weight: 175g Thickness:2.0mm, Blade width: 35mm , Surface treatment: Mirror , Material: stainless steel 2CR13	Hardened by quenching, achieving a hardness of 45-50 degrees, making it resistant to deformation and suitable for hand polishing.	1	80	0	
K16	Uncapping planer		Material: Copper & Beech Plugs: European, American Voltage: 110-220V Power: 450W Total Length: 29.5cm Without handle: 8.5cm Width: 12.5cm With heater: 16cm		1	20	0	Please confirm the plug?
K17	Uncapping knife (thermal treatment, Hardness>50°)		Length:303mm, Weight:160g, Surface Treatment:mirror splishing, Material:2CR13 &Solid wood handle, Use:Uncapping &scraper	Hardened by quenching, achieving a hardness of 45-50 degrees, making it resistant to deformation; finished with colored wood handle and mirror polishing.	1	200	0	
K18-2	BB Uncapping knife (patent) thermal treatment, Hardness>50°		Length:470mm, Weight:202g, Material:2CR13	Hardened by quenching, achieving a hardness of 45-50 degrees, making it resistant to deformation and suitable for hand polishing.	1	80	0	
K19	Uncapping knife (thermal treatment, Hardness>50°)		Length:270mm, Weight:140g, Surface Treatment:mirror splishing, Material:2CR13 & Solid wood handle, Use:Uncapping &scraper	Hardened by quenching, achieving a hardness of 45-50 degrees, making it resistant to deformation; finished with colored wood handle and mirror polishing.	1	100	0	

K20	Uncapping knife (thermal treatment, Hardness> 50°)		Length:270mm, Weight:80g, Surface Treatment:mirror splishing, Material:2CR13, Use:Uncapping &scraper	Hardened by quenching, achieving a hardness of 45-50 degrees, making it resistant to deformation and suitable for hand polishing.	1	240	0	
UF09	Uncapping fork		Needle material:2CR13 Handle material:Rubber	American standards. Rubber handle. 304 stainless steel material. Wire cutting technology.	1	150	0	
UF11	Uncapping fork (19 needles)		Needle material:2CR13, Handle material:PP	European standards. 304 stainless steel needle.	1	160	0	
UF12	Uncapping fork (25 needles)		Size: Length 22.5cm width: 13.5cm thickness:0.21cm, weight: 150g material: needle stainless stell SUS304 +PP handle	European standards. 304 stainless steel needle.	1	100	0	
UF13-4	Uncapping fork (plastic handle)			European standard, 304 stainless steel needles, hardened process, fork teeth are not easily deformed.	1	80	0	
UF16	Uncapper		You are buying a new style of uncapper which is simple in its use and clean up. IDEAL FOR BIG OR SMALL APIARISTS The benefits of the Roller uncapper is that is a time saver for both the bee keeper and the bees. The roller uncapper barely damages the comb giving the bees a quick turn around once the sticky is reinserted into the hive. The Roller uncapper works withall sizes of Langstroth frames, including Full depth, ideals and halves. The roller uncapper can uncap 30 frames in under 5 minutes. Heavily built design weighing in at 4.5kg and made from heavy duty nylon and each roller is cut out of a single solid bar of aluminium. Measures in at 555mm wide 195mm deep and 75mm high. Simple spring loaded design using a buy anywhere o ring. The Roller uncapper can be mounted on most uncapping trays (Fittings or trays not included) There is no heat, electricity or	American standards. New product promotion.	1	1	0	


UF17	Multi-purpose uncapping fork		Material: Oak wooden + 430 stainless steel, single product weight 223g, inner box: 24*8.5*5.2cm, total length 22.7cm, handle part 15cm, width 3.7cm, thickness 1.7cm, uncapping fork part width 7.5cm	Patent No. : 202530353251.7	1	60	0	
UF01	Uncapping fork (18 needles)		Needle material:SUS304, Handle material:Plastic, Needle thick:2.0mm, Color: red, yellow, green , Needle: straight, curved		1	400	0	Please confirm the color, straight or curved?
UF02	Uncapping fork (21 needles)		Needle material:SUS304, Handle material:Plastic, Needle thick::1.6mm ,Color: red, yellow, green, Needle: straight, curved, rake		1	400	0	Please confirm the color, straight or curved?
UF03	Uncapping fork		Needle material:SUS304, Handle material:Aluminum&wooden, Needle thick:1.6mm		1	100	0	Please confirm straight or curved?
UF04	Uncapping roller		Needle material:SUS201, Size: 230*65mm		1	60	0	
UF05	Uncapping roller(Plastic handle)		Weight:220g, Material:PP Handle: 100PCS/CTN GW:16.05kg 45*29*22cm Wheel: CTN:61*33*42cm 200PCS/CTN GW:18.45kg		1	100	0	
UF05-2	Uncapping roller(Wooden handle)		Weight:240g, Material:PP Handle: CTN:35*33*32cm 100PCS/CTN GW:15.35kg Wheel: CTN:61*33*43cm 200PCS/CTN GW:18.4kg		1	100	0	
UF06	Uncapping roller(Euro pean)		Size:28.5x16.5x8cm Weight:265g Material:pp		1	24	0	


UF07	Uncapping fork (20 needles)		Colour:Yellow, Needle material:SUS304, Handle material:Plastic		1	200	0	
UF08	Uncapping fork (21 needles)		Material:PP & SUS304, needle thickness:1.6mm, length:55mm, Plastic Bright surface, Weight:85g		1	240	0	Please confirm the color
UF11-2	Uncapping fork (18 needles)		Material: 304 stainless steel needle, handle; PP Length: 225mm Weight: 130g The width of the steel fork is 76mm, the steel needle is curved, and there are holes at the bottom of the handle.		1000	160	0	
UF13-1	Uncapping fork		Material:SUS304 handle:Rubber wood or eucalyptus length:24.2cm, width:7.5cm, thickness:2cm handle length: 5.3cm	European standard, 304 stainless steel needles, hardened process, fork teeth are not easily deformed.	1	80	0	
UF13-1A	Uncapping fork (Adjustment)		Material:SUS304 handle:Rubber wood or eucalyptus	European standard, 304 stainless steel needles, hardened process, fork teeth are not easily deformed.	1	80	0	
UF13-1AP	Uncapping fork (Adjustment Plastic handle)		Material:SUS304 handle:Plastic length:24.2cm, width:7.5cm, thickness:2cm handle length: 5.3cm	European standard, 304 stainless steel needles, hardened process, fork teeth are not easily deformed.	1	80	0	
UF13-1P	Uncapping fork (Plastic handle)		Material:SUS304 handle:Plastic length:24.2cm, width:7.5cm, thickness:2cm handle length: 5.3cm	European standard, 304 stainless steel needles, hardened process, fork teeth are not easily deformed.	1	80	0	
UF13-2	Uncapping fork (L)		Material:SUS304 handle:Plastic handle and wooden handle are optional width:13cm	European standard, 304 stainless steel needles, hardened process, fork teeth are not easily deformed.	1	60	0	


UF13-2A	Uncapping fork(L Adjustment)		Material:SUS304 handle:Plastic handle and wooden handle are optional width:13cm	European standard, 304 stainless steel needles, hardened process, fork teeth are not easily deformed.	1	60	0	
UF13-3	Uncapping fork(Double ended needle)		Material:SUS304 handle:Plastic handle and wooden handle are optional width:7.5cm	European standard, 304 stainless steel needles, hardened process, fork teeth are not easily deformed.	1	80	0	
UF13-3A	Uncapping fork(Double ended needle Adjustment)		Material:SUS304 handle:Plastic handle and wooden handle are optional width:7.5cm	European standard, 304 stainless steel needles, hardened process, fork teeth are not easily deformed.	1	80	0	
UF13-3AP	Uncapping fork(Adjustable Plastic handle)		Material:SUS304 handle:Plastic width:7.5cm	European standard, 304 stainless steel needles, hardened process, fork teeth are not easily deformed.	1	80	0	
UF13-3P	Uncapping fork(Double ended needle Plastic handle)		Material:SUS304 handle:Plastic width:7.5cm	European standard, 304 stainless steel needles, hardened process, fork teeth are not easily deformed.	1	80	0	
UF14	Uncapping roller (4")		Roller length:10cm, 15cm, 20cm, and 25cm (other size can be customized also) Roller diameter 7.2cm Teeth length 1.2cm, Unlike the ordinary roller structure, there is no need for screws or snaps on the crossbar. The roller does not slip during the rotation process, and the length of the roller can be customized.		1	50	0	Please confirm the size
UF14-2	Uncapping roller (6")		Roller length:15cm(other size can be customized also) Roller diameter 7.2cm Teeth length 1.2cm, Unlike the ordinary roller structure, there is no need for screws or snaps on the crossbar. The roller does not slip during the rotation process, and the length of the roller can be customized.		1	50	0	Please confirm the size
UF14-3	Uncapping roller (8")		Roller length:20cm(other size can be customized also) Roller diameter 7.2cm Teeth length 1.2cm, Unlike the ordinary roller structure, there is no need for screws or snaps on the crossbar. The roller does not slip during the rotation process, and the length of the roller can be customized.		1	100	0	Please confirm the size


UF14-4	Uncapping roller (10")		Roller length:25cm (other size can be customized also) Roller diameter 7.2cm Teeth length 1.2cm,Unlike the ordinary roller structure, there is no need for screws or snaps on the crossbar. The roller does not slip during the rotation process, and the length of the roller can be customized.		1	20	0	Please confirm the size
UF15	Uncapping fork (17 needles)		Needle material:SUS304, Handle material:Plastic, Needle thick:2.0mm	European craftsmanship, 304 stainless steel needles	1	400	0	
FG13	Frame gripper (South America)		Material: stainless steel 2CR13, size: 27*6*11, weight: 320g, Surface treatment: red paint 4pcs/brown box G.W.:1.35kg Size:33*16*6cm	South American standards.	1	40	0	
FG18	BB Frame grip (201 Stainless) (Patent)		Product material: 201 CN Patent No.ZL 2022 3 0265800.1	European craftsmanship; the hooks lock firmly at the edge of the frame, allowing for one-handed operation and preventing slippage.	1	40	0	
FG18-2	Frame grip (with beehive tool)		Total length: 18.2cm Weight: 344g Body size: 14.5*13cm, The widest part of the scraper head is 4cm, material: 201 + beech handle	European craftsmanship; the hooks lock firmly at the edge of the frame, allowing for one-handed operation and preventing slippage.	1	40	0	
FG01	Frame gripper (Stainless)		Size:130mm*130mm, Thickness:1.8mm, Surface Treatment:Mirror polish and Sanding, Material:SUS2CR13		1	100	0	
FG02	Frame gripper (Iron)		Weight:195g Size:130mm*90mm Thickness:2.0mm Surface Treatment:Metal plating Material:Iron		1	100	0	
FG03	Frame gripper (with bee tool)		Size:270mm*130mm*105mm, Shovel:35mm, Thickness:2.8mm, Weight:295g Surface Treatment:Electrolytic polishing Material:2CR13		1	48	0	



FG03-2	Frame gripper (with bee tool)		Total length: 23cm Weight: 296g Body size: 12.8*12.5cm The widest part of the scraper head is 1.6cm. Material: cast iron, thickness: 0.4cm		1000	48	0	
FG04	Frame gripper (short clip)		Size: 130*140mm Material: Galvanized iron		1	64	0	
FG05	Frame gripper (Long clip)		Size: 130*140mm, Material: Galvanized iron		1	40	0	
FG06	Frame gripper		Material: Galvanized iron, Thickness: 3mm		1	60	0	
FG07	Frame gripper (Wooden handle)		Material: SUS201+Beech wood handle, Thickness: 27mm, Product weight: 0.235g	European craftsmanship; the hooks lock firmly at the edge of the frame, allowing for one-handed operation and preventing slippage.	1	60	0	
FG07-2	Frame gripper (Plastic handle)		Material: SUS201+PP Plastic handle, Thickness: 3mm, Product weight: 0.228g		1	50	0	
FG07-4	Plastic Frame gripper		Length: 14cm, Weight: 81g, The widest part of the shovel head is 5.5cm, material: PP		1000	100	0	
FG08	Frame gripper (French)		Material: SUS201		1	60	0	

FG08-2	Frame gripper (French)		Clamping width: 14mm Product material: 410 stainless steel material thickness: 2.0mm		1	80	0	
FG09	Frame grip (European Style)		Material: SUS201	European craftsmanship; the hooks lock firmly at the edge of the frame, allowing for one-handed operation and preventing slippage.	1	40	0	
FG10	Frame gripper (with bee tool)		Material: Galvanized iron		1	64	0	
FG11	Frame gripper (Iron)		Material: Galvanized iron		1	50	0	
FG12	Frame gripper (Aluminum)		Material: Aluminum		1	50	0	
FG14	Comb fork		Material: SUS201		1	160	0	
FG15	Bee taking-off machine		1. Voltage: 20V, Frequency: 1200-1500-1800, speed: 0-2700 round/minute. 2. the frame holder range: width: 25-30mm, Thickness ≤ 22 mm 3. The lithium battery : 2000mAh Standard: (single battery)	The shaking bee is highly efficient and labor-saving, easy to operate, and can be used with different sizes of frames.	1	5	0	Please confirm the plug
FG15-2	Bee taking-off machine		Jitter frequency : 600-2000BPM Rated voltage: 20V Clamping range: width 25-30mm, thickness ≤ 22mm Battery capacity : 2000MAH, one brushless motor, High efficiency, low energy consumption, durable, standard with two batteries.	The shaking bee is highly efficient and labor-saving, easy to operate, and can be used with different sizes of frames.	1	5	0	

FG16	Frame grip (Stainless)		bayonet: 2cm, thickness: 0.8mm, material: stainless steel		1	64	0	
FG17	Frame grip (Stainless)		Product material: 201 Product size: 14.2*4.8*14cm Opening size: 2.5x3.7cm product weight: 209g		1	50	0	
FG17-2	Frame grip (Stainless)		Product material: 201 Product size: 21*6.5*25cm opening size: 2.5x3.7cm product weight: 308g		1	40	0	
BR01	Bee brushes (Double rows)		Handle: 47cm, Brush width: 7.5cm, Brush material: Horsehair, Handle material: Pine	The handle comes with a shovel, making it convenient for beekeepers to retrieve frames. Use soft horsehair. Very friendly to bees and will not harm them.	1	150	0	
BR02	BB Bee brushes (Single row plastic)		Length: 450mm, Weight: 169g, Material: plastic CN Patent No. ZL 2019 3 0551034.3	The handle comes with a shovel, making it convenient for beekeepers to retrieve frames. Use soft plastic wool. Very friendly to bees and will not harm them.	1	100	0	
BR03	Bee brushes (Single row Plastic)		Handle length: 35cm, Brush length: 6.5cm, Material: varnished beech + plastic brush, product weight: 98g	American standards. Use soft plastic bristles and beech wood handles without scarring. Very friendly to bees and will not harm them.	1	200	0	
BR11	BB Beebrushes (Double rows)		200PCS/CTN Handle: 450mm Brush width: 7cm Weight: 160g	Great design that can help beekeepers easily retrieve frames. Using soft plastic bristles and chicken wing wood handles, there are no scars. Very friendly to bees and will not harm them.	1	100	0	
BR13	Bee brush (Beech double row plastic)		Handle material: beech wood handle sprayed with varnish, plastic sharpened wire mechanically implanted. Plastic hair length: 6.5cm, handle length: 45cm, widest part: 3.5cm, weight: 170g.	European standard, using soft plastic bristles and beech wood handles without scarring. Very friendly to bees and will not harm them. The tail hair can better clear bees.	1	100	0	

BR14	Bee brush (Beech double-row with scraper)		Wooden handle material: beech wood handle sprayed with varnish, horsetail mechanical hair transplantation. Horsetail length:6.6cm, handle length: 35.5cm, scraper length:4cm, thickness :0.3cm, widest part:3cm, weight: 210g.	European standard, using soft plastic bristles and beech wood handles without scarring. Very friendly to bees and will not harm them. The tail hair can better clear bees. The handle comes with a tool that can help beekeepers clean their beehives and retri	1	100	0	
BR04	Bee brushes (Four rows)		Handle:40cm rush width:21cm Brush material:Horsehair Handle material:Pine		1	250	0	
BR05	Bee brushes (Double rows)		Handle:40cm, Brush width:2.1cm, Weight:80g, Brush material:Bristles, Handle material:Pine		1	500	0	
BR06	Bee brushes (Double rows)		Handle:40cm, Brush width:2.1cm, Weight:42g, Brush material:Horsehair, Handle material:Pine		1	500	0	
BR07	Bee brushes (single rows)		Handle:40cm, Brush width:2.1cm, Weight:70g, Brush material:Horsehair, Handle material:Plastic		1	600	0	
BR08	Bee taking-off machine		Rated power:150W, Voltage:12V		1	1	0	
BR09	Bee brushes (Three rows)		Handle:40cm, Brush width:7.5cm, Weight:100g, Brush material:Bristles, Handle material:Pine		1	320	0	
BR10	Bee brushes (Three rows plastic)		Handle:40cm, Brush width:8cm Weight:95g, Brush material:Plastic Handle material:Pine		1	320	0	

FT01	Double strainer (Φ24cm)		Size: Φ240mm, Mesh material:SUS304, Filter screen height:65mm, Upper layer:12 mesh, Under layer:25 mesh	Seamless. No residual honey in the crevices. Easy to clean.	1	10	0	
FT01-2	Double strainer (Φ24cm)		Size: Φ240mm, Height:110mm; Mesh material:SUS304, Filter screen height:65mm, Upper layer:16 mesh, Under layer:40 mesh	Seamless. No residual honey in the crevices. Easy to clean.	1	10	0	
FT01-3	Double strainer (Φ24cm) (Patent)		Diameter: 24cm, Height: 15.3cm, Upper layer: 16 mesh, Down layer: 40 mesh. Material: SUS304 mesh, SUS201 extented holder CN Patent No. ZL 202230834949.7	Patent Product: CN Patent No. ZL 202230834949.7 New product promotion, with a raised bottom. The contact area with honey is larger. The filtering efficiency is higher.	1	10	0	
FT01B	Double strainer (large Φ32cm)		Size: Φ320mm, Mesh material:SUS304, Filter screen height:65mm, Upper layer:12 mesh, Under layer:25 mesh	Seamless. No residual honey in the crevices. Easy to clean. Increase the amount. Bottom with support bracket.	1	10	0	
FT11	Double strainer (34cm)		Size:34x24x12cm Mesh material:SUS304 Upper layer:16 mesh Under layer:40 mesh	Seamless. No residual honey in the crevices. Easy to clean. Circular arc shape. More suitable for honey filtration.	1	10	0	
FT02	Double strainer (Nylon)		Size: Φ240mm*60mm, Mesh material:Nylon, Case material:Nylon, Upper layer:16 mesh, Under layer:40 mesh		1	20	0	
FT02-2	White plastic double layer strainer		Size: 335*85mm Material: PP+nylon net, upper mesh: 16 mesh, lower mesh: 30 mesh Weight: 310g CTN: 78*40*85cm 20 PCS/CTN NW: 6.2kg GW: 8kg The upper mesh hole is 0.1cm, and the bottom mesh hole is 0.05cm.		1	20	0	
FT03	Double strainer (PP)		uper layer Size: Φ295mm		1	20	0	

FT04	Double strainer (ABS)		Size: Φ230mm, Mesh material: ABS, Weight: 676g, single layer height : 8cm, double layer height : 14.8cm		1000	10	0	
FT05	Strainer		Size: Φ255mm, Material: SUS201		1	50	0	
FT05-2	Strainer		Size: Φ255mm, Material: SUS201		1	100	0	
FT06	Strainer		Size: Φ230mm, Material: SUS201 Under layer: 40 mesh		1	50	0	
FT07-3	Filter (0.3 mm square mesh ø33cm)		Material: Nylon, 0.3 mm square mesh ø33cm		1	200	0	
FT08	Filter (Thick style)		Size: 35X23cm , Material: Nylon		1	240	0	
FT08-2	Filter		Size: 50X35cm, Material: Nylon		1	240	0	
FT09	Uncapping tray		Surface Treatment: Sanding, Material: SUS201, size: 470*432*100mm		1	1	0	

FT09B	Plastic uncapping tub		Material:PP, Usage:Use with Uncapping tray Product size 540*420*300mm		1	3	0	
FT10	Uncapping tray		Surface Treatment:Mirror polishing, Material:SUS201		1	1	0	
FT13	Comb holder uncapping tray		Size:stainless steel disc 600*400*95mm plastic box: external dimension:600x400x175mm internal, dimensions:550*365*160mm Mesh material:SUS201+PP 1pc/brown box		1	1	0	
FT14	Uncapping tray		Size:stainless steel disc 600*400*150mm plastic box: external dimension 600x400x230mm internal dimensions 550*365*220mm Mesh material:SUS201+PP		1	1	0	
FT15	Filter (1 mm square mesh . ø33cm. length 47cm)		Material:Nylon, 201 Stainless steel ring, ø33cm , 1 mm square mesh, length 47cm.		1	120	0	
FT15-2	Filter (0.3mm square mesh. ø33cm. length 36cm)		Material:Nylon, 201 Stainless steel ring, ø33cm , 0.3mm square mesh, length 36cm.		1	200	0	
FT15-3	Filter (0.2 mm square mesh ø33cm))		Material:Nylon, 201 Stainless steel ring, ø33cm , 0.2 mm square mesh, length 36cm.		1	200	0	
FT16	Filter (1 mm square mesh ø45cm))		Material:Nylon, 201 Stainless steel ring, ø45cm , 1 mm square mesh length 47cm		1	260	0	

FT16-2	Filter (0.3 mm square mesh ø45cm))		Material:Nylon,201 Stainless steel ring,ø45cm ,0.3 mm square mesh length 36cm		1	260	0	
FT16-3	Filter (0.2 mm square meshø45cm))		Material:Nylon,201 Stainless steel ring,ø45cm ,0.2 mm square mesh length 36cm		1	260	0	
FT17	Uncapping tray		Material: 201 stainless steel product size: 455x320x40mm thickness: 1.0mm Support thickness: 2.0mm, Weight: 1.3kg		1	10	0	
FT18	Filter (304 stainless steel)		1. The wall thickness of stainless steel is 0.8MM 2. The middle hole diameter is between 4.0 and 5.0. 3. The hole spacing is 3.0mm. 4. The overall shape keeps the taper, and the taper is between 48 degrees and 49 degrees. 5. The diameter of the top of the product is 178mm, the diameter of the bottom is 44.5mm, and the height is 150mm. Material: 201 stainless steel		1	80	0	
FT19	Stand for Strainer ø30cm		Material: 201 Stainless Steel Diameter 30cm, Height: 50cm Stainless Steel Band Thickness: 0.2cm Weight: 1600g Made of stainless steel legs and stainless steel screws and stainless steel straps! Fits any size bucket from 32cm to 60cm in diameter. . They can also be placed on smaller buckets, but won't be as secure.	Made to European standards, stainless steel, high load-bearing capacity, sturdy and durable.	1	10	0	PS:it is only stand, not including the stainer or pail.
FT19-2	Stand for Strainer ø45cm		Material: 201 Stainless Steel Diameter 45cm, Height: 50cm Stainless Steel Band Thickness: 0.2cm Weight: 1700g Made of stainless steel legs and stainless steel screws and stainless steel straps! Fits any size bucket from 45cm to 90cm in diameter. . They can also be placed on smaller buckets, but won't be as secure.	Made to European standards, stainless steel, high load-bearing capacity, sturdy and durable.	100	10	0	
TW70-B	Thermo regulated decrystalization tank(304 stainless steel gate)		Material:SUS201 Honey volume: 70L Remark: It melts the wax through the bottom heating plate 1500W	Equipped with 304 stainless steel honey gate.	1	1	0	Default with SS304 gate

WB01	Steam wax melter		Machine's parameter: - Material: SUS304 - Total height: 820 mm Tank dimensions: - Length - 580 mm Width - 420 mm Height - 610 mm Diameter of the drain - 25mm Steam generator: Power supply 230V / 50 Hz, Power 1800W, Water capacity 4L		1	1	0	110V US plug is not available, separate transformer costs USD18/pc.
WB02	Steam wax melter		Machine's parameter: - Material: SUS304 - Total height: 720mm -Diameter:530mm - Diameter of the drain - 25mm Steam generator: Power supply 230V / 50 Hz, Power 1800W, Water capacity 4L		1	1	0	110V US plug is not available, separate transformer costs USD18/pc.
WB03-2	Steam wax melter		Material: PP Voltage/Frequency: 220-240V~50/60Hz Input Power: 1850-2200W Boiler Capacity: 4.5L/max Steam Timer : 70 min Plate Size: 28x20cm Colorbox Size: 32x26x31 cm Quantity in : 20/40' 20:1016pcs/40:2200pcs CE GS EMC ROHS		1	4	0	
WB05	Square wax melting machine (30kg)		Material: 304 stainless steel product size: 96*46*84cm The capacity is 50L the thickness of the stainless steel is 0.2mm, and the interlayer can be filled with about 16L of water or heat transfer oil.		1	1	0	
WB06	Low-temperature dryer (200kg)		product size: 120*90*140cm Material: 304 stainless steel (Export fumigation-free wooden box) 200kg/h		1	1	0	
WB08	Wax Melting Pot		Quick heat conduction, gentle melting, backflow groove design on both sides to facilitate backflow, extended silicone handle, can withstand high temperatures of about 200 degrees. Capacity: 400ML Material: 201 stainless steel		1	100	0	
WB10	Plastic Solar Wax Melter		Size 690*435*270mm Material: 201 stainless steel + PP Weight: 5.5kg Plastic barrel outer diameter: 62*42*26cm, inner diameter: 57*39*25, cm, CTN: 70*45*29cm 1 PCS/CTN NW:5.5kg GW:6kg		1	1	0	
WB11	Stainless steel Solar Wax Melter		Size: 678*388*230mm Material: 201 stainless steel, there are handles on both sides. Weight: 7.92kg Stainless steel barrel outer diameter: 61.4*37.5*22cm, inner diameter: 61.2*36.8*21.8cm CTN: 69*40*25cm 1 PCS/CTN NW: 7.92kg GW: 8.5kg		1	1	0	



WB12	Double jacket wax melting tank (24L)		Input 110-230V (UK, US, AU, EU plug optional); Power: 2000W, adjustable temperature range, 35-100℃, 304SS material, barrel thickness 0.8mm, inner barrel diameter 277mm, outer barrel diameter 317mm height 515mm, capacity 24L (honey capacity about 35kg), sloping bottom, welded 304 stainless steel honey outlet		360	1	0	
WB13	Melting wax insulation bucket		Color: Black Power Supply: Plug-in Product Material: Stainless Steel Inner Tank Output Power: 1100W Capacity: 6L, 8L, 10L, 20L Adjustable Temperature (Range): 30~100 degrees Celsius Insulated Faucet: Yes Wax Melting Temperature/Time: 25~40 minutes (depending on the amount and type of wax) Input Voltage/Frequency: 110~220V Product + Packaging Dimensions: One unit per box 6L Product Dimensions: Φ20.5cm * Height 33cm 8L Product Dimensions: Φ30cm * Height 26cm 10L Product Dimensions: Φ30cm * Height 30cm 20L Product Dimensions: Φ30cm * Height 45.5cm	1. Controllable temperature, multiple specifications; 2. Anti-slip and anti-scalding lid design, with thickened anti-scalding handle, vented for insulation and prevents burning, won't break if dropped, more practical; 3. Thermostat: Freely adjustable from 30-110 degrees Celsius with a simple turn, suitable for various occasions; 4. Wax discharge valve: Full stainless steel body with insulation cotton, keeps warm to the touch, maintains temperature even after 12 hours without power.	1	1	0	Quotation is for 6L capacity. Add 4 USD per unit for 8L, add 7 USD per unit for 10L, add 14 USD per unit for 20L.
WB12-2	Double jacket wax melting tank (44L)		Input 110-230V (UK, US, AU, EU plug optional); Power: 2000W, Adjustable temperature range, 35-100℃, 304SS material, barrel thickness 0.8mm, inner barrel diameter 353mm, outer barrel diameter 393mm, height 558mm, capacity 44L (honey capacity about 62kg), sloping bottom, welded 304 stainless steel honey outlet		225	1	0	
WB12-3	Double jacket wax melting tank (85L)		Input 110-230V (UK, US, AU, EU plug optional) Power: 2000W, adjustable temperature range, 35-100℃, 304 material, barrel thickness 0.8mm, inner barrel diameter 467mm, outer barrel diameter 507mm, height 610mm, capacity 85L (honey capacity about 120kg), sloping bottom, welded 304 stainless steel honey outlet		140	1	0	

WB12-4	Double jacket wax melting tank (114L)		Input 110-230V (UK, US, AU, EU plug optional) Power: 2000W; Adjustable temperature range, 35-100°C, 304SS material, barrel thickness 0.8mm, inner barrel diameter 512mm, outer barrel diameter 552mm, height 666mm, capacity 114L (honey capacity about 160kg), sloping bottom, welded 304 stainless steel honey outlet		120	1	0	
HF01	Filling machine		Filling head specification: 20mm, Filling height: 0~40cm adjustable, Water pipe material: PVC steel wire hose, Water pipe specification: Inner diameter 20* outer diameter 25mm, inlet pipe length: 1.5m, outlet pipe length: 0.8m, host size: 28*26*19cm, package size: 40*35*35cm, package weight: 14kg. Automatic peeling: ✓ Automatic start and stop: ✓ Automatic deceleration: ✓ Automatic counting: ✓ Automatic reset: ✓ Automatic storage: ✓ Power off memory: ✓ Automatic learning: ✓ Delay adjustable: ✓ Hand release detection: ✓	A popular small honey filling machine in the market.	1	1	0	Please confirm the plugs?
HF01-2	Filling machine		Voltage/Power: 220V/200W Filling Range: 20g-8kg Weighing Capacity: 10kg Weighing Graduation: 2g External Surface Mount Pump Type: Gear Pump, 7L/min Pump Flow Rate: Overall Error: <2g Filling Head Specifications: 20mm Duckbill Valve Filling Height: Adjustable from 0 to 40cm Hose Material: PVC Steel Wire Hose Hose Specifications: ID 20 x OD 25mm Inlet Hose Length: 1.5m Outlet Hose Length: 0.8m Device Dimensions: 28*26*19cm Packaging Dimensions: 40*35*35cm Packaging Weight: 14kg Core technologies Weighing and filling Price-based filling Timed filling Knob speed adjustment Automatic tare Automatic start and stop Intelligent speed change Automatic counting Hands-off detection	A popular small honey filling machine in the market.	1	1	0	Please confirm the plugs?


HF02-3X	Filter	 Sheet metal color: gray Product size: 360*200*150mm Pumping Amount (kg honey/h)~ 900 kg/h Fittings 2x 2" BS hose connection Materials:Massive Plastic Rotation Speed:180 RPM Length:26.5cm Width:14.5 cm Voltage:110-230 V/24V Pumping Amount (L/h)700 L/h Filter mesh number: 100 mesh Liquid outlet connector: 32mm Pipe, 1. Outer diameter 40*32*4, quantity 2, length 1 meter	A popular small honey filling machine in the market.	1	1	0	需要确认插头型号, 进液/出液管标配都是1米。
HF02-4X	Filling machine	 Rated voltage DC12V AC110VAC220 Rated power 60W ~ 120W Product Size 420mm x 287mm x 165mm Package size 400*400*250-1 Conveying flow Example: 500g 300 bottles /H 1000g 220 bottles /H, manual control start/stop Machine Weight 8KG Gross weight 9KG Applicable range Fluid 34 to 42 Baume Applicable liquid temperature 15 to 70 ° C Filling requirements below 42 Baume and ambient temperature above 15 ° C	A popular small honey filling machine in the market.	1	1	0	Please confirm the plugs?
HF02-5X	Filling machine	 Small intelligent honey pot machine, not need the compressor air pump, not need to turn the barrel, it can be pumped after inserting the pipe. It is suitable for 38~43 Beaufort degree liquid honey canning, bottling weight range of 100~5000 grams can be set freely, manual/automatic two modes, 500 grams bottle take 8 seconds, support 220V household electricity, 12V battery connection (universal), can be canned in the field, each equipment can canned 2 tons of honey every day. Clean and hygienic, low noise and convenient.	A popular small honey filling machine in the market.	1	1	0	需要确认插头型号, 进液管标配都是是1.2米, 出液管标配50cm。
HF02-6X	Filling and filtering machine	 Small intelligent honey pot machine, not need the compressor air pump, not need to turn the barrel, it can be pumped after inserting the pipe. It is suitable for 38~43 Beaufort degree liquid honey canning, bottling weight range of 100~5000 grams can be set freely, manual/automatic two modes, 500 grams bottle take 8 seconds, support 220V household electricity, 12V battery connection (universal), can be canned in the field, each equipment can canned 2 tons of honey every day. Clean and hygienic, low noise and convenient.	A popular small honey filling machine in the market.	1	1	0	需要确认插头型号, 进液管标配都是是1.2米, 出液管标配50cm。

HF02-7X	Double head multi-function filling machine		1, honey concentration: semi-crystalline honey, mature honey, honey below 43.5 degrees 2, filling efficiency: 500 grams of honey, 1000 bottles per hour 3, rated voltage: household electricity 220V 4, honey filtration: 1 hour 1200 kg 5, honey bucket: 1 hour 1300 kg 6, filling range: 1 g -10 kg	A popular small honey filling machine in the market.	1	1	0	Please confirm the plugs? Packing method: Fumigation-free wooden box
HF03	Filling machine		Specification: 1, Working temperature: 15-120℃ 2, Speed: 80g/second, 5.0kg/minute 3, Filling range: 50g-2500g 4, Solution tank: 33L, 47kg honey 5, Driving voltage: 12V Solenoid voltage: 12V6, Service life: >200 thousand times 7, Working pressure : 0.3-0.8MPa, Power:5w 9, Weight: 13kg (Material: 202 stainless steel) / 15kg (Material: 304 stainless steel) 550 Watt, 8 Litre air compressor self prepared.		1	1	0	Do you need a gas pump?
HF04	Manual filling machine (10L)		Manual filling, Product size: 27*27*70 cm, Hopper capacity: 10L, Filling nozzle diameter: 4mm/8mm, Filling range: 5-50ml, Filling times: 5-15 times, Product weight: 10KG, Packaging weight: 14Kg, Packaging size: 33*36*76cm		1	1	0	
HF08X-3	Filling machine with DC turntable		Material: stainless steel, 855*670*635mm (excluding funnel), control mode: PLC control, start and stop mode: pedal, flow rate: 10L/min, expansion equipment: turntable, liquid inlet method: extraction/funnel, equipment power: about 400W, display: 5-inch touch screen, turntable load: 50KG, turntable diameter: 650mm, applicable viscosity: 1000CP-180000CP, applicable ambient humidity: <70%RH. Maximum filling height: 24cm Packing method: Fumigation-free wooden box	It is a DC turntable. The turntable will keep turning. When the infrared switch senses the bottle, it will stop and fill it. After filling, it will continue to turn.	1	1	0	Packing: Fumigation-free wooden box.
HF08X-4	Filling machine with servo turntable		Material: stainless steel, 855*670*635mm (excluding funnel), control mode: PLC control, start and stop mode: foot pedal, flow rate: 10L/min, expansion equipment: turntable, liquid inlet method: extraction/funnel type, display: 5-inch touch screen, turntable diameter: 650mm, applicable viscosity: 1000CP-180000CP, applicable ambient humidity: <70%RH. Maximum filling height: 19cm Packing method: Fumigation-free wooden box	It is a servo turntable with fixed angle filling. Customers can set the number of holes in the system according to the holes of the tooling, and then the machine will rotate at a fixed angle according to the number of holes. This is suitable for filling unstable, irregular and small bottles.	1	1	0	

HF09X-3	Small pump DC turntable filling machine		Material: stainless steel, 850mm*600mm*635mm (excluding funnel), control mode: PLC control, start and stop mode: pedal, flow rate: 6L/min, expansion equipment: turntable, equipment power: about 400W, liquid inlet method: extraction/funnel type, display: 5-inch touch screen, turntable load: 10KG, turntable diameter: 600mm, applicable viscosity: 1000CP- 180000CP, applicable ambient humidity: <70%RH. Maximum filling height: 29cm Packing method: Fumigation-free wooden box	DC turntable, the turntable will keep turning, and when the infrared switch senses the bottle, it will stop and then fill, and continue to rotate after filling is completed	1	1	0	
HF09X-4	Small pump servo turntable filling machine		Material: stainless steel, 850mm*600mm*635mm (excluding funnel), control mode: PLC control, start and stop mode: pedal, flow rate: 6L/min, expansion equipment: turntable, equipment power: about 400W, liquid inlet method: extraction/funnel type, display: 5-inch touch screen, turntable load: 10KG, turntable diameter: 600mm, applicable viscosity: 1000CP- 180000CP, applicable ambient humidity: <70%RH. Maximum filling height: 22cm Packing method: Fumigation-free wooden box	It is a servo turntable with fixed angle filling. Customers can set the number of holes in the system according to the holes of the tooling, and then the machine will rotate at a fixed angle according to the number of holes. This is suitable for filling unstable, irregular and small bottles.	1	1	0	
CL01	Beehive shovel		Length:205mmShovel:105mm*80mm Thickness:1.8mm, Handle:100mm, Surfa ce Treatment:Zincing		500	180	0	
CL01-2	Beehive shovel		Length:200mm, Shovel:105mm*80mm Handle:95mm*22mm, Surface Treatment:Mirror polish Material:SUS430, Thickness:1.8mm		1	200	0	
CL02	Excluder cleaner		Toal L:19cm, shovel L:6.3cm, shovel W:3.1cm, handle L:12.5cm, Φ 2.9cm, Surface Treatment:Mirror polish, Material:SUS430, thickness:1.5mm		1	120	0	
CL02-2	Excluder cleaner		Material:SUS304, Thickness:1.5mm, (C ustomizable:Double-sided teeth&Plastic Handle)		1	176	0	

CL02-3	Excluder cleaner (Plastic handle)	 A yellow-handled tool with a metal head. Dimensions: 190mm/7.48inch.	Toal L:19cm, shovel L:6.3cm, shovel W:3.1cm, handle L:12.5cm, Φ 2.9cm, Surface Treatment:Mirror polish, Material:PP & SUS430, thickness:1.5mm		1	120	0	
CL02-4	Excluder cleaner (Plastic)	 A blue plastic comb-like tool. Dimensions: 48mm/1.89inch, 16mm/0.63inch, 123mm/4.84inch.	Size:12.5*7.5*4.8cm Material:Plastic		1	500	0	
CL02-6	Excluder cleaner (Wooden handle)	 A tool with a wooden handle and a metal head. Dimensions: 200mm/7.87inch.	The total length is 20cm, the length of the scraper head is 6.4cm, the width head is 3.1cm on one side, and it is curved. The handle is 12.5cm long and 2.9cm in diameter. Surface treatment: The scraper head is mirror-finished. The handle is not painted. Material: stainless steel.		1000	120	0	
CL03	Frame cleaner	 A tool with a wooden handle and a metal head. Dimensions: 188mm/7.4inch.	Material:Galvanized iron, Thickness:3mm		1	200	0	
CL04	Scraper knife with shovel	 A metal tool with a wooden handle. Dimensions: 161mm/6.34inch, 45mm/1.77inch.	Length 16.7cm, width 12.1cm, height 2.1cm, weight 252g, thickness 0.31cm, material: 201 stainless steel		1000	100	0	
CL05	Beewax scraper	 A metal tool with a curved head. Dimensions: 140mm/5.51inch.	Material:SUS201		1	400	0	
CL06	Frame cleaner	 A tool with a wooden handle and a curved metal head. Dimensions: 270mm/10.63inch.	Length: 270mm needle length: 150mm handle length: 120mm weight: 85g material: 201 stainless steel handle:solid wood		1	200	0	
CL06-2	Frame cleaner	 A metal tool with a curved head. Dimensions: 237mm/9.33inch.	Material: 201 stainless steel weight :89g size: 23.7*3.1*0.6cm		1	250	0	

CL07	Pollen grip	 A long, thin, metallic tool with a coiled spring at one end. Dimensions: 160mm/6.3inch.	Material:SUS304		1	1300	0	
CL08	Royal jelly cleaner	 A long, thin, white plastic tool with a small red tip. Dimensions: 145mm/5.7inch.	Material:PP		1	1500	0	
CL08-2	Royal jelly cleaner	 A long, thin, white plastic tool with a small red tip. Dimensions: 140mm/5.5inch.	Material:Plastic length:15cm		1	1500	0	
CL08-3	Royal jelly cleaner (50pcs/box)	 A box containing 50 pieces of royal jelly cleaners. Dimensions: 160mm/6.3inch.	Material:bamboo 50只/box,weight:201g		1	120	0	
CL08-4	Royal jelly cleaner	 A long, thin, white plastic tool with a small red tip. Dimensions: 130mm/5.1inch.	Material:Plastic		1	200	0	
CL08-5	royal jelly pen	 A yellow plastic tool with a small red tip. Dimensions: 95mm/3.7inch, 82mm/3.2inch.	Length: 95mm,Width: 82mm,Weight: 28g,Material: PP/food grade		1	200	0	
CL08-6	Royal jelly cleaner(9-CT)	 A yellow plastic tool with a small red tip. Dimensions: 95mm/3.7inch, 82mm/3.2inch.	Length: 95mm,Width: 82mm,Weight: 30g,Material: PP/food grade		1	200	0	
CL09	Scraper	 A white plastic scraper. Dimensions: 220mm/8.6inch, 130mm/5.1inch.	Material: PP Size:22*13*1.8cm Weight: 137g		1	100	0	

CL09-2	Scraper		Material: silicone spatula Size:34.5x7.5cm Weight: 123g		1	100	0	
CL09-3	Scraper		Product size: 23x12.5cm weight: 64g		1	250	0	
CL13	Cleaning rake, stainless steel		Product length: 67.7cm, long pole length 60.3cm, scraper head length: 11.6cm, bend angle 90 degrees, scraper head in triangular shape, tip welded to the top of the long pole, material: 201. Weight: 291g.		300	30	0	
BT01	Beehive tie strap		Surface finish: Galvanized Buckle width: 33mm Buckle thickness: 1.2mm Strap material: Polyester webbing Strap length: 5m Strap width: 25mm Breaking strength: 600kg Color: Orange (Minimum order of 2000 units for other colors)	Material: Polyester, inherently UV-resistant, lasts 2 years outdoors (minor fading won't affect performance) Breaking strength: 600kg (over 4x the old model's 130kg) Strap upgrade: Thickness reduced from 1.3mm to 0.7mm—lighter & easier to handle	1	50	0	
BT01-2	Beehive tie strap (With hook)		Surface Treatment:Galvanized Buckle width:33mm Buckle thickness:1.2mm Rope material:Polypropylene Rope length:4.6M Rope width:25mm Colour:Customized Max weight available:200kgs		1	42	0	
BT02	Beehive tie strap (Australian)		Material:Galvanized iron Length :5m, 10 teeth. Thickness: Iron shell 2.5mm. Iron core 5.0mm. Iron sheet 0.3mm. Weight:650g		1	25	0	
BT02-2	Beehive tie strap (Australian Nylon)		Material:Galvanized iron Length :5meters Thickness: Iron shell 2.5mm. Iron core 5.0mm. Weight:600g		1	20	0	
BT02-4	Beehive tie strap (Australian)		Material:Galvanized iron Length :5meters ,Weight:600g ,10 teeth,Thickness of iron case: 2.5		1	25	0	

BT03	Beehive tie strap (BIG)		Rope material: Polypropylene Rope length: 10M		50	10	0	
BT04	Beehive tie strap (Australian)		5M yellow polyester braid strap, breaking force 1 ton (tested) Rope width: 26mm	Contains UV-protected webbing, durable.	1	100	0	
BT06	Beehive tie strap		1.2m green Polypropylene strap, breaking force 300kg, rope width: 25mm		1	240	0	
BT07	Beehive tie strap (US)		10mm SUS201, 3M blue polyester braided tape, breaking force 200kg (test)		1	50	0	
BT08	Beehive tie strap (Euro)		10mm SUS201, 5M yellow polyester braid strap, breaking force 1 ton (tested)	Contains UV-protected webbing, durable.	1	60	0	
BT09	Beehive tie strap (304)		Material: SUS304, strap: 3 meters, black polyester tape with UV primer, ultraviolet-proof	Contains UV-protected webbing, durable.	1	60	0	
BG01CG	Bee gloves		Material: Golden sheepskin & Canvas, Size: L, XL, XXL, Length: 480mm-520mm		1	200	0	Please confirm the size
BG01CW	Bee gloves		Material: White sheepskin & Canvas canvas, Size: L, XL, XXL, Length: 480mm-520mm		1	200	0	Please confirm the size

BG01PG	Bee gloves	 	Material:Golden sheepskin & + Polyester cotton, Size:L, XL, XXL, Length:480mm-520mm		1	200	0	Please confirm the size
BG01PW	Bee gloves	 	Material:White sheepskin & Polyester cotton, Size:L, XL, XXL, Length:480mm-520mm		1	200	0	Please confirm the size
BG02	Bee gloves	 	Material:White sheepskin & Polyester cotton or canvas, Size:L, XL, XXL, Length:480mm-520mm, Colour:yellow、 white		1	200	0	Please confirm the size
BG03	Bee gloves (Breathable)	 	Material:Golden sheepskin + High breathable mesh+Polyester cotton Size:L, XL, XXL Length:480mm-520mm Colour:yellow、 white		1	200	0	Please confirm the size
BG04	Bee gloves (Breathable)	 	Material:White sheepskin + High breathable mesh+Polyester cotton, Size:L, XL, XXL, Length:480mm-520mm		1	200	0	Please confirm the size
BG05	Bee gloves (Breathable)	 	Material:Golden sheepskin + High breathable mesh+Canvas, Size:L, XL, XXL, Length:480mm-520mm		1	200	0	Please confirm the size
BG06	Bee gloves (Mesh)	 	Material: three - layer breathable mesh cloth and sheepskin		1	200	0	Please confirm the size
BG07	Bee gloves (Euro)	 	Material:White sheepskin +Polyester cotton, Size:L, XL, XXL, Length:480mm-520mm		1	200	0	Please confirm the size

BG08	Bee gloves (Euro)		Material: White sheepskin + Polyester cotton, Size: L, XL, XXL, Length: 480mm-520mm		1	200	0	Please confirm the size
BG09	Bee gloves		Material: White sheepskin + Polyester cotton, Size: L, XL, XXL, Length: 480mm-520mm		1	200	0	Please confirm the size
BG10	Rain boots		Size 39-45 Textile material Height: 3cm Tube height: 38cm Material PVC+ beef tendon sole, anti-hit, anti-puncture, insulation and corrosion resistant		1	20	0	Please confirm the size
BG10-2	Beekeeping Rain boots		Upper Material: PVC, Shaft Height: 28cm Sizes: 36, 37, 38, 39, 40, 41 Color: White Sole Material: PVC Cowhide Lining Material: Moisture-wicking, breathable mesh Weight: 0.9kg		1	20	0	Please confirm the size
BG11	Bee gloves		Material: sheepskin + Polyester cotton, Size: S, M, L, XL, XXL, Length: 480mm-520mm		1	200	0	Please confirm the size
BG12	Bee gloves		Material: sheepskin + Polyester + Leatherette cotton, Size: S, M, L, XL, XXL, Length: 480mm-520mm		100	200	0	Please confirm the size
BG13	Bee gloves		Material: White sheepskin or yellow sheepskin Size: S M L XL XXL		200	200	0	Please confirm the size
BG14	Canvas bee gloves		Material: Rubber and canvas, size: S M L XL		200	200	0	Please confirm the size

BG15	Beekeeping gloves		Cowhide + canvas Product length is 47cm, finger length is 18.5cm, cuff length is 28.5cm, cuff width is 10cm, customizable sizes: L, XL, XXL.		200	200	0	Please confirm the size
BG16	Beekeeping gloves		Cowhide + canvas + breathable mesh Product length is 47cm, finger length is 18.5cm, cuff length is 28.5cm, cuff width is 10cm, customizable sizes: L, XL, XXL.		200	200	0	Please confirm the size
BG17	Beekeeping gloves		Material: White cowhide leather gloves, ribbed cuffs, length: 30cm, threaded part length: 10cm, glove length: 20cm. Size: L, XL, XXL		200	200	0	Please confirm the size
BG18	Beekeeping gloves		Material: yellow cowhide leather, ribbed cuffs, Size: L, XL, XXL length: 43.5cm, threaded part length: 8cm, glove length 36cm.		200	200	0	Please confirm the size
BS01	Bee suit (Cotton round cap)		Size:S, ML, XL, XXL, XXXL, Material:100% Cotton, Color: white, apricot, yellow,		1	25	0	Please confirm the color, size
BS01-2	Bee suit (Polyester cotton)		Size:S, M, L, XL, XXL, XXXL, Material: Polyester cotton, Color: white, apricot, yellow,		1	30	0	Please confirm the color, size
BS01-S	Bee suit (Children)		Size:1.1m、1.2m、1.3m、1.4m、1.5m, Material:Cotton		1	30	0	Please confirm the color, size
BS04	Bee suit (wasp)		material: oxford fabric outer layer+ thickened PU inner layer. Stereo mask, with a fan on the mouth, 10 ventilated holes, 3 fans for ventilation without being stuffy. Lengthened zipper + Velcro double-layer protection, easy to put on and take off and avoid the bees getting in.		1	1	0	Please confirm the color, size

BS05	Bee suit		Size:S, ML, XL, XXL, XXXL Material:Cotton Color: white, apricot, yellow		1	20	0	Please confirm the color, size
BS06	Bee jacket		Size:S, ML, XL, XXL, XXXL, Material:Cotton, Color: white, apricot, yellow		1	25	0	Please confirm the color, size
BS07	Bee jacket (ventilate)		Size:S, ML, XL, XXL, XXXL, Material:Cotton & ventilate mesh Hat: round or astronaut		1	15	0	Please confirm the color, size
BS08	Bee suit (Breathable)		Size:S, ML, XL, XXL, XXXL, Material:Cotton & breathable mesh Hat: round or astronaut		200	10	0	Please confirm the color, size
BS09	Bee suit (Breathable)		Size:S, ML, XL, XXL, XXXL, Material:Cotton & breathable mesh Color: white, green, yellow		1	30	0	Please confirm the color, size
BS09-2	Bee jacket (Breathable)		Size:S, ML, XL, XXL, XXXL Material:Cotton & breathable mesh Color: white, green, yellow		1	30	0	Please confirm the color, size
BS10	Bee jacket		Material:polyester & breathable mesh		1	30	0	Please confirm the color, size
BS11	Bee jacket		Material: polyester, The hat can be parted, With veil and zipper		1	30	0	Please confirm the color, size


BS12	Bee jacket		Size:Free size,Material:Polyester,Color: white, pink, blue, camouflage		1	60	0	Please confirm the color, size
BS13	Bee jacket		Size:L, XL, XXL, XXXL, Material: Cotton		1	40	0	
BS14	Sleeveless apron		Material: flax Features: waterproof and oil-proof size: 68x55cm		1	150	0	
BS14-2	Sleeveless apron		Material: flax Features: waterproof and oil-proof size: 68x55cm		1	150	0	
BS14-3	Sleeveless apron		Material: flax Features: waterproof and oil-proof size: 68x55cm		1	150	0	
BS15	American half-length round cap anti-bee suit (polyester flat)		Material:polyester M L XL XXL		1	50	0	
BS16	European round hat bee jacket (with zipper)		Material: 100% cotton, gram weight: 150g, color: white, yellow, green, pink, blue.	Made of 100% cotton, it is skin-friendly and breathable, machine washable, and resistant to shrinkage and deformation.	200	25	0	Please confirm the color, size
BS16-2	European astronaut hat bee jacket (with zipper)		Material: 100% cotton, gram weight: 150g, color: white, yellow, green, pink, blue.	Made of 100% cotton, it is skin-friendly and breathable, machine washable, and resistant to shrinkage and deformation.	200	25	0	Please confirm the color, size

BS16-3	European astronaut hat bee jacket (camouflage with zipper)		Material: 100% cotton, gram weight: 180g	Made of 100% cotton, it is skin-friendly and breathable, machine washable, and resistant to shrinkage and deformation.	200	25	0	
BS17	European round hat bee jacket (without zipper)	 Color: 	Material: 100% cotton, gram weight: 150g, color: white, yellow, green, pink, blue.	Made of 100% cotton, it is skin-friendly and breathable, machine washable, and resistant to shrinkage and deformation.	200	25	0	Please confirm the colors and size?
BS18	European astronaut hat overall beesuit		Material: 100% cotton, gram weight: 150g, color: white, yellow, green, pink, blue.	Made of 100% cotton, it is skin-friendly and breathable, machine washable, and resistant to shrinkage and deformation.	200	20	0	
BS20	Bee suit		Size :S, ML, XL, XXL, XXXL Material: 95% cotton +5% polyester-cotton +3 layers of breathable mesh fabric	Sting-proof & Breathable: Made of 3-layer cotton-polyester blended fabric with a mesh structure for ventilation and sweat wicking. It blocks bee stingers effectively without feeling stuffy even in summer. Double-sided yarn design: Equipped with an openable space cap and full-view round hat, easy to detach. No need to take off the suit when drinking water or fetching items. Thoughtful details: Elastic cuffs to prevent bees from getting in, tool pockets and knee cushion pads, making beekeeping work more convenient and comfortable. Durable brass zipper: Features an anti-oxidation coating to resist bee acid	20	15	0	
BS19	European bee pants		Material: 100% cotton, gram weight: 150g, color: white, yellow, green, pink, blue.	Made of 100% cotton, it is skin-friendly and breathable, machine washable, and resistant to shrinkage and deformation.	200	25	0	
BH01	Bee hat		Size:Free size		1	50	0	

BH01-2	Bee hat		Size:Free size		1	50	0	
BH02	Bee hat		Size:Free size Material:Cotton Color: white, yellow, camouflage		1	50	0	
BH03	Bee hat		Size:Free size Material:Cotton Color: white, yellow, camouflage		1	50	0	
BH04	Bee hat		Material:straw plaited,colour:Brown, green, white, off-white, beige		1	50	0	
BH04-2	Bee hat		Material:PP,colour:Brown, khaki, green		1	50	0	
BH05	Square veil without helmet		Material:50% cotton & 50% synthetic blend cloth		1	100	0	
BH06	Square veil		Material:cotton &Nylon veil		1	70	0	
BH07	Square veil		Material:cotton &Nylon veil		1	80	0	




BH08	Bee hat		Size:Free size Material:Cotton		1	200	0	
BH08-2	Camouflage double layer bee hat		Hat circumference size: 55-58cm, hat brim length: 9cm. Fabric: Taslan.		1	200	0	
BH09	Bee hat		Size:Free size Material:Polyester		1	250	0	
BH10	Bee hat		"Size:Free size Material:Cotton"		200	200	0	
BH11	Bee hat		"Size:Free size Material:Cotton"		200	200	0	
QC01	Queen cages		Plastic queen cage(The larva not longer need to be transferred)		1	2000	0	
QC01-2	cap feeder for queen cage		material:PP 1000pcs / package		1	15	0	
QC02	Queen cages		Plastic queen cage(Extension type) Color: white, yellow		1	2700	0	

QC03	Queen cages		Plastic queen cage		1	1600	0	
QC04	Queen cages		Plastic queen cage size: 8*3.5cm		1	1600	0	
QC04-2	EU Yellow queen cage (second-gen)		Size: 8.1*4.5cm, material: PP. Weight: 10g.		5000	1600	0	
QC05	Queen cages		Plastic queen cage size: 9.5*4.1*1.5		1	1000	0	
QC06	Marking cages		Material:PS&PP Weight:60g, Color: red, blue, white		1	600	0	Please confirm the color?
QC07	Marking cages		Material: PP Single product size: diameter 4.5cm, height 7cm. Weight 30g		1	576	0	
QC09	Marking cages		Queen marker		1	170	0	
QC09-2	Marking cages		Queen marker, Material: Glass tube		1	200	0	

QC11	Marking cages		55*45*90MM 67g		1	200	0	
QC12	Queen catcher (PC)		Material:PC		1	1200	0	
QC13	Queen catcher (Iron)		Material:Iron		1	630	0	
QC14	Queen catcher (Stainless)		Material:SUS201 size: 7*5cm		1	600	0	
QC15	Queen cages		Bamboo queen bee cage		1	800	0	
QC16	Queen cages		Bamboo queen bee cage		1	2000	0	
QC17	Queen catcher		Height:40mm Needle dia:1mm Weight:24g Material:SUS304&Plastic colour:yellow, white		1	600	0	Please confirm the color
QC18	Queen catcher		Material:PP		1	1000	0	


QC19	Marking cages		Material:PP		1	5000	0	
QC20	Queen rearing cages		Material:PP		1	2000	0	
QC21	Queen rearing cages (500PCS/BAG)		Material:Plastic (500PCS/BAG)		1	20	0	
QC21-2	Queen rearing cages (250PCS/BAG)		Material:Plastic (250PCS/BAG)		1	20	0	
QC23	Queen catcher		Material: PP Size: 10.8*6.7*2.5cm		1	500	0	
QC25	Queen catcher		Material: ABS		1	500	0	
QC26	Queen catcher		Length: 7.2CM Width:5.1CM Height:2.2CM Space distance:4.0CM		1	500	0	
QC27	Wasp trap		Material:PP		1	48	0	


QC27-2	Wasp trap	 Size: 203*203*150mm Material: PP Weight: 210g CTN: 42*42*70cm 60 PCS/CTN NW: 12.6kg GW: 14kg			1	60	0	
QC28	Wasp trap	 Diameter: 225mm Height: 150mm Weight: 316g Material: plastic			1	40	0	
QC29	Wasp trap	 Material: PP			1	48	0	
QC30	Wasp trap	 Material: PS Each pc packed in box seperately Product Dimensions: Diameter 13cm, Height 14cm Box Weight: 0.35kg Color Box Dimensions: 25*13*13cm			1	48	0	
QC31	Wasp trap	 Material: PP			1	45	0	
QC32	Wasp trap	 Material: PP			1	50	0	
QC33	Swarm catcher	 Material: polyester-mixed cotton			1	100	0	
QC34	Swarm catcher (with telescopic rod)	 Material: polyester-mixed cotton Bee net: CTN:52*45*27cm GW:12.5kg 100PCS/CTN Handle: CTN:1.5m GW:17.5kg 50PCS/CTN			1	50	0	


QC34-2	Swarm catcher		Material: polyester-mixed cotton Bee net: CTN:52*45*27cm GW:12.5kg 100PCS/CTN		1	50	0	
QC35	Queen cages		Weight: 38g Material: PP Size: 70*87mm		1	600	0	
QC36	Bee collecting cage		Material: Bamboo, Diameter 24cm, height 21cm		1	30	0	
QC37	Queen control box (1FRAME)		Material: ABS Product size: 485*50*240mm Aperture: 3.9mm		1	30	0	Length 490mm, please confirm whether it is suitable for your beehive
QC37-2	Queen control box (2FRAME)		Material: ABS Product size: 485*90*240mm Aperture: 3.9mm		1	25	0	Length 490mm, please confirm whether it is suitable for your beehive
QC37-3	Queen control box (1 FRAME)		Size: 48.5x5x24cm, Weight: 1.4kg, Material: 201 stainless steel		1	10	0	Length 485mm, please confirm whether it is suitable for your beehive
QC39	Queen catcher		14.8*13*1.1cm weight: 40g material: ABS		1	200	0	
QC40	Queen catcher		Size: 13.5x10.5x1.5cm Material: PP Weight: 20g Can be fixed on the honeycomb quickly and save time to catch the queen bee. Simple structure, efficient use. Control egg-laying.		1	300	0	


QC41	Wasp trap for plastic bottle		Diameter: 1cm How to use: Use a knife to cut a cross on two-thirds part of the plastic bottle. Install the trap to the cross part. This is the foot of the wasp. Remove the bottle cap, make a small hole on it, and hang a lure in the bottle. Hang the traps near the apiary Convenient and efficient trap tool		1	2000	0	
QC42	Swarm catcher (Euro)		Material: polyester-mixed cotton Weight: 640g		1	20	0	
QC42-3	Telescopic stainless steel catcher shortened by 40 cm, pole length 150 cm, Net diameter 28 cm, Aperture: 2 mm, Net depth 50 cm		Stainless steel catcher shortened by 40 cm, pole length 150 cm, Net diameter 28 cm, Aperture: 2 mm, Net depth 50 cm		1	100	0	
QC43	Marking cages		Weight: 5g Material: PP Size: 20*61mm		1	1500	0	
QC44	JZBZ queen bee protection box		size: 21x6x7.5cm, weight: 100g		1	60	0	
QC44-2	JZBZ queen bee protection box		Material: PP 20pcs Queen cages+1pcs JZBZ queen bee protection box		1	60	0	
QC45	Marking cages		Material: PP Size: 7.2*4*2.3		1	576	0	
QC46	Skep straw hive (3PCS)		Material: haulm Size (medium and large) diameter x height 38x38cm 32x34cm 25x35cm Knitted by hand, measurement error of 2-5cm is allowed.		1	2	0	


QC46-2	Skep Straw beehive (38cm)		Material: Hay(Large) Diameter:38 cm, Height:38cm Single weight: 0.86KG 24pcs/fiber bag, 20.7KG Size: 125*88*28cm.		1	24	0	Hand-woven, allow for measurement error
QC46-3	Skep Straw beehive (32cm)		Material: Hay(Medium) Diameter: 32 cm Height: 34cm Single weight: 0.7KG 24 pcs/fiber bag, 16.8KG Size: 115*85*28cm.		1	24	0	Hand-woven, allow for measurement error
QC46-4	Skep Straw beehive (25cm)		Material: Hay(small) Diameter: 25cm Height: 35cm Single weight: 0.65kg 24 pcs/fiber bag, 16KG Size: 100*80*28cm.		1	24	0	Hand-woven, allow for measurement error
QC49	Queen catcher		Material:PP		1	200	0	
QC50	Queen catcher		Material: composite plate +201 stainless steel product size : 8.9*6.1*1cm		1	800	0	
QC51	Queen catcher		Material:PP+ABS Grip size:11*2.5cm Dome diameter:6cm weight: 20g		1	500	0	
QC52	Queen catcher		Material:SUS304+ Product size: H37*Φ50mm Weight: 27g		1	500	0	
QC53	Wooden Queen cage		Total length: 13.5cm Weight: 53g It has holes on both sides and is equipped with a entrance. The two holes in the middle are fixed with steel mesh. Material: wood.		1000	0	0	


QC53-2	Queen cage (wooden)		Total length: 13.5cm Weight: 64g, attached with entrance, the middle round hole is fixed with steel mesh, material: wood.		1000	0	0	
QC54	Queen catcher		weight: 291g, Product length, width and height; 13.5x10.5x1.5cm Material: PP Advantage: It can be quickly inserted into the honeycomb to trap the queen bee, saving manual catching time, simple structure and efficient Use it to trap the queen bee within the range of the queen control cover to avoid laying eggs.		1000	250	0	
QC55	Wasp trap (PP)		Diameter 10.5cm, height 14.8cm, weight: 41g, material: PP. Black cap, yellow bottle body, two inlets.		2000	24	0	
QC56	Queen cage (Europe)		Size: 83*42*13 mm Material: PP Weight: 8g CTN: 46*46*56cm 1600 PCS/CTN NW: 12.8kg GW: 14.3kg		1	1600	0	
QC57	Multifunctional queen cage (steel mesh)		Size: 7*3.8*2.5cm, Weight: 18g. The front white panel and the black accessories on the side can be opened.		5000	0	0	
QC58	Multifunctional queen cage (New)		Size: 7*3.8*2.5cm, Weight: 17g. The front white panel and the black accessories on the side can be opened.		5000	0	0	
QB01	Grafting tool (Aluminium)		Length:170mm Handle:127mm Needle dia:2mm Weight:18g Material:Aluminium&SUS304		1	1000	0	
QB01-2	Grafting tool (Stainless steel)		Length:190mm Needle dia:3mm Weight:7g Material:SUS304		1	3000	0	




QB01-3	Grafting tool (Stainless steel European style)		Length:190mm Needle dia:4mm Weight:10g Material:SUS304		1	2000	0	
QB01-4	Grafting tool (Plastic)		Material:PP&Ox horn		1	11500	0	
QB01-5	Grafting tool (Plastic)		Material:Bamboo&Qx horn		1	11500	0	
QB01-6	Grafting tool (Plastic) 2PCS/BOX		Specification: 2 pcs/box Box size: 11.8x3.9x1cm Weight:12.5g Material:Bamboo&Shofar		1	200	0	
QB01-7	Grafting tool (Plastic)		Weight: 6g length:13.5cm Material: pp 40pcs/bag		1	5000	0	
QB01-8	Grafting tool (Stainless steel European style)		Length:190mm Needle dia:4mm Weight:10g Material:SUS304		1	3000	0	
QB01-9L	Grafting tool (left hands, tip 0.5mm) (Patent)		tip diameter:0.5mm Weight:35g Material:SUS420 CN Patent No.ZL 2022 3 0510174.8 2pcs/plastic box/19.5*2*2.5cm		1	500	0	
QB01-9R	Grafting tool (right hand, tip 0.5mm) (Patent)		tip diameter:0.5mm Weight:35g Material:SUS420 CN Patent No.ZL 2022 3 0510174.8 2pcs/plastic box/19.5*2*2.5cm		1	500	0	

QB02	Head band magnifier		Magnification times:1.2X ,1.8X ,2.5X ,3.5X. Material:ABS & organic glass Battery: 2×AAA(1.5V)		1	24	0	
QB02-2	Head band magnifier(not included)		Magnification times:1.2X ,1.8X ,2.5X ,3.5X.,Material:ABS & organic glass,Battery: 2×AAA(1.5V)		1	36	0	
QB02-3	Desktop magnifying		Size: 20.0 * 5.0 * 20.0 cm Product material: metal, plastic, acrylic lens Package: PP bag, foam, giftbox Packing information: 24 / box, 51.5 * 48 * 42CM, 22 / 20KG Magnification: 2X (large lens), 5X (small lens) Effective diameter: 130mm (large lens), 22mm (small lens) (mm) Material Plastic, metal, acrylic (battery not included)		1	24	0	
QB02-4	Head band magnifier(not included)		Magnification times:1.2X ,1.8X ,2.5X ,3.5X.,Material:ABS & organic glass,Battery: 2×AAA(1.5V)		1	24	0	
QB03	Grafting support		Material:SUS201		1	10	0	
QB04	Queen rearing box		Material:ABS, Surface Treatment: polished Weight:155g Size: 15*13*4cm		1	128	0	
QB04-10	Queen cell(1000PCS/BAG)		Material:P,1000cell/bag		1	70	0	
QB04-12	Queen rearing box		1 breeding comb 1 insertion aid 20 roller cage 50 smooth cell support 50 ribbed cell support 115 queen cells 115 insert cells		1	20	0	

QB04-13	Single row royal jelly bar (33 holes)		Material:pp		1	1080	0	
QB04-14	Double row royal jelly bar (63 holes)		Material:pp		1	540	0	
QB04-15	Complete Queen Rearing Kit		60PCS/CTN		1	60	0	
QB04-16	Queen rearing box		Weight: 133g Size: 12*4*12cm Material: PP.		1	55	0	
QB04-2	Queen cell (1000PCS/BAG)		Material:ABS, (1000PCS/BAG)		1	60	0	
QB04-3	Queen cell cup (1000PCS/BAG)		Material:PP ,Match with Item , (1000PCS/BAG), Matching with Item No. QB04-4		1	15	0	
QB04-4	Plastic frame spacer		Material:PP, Matching with Item No. QB04-3		1	700	0	
QB04-5	Queen cell cup (1000PCS/BAG)		Material:PP (1000PCS/BAG)		1	20	0	

QB04-6	JZ BZ base mount (1000pcs/bag)		Height: 16.7mm Width: 19mm Weight: 1.2g Material: plastic		50	12	0	
QB04-7	JZ BZ base mount cell cups (1000pcs/bag)		Height: 16mm Width: 12mm Weight: 0.9g Material: Plastic Color: black, yellow, blue, orange, green. The default color is yellow, other colors start at 50000		1	16	0	
QB04-7B	Queen cell bar		Material:pp Weight:30g		1	1000	0	
QB04-7C	JZBZ Plastic Royal Jelly Frame		JZBZ Plastic Royal Jelly Frame Material: PP Product size: 23*4.6 cm Product weight: 31g		1	560	0	
QB04-8	Push-In Cell Cups (1000pcs/bag)		Height: 12mm Width: 14mm Weight: 0.35g Material: plastic		1	20	0	
QB04-9	Holder for queen cell		Material:pp		50000	3000	0	
QB05	Birth control tweezer		Material:PP		1	1000	0	
QB06	Mellifera queen breeding equipment		Material: pp Queen rearing kit include: 1 pcs Larva Rearing Frame 1 pcs Frame Cage 20 pcs Larva Rearing Cell Sheets 3 pcs Royal Jelly Frame 10 pcs Royal Jelly Cup Sheets		1	1	0	

QB06-2	Mellifera royal jelly frame	 	Material: pp		1	20	0	
QB06-3	Impregnated Mellifera larva breeding frame	 	Material: pp frame		1	20	0	
QB06-4	Mellifera adjustable bottom row	 	Material: pp		1	2000	0	
QB06-5	Mellifera queen cage	 	Material: pp		1	25	0	
QB06-6	Mellifera impregnation queen stripe	 	Material: pp			2000	0	
QB07	Marking pen 5M (1 PCS)	 	Mitsubishi: PC-5M Color:Red, Green, Blue, Yellow, White		1	1000	0	Please confirm the color
QB07-2	Uni Posca Mitsubishi Marker Pen (PC-3M)	 	Mitsubishi: PC-3M Material: acrylic paint. Color: Red, Green, Blue, Yellow, White		1	576	0	Please confirm the color
QB08	Queen marking pen (1 PCS)	 	Non-toxic, tasteless, quick-drying, no harm to bees, neutral packaging, Color:Red, Green, Blue, Yellow, White		1	400	0	Please confirm the color

QB09	Marking pen (1 PCS)		Non-toxic, tasteless, quick-drying, no harm to bees, neutral packaging, Color:Mitsubishi: PC-5M Color:Red, Green, Blue, Yellow, White		1	1000	0	Please confirm the color?
QB10	Marker pen (Mitsubishi paint pen PX-20)		The length of the marker pen is 142mm, the diameter is 15mm, and the tip specification is 2.2-2.8MM. There are five colors for options: red, white, green, blue, and yellow.		1	576	0	Please confirm the color?
QB11	Marker pen (Mitsubishi paint pen PX-21)		The length of the marker pen is 133mm, the diameter is 11mm, the tip specification is 0.8-1.2MM, and the colors are red, white, green, blue, and yellow for option.		1	576	0	Please confirm the color?
QB38	Cell cup silicone mould		new environmental silicone, non-toxic and environmental, with a temperature resistance of 40 to 230℃. Size:10x5x1.4cm, weight: 80g, MOQ:200pcs		1	200	0	
QB38-2	Cell cup silicone mould		new environmental silicone, non-toxic and environmental, with a temperature resistance of 40 to 230℃. Size:10x9.5x1.9cm, weight: 80g, MOQ:200pcs		1	130	0	
QB38-3	10-hole queen Cell cup silicone mold		Material: Silicone Product size: 17.5*3.3*2.6cm, product weight 111g		1	180	0	
QB39	Scissor		Material: Stainless Steel,		1	200	0	
QB42	queen shipper		Material: PP Product size: 420x35x15mm Weight: 60g		1	520	0	

QB12	Queen Bee Marking Oil		Price: Per bottle 8ml/bottle Packing: 10 bottles/box Packing Details: Individual box per color color: yellow, red, green, white and blue for option.		1	360	0	Please confirm the color?
QB43	BB Electric Queen Cell Incubator (Patent)		Input voltage: DC 12v Heating temperature: 36 °C Can put 54pcs queen cell Inner box: 26*21.5*17.5 CN Patent No.ZL 2022 2 0476207.6		1	12	0	
QB44-2	Silicone mold for creating queen cells		Material: Silicone Product weight: 61g, PP bag independent packaging		1	100	0	
OT01	Multi-function claw hammer		Multi-function claw hammer		1	80	0	
OT03	Sprayer (2L)		Size:320mm*130mm Weight:310g Volume:2000ml Material:PE		1	20	0	
OT04	Outdoor beehive burglar monitor		Suitable for 2G cameras: GPRS MMS SMTP SMS. Trigger time:1.0s, 12MPFull HD ; Interval shooting Detection angle; 90 degrees; Lens angle 60° ;36 pieces; 940nm LED light; 2.0 inch display; 8 AA battery, without SD card, Accessories: USB cable xl lace		1	12	0	
OT04-2	Outdoor beehive burglar monitor		4G camera; suitable for WCDMA CDMA2000, MMS, SMTP, FTP, SMS, TIMELAPSE, FDD-LTE, TD-LTE;Trigger time:0.5s, 16MP;Full HD ;Interval shooting; Detection angle:120° , GPSLens angle: 90 degrees 24 pieces; 940nm LED light; 2.0 inch display; 8 AA battery; Can transfer full size photos and 5-30s short video; N.W.: 0.32kg		1	12	0	
OT05	Outdoor Mosquito repellent lantern		Switch type: push switch + mosquito repellent switch, LED light, power: 5W, range ≤50 meters, charging time 4.5 hours, camping light + bracket + 6 mosquito coils + USB + English color box Material: ABS, bare light size: 15.1*3.9*3.5CM Tripod size: 13.7*3.5*3.5CM Bare light weight: 145g Battery: built-in 3000mAh 21700 battery		2	50	0	

OT06	Outdoor Multifunctional axe		Material: High carbon stainless steel, Handle material: PP, Single product weight: 640g, Box: 40×15.3×3.2		1	30	0	
OT07	Gardening tool sets		Material: 201 stainless steel, thickness 1.2mm. The set includes: (large shovel, transplanter, tiller, hand rake, weeder, trimmer, sprayer, digging gloves) * 1		2	10	0	
OT08	Camping Foldable outdoor trolley cart (7-inch large)		Product material: Fabric material: 600D Oxford cloth, universal wheels, thickened steel frame Product size: 86*47*57cm • Load-bearing capacity: 500 catties Storage size: 70*47*25cm • Capacity: 230L Tire diameter: 10cm Push-pull integrated, retractable handle.		1	1	0	
OT10	Camping Cookware Kit		Material: Aluminum alloy, 0.8MM, Weight: 450g, Specifications: Small pot specifications: 122x105cm (bottom diameter*height) Small bowl specifications: 115x60cm Stove head specifications: 40x55x80cm Features: High temperature resistance, abrasion resistance, comfortable feel. Suitable for indoor and outdoor use. Product packaging: mesh bag + color box packaging.		1	32	0	
OT11	Outdoor portable foldable water bag		Material: PET/PE/PA Three-layer composite material, weight: 84.5g Unfolded size: 32.5x29.5+8cm, suitable temperature: 0-60° C		1	100	0	
OT12	Portable Electric Espresso Machine		Power: 72W Product size: 7.79*7.79*25.5mm Coffee machine principle: pump pressure Rated voltage: ≤36V (V) Body material: plastic 3Line: USB Boost cable, car charging cable, 110V adapter, 3 wires are supplied: European, American, British		1	12	0	
OT13	Outdoor Portable mobile power bank		Product size: 33.5*26.4*29.2cm, built-in emergency lighting, UL certified, UPS function, foldable handle, can be carried with one hand. Lithium iron phosphate battery, 3C certified, battery capacity: 2042W, car charger output: 12V/10A 120W,		1	1	0	

OT14	Outdoor Portable mobile air conditioner		Product plug (European, American, Australian, British standards) compatible with 12v/24V, 220V. Power failure protection: Yes Cooling power: 1600W Heating capacity: 2100BTU Inner unit size: 570*330*370mm Power cord length: 1 meter Refrigerant: New refrigerant (R410a) Product size: 57*33*37cm Voltage: 220V (applicable to 200-240V voltage) 110V (applicable to 100-120V voltage)		1	1	0	
OT15	Outdoor Portable Solar Powered Cooler Box		Liner Material: Food-Grade PP, Outer Shell Material: PE, Insulation Material: PU. Weight: 8kg. Built-in USB port for outdoor charging. Capacity: 60L. Dimensions: 65*40.5*44cm	Solar Panel Insulated Box. Built-in USB port for outdoor charging. Rounded corners for a comfortable grip. Side handle for added portability. Side handle for easy access. Bottom water outlet.	1	1	0	
OT04-3	Monitor solar power		Output voltage:6 v -9 v Maximum output current:800 ma Solar panel power:0.4 w, Lithium ion polymer battery interior:1500 ma, AC adapter voltage and current:5v和300mA。 White box:170x115x80mm supports x1 Power Adapter x1 Charging Cable x1 Output line x1 Lace x1		1	12	0	
OT05-2	Outdoor Four-leaf camping lantern		Material ABS Battery 1500 mAh 18650 battery Charging time: 3H Endurance time: 3-6 hours Color Green, Off-white Product size/net weight 7.9*13.5 (+3 hook height)*7.9CM, weight:328G		2	40	0	
OT05-3	Outdoor camping lantern		Material: Electronic components + plastic + metal solar energy+usb Charging, knob-adjustable dimming, outdoor waterproofIP4Level, warm white+White light, Color: green, black, retro red Battery: 1*18650/1200mah (external) Product function: adjustable light intensity Product features: type-C direct charging 5V1A Product size: 176*103*106 Product weight: 183.7g Product color: red/black/green	Product features: type-C direct charging 5V1A	2	70	0	
OT05-4	Outdoor Super bright headlamp		Wick:P70 Color Temperature:5600K White light Battery:3*18650 Lithium battery/1200mAh (external) Luminous intensity:powerful-weak-Flash Charge:USB Charge water proof:Life waterproof Zoom:Telescopic zoom net weight:345g(No batteries included) Material:ABS+ Aluminum alloy Product features: three-section tail display backpack type-C direct charging 5V1A output.	Product features: three-section tail display backpack type-C direct charging 5V1A output.	1	60	0	

OT05-5	Solar Powered Outdoor Lighting		Input rated voltage: AC90-240V/50-60Hz Battery capacity: 2300mAh Charging time: 12H Solar charging time: 24H Number of lamp beads: 21+21+1PCS Switch position: Flashlight-off, single side, double side Discharge time: weak light (single side) 8H light (double side) 4H Material: ABS+PS		1	24	0	
OT05-6	Outdoor solar searchlight		LEDs: Main Light P50 Side Lights: 25 2835 LEDs + 5 red + 5 blue Running Time: 2-3 hours Charging Time: 3-4 hours Functions: Main Light, High/Low/Flash Side Lights, High/Low/Flash, USB Output, Solar Panel Charging with Battery Level Display, Type-C Port Batteries: 3 x 18650 (4500 mAh) Lumens: 2000lm 40 watt Material: ABS + PS Weight: 427.5g Dimensions: 101 x 150 x 255mm Box Dimensions: 240 x 105 x 165mm Box Weight: 87.8g Accessories: 1 x Cable		1	40	0	
OT06-2	Outdoor Fire Fighting Hammer Axe		Material: High carbon stainless steel, handle material: PP single product weight: 624g, box: 40×15.3×3.2		1	30	0	
OT06-3	Multifunctional engineer shovel set		The material of the shovel head is 2CR13, the handle is 6063. The length of the mini flashlight is 8CM. The size of the saw is 16.5CM. The diameter of the handle is 2.8cm. The wall thickness of the handle is 3.5mm. The size of the shovel head is 12.8*16.2cm. The size of the axe is 12.8cm. The length of the small blade is 9cm. The material of the suitcase is PP. The inner box size is 29.5*17.5*8.5cm.		1	8	0	
OT06-4	Multifunctional engineer shovel		Shovel head material: 3cr13 Handle material: aluminum tube Total length: 102.6cm Shovel head length: 22.2cm Shovel head width: 15.5cm Shovel head thickness: 3.0cm		1	20	0	
OT06-5	Outdoor stainless steel hammer		Weight: about 664g Size: 295*115mm Material: solid wood + stainless steel + copper + leather Color: original wood color		1	25	0	

OT06-6	Outdoor Survival tool kits		Survival tool kit accessories include: Folding shovel, multifunctional axe, folding knife, multifunctional spoon, telescopic tent light, flashlight, water bottle buckle, hand rope, multifunctional knife card, fish bag, line, plastic climbing buckle*2, climbing buckle, mobile phone case, fluorescent stick*2, compass, tent, life-saving blanket, whistle, parachute rope, raincoat Accessories: tape, bandage*10, H-shaped bandage*10, butterfly-shaped bandage*10, gasket*2, bandage*2, blue tourniquet, triangular bandage, cotton swab*25-30, scissors, tweezers, gloves, pins*20		1	10	0	
OT07-2	Weeder removal tool		Material: cast steel + bamboo handle		2	12	0	The quotation includes a wooden handle, which can be optional and does not require a deduction of 3.5 USD
OT07-3	16 inch electronic chainsaw with lithium battery		Rated power: 1500W, Saw chain speed: 11m/s Guide bar length: 42cm Battery: lithium battery Endurance: 120min Voltage: 40V Color: red/yellow/gray		2	4	0	
OT07-4	10 Pieces Gardening Tool Set		Product material: Stainless steel powder coating + PP handle Product weight: 1300G Color: Purple/Green		1	10	0	
OT07-5	23 Pieces Gardening Tool Set		Product material: Product material: Aluminum alloy + alloy material + PP Product size (bag): 32.5cm * 19cm * 8.5cm		1	1	0	
OT07-6	Garden pruning shears		Knife material: stainless steel, Maximum length: 20.5cm Blade length: 7 cm Trimming diameter: 1.5cm Type: bird beak Weight: 166g Handle material: PP+TPR		1	96	0	
OT08-2	Deformable foldable storage rack		Material: Bamboo Single product weight: 3.8KG, inner box packaging, size: 54*34*10cm, 5 pieces/box, outer box size: 55*53*35cm, gross weight: 20.5KG, net weight: 19KG.		1	5	0	

OT08-3	Outdoor sleeping bag for camping		Filling: hollow cotton, lining: polyester, fabric: polyester cloth Structure: envelope type, color: military green, royal blue, navy blue, red, black, jungle camouflage, digital camouflage Product specifications: 2.4KG (190+30) * 75cm		1	8	0	
OT08-4	Outdoor Automatic inflatable mattress		2000mAh air pump, honeycomb columnar pull straps firmly support 300kg, Material: PVC, ABS/flocking skin-friendly flocking fabric, Single person: 190*100*25cm		1	1	0	
OT08-5	Outdoor Portable camping bed		Product size: 190*65*40/20mm, bracket material: aluminum alloy, net weight: about 2.8kg, maximum load: 500 catties, hammock surface material: Oxford cloth, color: pine lake green, exquisite black, khaki, dark gray.		1	4	0	
OT08-6	Outdoor Folding table (walnut) 0.9m		Expanded size: 90*60*45cm Storage size: 64*20*15cm Weight: about 3.5kg, load-bearing: within 200 pounds, Material: all-aluminum/walnut grain		1	6	0	
OT08-7	Camping Awning Vinyl Sky Curtain (4.5*4.5m)		Expanded size: 4.5*4.5m, can accommodate 6-10 people at the same time, material: 210D Oxford cloth Pole material: plastic-sprayed carbon steel canopy pole, sun protection UPF50+, waterproof PU3000+		1	5	0	
OT08-8	Outdoor Ridge Tent Camping Two Bedrooms and One Living Room 13m²		Fabric material: outer tent 210D silver coated Oxford cloth;ground cloth 300D Oxford cloth. unfolded size: 385x265x185cm, Tent pole material: all-aluminum alloy frame, pole color: khaki, weight: aluminum pole 12.5kg, storage size: 120x30x25cm.		1	1	0	
OT08-9	Outdoor Automatic tent		Weight: 3.3kg (single weight) Outer tent material: 170T silver tape/190T silver tape/210D Oxford cloth Outer tent waterproof index: less than 1000mm; Tent bottom waterproof index: 1000mm Fabric: 210D Oxford cloth, high-tech sun-proof fabric High-tech silver-coated sun-proof fabric effectively blocks sunlight and isolates ultraviolet rays Size: 200*200*140cm Storage size: 75*16*16cm Pole rack: fiberglass pole, Color: beige		1	10	0	

OT10-2	Outdoor Picnic knife set (304)		Material: 304 stainless steel 11-piece set: chopping board, rice spoon, soup spoon, strainer, peeler, scissors, barbecue clip, fruit knife, fruit fork, chopsticks, spoon,		1	24	0	
OT10-3	Portable Outdoor Gas Stove		Product material: paste, spraying process: cold plate spraying, Product size: body diameter 19cm, furnace frame height 2cm, furnace frame thickness 5cm, folding foot height 5cm Function: portable, dual-purpose, split, windproof, heat collection Product power: 4000W, product weight: 1.2KG, Product load-bearing capacity: 25KG, storage bag size: 21CM*21CM Core type infrared core.		1	16	0	Gas cylinders are not included and need to be provided by yourself.
OT10-4	Portable Camping Wood Stove		Furnace size (including pot rack): 23*23*29cm; Furnace material: galvanized plate; Furnace material: thickened manganese steel; Firepower: adjustable, with wind shield.		1	1	0	The price does not include power bank.
OT10-5	Outdoor Foldable wood-fired stove		Material: Aluminum alloy, Maximum power generation: 2W Input voltage: 5V Input current: 3A Output voltage: 5V Output power: 3W Weight: 2.2KG Battery: 5000mAh Boiling time: 4 minutes for one liter water Wind speed adjustment: three levels of adjustment Product size: 28.5x13.5x29.5cm		1	4	0	
OT11-2	Outdoor water purifier		Material: Filter material double-membrane ceramic membrane, NMC filter material. Product size: 5.7*3.1*13.8cm, weight: 95g, single product packaging size: 15.5*9.5*4.5cm, gross weight: 0.17kg Water purification capacity: 2,000 liters, applicable water source: Class III and above surface water or groundwater, water purification flow rate: about 0.3 liters/minute.		1	100	0	
OT11-3	Outdoor camping portable folding bucket		There are 10L\20L options, and the colors are green and brown. The material is three-layer PVC mesh. The size is 30*30*26CM Thickness: 5 cm, product weight(20ml): 310g.		1	50	0	

OT11-4	Camping shower bag		Size:31*63cm Capacity: 5L, Material: TPU waterproof fabric Features: High frequency voltage technology,PTU waterproof material		1	40	0	
OT11-5	Triangle storage rack		Color: Black Weight: 604g Dimensions: Unfolded: 77.5*42.5*64.8cm Storage: 36*9cm Load-bearing: 8kg Material: Polyester, Plastic Steel, Aluminum Alloy		1	25	0	
OT11-6	Tripod Adjustable Hanging Camping Tripod for Cooking		Size: up to 80cm Weight: 371g Storage: 11.3*31cm Load-bearing: recommended to be within 20kg Material: Aluminum alloy, galvanized iron (chain)		1	30	0	
OT11-7	Eco-Friendly Wood Burning Camping mini Stove		Thermal Power Generation Small Wood Stove Foldable Rechargeable Heating Stove Stainless Steel Portable Camping Card Stove. Battery: 5000 mAh Weight: 1.24KG Wind Speed Adjustment: Three-speed Adjustment Boiling Time: 4 minutes for 1 liter of water Product Size: 18x12x23cm Fuel: Renewable Energy (Branches, Sticks, Wood Pellets, etc.) Device Compatibility: Can Charge Most USB Charging Devices	With Power Generation Device	1	10	0	
OT90	Powerful magnet waist clip		Product dimensions: width 66mm, height: 72mm, thickness: 22mm. Weight 123g		1	50	0	
OT08-10	Outdoor Folding Storage Box		Color: gray, navy blue, military green Material: PP+wood board External dimensions: 59.6*41.6*34cm		1	1	0	
OT08-11	Outdoor folding camping chair		Oxford cloth + carbon steel material, color: white, green, black, apricot, quicksand gold; Single piece size: 65x50x68cm; Single piece weight: 1.65kg		1	20	0	
J31	Double wall wax melter 1.5L		Material:SUS304,Weight:585g,Volume :1.5L Height: 13cm it is suitable for an induction hob Packing:1pc/white box G.W.:0.585kgs 22*16.5*16cm		1	12	0	

J32	Wax melting pot		Material:SUS304, Size: 10*21*12.5cm		1	60	0	
QT010	Spoons		Material: Beech, Length: 16cm, Other lengths can be customized.		1	1600	0	
QT010-2	Spoons (PP)		Material:PP		1	800	0	
QT010-3	Spoons (SUS304)		Material: all 304 stainless steel (food grade) weight: 93g, specification: 15.6x2.0cm		1	200	0	
QT010-4	Spoons (SUS304)		Length: 20*2.3cm, weight: 15g material:stainless steel		1	500	0	
QT010-5	Spoons (SUS304)		Material: all 304 stainless steel (food grade) weight: 93g, specification: 15.6x2.0cm		1	200	0	
QT41	Refractometer tester		Measuring Range: 58-92Brix 38-43 Be° (Baume) 12-27 Water Division: 0.5 Brix 0.5 Be° (Baume) 1 Water Accuracy: ±0.5 Brix ±0.5 Be° (Baume) ±1 Water Automatic Temperature Compensation (ATC) Length : 140mm Weight: 230g Iset/inner box, inner box size:20.5*8*5.5CM		1	50	0	
QT41-3	Digital refractometer (new style)		Brix S01 0.0—90.0% Water S02 38.0%—5.0% Be S0333.0—48.0 Refractive Index S04 1.3330—1.5177nD Size: 121*58*25mm		1	24	0	

QT41-4	Digital refractometer		Measuring accuracy: $\pm 0.5^{\circ}\text{C}$, automatic temperature compensation: $5^{\circ}\text{C}\sim 40^{\circ}\text{C}$ measurement response time: 0.3ml power supply: 2xAAA battery battery life 5000 reading size: 145x67x8mm net weight: 185g		1	25	0	
QT58	Plastic spoon		Length: 155mm Weight: 4g Material: plastic		1	2000	0	
QT60	Dispenser jar		Material: Acrylic Capacity: 200ml Size: 83mm*100mm*150mm		1	60	0	
QT60-3	Handheld Funnel		Material: 201 Stainless Steel Honey Outlet Diameter: 8 mm Surface Treatment: Brushed Finish Funnel Diameter: 13 cm Handle Diameter: 3 cm Handle Length: 12.5 cm Stand Height: 16 cm Stand Wire Diameter: 0.5 cm Total Weight: Approx. 486 g	Interior features a brushed finish design for easy cleaning and hygienic use. Premium Spring: Automatic rebound for precise flow control.	1	25	0	
QT68	Bee venom acquisition instrument		One single output acquisition controller, two power grid, 3500mah large-capacity lithium battery, 5V2A charger, wooden frame The grid electrode wire is made of 304 stainless steel, which is rust-proof and corrosion-proof Glass size: 440mmX340mmX3mm (Glass self-provided)		1	1	0	
QT74	Thermo&humidity meter		Specification: temperature measurement range: $-50^{\circ}\text{C} \sim +70^{\circ}\text{C}$ Measurement accuracy: $\pm 1^{\circ}\text{C}$ Temperature resolution: 0.1°C Humidity measurement range: 10%RH- 99%RH Humidity measurement accuracy: $\pm 5\%$ RH Humidity resolution: 1% Battery: AAA 1.5v Overall dimension: 100*92*23 mm		1	150	0	


QT74-2	Digital thermometer		The product is packed in a white box with no words. Neutral packing I. function overview: 1. The LCD display 2. External dimension: 48*28.6*15.2mm (small error in measurement) 3. LCD size :35.7*16.8mm (small error in measurement) 4. Weight: 25g (excluding battery) 5. Humidity display 6. Humidity measurement range is 20% ~ 90% 7. Humidity display resolution 1% 8. Humidity sampling cycle: 10 seconds (1 minute) 9. Accuracy of humidity measurement is $\pm 5\%$ 10. Rated voltage dcl.5v (2 AG13 button batteries) 11. Temperature measurement range -50 to 70 12. Accuracy of temperature measurement ± 1 degree (at room temperature)		1	250	0	
QT77	Liquid Propolis Scale Dispenser		12PCS/CNT		1	12	0	
QT80	Jar linen bag		Material: Linen Product size: 25*9*15cm		300	50	0	
QT80-2	Linen bag		Weight: 140g, material: jute cloth, size: 25*13.5*22cm, LOGO can be customized.		100	50	0	
QT81	Plastic-coated pushpin		Material: plastic, metal Specification: 10 * 10 mm Packing: 100 PCS/transparent plastic box (68*54*24mm) Weight: about 36g Color: 12 monochrome optional		1	100	0	
QT85	Beeswax cube silicone mold		Beeswax cube silicone mold size of product: 19.5*16 *5 cm Beewax block size: 14.2*8.4*4.6 cm Wax block weight: 460-520g Material: Silicone		1	20	0	

QT85-2	Beeswax cube silicone mold (five grids)		Material: Silicone, outer diameter: 18.6*9.8*2.3cm, single inner size: 8.1*2.8*2cm, single weight: 288g. Wax block weight: 46-52g		1	50	0	
QT85-3	Beeswax cube silicone mold		Wax block size/weight made out of this mold: 14*8*4.5cm/750g Beeswax cube silicone mold size of product: 16*10*5cm Material: Silicone		1	50	0	
QT86-2	Portable hook scale		Maximum weighing: 50kg. Scale: 0-10kg, d=5g; 10-50kg, d=10g. Built-in tape measure: 1.5-meter carbon steel tape measure		1	100	0	
QT86-3	Portable luggage scale		Maximum weight: 50kg. Blue backlit display. Bare machine :78g. Color box size: 14.8*9.4*3.2cm. 100pcs per box. Outer box size: 49*35*31cm		1	100	0	
PC09-3	BB Oxalic acid heater (upgraded) (Patent)		Connect the vaporizer to 220V/110V power source. It will take approximately 1 minute to reach preset temperature. The red sequence readout will display 280 when ready. In the white lids (recess side up) place the appropriate amount of OA. Invert the vaporizer. Take the white lid containing the OA and push it onto the bowl (be careful the vaporizer bowl is very HOT!) Place the still inverted vaporizer stem (with lid attached) into the drilled hole then turn the vaporizer right side up and tap the lid. The acid will fall into the bowl and start to vaporize. This will take approximately 20 seconds. You need to seal any openings during and 10 minutes after vaporization. voltage: 110V-230V Power: 250W Appearance Patent No. :202030435142.7 Utility Model Patent No. :202120820132.4	Patent product: Appearance Patent No. :202030435142.7 Utility Model Patent No. :202120820132.4 Plastic box packaging. Wear a fireproof cover. Equipped with a stainless steel medicine dispenser. Thicken the wires. The temperature is more precise. Heating is faster.	1	10	0	
PC26	Oxalic Acid & Glycerine REFILL		- 1.5kg Glycerine - 2kg Oxalic Acid (OA) - 2 bundles of 86 Beequip Strips. (172 total)	Food grade oxalic acid.	50	1	0	

PC01	Oxalic acid heater		handle: wooden ,material: stainless steel & aluminum voltage:12 v, temperature : 160° - 190°		1	30	0	
PC02	Formic acid dispenser		Material:pp+Plastic, size: 220*220mm		1	60	0	
PC04	Smoke mite eliminating machine		Weight:3.9KG		1	1	0	
PC05	Acarid fumigator		Material:SUS304, cylinder diameter 7cm, wall thickness 0.6mm, height 15cm, lid diameter 7.5cm.		1	60	0	
PC06	Black beetle trap		Material:PP ,Size: 22.5cm,weight: 9g		1	800	0	
PC07	Plastic beetle trap		Material:PP ,Size: 17.5cm,weight: 14g		1	1400	0	
PC08	Beetle trap box		material: pp,size: 9.3x7.70.8cm ,weight: 18g		1	500	0	
PC09	Oxalic acid heater		voltage: 12V		1	50	0	

PC09-2	BB Oxalic acid heater(simple version) (Patent)		voltage: 110/220V Power: 250w Maximum temperature : 220-240℃ 1pc/brown box/51*16*12CM about1.6kgs Material:aluminum +Plastic+wooden handle CN Patent No.ZL 2020 3 0435142.7		1	10	0	
PC09-4	Oxalic acid Vaporizer		Use insulating sleeves for smoke exhaust vents. The power cord is extended to 2.2 m to connect the equipment by using the battery. The maximum output current is not less than 20A. Working voltage: 12V		1	32	0	
PC09-5	Handheld oxalic acid vaporizer		Material: 316 stainless steel Weight: 1.8kg CTN: 43*35*51cm 5 PCS/CTN NW:9kg GW:13.8kg 110v US & 220v EU plugs available HDled Color display, innovative PID thermostatic controller ,precise temperature control system. More stable and efficient,faster evaporator,Avoids the conversion of oxalic acid into formic acid; For different beehive structures,several different bends available. The copper tube makes it easier for beekeepers to remove mites; Equipped with simple cleaning tools throughout the process and a special shock-absorbing tool box.		1	5	0	
PC09-6	Oxalic Acid Mite Fumigation Gun		Material: 201 Stainless Steel + Galvanized Iron + PP Plastic Handle Product Size: 38.5 × 17.5 × 7 cm	Easy to operate: Gas heating, portable and simple to handle, bee-friendly. Heavy smoke output: Uniform atomization for high-efficiency mite elimination and control.	1	20	0	
PC10	Formic acid dispenser		Φ: 11.5cm H:2.8cm Material:PP+foam weight:60g		1	250	0	
PC11	Formic acid dispenser		Φ:17cm H:4.5cm Material:PP, weight: 160g		1000	100	0	
PC12	Formic acid dispenser		Material:PP Size:255*255mm		1	70	0	

PC13	Anti-varroa smoker		Standard configuration: 2 AA batteries (battery not included in the factory) 1pc/whiter inner box/33*10.5*6.5cm		1	40	0	
PC13-2	Anti-varroa (rechargeable)		Material: PP + stainless steel 201, the longest product is 32cm, the cylindrical diameter of the separated part is: 5.6cm, the length is 10.5cm; there is a four-blade fan inside, the product weight is 305g. Comes with a power cord. 1pc/whiter inner box/33*10.5*6.5cm		1	40	0	
PC14	Aluminium beetle trap		Material:Aluminium 29.8*3.5*3cm		1	300	0	
PC15	plastic beetle trap				1	1000	0	
PC16	Varroa Check		Product size: 15*10cm, product weight: 150g, material: PP		1	50	0	Please confirm if your country has intellectual property protection for this product. Our company is not responsible for intellectual property rights.
PC16-2	CO2 Mite shaker bottle		1.CO2 anaesthesia detection device for detecting mites in hives without harming bees 2. not equipped with CO2 anesthetic cylinder, please consult if you need to match 3.The middle layer is stainless steel mesh Size: 103*103*154 mm Material: Glass Weight: 318g CTN: 72*40*54cm 20 PCS/CTN NW: 6.54kg GW: 10.5kg		1	20	0	
PC16-3	European Varroa mite shaker bottle		Size: 105*105*272 mm Material: PC Weight: 278g CTN: 56*45*47cm 40 PCS/CTN NW: 11.1kg GW: 13kg Individually packaged		1	40	0	
PC17	Smoke mite eliminating machine				1	1	0	

PC17-2	Smoke mite eliminating machine		1. Unscrew the metal connector from the pump (you don't need to follow this step if the connector is already installed on the white liquid tank). 2. Turn over the connector, and place the fine parts filter into the slot. 3. Turn over the fogger and insert the connector to the pump. (It is better to insert the filter in this position, to prevent filter from falling out) 4. Screw the connector with the filter into the pump. Now it is ready for use.		1	1	0	
PC18	Stainless steel varroa fumigato		voltage: 12V		1	20	0	
PC21	Propane burning oxalic acid atomizer		Through the method of oxalic acid sublimation fumigating beehive fullness, with the evaporation of oxalic acid, killing beehive bee mites, the most effective tool to treat Varroa mites. Productivity: 100 swarms killed every 25 minutes. Volume after packing: 35CM*12CM*25CM Weight after packing: 1.48KG		1	10	0	
PC22	Hand-held propane burning oxalic acid atomizer		Rapid elimination of mites Productivity: 100 swarms killed every 25 minutes. Volume after packing: 46CM*11CM*15CM Weight after packing: 1.26KG Note: For transportation safety reasons, the accessories do not include air valves, air hose and gas cylinders, but you can purchase such accessories at your local supermarket or outdoor camping store.		1	10	0	
PC23	Lithium electric oxalic acid atomizer		The amount of solid oxalic acid plus hydrate used per treatment should be between 0.8 g and 2.4 g. Simple operation, no further training required. The complete set of main accessories are: 1: One atomizing machine. 2: 4 oxalic acid crucible. 3: 2 lithium batteries. 4: 1 home charger, input: 100-240v AC 0.6A; Output :21v DC 1a. 5: 1 set of car charger. 6: 5 language instructions: German, French, English, Russian, Spanish.		1	5	0	
PC24	Formic acid mite dispenser		Product weight: 47g, capacity: 200ML, size: 19.5*7.7*2.5cm, material: PP, maximum length: 21.58cm.		3000	1000	0	

PC25	Oxalic Acid Dosage Syringe for Beekeeping		Single product weight: 120g, capacity 1000ml, size: 9*9*36cm,		1	20	0	
PC27	Oxalic Acid Vaporizer Varroa Mites Treatment		Battery Voltage: 18V Battery Capacity: 4000 mAh (approx. 40 minutes of heating time) Set Temperature: 230℃ Heating Power: 240W Temperature Sensor: Soldering Joint Thermocouple Battery Interface: Two versions available: Dewalt (yellow battery interface) Makita (black battery interface) Note: Please confirm the available version for your local market before purchase. Battery and charger are not included. 1pc/Inner box/30*15*23cm/2.2kgs 30 seconds to vaporize 4 grams of oxalic acid.		1	10	0	Is a battery adapter required? DeWALT or makita? Due to the difficulty in transporting batteries, the quotation does not include batteries.
PC27-2	Dewalt version Battery-Oxalic Acid Vaporizer		Battery type: Lithium battery; Material: ABS+PC; Applicable to: Dewalt 18 power tools; Nominal capacity: 4000mAh; Nominal voltage: 18V. 125*90*80mm		1	30	0	存储温度：常温。
PC27-3	Makita version Battery-Oxalic Acid Vaporizer		Battery type: Lithium battery; Material: ABS+PC; Applicable to: MAK 18 power tools; Nominal capacity: 4000mAh; Nominal voltage: 18V. 213*184*103mm		1	30	0	
PC27-2B	Charger Dewalt version Battery-Oxalic Acid Vaporizer		Dewalt DCB118 Single Charger; 100V-260V 50-60Hz, Compatible Battery Type: 18650 Battery, Material: ABS, Charging Time: 2.0Ah (30 minutes); 3.0Ah (45 minutes); 6.0Ah (60-75 minutes); Universal 100V to 240V Voltage Input, Supports Wide Compatibility with 10.8V-20V Batteries. Inner box dimensions: 180*145*92MM		1	30	0	存储温度：常温。
PC27-3B	Charger Makita version Battery-Oxalic Acid Vaporizer		Makita DC18RC Single Charger 100V-260V 50-60Hz, Compatible Battery Type: 18650 Battery, Material: ABS, Charging Time: 2.0Ah (30 minutes); 3.0Ah (45 minutes); 6.0Ah (60-75 minutes); Universal 100V to 240V Voltage Input, Supports Wide Compatibility with 10.8V-20V Batteries Net Weight: 730g Gross Weight: 780g Product Dimensions: 213*184*103mm		1	16	0	

PC28	Self priming filter gas mask		size :16.5cm * 11.2cm * 13cm weight : 547g		50	32	0	
PC30	Formic acid vaporizer(Plastic suspended frame)		Product size: 20.5*2.5*8cm Weight: 60g, Material: PP 1.The evaporation system is made of food grade polypropylene with good acid resistance. 2.The vessel is designed to hold the acid until the reserve space is emptied, creating a constant level in the evaporation section via the evaporation wick.		100	100	0	
PC31	European Varroa mite shaker bottle		Diameter: 67mm, Material: PP Weight: 278g CTN: 44*37*50cm 40 PCS/CTN NW: 11.1kg GW: 13kg		200	40	0	
BM22	Varroa mite-killer		Content : 50mg/pcs Usage and dose : each standard group (10 spleen bee) using a 1/4 of the way corner or hang on bee nest door in sert the pill. Specification : 50mg *20 strips/bag		1	200	0	
BM22-1	Varroa mite-killer		Content : 50mg/pcs Usage and dose : each standard group (10 spleen bee) using a 1/4 of the way corner or hang on bee nest door in sert the pill. Specification : 50mg *20 strips/bag		1	200	0	
BM22-2	Varroa mite-killer		Content : 50mg/pcs Usage and dose : each standard group (10 spleen bee) using a 1/4 of the way corner or hang on bee nest door in sert the pill. Specification : 50mg *20 strips/bag		1	200	0	
BM22-3	Bee mite killer(Flumethrin strip)		Weight: 55g 20 strips/bag		1	200	0	
BM22-4	Bee mite killer		Weight: 52g		1	200	0	

BM25-1	Golden mite-killer		Content : 50mg/pcs Usage and dose :Hanging the strips with diagonal direction in bee hive, or inserting the strips into hive door. One piece for weaker colony and two pieces for stronger colony generally.		1	200	0	
BM25-2	Golden mite-killer		Content : 50mg/pcs Usage and dose :Hanging the strips with diagonal direction in bee hive, or inserting the strips into hive door. One piece for weaker colony and two pieces for stronger colony generally.		1	200	0	
BM26	Prosperous mite-killer		Content : 50mg/pcs Usage and dose : each standard group (10 spleen bee) using a 1/4 of the way corner or hang on bee nest door in sert the pill. Specification : 60mg *20 strips/bag		1	200	0	
BM41	Amitraz aerosol (Zhenxing)		550ml		1	30	0	
BM42	Formic acid aerosol (Zhenxing)		550ml		1	30	0	
BM43	Varroa mite-killer (10pcs)		Active Ingredient : Fluvalinate40-50mg strip		1	100	0	
BM43-2	Varroa mite-killer (20pcs)		Active Ingredient : Fluvalinate40-50mg strip		1	100	0	
BM45	Fluvalinate Strips Specificati on: 10 strips		Active Ingredient : Fluvalinate40-50mg strip		1	500	0	

BM45-2	Fluvalinate Strips Specification: 20 strips		Active Ingredient : Fluvalinate40-50mg strip		1	500	0	
BM46	Fluvalinate Strips Specification: 10 strips/bag		Active Ingredient : Fluvalinate40-50mg strip		1	500	0	
BM46-2	Fluvalinate Strips Specification: 20 strips/bag		Active Ingredient : Fluvalinate40-50mg strip		1	400	0	
BM47	MANPULIKE Main Ingredient: Taufluvalinate Specification: 10 strips/bag		Active Ingredient : Fluvalinate40-50mg strip		1	500	0	
BM47-2	MANPULIKE Main Ingredient: Taufluvalinate Specification: 20 strips/bag		Active Ingredient : Fluvalinate40-50mg strip		1	400	0	
BM48	Manjing - Flumethrin Strips Specification: 10 strips/bag		Flumethrin 3.6mg/strip		1	500	0	
BM48-2	Manjing - Flumethrin Strips Specification: 20 strips/bag		Flumethrin 3.6mg/strip		1	400	0	
BM49	Mavrilk - Fluvalinate Strips Specification: 20 strips/bag		Fluvalinate 50mg/strip		1	400	0	

BM50	Manhao pro-Fluvalinate StripsSpecification: 40*2 strips/bag		Fluvalinate 50mg/strip		1	300	0	
BM51	Man Jie - Formic Acid Aerosol		Formic Acid		1	56	0	
BM52	Miticide - Amitraz Solution Aerosol		Amitraz		1	56	0	
BM53	Bee liquid (100ml)		instructions for the Use of Magic Bee-hiring Water JINHAINA This product is refined from more than 20 precious Chinese medicines mixed with queen bee pheromone. It can send out strong information to lure bees within 1 kilometer into your hive. This product is an adjuvant drug to induce bees. It is based on the traditional method of bee harvesting to provide the product with the success rate of bee harvesting. It requires that the bee trapper must have mature experience of bee harvesting and control the environment of bee harvesting. Temperature, water source, wind direction, season and region all determine the success rate of bee harvesting. 【Method of Use】1. Dry the beehives and bee barrels that are ready to spray bee water. Inside, place an old spleen with honey water, and clean up the interior. It must be used on old beehives. 2. Spray the mixture of honey and pollen on the wall of the beehive		1	100	0	
BM55	Bee bait (60ml)		Product size: 14cm * 5.5cm * 3.5cm Specifications: 60ml HOW TO USE IT ① beehive door and surrounding area. If you are using an old box, please apply this product to the If you are using a new beehive with an unpleasant smell. ② wall and apply it evenly We need to use this product to smear all parts of the inner It is best to lure bees in the bee-splitting period. the success rate is much higher. The product can only increase the success rate of bee trapping, it does not mean that the product can be 100% successful in trapping bees.		1	230	0	

BW01	Beeswax grade A	 	Pure beeswax content: 30%		1	25	0	Please tell us about purity and use
BW02	Beeswax grade B	 	Pure beeswax content: 50%		1	25	0	Please tell us about purity and use
BW03	Beeswax grade B	 	Pure beeswax content: 80%		1	25	0	Please tell us about purity and use
BW04	Beeswax grade C	 	Pure beeswax content: 100%		1	25	0	Please tell us about purity and use
BW05	Pure beeswax	 	Pure beeswax		1	20	0	Please tell us about purity and use
BW05-2	Pure beeswax	 	Pure beeswax		1	20	0	Please tell us about purity and use
HAP08-2	Heating coils (280mm)	 	Material:304 Stainless steel, waterproof, height: 1 meter, power: 400W, voltage: 220V-230V, distribution line 1.5 to 2.0) meters, tube diameter: 40mm, temperature adjustment range: 0 to 85 degrees. Bottom diameter: 280mm.	New product recommendation	1	1	0	
HAP08-3	Heating coils (330mm)	 	Material:304 Stainless steel, waterproof, height: 1 meter, power: 550W, voltage: 220V-230V, distribution line 1.5 to 2.0) meters, tube diameter: 40mm, temperature adjustment range: 0 to 85 degrees. Bottom diameter: 330mm.	New product recommendation	1	2	0	

HAP08-4	Heating coils (420mm)		Material:304 Stainless steel, waterproof, height: 1 meter, power: 940W, voltage: 220V-230V, distribution line 1.5 to 2.0) meters, tube diameter: 40mm, temperature adjustment range: 0 to 85 degrees. Bottom diameter: 420mm.	New product recommendation	1	1	0	
HA18L-C	18 liters plastic pail (America style)		Material: PP, Capacity: 18L, Top cover diameter: 300mm Diameter of barrel mouth: 288mm Diameter of bottom: 266mm Height: 360mm Body circumference: 854mm Label height: 235mm		1	20	0	Do you need open a hole? Do you need Honey Gates?
HA20L-A	20 liters plastic pail (zipper lid)		Material:PP Capacity:20 liters Dia:300 Height:380 (Not including honey gate)		1	20	0	Do you need open a hole? Do you need Honey Gates?
HA20L-B	20 liters plastic pail with thickened body		Material: PP, Capacity: 20L, Top cover diameter: 315mm Diameter of barrel mouth: 295mm Diameter of bottom: 267mm Height: 375mm Body circumference: 875mm Label height: 259mm		1	20	0	Do you need open a hole? Do you need Honey Gates?
HA20L-C	20 liters plastic pail (America style)		Material: PP, Capacity: 20L, Top cover diameter: 300mm Diameter of barrel mouth: 288mm Diameter of bottom: 264mm Height: 380mm Body circumference: 858mm Label height: 255mm		1	20	0	Do you need open a hole? Do you need Honey Gates?
HAP01	Pail opener		Material:PP,Color: Red, yellow,suitable for 3-25L plastic pail		1	230	0	
HAP02	Tank support		Material:SUS201		1	50	0	
HAP02-2	Tank support		Material:SUS201		1	40	0	

HAP02-3	Pail Support		Material: Engineering plastic		1	100	0	
HAP02-4	Tank support		Material:SUS304, Weight: 570g, Size:28x12cm		1	25	0	
HAP03	Plastic Uncapping Block		material: pp size: 33x14x2cm weight: 468g		1	60	0	
HAP04	30CM tank stand		Height: 50cm, diameter: 30cm Height: 50cm, diameter: 35cm Height: 50cm, diameter: 40cm Height: 50cm, diameter: 45cm Height: 50cm, diameter: 50cm Height: 50cm, diameter: 52cm Material: 201, no magnetic Foldable design, bearing capacity: 60kg Both sides can be used to support the barrel. One side is 14.5cm above the ground and the other - 8.5cm		1	15	0	
HAP04-35	35CM tank stand		Height: 50cm, diameter: 30cm Height: 50cm, diameter: 35cm Height: 50cm, diameter: 40cm Height: 50cm, diameter: 45cm Height: 50cm, diameter: 50cm Height: 50cm, diameter: 52cm Material: 201, no magnetic Foldable design, bearing capacity: 60kg Both sides can be used to support the barrel. One side is 14.5cm above the ground and the other - 8.5cm		1	15	0	
HAP04-40	40CM tank stand		Height: 50cm, diameter: 30cm Height: 50cm, diameter: 35cm Height: 50cm, diameter: 40cm Height: 50cm, diameter: 45cm Height: 50cm, diameter: 50cm Height: 50cm, diameter: 52cm Material: 201, no magnetic Foldable design, bearing capacity: 60kg Both sides can be used to support the barrel. One side is 14.5cm above the ground and the other - 8.5cm		1	15	0	
HAP04-45	45CM tank stand		Height: 50cm, diameter: 30cm Height: 50cm, diameter: 35cm Height: 50cm, diameter: 40cm Height: 50cm, diameter: 45cm Height: 50cm, diameter: 50cm Height: 50cm, diameter: 52cm Material: 201, no magnetic Foldable design, bearing capacity: 60kg Both sides can be used to support the barrel. One side is 14.5cm above the ground and the other - 8.5cm		1	15	0	

HAP04-50	50CM tank stand	 Height: 50cm, diameter: 30cm Height: 50cm, diameter: 35cm Height: 50cm, diameter: 40cm Height: 50cm, diameter: 45cm Height: 50cm, diameter: 50cm Height: 50cm, diameter: 52cm Material: 201, no magnetic Foldable design, bearing capacity: 60kg Both sides can be used to support the barrel. One side is 14.5cm above the ground and the other - 8.5cm		1	15	0	
HAP04-52	52CM tank stand	 Height: 50cm, diameter: 30cm Height: 50cm, diameter: 35cm Height: 50cm, diameter: 40cm Height: 50cm, diameter: 45cm Height: 50cm, diameter: 50cm Height: 50cm, diameter: 52cm Material: 201, no magnetic Foldable design, bearing capacity: 60kg Both sides can be used to support the barrel. One side is 14.5cm above the ground and the other - 8.5cm		1	15	0	
HAP05	Tank stand (ø32*35cm)	 Diameter 32cm, Height 35cm. Packing: 1pc/inner carton (90*65*395)mm; 6pcs/outer box (195*145*410mm) Material: 201 T=2.0mm single side wire drawing		1	6	0	
HAP05-2	Tank stand (ø41*35cm)	 Diameter 41cm, Height 35cm. Packing: 1pc/inner carton (90*65*395)mm; 6pcs/outer box (195*145*410mm) Material: 201 T=2.0mm single side wire drawing		1	6	0	
HAP05-3	Tank stand (ø47*35cm)	 Diameter 47cm, Height 35cm. Packing: 1pc/inner carton (90*65*395)mm; 6pcs/outer box (195*145*480mm) Material: 201 T=2.0mm single side wire drawing		1	6	0	
HAP06	Melting blanket	 Size:103*31cm Electric:80-220V Average power:160W NW:1.5KG GW:2KG one pc/box HS:6301300000		1	10	0	
HAP07	Mixer	 Total length: 610mm spiral outer diameter 80mm Straight rod diameter: 10mm, spiral diameter 6mm, spiral height 250mm Material: 304 stainless steel		1	20	0	
HAP07-2	Mixer	 Total length: 600mm Material: 304 stainless steel Bar diameter: 10mm Spiral diameter: 100mm The wall thickness of the spiral disk is 1.2mm The position of the two spiral discs can be adjusted, and the inner nut is fixed		1	30	0	

HAP07-3	Mixer		Total length: 500mm Material: 304 stainless steel Bar diameter: 10mm Spiral diameter: 95mm Spiral height 104mm		1	30	0	
HAP07-M	Mixer		Power: 1800 W all copper, rated voltage: 230 V frequency: 50HZ, speed: 0-1100 RPM/MIN, M14 insert screw coupling		1	4	0	
HAP08	Straining heater		Honey straining heater 550W for ø 32 cm strainers. Does straining honey annoy you too? The heating spiral makes it easy to filter even cold or crystallized honey and it can also be used to liquefy honey as well. You can adjust the temperature between 30 – 85 °C. Since honey is liquified at about 35-40 °C, the heating coil has to be adjusted to a temperature higher than this. Operation at higher temperatures is possible without damaging the honey, because it will leave the system as soon as it is liquified at about 42°C/107.6°F. Especially with crystallized honey it is. We recommend that you adjust the temperatur between 45-50 °C. Technical details: Voltage: 230V Power 550W Current (A) 2,4 Height: 33cm Bottom diameter: 14.5cm		1	10	0	
HAP09	Silicone heating pad Drum heat pad for 5 gallon, 800 W – (860*200mm)		Voltage: European, American and Australian plugs are optional 110V-230V Material: Silicone Weight: 0.9kg Size: 860*200mm Watts: 800 Diameter: 10-3/8in (263mm) Fit: 5 gallon drum temperature adjustment range of 30 to 130°		1	20	0	Please confirm the Voltage: European, American and Australian plugs are optional 110V-230V
HAP09-2	Silicone heating pad Drum heat pad for 55 gallon, 1200 W – (1740*125mm)		Voltage: European, American and Australian plugs are optional 110V-230V Material: Silicone Weight: 0.96kg Size: 1740*125mm Watts: 1200 Diameter: 21-3/4in (554mm) Fit: 55 gallon drum temperature adjustment range of 30 to 130°		1	10	0	European, American and Australian plugs are optional 110V-230V
HB100-A	100kg pail with flat cover (Plastic gate)		Material:SUS201,Honey volume: 78L,Bucket body thickness:0.8MM,Diameter:45cm,Height:50cm Processing technology:Seamless welding &polishing, (Not including honey gate)		1	5	0	Default with plastic gate

HB150-A	150kg pail with flat cover (Plastic gate)		Material:SUS201, Honey volume:114L, Bucket body thickness:0.8MM, Diameter:50cm, Height:60cm Processing technology:Seamless welding & polishing, (Not including honey gate)		1	3	0	Default with plastic gate
HB20-A	20KG pail with flat cover (Plastic gate)		Material:SUS201, Honey volume:15L, Bucket body thickness:0.8MM, Diameter:25cm, Height:30cm Processing technology:Seamless welding & polishing, (Not including honey gate)		1	1	0	Default with plastic gate
HB200-A	200kg pail with flat cover (Plastic gate)		Material:SUS201, Honey volume:154L, Bucket body thickness:0.8MM, Diameter:60cm, Height:60cm Processing technology:Seamless welding & polishing, (Not including honey gate)		1	3	0	Default with plastic gate
HB25-A	25KG pail with flat cover (Plastic gate)		Material:SUS201, Honey volume:20L, Bucket body thickness:0.8MM, Diameter:30cm, Height:30cm Processing technology:Seamless welding & polishing, (Not including honey gate)		1	12	0	Default with plastic gate
HB50-A	50KG pail with flat cover (Plastic gate)		Material:SUS201, Honey volume:38L, Bucket body thickness:0.8MM, Diameter:35cm, Height:40cm Processing technology:Seamless welding & polishing, (Not including honey gate)		1	8	0	Default with plastic gate
HB75-A	75KG pail with flat cover (Plastic gate)		Material:SUS201, Honey volume:56L, Bucket body thickness:0.8MM, Diameter:40cm, Height:45cm Processing technology:Seamless welding & polishing, (Not including honey gate)		1	6	0	Default with plastic gate
HC50-201	50L pail with filter		Material:SUS201, Honey volume:50L, Product size: 37*47cm(Default with plastic gate)		1	1	0	
HC70-201	70L pail with filter		Material:SUS201, Honey volume:70L, Product size: 37*65cm(Default with plastic gate)		1	1	0	

HD70	Decrystalization tank		Diameter * height: 45*45cm, actual capacity: about 70L, about 106kg honey, The highest temperature is 100℃ Material:SUS201 Capacity:70L Remark:It melts the wax by heating water round the bucket(double-layer bucket) and also with the heating plate on the bottom		1	1	0	
HD90	Decrystalization tank		Material:SUS201 Capacity:90L Remark:It melts the wax by heating water round the bucket(double-layer bucket) and also with the heating plate on the bottom about 125kg honey diameter * height: 45*57cm, Power 1500w		1	1	0	
HQ01	Stainless steel bucket		Capacity: 4L 8L 10L 12L 16L 20L for optional. Material: 201 stainless steel Thickness:0.8cm		1	30	0	please confirm the capacity of the bucket you order
TW70-A	Thermo regulated decrystalization tank		Material:SUS201 Honey volume: 70L Remark: It melts the wax through the bottom heating plate 2800W		1	1	0	
HG01	Plastic gate		Thread outer diameter :45mm (For honey extractor hole), Material:ABS (White/Orange/Yellow/Green/Red)		1	200	0	Please confirm the color?
HG02	Plastic gate (Yellow)		Thread outer diameter :45mm (For honey extractor hole) Material:Nylon		1	200	0	
HG03	Plastic gate (White)		Thread outer diameter :48mm (For honey extractor hole), Material:Nylon		1	200	0	
HG04	Plastic gate (European style)		Thread outer diameter :44mm (For honey extractor hole), Material:ABS		1	200	0	

HG05	Plastic gate (European style white)	Thread outer diameter: 48mm	Thread outer diameter :48mm Material:PP		2000	100	0	
HG06	Gate (Stainless)	Thread outer diameter: 45mm	Thread outer diameter :45mm (For honey extractor hole), Material:SUS304, Weight:487g		1	50	0	
HG07	Gate (Stainless)	Thread outer diameter: 45mm	Thread outer diameter :45mm (For honey extractor hole), Material:SUS304, Weight:487g		1	30	0	
HG08	Gate (European style nylon)	Thread outer diameter: 45mm	Φ: 45cm, Material:Nylon		1	160	0	
HG09	Gate (Push type)	Thread outer diameter: 48mm	Material: ABS, diameter: 48mm, weight: 290g		1	50	0	
HG11	Gate (European style Stainless steel)	Thread outer diameter: 48mm	material: SUS304, diameter:48cm weight:408g		1	30	0	
HG12	Gate (304)	269mm/10.59inch	A solid, stainless steel, self closing, no-drip valve, threads. Rising plunger valve. Will fit tanks with 1" male thread outlet directly with no adapters. 1. Installation method: G3/4 internal thread connection 2. Stop time: 1-2S 3. Filling speed: 1 L/min 4. Applicable materials: liquid, paste (without particulate matter) 5. Dimensions: 269*87*146 mm 6. Outer package size: 312*103*66 mm 7. Equipment weight: 840g 8. Packing type: carton		1	20	0	

HG13	Gate(White ABS)		Size (large); 14.5*8*7cm, inner diameter: 5cm, hole diameter: 5.6cm, weight: 124g, Size (small); 13*6.6*5.8cm, inner diameter: 4cm, hole diameter: 4.5 cm, weight: 93g, Material: high quality ABS		2000	200	0	
HG14	Gate(Stainless)		Material: 304 stainless steel, Outer diameter: 47mm, inner diameter: 43mm, weight 309g		1	50	0	
G-42	Crooked bear glass bottle		Product size: 9.2*11.5*5.8cm, 300ML, diameter 8.5, height 11.7, single product weight: 324g. outer diameter is 6.2CM. Material: quartz sand, sodium carbonate, limestone and other natural minerals as the main raw materials.		1	36	0	
G02-6	Jar(250ml)		Material: soda-lime glass, weight: 132g, capacity: 250ml, Size: width 65mm, height 94mm, shape: round.		1	120	0	
G02-7	glass bottle (pudding cork)		Material: soda-lime glass, weight: 115.8g, capacity: 100ml, Size: width 56mm, height 65.8mm, bottle mouth diameter: 51.6mm, appearance : Square.		1	140	0	
G09-1	Glass bottle(180ml)		Diameter 5.2cm height 8.5cm side 6.2cm		1	120	0	
G09-2	Glass bottle(380ml)		Diameter 6.5cm height 10cm side 8cm		1	72	0	
G09-3	Glass bottle(730ml)		Diameter 7.5cm height 12cm side 10cm		1	45	0	


G12-2	Boston Round Dropper bottle with plastic cap		Capacity: 5ml、10ml、15ml、20ml、30ml、50ml、100ml		1	765	0	
G12-3	Propolis bottle with plastic cap		Capacity: 5ml、10ml、15ml、20ml、30ml、50ml、100ml 5ml 0.09USD 10ml 单价0.1USD 15ML 0.11USD 20ml 0.12usd 30ml 0.14usd 50ml 0.16usd 100ml 0.19USD		1	765	0	内盖有滴塞和胶塞，请发图片和客户确认
G12-4	Spray bottle		Capacity: 5ml、10ml、15ml、20ml、30ml、50ml、100ml		1	765	0	
G12-5	Cosmetics Packing Jars		Capacity: 5g、10g 15g 20g 30g 50g 60g 100g		1	288	0	
G13	Glass bottle(380ml)		Caliber: 69.5mm Height: 104mm Weight: 200g		1	72	0	
G14	Glass bottle(770ml)		Caliber: 80mm height: 137mm product weight: 350g		1	47	0	
GP06	Soda lime glass bottle(short)		Soda lime glass, diameter:5.5cm, height: 5.2cm. Content: 60ml. weight: 106g.		1	1200	0	
GP07	Soda lime glass bottle (high)		Soda lime glass, diameter: 6.2cm, height: 8.1cm. Content: 150ml. weight: 110g.		1	1200	0	

GP08	candle glass bottle	 	Height: 9CM, diameter: 7.2CM Capacity: 250ML. Matte black, single product weight: 210g.		1	105	0	
GP09	Glass bottle (60ml)	 	Material: soda-lime glass, weight: 65g, capacity: 60ml, product size: width 56mm, height 53mm, shape: hexagonal,		1000	216	0	
GP10	Glass bottle (60ml)		Material: soda-lime glass, weight: 90g, capacity: 60ml, product size: width 55mm, height 73mm, shape: round,		1	162	0	
GP11	Bottle dispenser (70mm)	 	Lid material: stainless steel, diameter 70mm, black, The nozzle is black, plastic, the length from the nozzle to the pressing part is 73mm, The total height is 193mm, and it is equipped with a 70mm diameter honey bottle (500ml glass bottle).		1	100	0	PS:Does not include honey bottles with a diameter of 70mm.
GP11-2	Bottle dispenser (86mm)	 	Lid material: stainless steel, diameter 86mm, black, The nozzle is black, plastic, the length from the nozzle to the pressing part is 73mm, The total height is 193mm		1	100	0	PS:Does not include honey bottles with a diameter of 86mm.
ZT06	Wax press (stainless steel mesh 304)	 	Material: Stainless steel 304, product size: 49*102cm, handle length: 46cm, barrel diameter: 26cm, single product weight: 20kg.	New product recommendation	30	1	0	
ZT07	Polished wax press (304Stainless steel)	 	Size: 460*370*895mm Material: Stainless steel Weight: 13.68kg Handle length: 46*3cm, tank outer diameter: 26cm, inner diameter: 25cm, height: 35.3cm, hand crank length: 65cm, CTN: 51*43*96cm 1 PCS/CTN NW: 13.68kg GW: 15.5kg	New product recommendation	30	1	0	
ZT08	Red paint wax press	 	Size 460*370*650mm Material: Stainless steel Weight: 13.58kg Handle length: 36*3cm, tank outer diameter 28.5cm, inner diameter: 25.5cm, hand crank length: 43.5cm CTN: 44*43*70cm 1 PCS/CTN NW: 13.58kg GW: 15.2kg The bottom is a tripod. Ergonomic handle, no noise, outlet with heightened edge, T-handle, trapezoidal screw rod	New product recommendation	30	1	0	

ZS01	Stainless steel wax press		Material :SUS201,Diameter of wax press:26.5cm,Height of wax press:49cm		1	1	0	
ZS01-2	Stainless steel wax press with splash collar		Material :SUS201,Diameter of wax press:26.5cm,Height of wax press:49cm		1	1	0	
ZS02	Stainless steel wax press		Material :Stainless steel (SUS201), Diameter of wax press:26.5cm,Height of wax press:49cm		1	1	0	
ZS02-2	Stainless steel wax press with splash collar		Material :SUS201,Diameter of wax press:26.5cm,Height of wax press:49cm		1	1	0	
ZT04	Stainless steel wax press		Material :SUS201,Diameter of wax press:26.5cm,Height of wax press:57cm		1	1	0	
ZT05	Stainless steel wax press		Material :SUS201 Color: Silver Gross weight: 25 KG Material: 201 stainless steel Capacity: 10L Inner barrel: 33*38cm External tank: 40*40cm Size: 49.5*39.5cm Mesh diameter: 0.6cm		1	1	0	
FM01	Fully automatic beeswax machine		Roller size: 170*350mm (Stock size 350mm), Power supply:380V/220V Powder:3kw, Speed:3/min, Roller diameter: 200mm, Cooling mode:water cooling, Output capacity: 50-60kg/hour Machine dimension: 260*95*140cm		1	1	0	Please confirm the Nest room diameter?
FM01-2	Fully automatic beeswax machine		Roller size: 170*750mm (Stock size 750mm), Power supply:380V/220V Powder:3kw, Speed:3/min, Roller diameter: 200mm, Cooling mode:water cooling, Output capacity: 50-60kg/hour Machine dimension: 260*95*140cm		1	1	0	Please confirm the Nest room diameter?

FM02-1	Manual beeswax embossing machine		Material: aluminum alloy, Cell size: 5.4mm or 4.9mm, Roller length: 195mm, Cylinder diameter: 86mm		1	1	0	Please confirm the Nest room diameter?
FM02-1D	Electrical beeswax embossing machine		Material: aluminum alloy, Cell size: 5.4mm or 4.9mm, Roller length: 195mm, Cylinder diameter: 86mm, Power supply :220V Power (kw):0.75kw Speed:40/min		1	1	0	Please confirm the Nest room diameter?
FM02-2	Manual beeswax embossing machine		Material: aluminum alloy ,Cell size:5.4mm or 4.9mm, Roller length: 250mm ,Cylinder diameter: 86mm		1	1	0	Please confirm the Nest room diameter?
FM02-2D	Electrical beeswax embossing machine		Material: aluminum alloy, Cell size:5.4mm or 4.9mm, Roller length: 250mm, Cylinder diameter: 86mm, Powersupply:220V Power (kw) :0.75kw, Speed:40/min		1	1	0	Please confirm the Nest room diameter?
FM02-3	Manual beeswax embossing machine		Material: aluminum alloy, Cell size: 5.4mm or 4.9mm, Roller length: 310mm, Cylinder diameter: 86mm		1	1	0	Please confirm the Nest room diameter?
FM02-3D	Electrical beeswax embossing machine (86X310)		Material: aluminum alloy, Cell size:5.4mm or 4.9mm, Roller length: 310mm, Cylinder diameter: 86mm, Power supply :220V Power (kw) :0.75kw, Speed:40/min		1	1	0	Please confirm the Nest room diameter?
FM02-4D	Electrical beeswax embossing machine		Material: aluminum alloy, Cell size:5.4mm or 4.9mm, Roller length: 450mm, Cylinder diameter: 86mm, Power supply :220V Power (kw) :0.75kw, Speed:40/min		1	1	0	Please confirm the Nest room diameter?
FM03-1	Manual beeswax embossing machine (parallel)		Material: aluminum alloy, Cell size:5.4mm or 4.9mm, Roller length: 310mm, Cylinder diameter: 86mm Packing method: wooden box (multi-layer board meets export standards)		1	1	0	Please confirm the cell size? 5.4mm or 4.9mm?

FM03-2	Manual beeswax embossing machine (parallel)		Material: aluminum alloy, Cell size: 5.4mm or 4.9mm, Roller length: 350mm, Cylinder diameter: 86mm		1	1	0	Please confirm the Nest room diameter?
FM03-3	Manual beeswax embossing machine (parallel)		Material: aluminum alloy, Cell size: 5.4mm or 4.9mm, Roller length: 500mm, Cylinder diameter: 86mm		1	1	0	Please confirm the Nest room diameter?
FM03-4	Manual beeswax embossing machine (parallel)		Material: aluminum alloy, Cell size: 5.4mm or 4.9mm, Roller length: 350mm, Cylinder diameter: 170mm		1	1	0	Please confirm the Nest room diameter?
FM03-5	Manual beeswax embossing machine (parallel)		Material: aluminum alloy, Cell size: 5.4mm or 4.9mm, Roller length: 500mm, Cylinder diameter: 170mm		1	1	0	Please confirm the Nest room diameter?
FM03-6	Manual beeswax embossing machine		Material: aluminum alloy, Cell size: 5.4mm or 4.9mm, Roller length: 450mm, Cylinder diameter: 86mm		1	1	0	Please confirm the Nest room diameter?
FM04	Beeswax embossing machine		Material: aluminum alloy, Cell size: 4.9mm for Apis Cerana or 5.4mm for Apis Mellifera, Size: 420mm*220mm, 195mm*395mm, 200mm*350mm, Due to customers measurements		1	1	0	Please confirm the Nest room diameter?
FM05-1	Manual beeswax flat sheet machine		Material: stainless steel, Roller length: 310mm, Cylinder diameter: 75mm		1	1	0	
FM05-1D	Electrical beeswax flat sheet machine		Material: stainless steel, Roller length: 310mm, Cylinder diameter: 75mm, Powersupply: 220V, Power (kw): 0.75kw, Speed: 40/min		1	1	0	Please confirm the Nest room diameter?

FM05-2	Manual beeswax flat sheet machine		Material: stainless steel, Roller length: 350mm, Cylinder diameter: 75mm		1	1	0	
FM05-2D	Electrical beeswax flat sheet machine		Material: stainless steel, Roller length: 350mm, Cylinder diameter: 75mm, Power (kw): 0.75kw, Speed: 40/min		1	1	0	Please confirm the Nest room diameter?
FM05-3	Manual beeswax flat sheet machine		Material: stainless steel, Roller length: 500mm, Cylinder diameter: 75mm		1	1	0	
FM05-3D	Electrical beeswax flat sheet machine		Calender: Drum length: 500mm; Barrel diameter: 75mm; Weight: 45kg Nest base machine: Drum length: 500mm; Barrel diameter: 86mm; Room diameter: 5.1 mm; Weight: 55kg; Voltage: 220V; Motor power: 1500 watts; Total weight: 125kg; Power: 1500 watts		1	1	0	Please confirm the Nest room diameter?
FM06	Comb silicone mold		size: 40x22cm, 420x22, 440x300. hole size: 5.4mm blue/red/black/white		1	20	0	Please confirm the comb diameter?
FM07	European beeswax embossing machine				1	1	0	Please confirm the Nest room diameter?
FM08	Updated Beeswax sheet machine		Size: 415x220mm, Material: Silica gel + Aluminum		1	1	0	Please confirm the comb diameter, 4.9 or 5.4mm?
ME01	Insemination equipment		Artificial Insemination Instrument for Queen Bees: 1 pcs Dorsal hook: 1 pcs Abdominal hook: 1 pcs Probe: 1 pcs Micro syringe (100 μl): 1 pcs Syringe needle: 1 pcs Ensnare room: 1 pcs Anesthesia room: 1 pcs Piston		1	1	0	

ME01-2	Insemination equipment (Anesthesia bottle)		One Artificial Insemination Instrument Of Queen Bee (VE-QBAIL-H1.4) : Including one Instrument Body , one Abdominal Hook , one Tail Clip , one Spiral Micro Syringe (1000 μ L) , one Induction Room , one Anesthesia Room , three Special Needle for Queen Bee' s Insemination , one Protective Box and an Instruction Manual . One Anesthesia System Of Queen Bee : one high-pressure 304 steel cylinder, one bubble recorder, one base, one valve, one hose One Special Microscope One Luminescent Lamp		1	1	0	
ME01-3	Insemination equipment microscope		One Artificial Insemination Instrument Of Queen Bee (VE-QBAIL-H1.4) : Including one Instrument Body , one Abdominal Hook , one Tail Clip , one Spiral Micro Syringe (1000 μ L) , one Induction Room , one Anesthesia Room , three Special Needle for Queen Bee' s Insemination , one Protective Box and an Instruction Manual . One Anesthesia System Of Queen Bee : one high-pressure 304 steel cylinder, one bubble recorder, one base, one valve, one hose One Three-eye Microscope One CCD Electronic Eyepiece One CCD Connector One Displayer One Luminescent Lamp		1	1	0	
ME03	0.5 ton original flavor reflux concentrator		Size: 80*50*165cm Power: 7KW Material: food contact part SUS304		1	1	0	
ME03-B	1 ton original flavor reflux concentrator		Size: 80*50*165cm Power: 7KW Material: food contact part SUS304		1	1	0	
ME16	Pollen dryer		Size: 73*66*147cm Drying Rate: 3-5kg/hour Vacuum pump power: 2KW Capacity: 20kg Dry layer number: 9 layers		1	1	0	
ME20	Automatic spleen-cutter		Size: 156x98x146 CM 200KG		1	1	0	

ME22	Honey and wax separating machine		Voltage:220V-380V power: 1.5kw-1.1kw Screw speed 30 revolutions per minute Screw diameter : 100mm Wax Extruding amount: 30kg/hour Size: 1100x450x900		1	1	0	
ME24	Hand push type pumping&shaking machine		Honey extractor can be customized according to customer's requirement. Picture is 4 frames self-turning honey extractor. Manual honey extractor (4 frame) 1540x600x1030mm (LWH) , 78kg, 0.87KW, 220V Manual honey extractor (4 frame self-turning) 1650x800x1120mm (LWH) 100KG, 0.93kw, 220V 50HZ		1	0	0	
ME26	Frame support with filter tank		Material: Frame & lid:stainless steel 201, other parts SUS304 Size: 94.5x56.5x98.5cm		1	1	0	
ME27	Beewax Melter		85x71x30cm 1pcs weight 26.7kg Material:wooden+glass+Stainless Steel(304) 1mm thick		1	1	0	
ME40	Handheld branding machine				1	10	0	
ME41	Pollen dryer		The rated voltage 220v Rated power 800W Rated frequency 60/50Hz Temperature range 35-75 ° C The layer number of trays 6 layer		1	1	0	
ME42	Pouch Packaging machine		Measuring Scope: 1 - 100 g (3- 100 ml) Bag Size: L: 30-170mm W:30-100mm Packing Speed: 30 - 60 bags/min Dimension (L*W*H): 900*1100*1590mm Weight:400 kg Total Power:220V /50Hz/1.4kw Capacity: 220L		1	1	0	

ME43	Automatic Spoon Packaging Machine		Power supply voltage (V/Hz): AC 220/50 Heat seal power (W):3300 Sealing speed 1000-1200 cups/hour (depending on the material and filling amount) Filling accuracy < 1g (depending on material) Temperature control range 0-400℃ Cover material: PE PP PET/PE Overall dimensions: 1500×1500×1600mm (L×W×H) Net weight (kg):300		1	1	0	
ME44	Beehive Frame Making Machine		Product name: Beehive Frame Making Machine Voltage: Single phase 220V 50Hz Power: 1.1kw Suitable for: Langstroth beehive frame Accessories: 5 knives, 1 drill Overall size: 59*35*31cm Weight :30KG Purpose: Processing Langstroth hive frames, Output: 20-30 sets/hour, Motor power: 750W, 5 cutting tools.		1	1	0	
ME45	Electric pump		Power: 2000W curve pump, material: 304 stainless steel, voltage: 220V, speed: 30000r/min, flow: 30-100L/min. Rated lift: 9m, tube length 93mm, total length 137cm, honey outlet diameter 3.2cm, honey inlet diameter 5.4cm, the length of the tube can be customized at will.		1	2	0	
MEP04	Insemination equipment (Anesthesia bottle)		44x19x19 weight 4.5kg		1	1	0	
MEP05	Insemination equipment microscope		44x19x19 weight 4.5kg		1	1	0	
PF02	Rape pollen		1KG/BAG		1	20	0	
PF04	Mixed pollen		1KG/BAG		1	20	0	

PF05	Sunflower pollen		1KG/BAG		1	20	0	
PF06	Buckwheat pollen		1KG/BAG		1	20	0	
AG132	Bee brooch		Material:Environmental Zinc alloy with KC gold; Rhinestone and painting oil		1	500	0	
AG152	Bee brooch		Material:Environmental alloy with KC gold; Rhinestone and painting oil		1	500	0	
AL356	Bee brooch		Material:Environmental alloy;KC Gold and Rhinestone		1	500	0	
BNC-002	LED Smoker Keychain44th Apimondia bronze medal for Artistic Exhibition		Material:Plastic Diameter:2.5cm Color:Silver use 3pcs of LR44 button of batteries(no include)		1	500	0	
BNC-003	Bee Keychain		Material:Rubber Diameter:2.5cm		1	1000	0	
BNC-007	Motobike bee with clock Gold medal on 44th Apimondia		Material:Resin		1	6	0	

BNC-009	Bees carrying honey jars figurine		Material: Resin HS Code:392640000 size: 25*11*20cm		1	6	0	
BNC-014	Umbrella with ears and a whistle		Fabric:waterproof cloth Frame:metal Ribs: Zinc-plated Iron Ribs Handle: Auto open plastic handle with A whistle		1	100	0	
BNC-015	Umbrella of bee and flower		Fabric:Plastic Ribs:Black Metal Open:Auto Open		1	100	0	
BNC-016	Bee pen holder		Material:Resin Size:9*5*12cm		1	52	0	
BNC-017	Bee pen holder		Material:Resin Size:9.5*4.5*13cm		1	48	0	
BNC-020	Guard bee (1.5M)				1	1	0	木架包装
BNC-029	Simulation model bee		Material:Resin+PVC(wings) Size:36*24*14cm		1	24	0	
BNC-038	Resin model simulation bee		Material:Resin Size:56*48*42cm Net weight:4.8kg Safe packing		1	0	0	


BNC-047	Cartoon bee costumes		Material:Soft plush Adult size		1	1	0	
BNC-049	Bee plastic figurine		Material:ABS Plastic Size:10*6.5*11.5cm Solar-powered bee plastic figurine		1	240	0	
BNC-052	Bee mascot keychain		Material:Rubber Diameter:2.5cm 3pcs/set		30	0	0	
BNC-053	Simulation bee model		Material:TPE Height: 5m/4m /3 m When use electric,can shake head,body & wings ,also can make a "buzz" sound		1	0	0	
BNC-053-9	simulation bee model		Material:TPE, Length: 60cm, Three pieces per set		1	1	0	
BNC-066	Iron bee gardener		(4 designs/set)		1	0	0	
BNC-073	Bee anatomical model		Material:Resin Size: 60*60*13 cm Package: 60*53*11cm Weight: 4.3KG		1	1	0	
BNC-076	Bee development model (Silver Medal for artistic display on 45th Apimondia)		Size: 82.5*26*17cm		1	1	0	

BNC-085	Little bee backpack	 	Size: 32*24*11cm Material: Oxford cloth		1	5	0	
BNC-086	little bee notebook	 	Cover material: imitation leather Binding: perfect binding Inner material: double-adhesive paper Weight of inner paper: 80 (g) Inner paper size: 105*165mm Printing LOGO: Yes		1	40	0	
BNC-088	Children Ride On Motorcycle	 	Newest Plastic Kids Electric Battery Motorcycle with Three Wheels		1	2	0	
BP01	3D picture				1	0	0	Without wood frame
BP02	3D picture	 			1	0	0	Without wood frame
BP03	3D picture	 			1	0	0	Without wood frame
BP04	3D picture	 			1	0	0	Without wood frame
BP05	3D picture	 			1	0	0	Without wood frame


BP06	3D picture	 			1	0	0	Without wood frame
BP07	3D picture	 			1	0	0	Without wood frame
BP08	3D picture	 			1	0	0	Without wood frame
BP09	3D picture	 			1	0	0	Without wood frame
BP10	3D picture	 			1	0	0	Without wood frame
BP11	3D picture	 			1	0	0	Without wood frame
BP12	3D picture	 			1	0	0	Without wood frame
BP13	3D picture	 			1	0	0	Without wood frame




BSC067	Bee Accessories		Material:925 silver+Plated Platinum +Plated gold+Zircon		1	0	0	
RC001-1	BB Resin craftwork (Patent)		Material: Resin product size: 15*21cm (width * height) product weight:580g CN Patent No.ZL 2020 3 0805732.4	Patent Product: CN Patent No. ZL 2020 3 0805732.4 A popular bee handicraft ornament.	1	24	0	
RC001-2	BB Resin craftwork (Patent)		Material: Resin product size: 15*21cm (width * height) product weight:580g CN Patent No.ZL 2020 3 0805732.4	Patent Product: CN Patent No. ZL 2020 3 0805732.4 A popular bee handicraft ornament.	1	24	0	
RC001-3	BB Resin craftwork (Patent)		Material: Resin product size: 15*19cm (width * height) product weight:580g CN Patent No.ZL 2020 3 0805732.4	Patent Product: CN Patent No. ZL 2020 3 0805732.4 A popular bee handicraft ornament.	1	24	0	
RC001-4	BB Resin craftwork (Patent)		Material: Resin product size: 15*21cm (width * height) product weight:580g CN Patent No.ZL 2020 3 0805732.4	Patent Product: CN Patent No. ZL 2020 3 0805732.4 A popular bee handicraft ornament.	1	24	0	
RC001-5	BB Resin craftwork (Patent)		Material: Resin product size: 15*21cm (width * height) product weight:580g CN Patent No.ZL 2020 3 0805732.4	Patent Product: CN Patent No. ZL 2020 3 0805732.4 A popular bee handicraft ornament.	1	24	0	
RC001-6	BB Resin craftwork (Patent)		Material: Resin product size: 15*21cm (width * height) product weight:580g CN Patent No.ZL 2020 3 0805732.4	Patent Product: CN Patent No. ZL 2020 3 0805732.4 A popular bee handicraft ornament.	1	24	0	
RC006	Mini double hive model crafts		105g 68*82*84MM	New product, A popular bee handicraft ornament.	1	100	0	

RC007	Mini beehive model crafts(Patent)	 73mm/2.87inch 115mm/4.52inch 73mm/2.87inch	100g 115*73*75MM CN Patent No.ZL 2023 3 0864086.2	New product, A popular bee handicraft ornament.	1	100	0	
RC008	Mini three-layer beehive model crafts(Patent)	 180mm/7.09inch 120mm/4.72inch 120mm/4.72inch	290g 102*120*180MM CN Patent No.ZL 202330864081.X	New product, A popular bee handicraft ornament.	1	50	0	
RC002	BB Resin craftwork	 16cm/6.3inch 10cm/3.9inch	Material: Resin product size: 10*16cm (width * height) product weight;400g		1	24	0	
RC003	BB Resin craftwork	 7.5cm/2.95inch 8.5cm/3.3inch	Material: Resin product size: 8.5*7.5cm (width * height) product weight;165g		1	72	0	
RC004	Resin craftwork	 15cm/5.9inch 10cm/3.9inch	Material: Resin product size: 10*15cm (width * height) product weight;375g		1	24	0	
RC005	BB Resin craftwork (Patent)	 11cm/4.33inch 5cm/1.97inch	Material: Resin product size: 5*11cm (width * height) product weight;108g CN Patent No.ZL 2020 3 0688284.4		1	50	0	
RS1-1006	Candle silicone mold	 7.5cm 4.5*7.5cm 8cm 130g	Mould Size: Diameter 5.5cm Height 8cm Mould Weight: 130g Product Size: 4.5*7.5cm Product Weight: 140g		1	100	0	
RS1-1020	Candle silicone mold	 7.5cm 8.5cm 7cm 231g	Mould Size: Diameter 7.5cm Height 8.5cm Mould Weight: 231g Product Size: Diameter 7cm Height 8cm Product Weight: 260g		1	100	0	


RS1-1034	bee hive comb mould		Mold size: 7*7*6cm Mold weight: 214g Product size: 5.5*5.5*5cm Product weight: 227g		1	100	0	
RS1-1035	Bee comb Cylindrical Candle Mould		Mould Size: Diameter 6.9cm Height 9.4cm Mould Weight: 212g Product Size: Diameter 5.7cm Height 8cm Product Weight: 118g		1	100	0	
RS1-1036	Candle silicone mold		Mold size: 6.1*9.2cm(171g) Finished size: 5.1*8.6cm Candle weight: 118g		1	100	0	
RS1-1070	Candle Silicone Mold		Mold size: diameter 7.5cm height 7.1cm mold weight: 237g product size: diameter 5.3cm height 6cm product weight: 89g		1	100	0	
RS1-1071	Candle silicone mold		Mould Size: Diameter 6.3cm Height 3.8cm Mould Weight: 69g Product Size: Diameter 4.9cm Height 3.1cm Product Weight: 44g		1	100	0	
RS1-1159	Candle silicone mold		Mould Size: Diameter 5.6cm Height 17.4cm Mould Weight: 359g Product Size: Diameter 3.5cm Height 16.5cm Product Weight: 105g		1	50	0	
RS1-1161	Candle silicone mold		Mould Size: Diameter 5cm Height 11cm Mould Weight: 176g Product Size: Diameter 4.2cm Height 9.5cm Product Weight: 87g		1	100	0	
RS1-1162	Candle silicone mold		Mould Size: Diameter 6cm Height 11.2cm Mould Weight: 185g Product Size: Diameter 4.1cm Height 9.7cm Product Weight: 86g		1	100	0	


RS1-1164	Candle silicone mold		Mold size: 8*4.5*7.1cm Mold weight: 69g Product size: 7.3*3.9*6.8 Product weight: 64g		1	100	0	
RS1-1165	Candle silicone mold		Mold size: 7.2*4.2*5.5cm Mold weight: 40g Product size: 6.5*3.8*4.6 Product weight: 36g		1	100	0	
RS1-1167	Candle silicone mold		Mould Size: Diameter 5.8cm Height: 5.3cm Mould Weight: 101g Product Size: Diameter 4.5cm Height: 4.7cm Product Weight: 100g		1	160	0	
RS1-1169	Candle silicone mold		Mold size: 7.4*7.4*12.5cm Mold weight: 345.7g Product size: 6*6*12cm Product weight: 280g		1	50	0	
RS1-1171	Candle silicone mold		Mold size: 11*11*10.5cm (478g) Finished size: 10*10cm		1	100	0	
RS1-1249	Candle silicone mold		Mold size: 6.7*7.89cm (244g) Finished size: 5.3*5.7*8.3cm Candle weight: 100g		1	50	0	
RS1-1282	Candle silicone mold		Mold size: 9.8*8.1cm (155g) Finished size: 9*7.5cm Candle weight: 160g		1	100	0	
RS1-1513	Candle silicone mold		Mold size: 11.2*6cm (173g) Finished size: 10.2*5.2cm Candle weight: 180g		1	80	0	

RS1-1514	Candle silicone mold	 The image shows a white cylindrical silicone mold and a finished blue candle with a white wick. Dimensions: 8.6cm x 5.8cm. Weights: 129g (mold), 119g (candle).	Mold size: 8.6*5.8cm(129g) Finished size: 7.584.7cm Candle weight: 119g		1	100	0	
RS1-1720	Candle silicone mold	 The image shows a yellow spiral-shaped silicone mold and a finished white candle. Dimensions: 4.2cm x 18.8cm. Weights: 203g (mold), 230g (candle).	Mold size: 4.2*18.8cm (203g) Finished size: 2.5*18.3cm Candle weight: 230g		1	50	0	
RS1-1721	Candle silicone mold	 The image shows a yellow spiral-shaped silicone mold and a finished white candle. Dimensions: 4.2cm x 19.6cm. Weights: 231g (mold), 270g (candle).	Mold size: 4.2*19.6cm (231g) Finished size: 2.2*19cm Candle weight: 270g		1	50	0	
RS1-1770	Candle silicone mold	 The image shows a pink cylindrical silicone mold and a finished orange candle with a wick. Dimensions: 7cm x 9cm. Weights: 250g (mold), 260g (candle).	Mold size: 7*9.9cm (250g) Finished size: 5.3*9cm Candle weight: 260g		1	50	0	
RS1-2007	Candle silicone mold	 The image shows a white cylindrical silicone mold and a finished yellow candle with a wick. Dimensions: 3.8cm x 22cm. Weights: 227g (mold), 52g (candle).	Mold size: 3.8*22cm (227g) Finished size: 2.7*21cm Candle weight: 52g		1	100	0	
RS1-2039	Candle silicone mold	 The image shows a green spherical silicone mold and a finished green candle. Dimensions: 17cm x 15cm. Weights: 984g (mold), 120g (candle).	Mold size: 17*15cm (984g) Finished product size: 15.5*14cm Candle weight: 120g		1	18	0	
RS1-2043	Candle silicone mold	 The image shows a yellow rectangular silicone mold and a finished white candle. Dimensions: 6cm x 9.5cm. Weights: 168g (mold), 188g (candle).	Mold size: 6*9.5cm (168g) Finished size: 5.1*8.5cm Candle weight: 188g		1	100	0	
RS1-2044	Candle silicone mold	 The image shows a pink rectangular silicone mold and a finished white candle. Dimensions: 7.4cm x 20.6cm. Weights: 287g (mold), 215g (candle).	Mold size: 7.4*20.6cm (287g) Finished size: 5.6*9.6cm Candle weight: 215g		1	50	0	

RS1-2045	Candle silicone mold		Mold size: 6*9.5cm (168g) Finished size: 5.1*8.5cm Candle weight: 190g		1	50	0	
RS1-2197	Candle silicone mold		Mold size: 62*137mm (340g) Finished product size: 57*133mm Candle weight: 126g		1	50	0	
RS1-2262	Candle silicone mold		Mold size: 5.3*9.5cm (154g) Finished product size: 4*8.6cm Candle weight: 150g		1	100	0	
RS1-2272	Candle silicone mold		Mold size: 6.9*8.2cm (148g) Finished product size: 5.7*7.9cm Candle weight: 150g		1	72	0	
RS1-2273	Candle silicone mold		Mold size: 5.7*8.8cm (170g) Finished product size: 4.4*8.4cm Candle weight: 120g		1	100	0	
RS1-2274	Candle silicone mold		Mold size: 7.4*6cm (141g) Finished product size: 6.1*5.2cm Candle weight: 146g		1	100	0	
RS1-2275	Candle silicone mold		Mold size: 7.7*5.8cm (141g) Finished product size: 6.5*5.4cm Candle weight: 148g		1	100	0	
RS1-2459	Candle silicone mold		Mold size: 109*43*98mm (288g) Finished product size: 96*32*92mm Candle: 174g		1	50	0	

RS1-2501	Candle silicone mold		Mold size: 85*55*108mm (240g) Finished product size: 76*43*100mm Candle: 155g		1	50	0	
RS1-2502	Candle silicone mold		Mold size: 75*105mm (318g) Finished product size: 63*93mm Candle: 190g		1	50	0	
RS1-2503	Candle silicone mold		Mold size: 83*105mm (350g) Finished product size: 68*97mm Candle: 220g		1	50	0	
RS1-2504	Candle silicone mold		Mold size: 90*108mm (225g) Finished product size: 85*95mm Candle: 386g		1	50	0	
RS1-2529	Candle silicone mold		Mold size: 60*108mm (231g) Finished product size: 52*100mm Candle: 106g		1	50	0	
RS1-2639	Candle silicone mold		Mold size: 70*135mm (240g) Finished product size: 58*130mm Candle weight: 260g		1	50	0	
RS1-2640	Candle silicone mold		Mold size: 57*112mm (161g) Finished product size: 43*106mm Candle weight: 169g		1	100	0	
RS1-2641	Candle silicone mold		Mold size: 64*96mm (183g) Finished product size: 48*90mm Candle weight: 194g		1	80	0	

RS1-2642	Candle silicone mold		Mold size: 62*57*110mm (139g) Finished product size: 48*47*90mm Candle weight: 145g		1	100	0	
RS1-2643	Candle silicone mold		Mold size: 76*76mm (176g) Finished product size: 67*72mm Candle weight: 156g		1	100	0	
RS1-4001	Wick Holder Wax Mop		The product specification is 12.5×2.5mm. The price of the product is a pack of 100. This product is 100 in a small ziplock bag.		1	200	0	
RS1-4002	Three hole wick holder		Product name: Three-hole wick holder Product material: stainless steel Product size: width 2.5 cm diameter 10 cm Product weight: 13.5 grams Quantity: 2000pcs/box If the purchase quantity is less than one box, it will be shipped in a ziplock bag as shown above		1	2000	0	
RS1-4003	Pure cotton wick		Product volume weight is about 140 grams, 34 plus dense smokeless cotton wicks , Length: 90-100m		1	100	0	
RS1-458	Candle silicone mold		Mould: Length 8.5cm Width 7.5cm Height 14.0cm Mould Weight: 338g Finished Product: Diameter 6.5cm Height 13.0cm Product Weight; 122g		1	50	0	
RS1-459	Candle silicone mold		Mould: Length 7.4cm Width 6.8cm Height 10.8cm Mould Weight: 237g Finished Product: Diameter 5.8cm Height 9.8cm Candle Weight: 49g		1	50	0	
RS1-891	Candle silicone mold		Mould: Diameter 7cm High 8cm Mould Weight: 159g Finished Product: Diameter 5cm High 7cm Product Weight: 135g		1	100	0	

RS1-930	Candle silicone mold	 The image shows a square silicone mold with a grid pattern. Dimensions are given as 6.5cm (width) and 6.5cm (height). A small yellow candle is shown inside the mold.	Mold size: 65*61cm Mold weight: 111g Finished size: 55*55cm Candle weight: 120g		1	100	0	
RS1-973	Candle silicone mold	 The image shows a pink, diamond-shaped silicone mold. A small Eiffel Tower figurine is placed next to it for scale. Dimensions are given as 8cm (diameter) and 7.6cm (height).	Mold size: diameter 8cm, height 7.6cm, mold weight: 267g, product size: diameter 5.5cm, height 6.4cm product weight: 132g		1	50	0	
RS1-989	Candle silicone mold	 The image shows a yellow, twisted candle mold. Dimensions are given as 13.9cm (width), 6.2cm (height), and 6.3cm (depth). A small yellow candle is shown inside the mold.	Mold size: 13.9*6.2*6.3cm mold weight: 380g product size: 13.7*5.1cm product weight: 89g		1	50	0	
RS1-994	Candle silicone mold	 The image shows a white, cylindrical silicone mold with a grid pattern. Dimensions are given as 7.2cm (width), 7.2cm (height), and 18.5cm (length).	Mould size: 7.2*7.2*18.5cm Mould weight: 480g Product size: 6*6*18.1cm		1	40	0	
IH01	Insect house	 The image shows a wooden insect house with a green roof and a small door. Dimensions are given as 27cm (width), 10cm (height), and 37cm (length).	size :27*10*37cm		100	25	0	
IH02	Insect house	 The image shows a wooden insect house with a green roof and a small door. Dimensions are given as 8cm (width), 5.2cm (height), and 9cm (length).	size :8x5.2x9cm		100	50	0	

BENEFITBEE EQUIPMENT CATALOG (PRO)

Item No.	Commodity	Picture	Product description	Selling points	Exclusive distribution country	MOQ (PCS)	Packing (PCS/CTN)	ORDER QTY (PCS)	Remark
----------	-----------	---------	---------------------	----------------	--------------------------------	-----------	-------------------	-----------------	--------

Made in China, European Standard



INNOVATION

Independent R&D and innovation, most are patented products.

DIFFERENCE

Every product has its own distinctiveness selling points.



QUALITY

Taking European market requirements as quality standards.



PRICE

Produced in our own factory, cost effective.



DISTRIBUTOR

If the minimum order quantity is met, exclusive distribution can be granted.



SHOWROOM >>



Shenzhen Benefitbee Bee Industry Co.,LTD

www.benefitbee.com

info@benefitbee.com

+86 755 89697771

+86 755 89697772

FL 5, Building 6, Liantang Industrial Zone, 48 Kangzheng Road, Danzhotou. Nanwan Street Office, Longgang District, Shenzhen, China 518114.




BHE1-2	Langstroth 2-frame manual extractor		Barrel diameter: 380mm, barrel height: 617mm. Inner frame specs: 248*46mm, suitable for frame size: 483*232mm, barrel thickness 0.8mm, material: barrel body, inner frame, gear box, handle, honey outlet, and screws are 304 stainless steel, support legs iron powder is spraying process. The cover is PC transparent, honey outlet integrated welding diameter 40mm, height from the ground is 370mm.	Patent product: Chinese Patent No. : 02430654244.6 Framework Patent Number: 02430655180.1 304 food grade stainless steel, barrel body 0.8mm thick, with 304 stainless steel honey door. The bottom of the bucket has a slope, so honey won't stay behind. Comes with two handles for transportation. More stable support legs with easy to tighten screws and anti slip rubber pads at the bottom. Stainless steel gearbox with brake function. Replace acrylic with a more resilient PC cover and pair it with aluminum alloy hinges. Bold inner frame lines are more sturdy. The bottom is equipped with easy to screw screws that can adjust the height of the basket according to the weight of the honey frame. Adopting more advanced welding and		1	1	0	
--------	--	---	--	--	--	---	---	---	--

BHE1-2D	Dadant 2 frame manual extractor	 	Barrel diameter: 490mm, barrel height: 617mm, inner frame: 370*46mm, barrel thickness: 0.8mm; Material: barrel body, inner frame, gear box, handle, honey outlet, screws are all made of 304 stainless steel, legs iron powder spraying process. PC transparent cover, honey outlet integrated welding diameter 40mm, height from the ground is 370mm.			1	1	0	
---------	--	--	---	--	--	---	---	---	--

BHE1-3	Langstroth 3-frame manual extractor		Barrel diameter: 380mm, barrel height 617mm, Inner frame specs: 248*46mm, suitable for frame size: 483*232mm. Barrel thickness:0.8mm, Material: barrel body, inner frame, gear box, handle, honey outlet, and screws are 304 stainless steel, support legs iron powder spraying process. The cover is PC transparent, honey outlet integrated welding diameter: 40mm, height from the ground:370mm.	Patent product: Chinese Patent No. : 02430654244.6 Framework Patent Number: 02430655180.1 304 food grade stainless steel, barrel body 0.8mm thick, with 304 stainless steel honey door. The bottom of the bucket has a slope, so honey won't stay behind. Comes with two handles for transportation. More stable support legs with easy to tighten screws and anti slip rubber pads at the bottom. Stainless steel gearbox with brake function. Replace acrylic with a more resilient PC cover and pair it with aluminum alloy hinges. Bold inner frame lines are more sturdy. The bottom is equipped with easy to screw screws that can adjust the height of the basket according to the weight of the honey frame. Adopting more advanced welding and		1	1	0	
--------	--	---	--	--	--	---	---	---	--

BHE1-3D	Dadant 3-frame manual extractor	 	Barrel diameter: 535mm, barrel height 625mm, inner frame specs: 370*47mm, barrel thickness:0.8mm. Material: barrel body, inner frame, gear box, handle, honey outlet, and screws are 304 stainless steel, legs iron powder spraying process. The cover is PC transparent, honey outlet integrated welding diameter: 40mm, height from the ground:370mm.	Patent product: Chinese Patent No. : 02430654244.6 Framework Patent Number: 02430655180.1 304 food grade stainless steel, barrel body 0.8mm thick, with 304 stainless steel honey door. The bottom of the bucket has a slope, so honey won't stay behind. Comes with two handles for transportation. More stable support legs with easy to tighten screws and anti slip rubber pads at the bottom. Stainless steel gearbox with brake function. Replace acrylic with a more resilient PC cover and pair it with aluminum alloy hinges. Bold inner frame lines are more sturdy. The bottom is equipped with easy to screw screws that can adjust the height of the basket according to the weight of the honey frame. Adopting more advanced welding and		1	1	0	
---------	---------------------------------	--	---	--	--	---	---	---	--

BHE1-4	4-frame manual extractor (Langstroth)	   	Barrel diameter: 490mm, barrel height: 617mm, inner frame: 248*464mm, barrel thickness 0.8mm, material: barrel body, inner frame, gear box, handle, honey outlet, screws are all made of 304 stainless steel, legs iron powder spraying process. PC transparent cover, honey outlet integrated welding diameter 40mm, height from the ground is 370mm.	Patent product: Chinese Patent No.: 02430654244.6 Framework Patent Number: 02430655180.1 304 food grade stainless steel, barrel body 0.8mm thick, with 304 stainless steel honey door. The bottom of the bucket has a slope, so honey won't stay behind. Comes with two handles for transportation. More stable support legs with easy to tighten screws and anti slip rubber pads at the bottom. Stainless steel gearbox with brake function. Replace acrylic with a more resilient PC cover and pair it with aluminum alloy hinges. Bold inner frame lines are more sturdy. The bottom is equipped with easy to screw screws that can adjust the height of the basket according to the weight of the honey frame. Adopting more advanced welding and		1	1	0	
--------	---------------------------------------	--	--	--	--	---	---	---	--

BHE1-4D	Dadant 4-frame manual extractor	 	Barrel diameter: 640mm, barrel height 625mm. Inner frame specifications: H:426mm, W370mm T:46mm, barrel thickness: 0.8mm. Material: barrel body, inner frame, gear box, handle, honey outlet, and screws are 304 stainless steel, legs iron powder spraying process. The cover is PC transparent, honey outlet integrated welding diameter: 40mm, height from the ground:370mm.	Patent product: Chinese Patent No. : 02430654244.6 Framework Patent Number: 02430655180.1 304 food grade stainless steel, barrel body 0.8mm thick, with 304 stainless steel honey door. The bottom of the bucket has a slope, so honey won't stay behind. Comes with two handles for transportation. More stable support legs with easy to tighten screws and anti slip rubber pads at the bottom. Stainless steel gearbox with brake function. Replace acrylic with a more resilient PC cover and pair it with aluminum alloy hinges. Bold inner frame lines are more sturdy. The bottom is equipped with easy to screw screws that can adjust the height of the basket according to the weight of the honey frame. Adopting more advanced welding and		100	1	0	
---------	---------------------------------	--	--	--	--	-----	---	---	--


BHE1-4L.S	Langstroth/ Dadant 4- frame manual extractor		Barrel diameter: 380mm, barrel height 617mm, inner frame specifications: 180*46mm, , suitable for frame size: 160 small frame. Barrel thickness:0.8mm. Material: barrel body, inner frame, gear box, handle, honey outlet, and screws are 304 stainless steel, support legs iron powder spraying process. The cover is PC transparent, honey outlet integrated welding diameter: 40mm, height from the ground:370mm.	Patent product: Chinese Patent No. : 02430654244.6 Framework Patent Number: 02430655180.1 304 food grade stainless steel, barrel body 0.8mm thick, with 304 stainless steel honey door. The bottom of the bucket has a slope, so honey won't stay behind. Comes with two handles for transportation. More stable support legs with easy to tighten screws and anti slip rubber pads at the bottom. Stainless steel gearbox with brake function. Replace acrylic with a more resilient PC cover and pair it with aluminum alloy hinges. Bold inner frame lines are more sturdy. The bottom is equipped with easy to screw screws that can adjust the height of the basket according to the weight of the honey frame. Adopting more advanced welding and		1	1	0	
-----------	--	---	---	--	--	---	---	---	--


BHE1-5	Langstroth 5-frame manual extractor	 	Barrel diameter: 535mm, barrel height 625mm. Inner frame specs: 250*60mm, suitable for frame size: 483*232mm, barrel thickness :0.8mm. Material: barrel body, inner frame, gear box, handle, honey outlet, and screws are 304 stainless steel, legs iron powder spraying process. The cover is PC transparent, honey outlet integrated welding diameter: 40mm, height from the ground:370mm.	Patent product: Chinese Patent No. : 02430654244.6 Framework Patent Number: 02430655180.1 304 food grade stainless steel, barrel body 0.8mm thick, with 304 stainless steel honey door. The bottom of the bucket has a slope, so honey won't stay behind. Comes with two handles for transportation. More stable support legs with easy to tighten screws and anti slip rubber pads at the bottom. Stainless steel gearbox with brake function. Replace acrylic with a more resilient PC cover and pair it with aluminum alloy hinges. Bold inner frame lines are more sturdy. The bottom is equipped with easy to screw screws that can adjust the height of the basket according to the weight of the honey frame. Adopting more advanced welding and		1	1	0	
--------	--	---	--	--	--	---	---	---	--


BHE1-6	Langstroth 6-frame manual extractor	 	Barrel diameter: 640mm, barrel height 625mm. Inner frame specs: 248*46mm, suitable for frame size: 483*232mm, barrel thickness: 0.8mm. Material: barrel body, inner frame, gear box, handle, honey outlet, and screws are 304 stainless steel, legs iron powder spraying process. The cover is PC transparent, honey outlet integrated welding diameter: 40mm, height from the ground:370mm.	Patent product: Chinese Patent No. : 02430654244.6 Framework Patent Number: 02430655180.1 304 food grade stainless steel, barrel body 0.8mm thick, with 304 stainless steel honey door. The bottom of the bucket has a slope, so honey won't stay behind. Comes with two handles for transportation. More stable support legs with easy to tighten screws and anti slip rubber pads at the bottom. Stainless steel gearbox with brake function. Replace acrylic with a more resilient PC cover and pair it with aluminum alloy hinges. Bold inner frame lines are more sturdy. The bottom is equipped with easy to screw screws that can adjust the height of the basket according to the weight of the honey frame. Adopting more advanced welding and		1	1	0	
--------	--	---	---	--	--	---	---	---	--

BHE1-6S	Dadant 6-frame manual extractor	 	Barrel diameter: 535mm, barrel height 617mm. Inner frame specs: 180*46mm, suitable for frame size: Dadant 160 small frame, barrel thickness: 0.8mm. Material: barrel body, inner frame, gear box, handle, honey outlet, and screws are 304 stainless steel, support legs iron powder spraying process. The cover is PC transparent, honey outlet integrated welding diameter: 40mm, height from the ground:370mm.	Patent product: Chinese Patent No. : 02430654244.6 Framework Patent Number: 02430655180.1 304 food grade stainless steel, barrel body 0.8mm thick, with 304 stainless steel honey door. The bottom of the bucket has a slope, so honey won't stay behind. Comes with two handles for transportation. More stable support legs with easy to tighten screws and anti slip rubber pads at the bottom. Stainless steel gearbox with brake function. Replace acrylic with a more resilient PC cover and pair it with aluminum alloy hinges. Bold inner frame lines are more sturdy. The bottom is equipped with easy to screw screws that can adjust the height of the basket according to the weight of the honey frame. Adopting more advanced welding and		1	1	0	
---------	---------------------------------	--	---	---	--	---	---	---	--


BHE3-2	2-frame electric extractor(L angstroth)		Barrel diameter: 380mm, barrel height: 617mm, inner frame: 248*462mm, compatible frame size: 483*232mm, barrel thickness 0.8mm, material: barrel body, inner frame, gear box, handle, honey outlet, screws are all made of 304 stainless steel, legs iron powder spraying process. PC transparent cover, honey outlet integrated welding diameter 40mm, height from the ground is 370mm. Plug (EU, US, Australian, UK standards), power: 550W	Patent product: Chinese Patent No. : 02430654244.6 Framework Patent Number: 02430655180.1 The use of brushless motors can provide greater force and longer service life. You can set the speed and direction. Equipped with emergency button and power-off switch. Use is safer. 304 food grade stainless steel, barrel body 0.8mm thick, with 304 stainless steel honey door. The bottom of the bucket has a slope, so honey won't stay behind. Comes with two handles for transportation. More stable support legs with easy to tighten screws and anti slip rubber pads at the bottom. Stainless steel gearbox with brake function. Replace acrylic with a more resilient PC cover and pair it with aluminum alloy hinges. Bold inner frame lines are more sturdy. The		210	1	0	Please confirm the plug and voltage you need?
--------	---	---	--	--	--	-----	---	---	---

BHE3-2D	2-frame electric extractor (Dadant)	   	Barrel diameter: 490mm, barrel height: 617mm, inner frame: 370*462mm, barrel thickness 0.8mm, material: barrel body, inner frame, gear box, handle, honey outlet, screws are all made of 304 stainless steel, legs iron powder spraying process. PC transparent cover, honey outlet integrated welding diameter 40mm, height from the ground is 370mm. Plug (EU, US, Australian, UK standards), power: 550W	Patent product: Chinese Patent No. : 02430654244.6 Framework Patent Number: 02430655180.1 The use of brushless motors can provide greater force and longer service life. You can set the speed and direction. Equipped with emergency button and power-off switch. Use is safer. 304 food grade stainless steel, barrel body 0.8mm thick, with 304 stainless steel honey door. The bottom of the bucket has a slope, so honey won't stay behind. Comes with two handles for transportation. More stable support legs with easy to tighten screws and anti slip rubber pads at the bottom. Stainless steel gearbox with brake function. Replace acrylic with a more resilient PC cover and pair it with aluminum alloy hinges. Bold inner frame lines are more sturdy. The		1	1	0	Please confirm the plug and voltage you need?
---------	-------------------------------------	---	--	---	--	---	---	---	---

BHE3-3	3-frame electric extractor (Langstroth)	   	Barrel diameter: 380mm, barrel height 617mm, inner frame: 248*463mm, compatible frame size: 483*232mm. Barrel thickness 0.8mm, material: barrel body, inner frame, gear box, handle, honey outlet, screws are all made of 304 stainless steel, legs iron powder spraying process. PC transparent cover, honey outlet integrated welding diameter 40mm, height from the ground is 370mm. Plug (EU, US, Australian, UK standards), power: 550W	Patent product: Chinese Patent No.: 02430654244.6 Framework Patent Number: 02430655180.1 The use of brushless motors can provide greater force and longer service life. You can set the speed and direction. Equipped with emergency button and power-off switch. Use is safer. 304 food grade stainless steel, barrel body 0.8mm thick, with 304 stainless steel honey door. The bottom of the bucket has a slope, so honey won't stay behind. Comes with two handles for transportation. More stable support legs with easy to tighten screws and anti slip rubber pads at the bottom. Stainless steel gearbox with brake function. Replace acrylic with a more resilient PC cover and pair it with aluminum alloy hinges. Bold inner frame lines are more sturdy. The		100	1	0	Please confirm the plug and voltage you need?
--------	---	--	--	--	--	-----	---	---	---

BHE3-3D	3-frame electric extractor (Dadant)	   	Barrel diameter: 535mm, barrel height 625mm, inner frame: 370*463mm, barrel thickness 0.8mm, material: barrel body, inner frame, gear box, handle, honey outlet, screws are all made of 304 stainless steel, legs iron powder spraying process. PC transparent cover, honey outlet integrated welding diameter 40mm, height from the ground is 370mm. Plug (EU, US, Australian, UK standards), power: 550W	Patent product: Chinese Patent No. : 02430654244.6 Framework Patent Number: 02430655180.1 The use of brushless motors can provide greater force and longer service life. You can set the speed and direction. Equipped with emergency button and power-off switch. Use is safer. 304 food grade stainless steel, barrel body 0.8mm thick, with 304 stainless steel honey door. The bottom of the bucket has a slope, so honey won't stay behind. Comes with two handles for transportation. More stable support legs with easy to tighten screws and anti slip rubber pads at the bottom. Stainless steel gearbox with brake function. Replace acrylic with a more resilient PC cover and pair it with aluminum alloy hinges. Bold inner frame lines are more sturdy. The		100	1	0	Please confirm the plug and voltage you need?
---------	-------------------------------------	--	---	---	--	-----	---	---	---


BHE3-4	4-frame electric extractor (Langstroth)	   	Barrel diameter: 490mm, barrel height: 617mm, inner frame: 248*464mm, barrel thickness 0.8mm, material: barrel body, inner frame, gear box, handle, honey outlet, screws are all made of 304 stainless steel, legs iron powder spraying process. PC transparent cover, honey outlet integrated welding diameter 40mm, height from the ground is 370mm. Plug (EU, US, Australian, UK standards), power: 550W	Patent product: Chinese Patent No.: 02430654244.6 Framework Patent Number: 02430655180.1 The use of brushless motors can provide greater force and longer service life. You can set the speed and direction. Equipped with emergency button and power-off switch. Use is safer. 304 food grade stainless steel, barrel body 0.8mm thick, with 304 stainless steel honey door. The bottom of the bucket has a slope, so honey won't stay behind. Comes with two handles for transportation. More stable support legs with easy to tighten screws and anti slip rubber pads at the bottom. Stainless steel gearbox with brake function. Replace acrylic with a more resilient PC cover and pair it with aluminum alloy hinges. Bold inner frame lines are more sturdy. The		1	1	0	Please confirm the plug and voltage you need?
--------	---	--	---	--	--	---	---	---	---


BHE3-4D	4-frame electric extractor (Dadant)	 	Barrel diameter: 640mm, barrel height 625mm, inner frame : 370*474mm, barrel thickness 0.8mm, material: barrel body, inner frame, gear box, handle, honey outlet, screws are all made of 304 stainless steel, legs iron powder spraying process. PC transparent cover, honey outlet integrated welding diameter is 40mm, height from the ground is 370mm. Plug (EU, US, Australian, UK standards), power: 550W	Patent product: Chinese Patent No. : 02430654244.6 Framework Patent Number: 02430655180.1 The use of brushless motors can provide greater force and longer service life. You can set the speed and direction. Equipped with emergency button and power-off switch. Use is safer. 304 food grade stainless steel, barrel body 0.8mm thick, with 304 stainless steel honey door. The bottom of the bucket has a slope, so honey won't stay behind. Comes with two handles for transportation. More stable support legs with easy to tighten screws and anti slip rubber pads at the bottom. Stainless steel gearbox with brake function. Replace acrylic with a more resilient PC cover and pair it with aluminum alloy hinges. Bold inner frame lines are more sturdy. The		100	1	0	Please confirm the plug and voltage you need?
---------	-------------------------------------	--	---	---	--	-----	---	---	---

BHE3-4L.S	4-frame electric extractor (Langstroth + Dadant small frame)	   	Barrel diameter: 380mm, barrel height 617mm, inner frame : 180*464 mm, suitable frame size: 160mm small frame. Barrel thickness 0.8mm, material: barrel body, inner frame, gear box, handle, honey outlet, screws are all made of 304 stainless steel, support legs iron powder spraying process, PC transparent cover, honey outlet integrated welding diameter 40mm. Plug (European, American, Australian, British standards), power: 550W	Patent product: Chinese Patent No. : 02430654244.6 Framework Patent Number: 02430655180.1 The use of brushless motors can provide greater force and longer service life. You can set the speed and direction. Equipped with emergency button and power-off switch. Use is safer. 304 food grade stainless steel, barrel body 0.8mm thick, with 304 stainless steel honey door. The bottom of the bucket has a slope, so honey won't stay behind. Comes with two handles for transportation. More stable support legs with easy to tighten screws and anti slip rubber pads at the bottom. Stainless steel gearbox with brake function. Replace acrylic with a more resilient PC cover and pair it with aluminum alloy hinges. Bold inner frame lines are more sturdy. The		100	1	0	Please confirm the plug and voltage you need?
-----------	--	--	--	---	--	-----	---	---	---

BHE3-5	Langstroth 5-frame electric extractor		Barrel diameter: 535mm, barrel height 617mm, inner frame specs: 248*460mm, suitable for frame size: 483*232mm, barrel thickness:0.8mm. Material: barrel body, inner frame, gear box, handle, honey outlet, and screws are 304 stainless steel, support legs iron powder spraying process. The cover is PC transparent, honey outlet integrated welding diameter: 40mm, height from the ground:370mm.	Patent product: Chinese Patent No. : 02430654244.6 Framework Patent Number: 02430655180.1 The use of brushless motors can provide greater force and longer service life. You can set the speed and direction. Equipped with emergency button and power-off switch. Use is safer. 304 food grade stainless steel, barrel body 0.8mm thick, with 304 stainless steel honey door. The bottom of the bucket has a slope, so honey won't stay behind. Comes with two handles for transportation. More stable support legs with easy to tighten screws and anti slip rubber pads at the bottom. Stainless steel gearbox with brake function. Replace acrylic with a more resilient PC cover and pair it with aluminum alloy hinges. Bold inner frame lines are more sturdy. The		100	1	0	Please confirm the plug and voltage you need?
--------	--	---	---	---	--	-----	---	---	---

BHE3-6	Langstroth 6-frame electric extractor		Barrel diameter: 640mm, barrel height 625mm, inner frame specs: 248*46mm, suitable for frame size: 483*232mm, barrel thickness: 0.8mm. Material: barrel body, inner frame, gear box, handle, honey outlet, and screws are 304 stainless steel, legs iron powder spraying process. The cover is PC transparent, honey outlet integrated welding diameter: 40mm, height from the ground:370mm.	Patent product: Chinese Patent No. : 02430654244.6 Framework Patent Number: 02430655180.1 The use of brushless motors can provide greater force and longer service life. You can set the speed and direction. Equipped with emergency button and power-off switch. Use is safer. 304 food grade stainless steel, barrel body 0.8mm thick, with 304 stainless steel honey door. The bottom of the bucket has a slope, so honey won't stay behind. Comes with two handles for transportation. More stable support legs with easy to tighten screws and anti slip rubber pads at the bottom. Stainless steel gearbox with brake function. Replace acrylic with a more resilient PC cover and pair it with aluminum alloy hinges. Bold inner frame lines are more sturdy. The		100	1	0	Please confirm the plug and voltage you need?
--------	--	---	--	---	--	-----	---	---	---

BHE3-6S	6-frame electric extractor (Dadant 6 small frames)	   	Barrel diameter: 535mm, barrel height 617mm, inner frame : 180*466mm, suitable frame size: Dadant 160 small frame, barrel thickness 0.8mm, material: barrel body, inner frame, gear box, handle, honey outlet, screws are made of 304 stainless steel, legs iron powder spraying process. PC transparent cover, honey outlet integrated welding diameter 40mm, height from the ground 370mm. Plug (EU, US, Australian, UK standards), power: 550W	Patent product: Chinese Patent No. : 02430654244.6 Framework Patent Number: 02430655180.1 The use of brushless motors can provide greater force and longer service life. You can set the speed and direction. Equipped with emergency button and power-off switch. Use is safer. 304 food grade stainless steel, barrel body 0.8mm thick, with 304 stainless steel honey door. The bottom of the bucket has a slope, so honey won't stay behind. Comes with two handles for transportation. More stable support legs with easy to tighten screws and anti slip rubber pads at the bottom. Stainless steel gearbox with brake function. Replace acrylic with a more resilient PC cover and pair it with aluminum alloy hinges. Bold inner frame lines are more sturdy. The		100	1	0	Please confirm the plug and voltage you need?
---------	--	--	--	--	--	-----	---	---	---

BHE6-2	Langstroth 2-frame electric extractor (bottom drive)	   	Barrel diameter: 380mm, barrel height: 617mm, inner frame : 248*462mm, compatible nest frame size: 483*232mm, barrel thickness 0.8mm, material: barrel body, inner frame, gear box, handle, honey outlet, screws are all made of 304 stainless steel, legs iron powder spraying process. PC transparent cover, honey outlet integrated welding diameter 40mm, height from the ground is 370mm. Plug (EU, US, Australian, UK standards), power: 550W The motor is installed at the bottom of the extractor.			100	1	0	Please confirm the plug and voltage you need?
--------	--	--	---	--	--	-----	---	---	---

BHE6-2D	2-frame bottom drive electric extractor (Dadant)	 	Barrel diameter: 490mm, barrel height 617mm, inner frame: 248*46, adapted frame size: 483*232mm, barrel thickness 0.8mm, material: barrel body, inner frame, gear box, handle, honey outlet, screws are all made of 304 stainless steel, legs iron powder spraying process. PC transparent cover, honey outlet integrated welding diameter 40mm, height from the ground is 370mm. Plug (EU, US, Australian, UK standards), power: 550W The motor is installed at the bottom of the extractor.			50	1	0	Please confirm the plug and voltage you need?
---------	---	--	--	--	--	----	---	---	---

BHE6-3	Langstroth 3-frame electric extractor (bottom drive)	 	Barrel diameter: 380mm, barrel height 617mm, inner frame : 248*463mm, compatible frame size: 483*232mm. Barrel thickness 0.8mm, material: barrel body, inner frame, gear box, handle, honey outlet, screws are made of 304 stainless steel, legs iron powder spraying process. PC transparent cover, honey outlet integrated welding diameter 40mm, height from the ground is 370mm. Plug (EU, US, Australian, UK standards), power: 550W The motor is installed at the bottom of the extractor.			100	1	0	Please confirm the plug and voltage you need?
BHE6-3D	Dadant 3-frame bottom drive electric extractor	 	Barrel diameter: 535mm, barrel height 625mm, inner frame : 370*463mm, barrel thickness 0.8mm, material: barrel body, inner frame, gear box, handle, honey outlet, screws are 304 stainless steel, legs iron powder spraying process. PC transparent cover, honey outlet integrated welding diameter 40mm, height from the ground 370mm. Plug (EU, US, Australian, UK standards), power: 550W The motor is installed at the bottom of the extractor.			100	1	0	Please confirm the plug and voltage you need?

BHE6-4	4-frame electric extractor (Bottom Drive)	 	Barrel diameter: 490mm, barrel height 617mm, inner frame specifications: 248*46, adapted nest frame size: 483*232mm, barrel thickness 0.8mm, material: barrel body, inner frame, gear box, handle, honey outlet, screws are all made of 304 stainless steel, legs iron powder spraying process. PC transparent cover, honey outlet integrated welding diameter 40mm, the height from the ground is 370mm.			100	1	0	Please confirm the plug and voltage you need?
BHE6-4D	Dadant 4-frame electric extractor (bottom drive)	 	Barrel diameter: 640mm, barrel height 625mm, inner frame : 370*474mm, barrel thickness 0.8mm, material: barrel body, inner frame, gear box, handle, honey outlet, screws are made of 304 stainless steel, legs iron powder spraying process. PC transparent cover, honey outlet integrated welding diameter 40mm, height from the ground 370mm. Plug (EU, US, Australian, UK standards), power: 550W The motor is installed at the bottom of the extractor.			100	1	0	Please confirm the plug and voltage you need?


BHE6-4L. S	4-frame bottom drive electric extractor (Langstroth + Dadant small frame)	 The image shows the Benefitbee BHE6-4L.S electric extractor, a stainless steel unit with four support legs and a top handle. To its right are two technical drawings: a top view of the inner frame showing a 248mm width and 46mm height, and a side view of the small frame showing a 464mm height.	Barrel diameter: 380mm, barrel height 617mm, inner frame : 180*464 mm, suitable frame size: 160mm small frame. Barrel thickness 0.8mm, material: barrel body, inner frame, gear box, handle, honey outlet, screws are made of 304 stainless steel, support legs iron powder spraying process, PC transparent cover, honey outlet integrated welding diameter 40mm. Plug (EU, US, Australian, UK standards), power: 550W The motor is installed at the bottom of the extractor.			100	1	0	Please confirm the plug and voltage you need?
------------	---	--	---	--	--	-----	---	---	---

BHE6-5	Langstroth 5-frame electric extractor (bottom drive)	   	Barrel diameter: 535mm, barrel height 625mm, inner frame : 248*385mm, adapted frame size: 483*232mm, barrel thickness 0.8mm, material: barrel body, inner frame, gear box, handle, honey outlet, screws are made of 304 stainless steel, legs iron powder spraying process. PC transparent cover, honey outlet integrated welding diameter 40mm, height from the ground is 370mm. Plug (EU, US, Australian, UK standards), power: 550W The motor is installed at the bottom of the extractor.			100	1	0	Please confirm the plug and voltage you need?
--------	---	--	---	--	--	-----	---	---	---

BHE6-6	Langstroth 6-frame electric extractor (bottom drive)	 	Barrel diameter: 640mm, barrel height 625mm, inner frame : 248*466mm, compatible frame size: 483*232mm, barrel thickness 0.8mm, material: barrel body, inner frame, gear box, handle, honey outlet, screws are made of 304 stainless steel, legs iron powder spraying process. PC transparent cover, honey outlet integrated welding diameter 40mm, height from the ground 370mm. Plug (EU, US, Australian, UK standards), power: 550W The motor is installed at the bottom of the extractor.			100	1	0	Please confirm the plug and voltage you need?
--------	--	--	--	--	--	-----	---	---	---

BHE6-6S	6-frame bottom drive electric extractor (Dadant 6 small frames)	   	Barrel diameter: 535mm, barrel height 617mm, inner frame : 180*466mm, suitable frame size: Dadant 160mm small frame, barrel thickness 0.8mm, material: barrel body, inner frame, gear box, handle, honey outlet, screws are made of 304 stainless steel, legs iron powder spraying process. PC transparent cover, honey outlet integrated welding diameter 40mm, height from the ground 370mm. Plug (EU, US, Australian, UK standards), power: 550W The motor is installed at the bottom of the extractor.			100	1	0	Please confirm the plug and voltage you need?
---------	--	--	---	--	--	-----	---	---	---

BHE7-4	4-frame manual integrated extracting and uncapping tank		size:1250*540*460mm, support legs:201 stainless steel, other parts:304 stainless steel; lid and table are 0.8mm, legs 2mm, sloping bottom. Height-adjustable leg frame and the size of the comb frame can be adjusted freely, suitable for various sizes of frames.	1. Food-Grade Stainless Steel 0.8mm 304 stainless steel, corrosion/rust-resistant, seamless welding, easy cleaning. 2. Bottom Honey Outlet Residue-free stainless steel outlet at the base. 3. Multi-Specification Honey Extraction 4-frame capacity (standard: Langstroth 248mm frames; customizable for other Langstroth sizes or Dadant 2-frame/370mm frames). 4. Manual & Electric Models for options. Manual: brake-equipped; Electric: high-speed motor without carbonic acid. 5. Adjustable Frame Shelf + Steam Option Adapts to various frame sizes; optional steam heating for wax melting.		1	1	0	
--------	---	---	--	---	--	---	---	---	--

BHE7-4D	4-frame electric integrated extracting and uncapping machine		size:1250*540*460mm, support legs:201 stainless steel, other parts:304 stainless steel; lid and table are 0.8mm, legs 2mm, sloping bottom. Height-adjustable leg frame and the size of the comb frame can be adjusted freely, suitable for various sizes of frames.	1. Food-Grade Stainless Steel 0.8mm 304 stainless steel, corrosion/rust-resistant, seamless welding, easy cleaning. 2. Bottom Honey Outlet Residue-free stainless steel outlet at the base. 3. Multi-Specification Honey Extraction 4-frame capacity (standard: Langstroth 248mm frames; customizable for other Langstroth sizes or Dadant 2-frame/370mm frames). 4. Manual & Electric Models for options. Manual: brake-equipped; Electric: high-speed motor without carbonic acid. 5. Adjustable Frame Shelf + Steam Option Adapts to various frame sizes; optional steam heating for wax melting.		1	1	0	
CF07	BB Plastic foundation wax roller machine (Patent)		Product size: 470*590*420mm Material: Stainless steel Rated voltage: AC110V AC220V Roller diameter:75mm Power:25W+300W 50/60HZ 300 rounds/minute Capacity: 9L CN Patent No.ZL 2022 3 0075247.5	Patent Product: CN Patent No. ZL 2022 3 0075247.5 It can quickly coat the plastic nest base with beeswax, so that bees can accept it more quickly		10	1	0	

FT20	304 stainless steel comb Uncapping Tank (600mm)		Product size:650*540*460mm, support legs:201 stainless steel, other parts:304 stainless steel; lid and table are 0.8mm, legs 2mm, sloping bottom. Height-adjustable leg frame and the size of the comb frame can be adjusted freely, suitable for various sizes of frames.	High quality mirror 304 food grade stainless steel material. Bottom tilted, no honey residue, easy to clean. Equipped with stainless steel honey doors. The height can be adjusted. Legs with wheels. You can adjust the distance of frame placement. Suitable for different frame sizes in countries around the world. Adopting more advanced welding and surface treatment processes.		1	1	0	
FT20-2	304 stainless steel comb Uncapping Tank (800mm)		Product size:850*540*460mm, support legs:201 stainless steel, other parts:304 stainless steel; lid and table are 0.8mm, legs 2mm, sloping bottom. Height-adjustable leg frame and the size of the comb frame can be adjusted freely, suitable for various sizes of frames.	High quality mirror 304 food grade stainless steel material. Bottom tilted, no honey residue, easy to clean. Equipped with stainless steel honey doors. The height can be adjusted. Legs with wheels. You can adjust the distance of frame placement. Suitable for different frame sizes in countries around the world. Adopting more advanced welding and surface treatment processes.		1	1	0	

FT20-3	304 stainless steel comb Uncapping Tank (1000mm)		size:1050*540*460mm, support legs:201 stainless steel, other parts:304 stainless steel; lid and table are 0.8mm, legs 2mm, sloping bottom. Height-adjustable leg frame and the size of the comb frame can be adjusted freely, suitable for various sizes of frames.	High quality mirror 304 food grade stainless steel material. Bottom tilted, no honey residue, easy to clean. Equipped with stainless steel honey doors. The height can be adjusted. Legs with wheels. You can adjust the distance of frame placement. Suitable for different frame sizes in countries around the world. Adopting more advanced welding and surface treatment processes.		1	1	0	
FT20-4	304 stainless steel comb Uncapping Tank (1200mm)		size:1250*540*460mm, support legs:201 stainless steel, other parts:304 stainless steel; lid and table are 0.8mm, legs 2mm, sloping bottom. Height-adjustable leg frame and the size of the comb frame can be adjusted freely, suitable for various sizes of frames.	High quality mirror 304 food grade stainless steel material. Bottom tilted, no honey residue, easy to clean. Equipped with stainless steel honey doors. The height can be adjusted. Legs with wheels. You can adjust the distance of frame placement. Suitable for different frame sizes in countries around the world. Adopting more advanced welding and surface treatment processes.		1	1	0	
HAP10-310	European Pail Support (50kg)		Material/Construction: Iron, powder coated It can be used with HB-310	Honey bucket supporting bracket. Can customize any color		800	4	0	

HAP10-380	European Pail Support (100 kg)	 	Material/Construction: Iron, powder coated It can be used with HB-380	Honey bucket supporting bracket. Can customize any color		500	4	0	
HAP10-535	European Pail Support (250 kg)	 	Material/Construction: Iron, powder coated It can be used with HB-535	Honey bucket supporting bracket. Can customize any color		300	4	0	
HAP10-640	European Pail Support (400 kg)	 	Material/Construction: Iron, powder coated It can be used with HB-640	Honey bucket supporting bracket. Can customize any color		200	4	0	

HAP11-310	EU tank stainless steel strainer(50 KG)	 	Material: SS304, outer diameter: 31cm, inner diameter: 30cm, height: 15cm. Suitable for 50KG honey tank (HB310).	Honey bucket with matching filter.		300	0	0	
HAP11-380	EU tank stainless steel strainer(10 OKG)	 	Material: SS304, outer diameter: 38cm, inner diameter: 37cm, height: 15cm. Suitable for 100KG honey tank (HB-380).	Honey bucket with matching filter.		300	0	0	
HAP11-535	EU tank stainless steel strainer(25 OKG)	 	Material: SS304, outer diameter: 52.5cm, inner diameter: 51.5cm, height: 15cm. Suitable for 250KG honey tank (HB-535).	Honey bucket with matching filter.		300	0	0	

HAP11-640	EU tank stainless steel strainer(400KG)	 	Material: SS304, outer diameter: 63cm, inner diameter: 61.5cm, height: 15cm. Suitable for 400KG honey tank (HB640).	Honey bucket with matching filter.		300	0	0	
HB-310	European Pail, Sloping bottom (50kg)	 	Material: SS304, size: 310*525mm Honey valve diameter: 50mm, honey capacity: 50kg Bottom: sloping bottom Configuration: lid, lid handle, pail handle It can be used with the specific strainer for pure honey.	304 food grade stainless steel, barrel body 0.8mm thick, with 304 stainless steel honey door. The bottom of the bucket has a slope, so honey won't stay behind. Comes with two handles for transportation. There are capacity and weight scales in the bucket. Adopting more advanced welding and surface treatment processes.		100	1	0	Default with SS304 gate, Honey strainer is not included, additional purchase required
HB-380	European Pail, Sloping bottom (100kg)	 	Material: SS304 Size: 380*680mm Honey valve diameter: 50mm, honey capacity: 100kg. Bottom: sloping bottom, configuration: lid, lid handle, pail handle It can be used with the specific strainer for pure honey.	304 food grade stainless steel, barrel body 0.8mm thick, with 304 stainless steel honey door. The bottom of the bucket has a slope, so honey won't stay behind. Comes with two handles for transportation. There are capacity and weight scales in the bucket. Adopting more advanced welding and surface treatment processes.		100	1	0	Default with SS304 gate Honey strainer is not included, additional purchase required

HB-490	European Pail, Sloping bottom (150kg)		Material: SS304 Dimensions: 490 x 725 mm Honey valve diameter: 50 mm, Honey capacity: 150 kg Bottom: Sloped bottom, Features: Lid, lid handle, bucket handle			1	1	0	Default with SS304 gate Honey strainer is not included, additional purchase required
HB-535	European Pail, Sloping bottom (250kg)		Material: SS304, size: 535*855mm Honey valve diameter: 50mm, honey capacity: 250kg Bottom: sloping bottom, configuration: lid, lid handle, pail handle It can be used with the specific strainer for pure honey.	304 food grade stainless steel, barrel body 0.8mm thick, with 304 stainless steel honey door. The bottom of the bucket has a slope, so honey won't stay behind. Comes with two handles for transportation. There are capacity and weight scales in the bucket. Adopting more advanced welding and surface treatment processes.		100	1	0	Default with SS304 gate Honey strainer is not included, additional purchase required
HB-640	European Pail, Sloping bottom (400kg)		Material: SS304, Size: 640*950mm Honey valve diameter: 50mm, honey capacity: 400kg, bottom: inclined bottom, configuration: lid, lid handle, pail handle. It can be used with the specific strainer for pure honey.	304 food grade stainless steel, barrel body 0.8mm thick, with 304 stainless steel honey door. The bottom of the bucket has a slope, so honey won't stay behind. Comes with two handles for transportation. There are capacity and weight scales in the bucket. Adopting more advanced welding and surface treatment processes.		100	1	0	Default with SS304 gate Honey strainer is not included, additional purchase required

HP24	Beehive Lifter		1. Lithium battery (with charger) 2. Walking motor (with differential) : 500W 3. Grass wheel: 16 inches, 4. load: 75kg, 5. product size: 1550*740mm 6. 24v33A 7. Speed: low speed 5 km/h, medium speed 7 km/h, high speed 9 km/h, reverse 3 km/h 8. Maximum lifting height: 1 meter	Independently developed and used for various specifications of beehives, easy to transport beehives, capable of electric lifting and driving		1	1	0	
------	----------------	---	---	--	--	---	---	---	--